

```

SEP_INST.log
=== Verbose logging started: 29.07.2013 20:14:42 Build type: SHIP UNICODE
3.01.4001.5512 Calling process: C:\WINDOWS\system32\msiexec.exe ===
MSI (C) (04:10) [20:14:42:703]: Resetting cached policy values
MSI (C) (04:10) [20:14:42:703]: Machine policy value 'Debug' is 0
MSI (C) (04:10) [20:14:42:703]: ***** RunEngine:
***** Product: E:\SEP\Sep.msi
***** Action:
***** CommandLine: *****
MSI (C) (04:10) [20:14:42:750]: Machine policy value 'DisableUserInstalls' is 0
MSI (C) (04:10) [20:14:42:921]: SOFTWARE RESTRICTION POLICY: Verifying package
--> 'E:\SEP\Sep.msi' against software restriction policy
MSI (C) (04:10) [20:14:42:921]: SOFTWARE RESTRICTION POLICY: E:\SEP\Sep.msi has
a digital signature
MSI (C) (04:10) [20:14:43:062]: SOFTWARE RESTRICTION POLICY: E:\SEP\Sep.msi is
permitted to run at the 'unrestricted' authorization level.
MSI (C) (04:10) [20:14:43:093]: Cloaking enabled.
MSI (C) (04:10) [20:14:43:093]: Attempting to enable all disabled privileges
before calling Install on Server
MSI (C) (04:10) [20:14:43:093]: End dialog not enabled
MSI (C) (04:10) [20:14:43:093]: Original package ==> E:\SEP\Sep.msi
MSI (C) (04:10) [20:14:43:093]: Package we're running from ==>
C:\DOCUME~1\ADMINI~1\LOCALS~1\Temp\9d97.msi
MSI (C) (04:10) [20:14:43:109]: APPCOMPAT: looking for appcompat database entry
with ProductCode '{816230FE-84A1-47CC-BF64-C113014BD15B}'.
MSI (C) (04:10) [20:14:43:109]: APPCOMPAT: no matching ProductCode found in
database.
MSI (C) (04:10) [20:14:43:125]: MSCOREE not loaded loading copy from system32
MSI (C) (04:10) [20:14:43:125]: Machine policy value 'TransformsSecure' is 0
MSI (C) (04:10) [20:14:43:125]: User policy value 'TransformsAtSource' is 0
MSI (C) (04:10) [20:14:43:125]: Machine policy value 'DisablePatch' is 0
MSI (C) (04:10) [20:14:43:125]: Machine policy value 'AllowLockdownPatch' is 0
MSI (C) (04:10) [20:14:43:125]: Machine policy value 'DisableLUAPatching' is 0
MSI (C) (04:10) [20:14:43:125]: Machine policy value 'DisableFlyweightPatching'
is 0
MSI (C) (04:10) [20:14:43:125]: APPCOMPAT: looking for appcompat database entry
with ProductCode '{816230FE-84A1-47CC-BF64-C113014BD15B}'.
MSI (C) (04:10) [20:14:43:125]: APPCOMPAT: no matching ProductCode found in
database.
MSI (C) (04:10) [20:14:43:125]: Transforms are not secure.
MSI (C) (04:10) [20:14:43:125]: Command Line: SRCLICFILE=EE
CURRENTDIRECTORY=E:\SEP CLIENTUILEVEL=0 CLIENTPROCESSID=260
CURRENTMEDIAVOLUMELABEL=SEP_12.1
MSI (C) (04:10) [20:14:43:125]: PROPERTY CHANGE: Adding PackageCode property.
Its value is '{F3BE37D6-027B-4947-AD83-637FF28381E4}'.
MSI (C) (04:10) [20:14:43:125]: Product Code passed to Engine.Initialize:
,
MSI (C) (04:10) [20:14:43:125]: Product Code from property table before
transforms: '{816230FE-84A1-47CC-BF64-C113014BD15B}'
MSI (C) (04:10) [20:14:43:125]: Product Code from property table after
transforms: '{816230FE-84A1-47CC-BF64-C113014BD15B}'
MSI (C) (04:10) [20:14:43:125]: Product not registered: beginning first-time
install
MSI (C) (04:10) [20:14:43:125]: PROPERTY CHANGE: Adding ProductState property.
Its value is '-1'.
MSI (C) (04:10) [20:14:43:125]: Entering
C:\msi\configuration\Manager::SetLastUsedSource.
MSI (C) (04:10) [20:14:43:125]: User policy value 'DisableMedia' is 0
MSI (C) (04:10) [20:14:43:125]: User policy value 'SearchOrder' is 'nmu'
MSI (C) (04:10) [20:14:43:125]: Adding new sources is allowed.
MSI (C) (04:10) [20:14:43:125]: PROPERTY CHANGE: Adding PackageCodeChanging
property. Its value is '1'.
MSI (C) (04:10) [20:14:43:125]: Package name extracted from package path:
'Sep.msi'
MSI (C) (04:10) [20:14:43:125]: Package to be registered: 'Sep.msi'
MSI (C) (04:10) [20:14:43:125]: Note: 1: 2729
MSI (C) (04:10) [20:14:43:140]: Note: 1: 2729
MSI (C) (04:10) [20:14:43:140]: Note: 1: 2262 2: AdminProperties 3: -2147287038
MSI (C) (04:10) [20:14:43:140]: Machine policy value 'DisableMsi' is 0

```

SEP_INST.log

MSI (c) (04:10) [20:14:43:140]: Machine policy value 'AlwaysInstallElevated' is 0
MSI (c) (04:10) [20:14:43:140]: User policy value 'AlwaysInstallElevated' is 0
MSI (c) (04:10) [20:14:43:140]: Product installation will be elevated because user is admin and product is being installed per-machine.
MSI (c) (04:10) [20:14:43:140]: Running product '{816230FE-84A1-47CC-BF64-C113014BD15B}' with elevated privileges: Product is assigned.
MSI (c) (04:10) [20:14:43:140]: PROPERTY CHANGE: Adding SRCLICFILE property. Its value is 'EE'.
MSI (c) (04:10) [20:14:43:140]: PROPERTY CHANGE: Adding CURRENTDIRECTORY property. Its value is 'E:\SEP'.
MSI (c) (04:10) [20:14:43:140]: PROPERTY CHANGE: Adding CLIENTUILEVEL property. Its value is '0'.
MSI (c) (04:10) [20:14:43:140]: PROPERTY CHANGE: Adding CLIENTPROCESSID property. Its value is '260'.
MSI (c) (04:10) [20:14:43:140]: PROPERTY CHANGE: Adding CURRENTMEDIAVOLUMELABEL property. Its value is 'SEP_12.1'.
MSI (c) (04:10) [20:14:43:140]: TRANSFORMS property is now:
MSI (c) (04:10) [20:14:43:140]: PROPERTY CHANGE: Adding VersionDatabase property. Its value is '200'.
MSI (c) (04:10) [20:14:43:140]: SHELL32::SHGetFolderPath returned: C:\Documents and Settings\Administrator\Application Data
MSI (c) (04:10) [20:14:43:140]: SHELL32::SHGetFolderPath returned: C:\Documents and Settings\Administrator\Favorites
MSI (c) (04:10) [20:14:43:156]: SHELL32::SHGetFolderPath returned: C:\Documents and Settings\Administrator\NetHood
MSI (c) (04:10) [20:14:43:156]: SHELL32::SHGetFolderPath returned: C:\Documents and Settings\Administrator\My Documents
MSI (c) (04:10) [20:14:43:156]: SHELL32::SHGetFolderPath returned: C:\Documents and Settings\Administrator\PrinHood
MSI (c) (04:10) [20:14:43:156]: SHELL32::SHGetFolderPath returned: C:\Documents and Settings\Administrator\Recent
MSI (c) (04:10) [20:14:43:156]: SHELL32::SHGetFolderPath returned: C:\Documents and Settings\Administrator\SendTo
MSI (c) (04:10) [20:14:43:156]: SHELL32::SHGetFolderPath returned: C:\Documents and Settings\Administrator\Templates
MSI (c) (04:10) [20:14:43:156]: SHELL32::SHGetFolderPath returned: C:\Documents and Settings\All Users\Application Data
MSI (c) (04:10) [20:14:43:156]: SHELL32::SHGetFolderPath returned: C:\Documents and Settings\Administrator\Local Settings\Application Data
MSI (c) (04:10) [20:14:43:156]: SHELL32::SHGetFolderPath returned: C:\Documents and Settings\Administrator\My Documents\My Pictures
MSI (c) (04:10) [20:14:43:156]: SHELL32::SHGetFolderPath returned: C:\Documents and Settings\All Users\Start Menu\Programs\Administrative Tools
MSI (c) (04:10) [20:14:43:156]: SHELL32::SHGetFolderPath returned: C:\Documents and Settings\All Users\Start Menu\Programs\Startup
MSI (c) (04:10) [20:14:43:156]: SHELL32::SHGetFolderPath returned: C:\Documents and Settings\All Users\Start Menu\Programs
MSI (c) (04:10) [20:14:43:156]: SHELL32::SHGetFolderPath returned: C:\Documents and Settings\All Users\Start Menu
MSI (c) (04:10) [20:14:43:156]: SHELL32::SHGetFolderPath returned: C:\Documents and Settings\All Users\Desktop
MSI (c) (04:10) [20:14:43:156]: SHELL32::SHGetFolderPath returned: C:\Documents and Settings\Administrator\Start Menu\Programs\Administrative Tools
MSI (c) (04:10) [20:14:43:156]: SHELL32::SHGetFolderPath returned: C:\Documents and Settings\Administrator\Start Menu\Programs\Startup
MSI (c) (04:10) [20:14:43:156]: SHELL32::SHGetFolderPath returned: C:\Documents and Settings\Administrator\Start Menu\Programs
MSI (c) (04:10) [20:14:43:156]: SHELL32::SHGetFolderPath returned: C:\Documents and Settings\Administrator\Start Menu
MSI (c) (04:10) [20:14:43:156]: SHELL32::SHGetFolderPath returned: C:\Documents and Settings\Administrator\Desktop
MSI (c) (04:10) [20:14:43:156]: SHELL32::SHGetFolderPath returned: C:\Documents and Settings\All Users\Templates
MSI (c) (04:10) [20:14:43:156]: SHELL32::SHGetFolderPath returned: C:\WINDOWS\Fonts
MSI (c) (04:10) [20:14:43:156]: Note: 1: 2898 2: MS Sans Serif 3: MS Sans Serif

SEP_INST.log

```

4: 0 5: 16
MSI (c) (04:10) [20:14:43:156]: MSCOREE not loaded loading copy from system32
MSI (c) (04:10) [20:14:43:156]: PROPERTY CHANGE: Adding Privileged property. Its
value is '1'.
MSI (c) (04:10) [20:14:43:156]: Note: 1: 1402 2:
HKEY_CURRENT_USER\Software\Microsoft\MS Setup (ACME)\User Info 3: 2
MSI (c) (04:10) [20:14:43:156]: PROPERTY CHANGE: Adding USERNAME property. Its
value is 'cor'.
MSI (c) (04:10) [20:14:43:156]: Note: 1: 1402 2:
HKEY_CURRENT_USER\Software\Microsoft\MS Setup (ACME)\User Info 3: 2
MSI (c) (04:10) [20:14:43:156]: PROPERTY CHANGE: Adding COMPANYNAME property.
Its value is 'cor'.
MSI (c) (04:10) [20:14:43:156]: PROPERTY CHANGE: Adding DATABASE property. Its
value is 'C:\DOCUME~1\ADMINI~1\LOCALS~1\Temp\9d97.msi'.
MSI (c) (04:10) [20:14:43:156]: PROPERTY CHANGE: Adding OriginalDatabase
property. Its value is 'E:\SEP\Sep.msi'.
MSI (c) (04:10) [20:14:43:156]: PROPERTY CHANGE: Adding SourceDir property. Its
value is 'E:\SEP\'.
MSI (c) (04:10) [20:14:43:156]: PROPERTY CHANGE: Adding SOURCEDIR property. Its
value is 'E:\SEP\'.
MSI (c) (04:10) [20:14:43:156]: PROPERTY CHANGE: Adding MediaSourceDir property.
Its value is '1'.
MSI (c) (04:08) [20:14:43:156]: PROPERTY CHANGE: Adding VersionHandler property.
Its value is '3.01'.
=== Начало записи журнала: 29.07.2013 20:14:43 ===
MSI (c) (04:10) [20:14:43:156]: Note: 1: 2205 2: 3: PatchPackage
MSI (c) (04:10) [20:14:43:156]: Machine policy value 'DisableRollback' is 0
MSI (c) (04:10) [20:14:43:156]: User policy value 'DisableRollback' is 0
MSI (c) (04:10) [20:14:43:156]: PROPERTY CHANGE: Adding UILevel property. Its
value is '5'.
MSI (c) (04:10) [20:14:43:156]: PROPERTY CHANGE: Adding ACTION property. Its
value is 'INSTALL'.
MSI (c) (04:10) [20:14:43:156]: Doing action: INSTALL
Действие 20:14:43: INSTALL.
Начало действия 20:14:43: INSTALL.
MSI (c) (04:10) [20:14:43:156]: UI Sequence table 'InstallUISequence' is present
and populated.
MSI (c) (04:10) [20:14:43:156]: Running UISequence
MSI (c) (04:10) [20:14:43:156]: PROPERTY CHANGE: Adding EXECUTEACTION property.
Its value is 'INSTALL'.
MSI (c) (04:10) [20:14:43:156]: Doing action: FindRelatedProducts
Действие 20:14:43: FindRelatedProducts. Поиск связанных приложений
Начало действия 20:14:43: FindRelatedProducts.
Завершение действия 20:14:43: FindRelatedProducts. Возвращенное значение 1.
MSI (c) (04:10) [20:14:43:156]: Skipping action: DowngradeError (condition is
false)
MSI (c) (04:10) [20:14:43:156]: Skipping action: LegacyNortonError (condition is
false)
MSI (c) (04:10) [20:14:43:156]: Skipping action: LegacySymError (condition is
false)
MSI (c) (04:10) [20:14:43:156]: Doing action: DriverCheck
Действие 20:14:43: DriverCheck.
Начало действия 20:14:43: DriverCheck.
MSI (c) (04:80) [20:14:43:171]: Invoking remote custom action. DLL:
C:\DOCUME~1\ADMINI~1\LOCALS~1\Temp\MSI2.tmp, Entrypoint: DriverCheck
MSI (c) (04:84) [20:14:43:171]: Cloaking enabled.
MSI (c) (04:84) [20:14:43:171]: Attempting to enable all disabled privileges
before calling Install on Server
MSI (c) (04:84) [20:14:43:171]: Connected to service for CA interface.
DriverCheck SymEvent did not open. Trying accessing via CreateFile
DriverCheck SymEvent did not open (probably doesn't exist -- this is fine) with:
2
DriverCheck SymTDI did not open. Trying accessing via CreateFile
DriverCheck SymTDI did not open (probably doesn't exist -- this is fine) with: 2
DriverCheck WPS did not open. Trying accessing via CreateFile
DriverCheck WPS did not open (probably doesn't exist -- this is fine) with: 2
Завершение действия 20:14:43: DriverCheck. Возвращенное значение 1.
MSI (c) (04:10) [20:14:43:281]: Doing action: SetMigrateProperty

```

SEP_INST.log

Действие 20:14:43: SetMigrateProperty.
 Начало действия 20:14:43: SetMigrateProperty.
 MSI (c) (04:AC) [20:14:43:281]: Invoking remote custom action. DLL: C:\DOCUME~1\ADMINI~1\LOCALS~1\Temp\MSI3.tmp, Entrypoint: SetMigrateProperty
 Завершение действия 20:14:43: SetMigrateProperty. Возвращенное значение 1.
 MSI (c) (04:10) [20:14:43:453]: Skipping action: SetsNACMigratePropertyAmberPlus (condition is false)
 MSI (c) (04:10) [20:14:43:453]: Skipping action: SetsNACMigratePropertyOlder (condition is false)
 MSI (c) (04:10) [20:14:43:453]: Skipping action: SetsNACMigratePropertyPreAmber (condition is false)
 MSI (c) (04:10) [20:14:43:453]: Doing action: AppSearch
 Действие 20:14:43: AppSearch. Поиск установленных приложений
 Начало действия 20:14:43: AppSearch.
 AppSearch: Свойство: SAVMIGINSTDIR, Подпись: SavInstDirSig
 MSI (c) (04:10) [20:14:43:453]: Note: 1: 1402 2: HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\InstalledApps 3: 2
 AppSearch: Свойство: SCSMIGINSTDIR, Подпись: ScsInstDirSig
 MSI (c) (04:10) [20:14:43:453]: Note: 1: 1402 2: HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\InstalledApps 3: 2
 AppSearch: Свойство: SNACMIGINSTDIR, Подпись: SnacInstDirSig
 MSI (c) (04:10) [20:14:43:453]: Note: 1: 1402 2: HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\InstalledApps 3: 2
 AppSearch: Свойство: SEPMIGINSTDIR, Подпись: BasePathTemp
 MSI (c) (04:10) [20:14:43:453]: Note: 1: 1402 2: HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\InstalledApps 3: 2
 AppSearch: Свойство: SEPMIGINSTDIR, Подпись: BasePath
 MSI (c) (04:10) [20:14:43:453]: Note: 1: 1402 2: HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint Protection\InstalledApps 3: 2
 AppSearch: Свойство: OS_SUPPORTS_UI, Подпись: findExplorer
 MSI (c) (04:10) [20:14:43:453]: PROPERTY CHANGE: Adding OS_SUPPORTS_UI property. Its value is 'C:\WINDOWS\explorer.exe'.
 AppSearch: Свойство: IE6FOUND, Подпись: sigShdocvw
 MSI (c) (04:10) [20:14:43:468]: PROPERTY CHANGE: Adding IE6FOUND property. Its value is 'C:\WINDOWS\system32\shdocvw.dll'.
 AppSearch: Свойство: SPMXMLFOUND, Подпись: SPMXML
 MSI (c) (04:10) [20:14:43:468]: PROPERTY CHANGE: Adding SPMXMLFOUND property. Its value is 'E:\SEP\SyLink.xml'.
 AppSearch: Свойство: INSTALLEDPRODUCTTYPE, Подпись: INSTALLEDPRODUCTTYPESIG
 MSI (c) (04:10) [20:14:43:468]: Note: 1: 1402 2: HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint Protection\SMC\Common 3: 2
 AppSearch: Свойство: SERDEFDATFOUND, Подпись: SERDEFDAT
 AppSearch: Свойство: OLDPRODUCTVERSION, Подпись: OldProductVersion
 MSI (c) (04:10) [20:14:43:468]: Note: 1: 1402 2: HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint Protection\SMC 3: 2
 AppSearch: Свойство: MIGRATIONPENDINGREBOOT, Подпись: MigrationPendingRebootSig
 MSI (c) (04:10) [20:14:43:468]: Note: 1: 1402 2: HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint Protection\VolatileInstallData 3: 2
 AppSearch: Свойство: UNINSTALLREBOOTREQUIRED, Подпись: UninstallRebootSig
 MSI (c) (04:10) [20:14:43:468]: Note: 1: 1402 2: HKEY_LOCAL_MACHINE\Software\Symantec_Installer 3: 2
 AppSearch: Свойство: SYMRASMAN_REG13_PATH, Подпись: SymRasMan_1
 MSI (c) (04:10) [20:14:43:468]: PROPERTY CHANGE: Adding SYMRASMAN_REG13_PATH property. Its value is 'C:\WINDOWS\system32\rastls.dll'.
 AppSearch: Свойство: SYMRASMAN_REG13_INTERACTIVEUIPATH, Подпись: SymRasMan_2
 MSI (c) (04:10) [20:14:43:468]: PROPERTY CHANGE: Adding SYMRASMAN_REG13_INTERACTIVEUIPATH property. Its value is 'C:\WINDOWS\system32\rastls.dll'.
 AppSearch: Свойство: SYMRASMAN_REG13_CONFIGUIPATH, Подпись: SymRasMan_3
 MSI (c) (04:10) [20:14:43:468]: PROPERTY CHANGE: Adding SYMRASMAN_REG13_CONFIGUIPATH property. Its value is 'C:\WINDOWS\system32\rastls.dll'.
 AppSearch: Свойство: SYMRASMAN_REG13_IDENTITYPATH, Подпись: SymRasMan_4
 MSI (c) (04:10) [20:14:43:468]: PROPERTY CHANGE: Adding SYMRASMAN_REG13_IDENTITYPATH property. Its value is

SEP_INST.log

'C:\WINDOWS\System32\rastls.dll'.
AppSearch: Свойство: SYMRASMAN_REG25_PATH, Подпись: SymRasMan_5
MSI (c) (04:10) [20:14:43:468]: PROPERTY CHANGE: Adding SYMRASMAN_REG25_PATH property. Its value is 'C:\WINDOWS\System32\rastls.dll'.
AppSearch: Свойство: SYMRASMAN_REG25_INTERACTIVEUIPATH, Подпись: SymRasMan_6
MSI (c) (04:10) [20:14:43:468]: PROPERTY CHANGE: Adding SYMRASMAN_REG25_INTERACTIVEUIPATH property. Its value is 'C:\WINDOWS\System32\rastls.dll'.
AppSearch: Свойство: SYMRASMAN_REG25_CONFIGUIPATH, Подпись: SymRasMan_7
MSI (c) (04:10) [20:14:43:468]: PROPERTY CHANGE: Adding SYMRASMAN_REG25_CONFIGUIPATH property. Its value is 'C:\WINDOWS\System32\rastls.dll'.
AppSearch: Свойство: SYMRASMAN_REG25_IDENTITYPATH, Подпись: SymRasMan_8
MSI (c) (04:10) [20:14:43:468]: PROPERTY CHANGE: Adding SYMRASMAN_REG25_IDENTITYPATH property. Its value is 'C:\WINDOWS\System32\rastls.dll'.
AppSearch: Свойство: SPA51BLOCK, Подпись: SPA51Block
MSI (c) (04:10) [20:14:43:468]: Note: 1: 1402 2: HKEY_LOCAL_MACHINE\SOFTWARE\Sygate Technologies, Inc.\Sygate Personal Firewall 3: 2
AppSearch: Свойство: OLDAPPDATADIR, Подпись: SEAppDataDirSigTemp
MSI (c) (04:10) [20:14:43:468]: Note: 1: 1402 2: HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\InstalledApps 3: 2
AppSearch: Свойство: OLDAPPDATADIR, Подпись: SEAppDataDirSig
MSI (c) (04:10) [20:14:43:468]: Note: 1: 1402 2: HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint Protection\InstalledApps 3: 2
AppSearch: Свойство: FOUNDLIVEUPDTHST, Подпись: findLiveupdatehst
MSI (c) (04:10) [20:14:43:468]: Note: 1: 1324 2: Data\Config 3: 1
MSI (c) (04:10) [20:14:43:468]: Note: 1: 1324 2: Data\Config 3: 1
AppSearch: Свойство: FOUNDSETTINGSHOSTSLIVEUPDATE, Подпись: findSettingsHostsLiveUpdate
MSI (c) (04:10) [20:14:43:468]: Note: 1: 1324 2: Data\Config 3: 1
MSI (c) (04:10) [20:14:43:468]: Note: 1: 1324 2: Data\Config 3: 1
AppSearch: Свойство: FOUNDSNACSLF, Подпись: findSnacSlf
AppSearch: Свойство: OLDSILOFOUND, Подпись: OLDSILOSIG
AppSearch: Свойство: DEFENDERFOUND, Подпись: DEFENDERSIG
MSI (c) (04:10) [20:14:43:468]: Note: 1: 1402 2: HKEY_CLASSES_ROOT\AppID\{A79DB36D-6218-48e6-9EC9-DCBA9A39BF0F} 3: 2
AppSearch: Свойство: WINDOWSFIREFWALLSTATE, Подпись: GetFirewallState
MSI (c) (04:10) [20:14:43:468]: Note: 1: 1402 2: HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint Protection\SMC\TSE 3: 2
AppSearch: Свойство: OUTLOOKFOUND, Подпись: OUTLOOKSIG1
MSI (c) (04:10) [20:14:43:468]: Note: 1: 1402 2: HKEY_LOCAL_MACHINE\Software\Microsoft\Windows\CurrentVersion\App Paths\OUTLOOK.EXE 3: 2
AppSearch: Свойство: OUTLOOKFOUND, Подпись: OUTLOOKSIG2
MSI (c) (04:10) [20:14:43:468]: Note: 1: 1402 2: HKEY_LOCAL_MACHINE\Software\Microsoft\Windows\CurrentVersion\App Paths\OUTLOOK.EXE 3: 2
AppSearch: Свойство: EXCHANGEFOUND, Подпись: EXCHANGESIG
MSI (c) (04:10) [20:14:43:468]: Note: 1: 1402 2: HKEY_LOCAL_MACHINE\Software\Microsoft\Windows\CurrentVersion\App Paths\EXCHNG32.EXE 3: 2
AppSearch: Свойство: NOTESFOUND, Подпись: NOTESSIG
MSI (c) (04:10) [20:14:43:468]: Note: 1: 1402 2: HKEY_LOCAL_MACHINE\Software\Microsoft\Windows\CurrentVersion\App Paths\notes.exe 3: 2
AppSearch: Свойство: SAVCORP7XFOUND, Подпись: SavCorp7XSig
MSI (c) (04:10) [20:14:43:468]: Note: 1: 1402 2: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\Uninstall\Norton AntiVirus Corporate Edition 3: 2
AppSearch: Свойство: NORTONFOUND, Подпись: DingSiloSig
MSI (c) (04:10) [20:14:43:468]: Note: 1: 1402 2: HKEY_LOCAL_MACHINE\SOFTWARE\Norton\{0C55C096-0F1D-4F28-AAA2-85EF591126E7} 3: 2
AppSearch: Свойство: FOUNDBROWSERPROTECTIONLITE, Подпись: SymBLPSig
MSI (c) (04:10) [20:14:43:468]: Note: 1: 1402 2: HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\SymBPL\{D270A25E-8BB6-4895-8517-89B898969BB

F} 3: 2

AppSearch: Свойство: SAVSMIGFOLDER, Подпись: SAVSMIGFOLDERSIG
 MSI (c) (04:10) [20:14:43:468]: Note: 1: 1402 2:
 HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\InstalledApps 3: 2
 AppSearch: Свойство: SDIDATFOUND, Подпись: SDIDATFOUND
 AppSearch: Свойство: SYSFERFOUND32, Подпись: findSysferD1132
 AppSearch: Свойство: SYSFERTHUNKFOUND32, Подпись: findSysferThunkD1132
 MSI (c) (04:10) [20:14:43:468]: Note: 1: 1325 2: sysferThunkD11
 AppSearch: Свойство: FOREFRONTTMGFOUND, Подпись: foreFrontTMG
 AppSearch: Свойство: FOUNDSEPSLF, Подпись: findSepSlf
 AppSearch: Свойство: PENDINGMODULEREMOVAL, Подпись: PENDINGMODULEREMOVALSIG
 MSI (c) (04:10) [20:14:43:468]: Note: 1: 1402 2:
 HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
 Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\Install 3: 2
 AppSearch: Свойство: SHDOCVW, Подпись: ShdocvSig
 MSI (c) (04:10) [20:14:43:468]: PROPERTY CHANGE: Adding SHDOCVW property. Its
 value is 'C:\WINDOWS\system32\shdocvw.dll'.
 Завершение действия 20:14:43: AppSearch. Возвращенное значение 1.
 MSI (c) (04:10) [20:14:43:468]: Doing action:
 checkInstallBlocksUI.87654321_4321_4321_4321_210987654321
 Действие 20:14:43: checkInstallBlocksUI.87654321_4321_4321_4321_210987654321.
 Поиск установленных приложений
 Начало действия 20:14:43:
 checkInstallBlocksUI.87654321_4321_4321_4321_210987654321.
 MSI (c) (04:B4) [20:14:43:468]: Invoking remote custom action. DLL:
 C:\DOCUME~1\ADMINI~1\LOCALS~1\Temp\MSI4.tmp, Entrypoint: checkInstallBlocksUI
 MSI (c) (04:B8) [20:14:43:484]: PROPERTY CHANGE: Adding IdcXmlPath property. Its
 value is 'C:\DOCUME~1\ADMINI~1\LOCALS~1\Temp\idc.xml'.
 IDCCA: CMSiUtil::isActionScheduled: Unable to fetch view (Result: 259)
 Завершение действия 20:14:43:
 checkInstallBlocksUI.87654321_4321_4321_4321_210987654321. Возвращенное значение
 1.
 MSI (c) (04:10) [20:14:43:515]: Doing action: CommunicateLaunchConditions
 Действие 20:14:43: CommunicateLaunchConditions.
 Начало действия 20:14:43: CommunicateLaunchConditions.
 MSI (c) (04:BC) [20:14:43:515]: Invoking remote custom action. DLL:
 C:\DOCUME~1\ADMINI~1\LOCALS~1\Temp\MSI5.tmp, Entrypoint:
 CommunicateLaunchConditions
 Communicate LC: NOT VersionNT64=1
 Communicate LC: NOT Version9x=1
 Communicate LC: VersionNT > 500=1
 Communicate LC: (NOT MIGRATIONPENDINGREBOOT) OR SISFAILED=1
 Communicate LC: (NOT UNINSTALLREBOOTREQUIRED) OR Installed=1
 Communicate LC: NOT (LEGACYSPAFOUND AND (SPA51BLOCK="#105"))=1
 Communicate LC: NOT SAVCORP7XFOUND=1
 Communicate LC: NOT SSCOLDFOUND=1
 Communicate LC: (NOT ((LOADEDDRIVERSFOUND=11) OR PENDINGMODULEREMOVAL)) OR
 MIGRATE OR NORTONFOUND OR NORTONAV OR NORTONAVPRO=1
 Communicate LC: NOT (NORTONFOUND OR NORTONAV OR NORTONAVPRO)=1
 Communicate LC: NOT FOUNDROWSERPROTECTIONLITE=1
 Communicate LC: (VersionNT <> 502) OR ((VersionNT = 502) AND (ServicePackLevel
 >= 1))=1
 Communicate LC: (VersionNT > 501) OR ((VersionNT = 501) AND (ServicePackLevel >=
 2) AND IE6FOUND)=1
 Завершение действия 20:14:43: CommunicateLaunchConditions. Возвращенное значение
 1.
 MSI (c) (04:10) [20:14:43:531]: Doing action:
 preLaunchCond.87654321_4321_4321_4321_210987654321
 Действие 20:14:43: preLaunchCond.87654321_4321_4321_4321_210987654321. проверка
 условия запуска
 Начало действия 20:14:43: preLaunchCond.87654321_4321_4321_4321_210987654321.
 MSI (c) (04:C4) [20:14:43:531]: Invoking remote custom action. DLL:
 C:\DOCUME~1\ADMINI~1\LOCALS~1\Temp\MSI6.tmp, Entrypoint: preLaunchCond
 Завершение действия 20:14:43:
 preLaunchCond.87654321_4321_4321_4321_210987654321. Возвращенное значение 1.
 MSI (c) (04:10) [20:14:43:546]: Doing action: LaunchConditions
 Действие 20:14:43: LaunchConditions. проверка условий запуска
 Начало действия 20:14:43: LaunchConditions.

SEP_INST.log

Завершение действия 20:14:43: LaunchConditions. Возвращенное значение 1.
MSI (c) (04:10) [20:14:43:546]: Doing action: DetectHighContrast
Действие 20:14:43: DetectHighContrast.
Начало действия 20:14:43: DetectHighContrast.
MSI (c) (04:CC) [20:14:43:562]: Invoking remote custom action. DLL:
C:\DOCUME~1\ADMINI~1\LOCALS~1\Temp\MSI7.tmp, Entrypoint: DetectHighContrast
clientca: DetectHighContrast: Start
clientca: DetectHighContrast: Finish
Завершение действия 20:14:43: DetectHighContrast. Возвращенное значение 1.
MSI (c) (04:10) [20:14:43:609]: Doing action: SetupInitialization
Действие 20:14:43: SetupInitialization.
Начало действия 20:14:43: SetupInitialization.
Сведения 2898. Для текстового стиля Tahoma8 система создала шрифт 'Tahoma' с набором символов 204.
Сведения 2898. Для текстового стиля TahomaBold10 система создала шрифт 'Tahoma' с набором символов 204.
Действие 20:14:43: SetupInitialization. Dialog created
Завершение действия 20:14:43: SetupInitialization. Возвращенное значение 1.
MSI (c) (04:10) [20:14:43:640]: Doing action: ValidateProductID
Действие 20:14:43: ValidateProductID.
Начало действия 20:14:43: ValidateProductID.
Завершение действия 20:14:43: ValidateProductID. Возвращенное значение 1.
MSI (c) (04:10) [20:14:43:640]: Doing action: CostInitialize
Действие 20:14:43: CostInitialize. Вычисление необходимого свободного места
Начало действия 20:14:43: CostInitialize.
MSI (c) (04:10) [20:14:43:640]: Machine policy value 'MaxPatchCacheSize' is 10
MSI (c) (04:10) [20:14:43:734]: PROPERTY CHANGE: Adding ROOTDRIVE property. Its value is 'D:\'.
MSI (c) (04:10) [20:14:43:734]: PROPERTY CHANGE: Adding CostingComplete property. Its value is '0'.
Завершение действия 20:14:43: CostInitialize. Возвращенное значение 1.
MSI (c) (04:10) [20:14:43:765]: Doing action: ResolveSource
Действие 20:14:43: ResolveSource.
Начало действия 20:14:43: ResolveSource.
MSI (c) (04:10) [20:14:43:765]: Resolving source.
MSI (c) (04:10) [20:14:43:765]: Resolving source to launched-from source.
MSI (c) (04:10) [20:14:43:765]: Setting launched-from source as last-used.
MSI (c) (04:10) [20:14:43:765]: PROPERTY CHANGE: Adding SourcedirProduct property. Its value is '{816230FE-84A1-47CC-BF64-C113014BD15B}'.
MSI (c) (04:10) [20:14:43:765]: SOURCEDIR ==> E:\SEP\
MSI (c) (04:10) [20:14:43:765]: SOURCEDIR product ==> {816230FE-84A1-47CC-BF64-C113014BD15B}
MSI (c) (04:10) [20:14:43:765]: Determining source type
MSI (c) (04:10) [20:14:43:765]: Source type from package 'Sep.msi': 0
MSI (c) (04:10) [20:14:43:765]: Source path resolution complete. Dumping Directory table...
MSI (c) (04:10) [20:14:43:765]: Dir (source): Key: TARGETDIR , Object: E:\SEP\ , LongSubPath: , ShortSubPath:
MSI (c) (04:10) [20:14:43:765]: Dir (source): Key: SymTempFolder , Object: E:\SEP\SymTemp\ , LongSubPath: SymTemp\ , ShortSubPath:
MSI (c) (04:10) [20:14:43:765]: Dir (source): Key: DesktopFolder , Object: E:\SEP\Desktop\ , LongSubPath: Desktop\ , ShortSubPath:
MSI (c) (04:10) [20:14:43:765]: Dir (source): Key: CommonFilesFolder , Object: E:\SEP\Common\ , LongSubPath: Common\ , ShortSubPath:
MSI (c) (04:10) [20:14:43:765]: Dir (source): Key: Symantecshared , Object: E:\SEP\Common\Symc\ , LongSubPath: Common\Symc\ , ShortSubPath:
MSI (c) (04:10) [20:14:43:765]: Dir (source): Key: SystemFolder , Object: E:\SEP\System32\ , LongSubPath: System32\ , ShortSubPath:
MSI (c) (04:10) [20:14:43:765]: Dir (source): Key: Drivers , Object: E:\SEP\System32\Drivers\ , LongSubPath: System32\Drivers\ , ShortSubPath:
MSI (c) (04:10) [20:14:43:765]: Dir (source): Key: ProductSymDriversDir , Object: E:\SEP\System32\Drivers\Name\ , LongSubPath: System32\Drivers\Name\ , ShortSubPath:
MSI (c) (04:10) [20:14:43:765]: Dir (source): Key: MajorMinorRevSymDriversDir , Object: E:\SEP\System32\Drivers\Name\Version\ , LongSubPath: System32\Drivers\Name\Version\ , ShortSubPath:
MSI (c) (04:10) [20:14:43:765]: Dir (source): Key: Symdriversbase ,

SEP_INST.log

Object: E:\SEP\System32\Drivers\Name\Version\BuildNum\ , LongSubPath: System32\Drivers\Name\Version\BuildNum\ , ShortSubPath: MSI (C) (04:10) [20:14:43:765]: Dir (source): Key: Symdrivers , Object: E:\SEP\System32\Drivers\Name\Version\BuildNum\x86\ , LongSubPath: System32\Drivers\Name\Version\BuildNum\x86\ , ShortSubPath: MSI (C) (04:10) [20:14:43:765]: Dir (source): Key: ProgramMenuFolder , Object: E:\SEP\Programs\ , LongSubPath: Programs\ , ShortSubPath: MSI (C) (04:10) [20:14:43:765]: Dir (source): Key: SYMSTARTMENUDIR , Object: E:\SEP\Programs\Symantec Endpoint Protection\ , LongSubPath: Programs\Symantec Endpoint Protection\ , ShortSubPath: Programs\v0iha9o8\ MSI (C) (04:10) [20:14:43:765]: Dir (source): Key: CommonAppDataFolder , Object: E:\SEP\CommonAppData\ , LongSubPath: CommonAppData\ , ShortSubPath: ComApp\ MSI (C) (04:10) [20:14:43:765]: Dir (source): Key: SymantecAppData , Object: E:\SEP\CommonAppData\Symc\ , LongSubPath: CommonAppData\Symc\ , ShortSubPath: ComApp\Symc\ MSI (C) (04:10) [20:14:43:765]: Dir (source): Key: Appdatalegacy , Object: E:\SEP\CommonAppData\Symc\Name\ , LongSubPath: CommonAppData\Symc\Name\ , ShortSubPath: ComApp\Symc\Name\ MSI (C) (04:10) [20:14:43:765]: Dir (source): Key: PERSISTEDDATA , Object: E:\SEP\CommonAppData\Symc\Name\PersistedData\ , LongSubPath: CommonAppData\Symc\Name\PersistedData\ , ShortSubPath: ComApp\Symc\Name\y24ugsga\ MSI (C) (04:10) [20:14:43:765]: Dir (source): Key: Appdatabase , Object: E:\SEP\CommonAppData\Symc\Name\Version\ , LongSubPath: CommonAppData\Symc\Name\Version\ , ShortSubPath: ComApp\Symc\Name\Version\ MSI (C) (04:10) [20:14:43:765]: Dir (source): Key: Appdatabasesrtsp , Object: E:\SEP\CommonAppData\Symc\Name\Version\RTSP\ , LongSubPath: CommonAppData\Symc\Name\Version\RTSP\ , ShortSubPath: ComApp\Symc\Name\Version\RTSP\ MSI (C) (04:10) [20:14:43:765]: Dir (source): Key: Appdatabasesrtsptmp , Object: E:\SEP\CommonAppData\Symc\Name\Version\RTSP\SrtETmp\ , LongSubPath: CommonAppData\Symc\Name\Version\RTSP\SrtETmp\ , ShortSubPath: ComApp\Symc\Name\Version\RTSP\SrtETmp\ MSI (C) (04:10) [20:14:43:765]: Dir (source): Key: Appdatabasesrtspquar , Object: E:\SEP\CommonAppData\Symc\Name\Version\RTSP\Quarantine\ , LongSubPath: CommonAppData\Symc\Name\Version\RTSP\Quarantine\ , ShortSubPath: ComApp\Symc\Name\Version\RTSP\x-ow28a\ MSI (C) (04:10) [20:14:43:765]: Dir (source): Key: Inbox , Object: E:\SEP\CommonAppData\Symc\Name\Version\inbox\ , LongSubPath: CommonAppData\Symc\Name\Version\inbox\ , ShortSubPath: ComApp\Symc\Name\Version\inbox\ MSI (C) (04:10) [20:14:43:765]: Dir (source): Key: Appdata , Object: E:\SEP\CommonAppData\Symc\Name\Version\Data\ , LongSubPath: CommonAppData\Symc\Name\Version\Data\ , ShortSubPath: ComApp\Symc\Name\Version\Data\ MSI (C) (04:10) [20:14:43:765]: Dir (source): Key: XFER_TMP , Object: E:\SEP\CommonAppData\Symc\Name\Version\Data\xfer_tmp\ , LongSubPath: CommonAppData\Symc\Name\Version\Data\xfer_tmp\ , ShortSubPath: ComApp\Symc\Name\Version\Data\xfer_tmp\ MSI (C) (04:10) [20:14:43:765]: Dir (source): Key: XFER , Object: E:\SEP\CommonAppData\Symc\Name\Version\Data\xfer\ , LongSubPath: CommonAppData\Symc\Name\Version\Data\xfer\ , ShortSubPath: ComApp\Symc\Name\Version\Data\xfer\ MSI (C) (04:10) [20:14:43:765]: Dir (source): Key: QUARANTINE , Object: E:\SEP\CommonAppData\Symc\Name\Version\Data\Quarantine\ , LongSubPath: CommonAppData\Symc\Name\Version\Data\Quarantine\ , ShortSubPath: ComApp\Symc\Name\Version\Data\c09nsacg\ MSI (C) (04:10) [20:14:43:765]: Dir (source): Key: I2_LDVP.VDB , Object: E:\SEP\CommonAppData\Symc\Name\Version\Data\I2_LDVP.VDB\ , LongSubPath: CommonAppData\Symc\Name\Version\Data\I2_LDVP.VDB\ , ShortSubPath: ComApp\Symc\Name\Version\Data\I2_LDVP.VDB\ MSI (C) (04:10) [20:14:43:765]: Dir (source): Key: DECTEMP , Object: E:\SEP\CommonAppData\Symc\Name\Version\Data\DecTemp\ , LongSubPath: CommonAppData\Symc\Name\Version\Data\DecTemp\ , ShortSubPath: ComApp\Symc\Name\Version\Data\DecTemp\ MSI (C) (04:10) [20:14:43:765]: Dir (source): Key: DB , Object:

SEP_INST.log

E:\SEP\CommonAppData\Symc\Name\Version\Data\DB\ , LongSubPath:
CommonAppData\Symc\Name\Version\Data\DB\ , ShortSubPath:
ComApp\Symc\Name\Version\Data\DB\
MSI (C) (04:10) [20:14:43:765]: Dir (source): Key: BADPATTS , Object:
E:\SEP\CommonAppData\Symc\Name\Version\Data\BadPatts\ , LongSubPath:
CommonAppData\Symc\Name\Version\Data\BadPatts\ , ShortSubPath:
ComApp\Symc\Name\Version\Data\BadPatts\
MSI (C) (04:10) [20:14:43:765]: Dir (source): Key: APTEMP , Object:
E:\SEP\CommonAppData\Symc\Name\Version\Data\APTemp\ , LongSubPath:
CommonAppData\Symc\Name\Version\Data\APTemp\ , ShortSubPath:
ComApp\Symc\Name\Version\Data\APTemp\
MSI (C) (04:10) [20:14:43:765]: Dir (source): Key: Symds_base , Object:
E:\SEP\CommonAppData\Symc\Name\Version\Data\SymDS\ , LongSubPath:
CommonAppData\Symc\Name\Version\Data\SymDS\ , ShortSubPath:
ComApp\Symc\Name\Version\Data\SymDS\
MSI (C) (04:10) [20:14:43:765]: Dir (source): Key: Symds_temp , Object:
E:\SEP\CommonAppData\Symc\Name\Version\Data\SymDS\Temp\ , LongSubPath:
CommonAppData\Symc\Name\Version\Data\SymDS\Temp\ , ShortSubPath:
ComApp\Symc\Name\Version\Data\SymDS\Temp\
MSI (C) (04:10) [20:14:43:765]: Dir (source): Key: Lueappdata , Object:
E:\SEP\CommonAppData\Symc\Name\Version\Data\Lue\ , LongSubPath:
CommonAppData\Symc\Name\Version\Data\Lue\ , ShortSubPath:
ComApp\Symc\Name\Version\Data\Lue\
MSI (C) (04:10) [20:14:43:765]: Dir (source): Key: Ccglogdefaultlogdir ,
Object: E:\SEP\CommonAppData\Symc\Name\Version\Data\Logs\ , LongSubPath:
CommonAppData\Symc\Name\Version\Data\Logs\ , ShortSubPath:
ComApp\Symc\Name\Version\Data\Logs\
MSI (C) (04:10) [20:14:43:765]: Dir (source): Key: Appdata_spm manifests ,
Object: E:\SEP\CommonAppData\Symc\Name\Version\Data\SPManifests\
LongSubPath: CommonAppData\Symc\Name\Version\Data\SPManifests\ , ShortSubPath:
ComApp\Symc\Name\Version\Data\nm91l8pu\
MSI (C) (04:10) [20:14:43:765]: Dir (source): Key: FEATURESTATEDIR ,
Object: E:\SEP\CommonAppData\Symc\Name\Version\Data\FeatureState\
LongSubPath: CommonAppData\Symc\Name\Version\Data\FeatureState\ , ShortSubPath:
ComApp\Symc\Name\Version\Data\ir6vrqgl\
MSI (C) (04:10) [20:14:43:765]: Dir (source): Key: STATEDIR , Object:
E:\SEP\CommonAppData\Symc\Name\Version\Data\State\ , LongSubPath:
CommonAppData\Symc\Name\Version\Data\State\ , ShortSubPath:
ComApp\Symc\Name\Version\Data\State\
MSI (C) (04:10) [20:14:43:765]: Dir (source): Key: CONTENTCACHE , Object:
E:\SEP\CommonAppData\Symc\Name\Version\Data\ContentCache\ , LongSubPath:
CommonAppData\Symc\Name\Version\Data\ContentCache\ , ShortSubPath:
ComApp\Symc\Name\Version\Data\grcvlp5\
MSI (C) (04:10) [20:14:43:765]: Dir (source): Key: CACHED_INSTALLS ,
Object: E:\SEP\CommonAppData\Symc\Name\Version\Data\Cached Installs\
LongSubPath: CommonAppData\Symc\Name\Version\Data\Cached Installs\
ShortSubPath: ComApp\Symc\Name\Version\Data\s-k5ucna\
MSI (C) (04:10) [20:14:43:765]: Dir (source): Key: Ccdata , Object:
E:\SEP\CommonAppData\Symc\Name\Version\Data\CmnCInt\ , LongSubPath:
CommonAppData\Symc\Name\Version\Data\CmnCInt\ , ShortSubPath:
ComApp\Symc\Name\Version\Data\CmnCInt\
MSI (C) (04:10) [20:14:43:765]: Dir (source): Key: Ccsubsdktadatadir ,
Object: E:\SEP\CommonAppData\Symc\Name\Version\Data\CmnCInt\ccSubSDK\
LongSubPath: CommonAppData\Symc\Name\Version\Data\CmnCInt\ccSubSDK\
ShortSubPath: ComApp\Symc\Name\Version\Data\CmnCInt\ccSubSDK\
MSI (C) (04:10) [20:14:43:765]: Dir (source): Key: Ccjobmgrconfigfolder ,
Object: E:\SEP\CommonAppData\Symc\Name\Version\Data\CmnCInt\ccJobMgr\
LongSubPath: CommonAppData\Symc\Name\Version\Data\CmnCInt\ccJobMgr\
ShortSubPath: ComApp\Symc\Name\Version\Data\CmnCInt\ccJobMgr\
MSI (C) (04:10) [20:14:43:765]: Dir (source): Key: Ccglogdatadir ,
Object: E:\SEP\CommonAppData\Symc\Name\Version\Data\CmnCInt\ccGLog\
LongSubPath: CommonAppData\Symc\Name\Version\Data\CmnCInt\ccGLog\
ShortSubPath: ComApp\Symc\Name\Version\Data\CmnCInt\ccGLog\
MSI (C) (04:10) [20:14:43:765]: Dir (source): Key: Ccgevtdatafolder ,
Object: E:\SEP\CommonAppData\Symc\Name\Version\Data\CmnCInt\ccGEvt\
LongSubPath: CommonAppData\Symc\Name\Version\Data\CmnCInt\ccGEvt\
ShortSubPath: ComApp\Symc\Name\Version\Data\CmnCInt\ccGEvt\
MSI (C) (04:10) [20:14:43:765]: Dir (source): Key: Ccgevtglobaldatafolder

SEP_INST.log

, Object: E:\SEP\CommonAppData\Symc\Name\Version\Data\CmnCInt\ccGEvt\Global\
, LongSubPath: CommonAppData\Symc\Name\Version\Data\CmnCInt\ccGEvt\Global\
, ShortSubPath: ComApp\Symc\Name\Version\Data\CmnCInt\ccGEvt\Global\
MSI (c) (04:10) [20:14:43:765]: Dir (source): Key: Ccsetmaindatabasefolder
, Object: E:\SEP\CommonAppData\Symc\Name\Version\Data\CmnCInt\ccSetMgr\
, LongSubPath: CommonAppData\Symc\Name\Version\Data\CmnCInt\ccSetMgr\
, ShortSubPath: ComApp\Symc\Name\Version\Data\CmnCInt\ccSetMgr\
MSI (c) (04:10) [20:14:43:765]: Dir (source): Key: Lckdatadir , Object:
E:\SEP\CommonAppData\Symc\Name\Version\Data\CmnCInt_lck\
, LongSubPath:
CommonAppData\Symc\Name\Version\Data\CmnCInt_lck\
, ShortSubPath:
ComApp\Symc\Name\Version\Data\CmnCInt_lck\
MSI (c) (04:10) [20:14:43:765]: Dir (source): Key: Ids_data_dir , Object:
E:\SEP\CommonAppData\Symc\Name\Version\Data\IPS\
, LongSubPath:
CommonAppData\Symc\Name\Version\Data\IPS\
, ShortSubPath:
ComApp\Symc\Name\Version\Data\IPS\
MSI (c) (04:10) [20:14:43:765]: Dir (source): Key: APPLOGS , Object:
E:\SEP\CommonAppData\Symc\Name\Version\Data\Logs\
, LongSubPath:
CommonAppData\Symc\Name\Version\Data\Logs\
, ShortSubPath:
ComApp\Symc\Name\Version\Data\Logs\
MSI (c) (04:10) [20:14:43:765]: Dir (source): Key: AVLOGS , Object:
E:\SEP\CommonAppData\Symc\Name\Version\Data\Logs\AV\
, LongSubPath:
CommonAppData\Symc\Name\Version\Data\Logs\AV\
, ShortSubPath:
ComApp\Symc\Name\Version\Data\Logs\AV\
MSI (c) (04:10) [20:14:43:765]: Dir (source): Key: Appdatasrtsp , Object:
E:\SEP\CommonAppData\Symc\Name\Version\Data\SRTSP\
, LongSubPath:
CommonAppData\Symc\Name\Version\Data\SRTSP\
, ShortSubPath:
ComApp\Symc\Name\Version\Data\SRTSP\
MSI (c) (04:10) [20:14:43:765]: Dir (source): Key: Iron_data , Object:
E:\SEP\CommonAppData\Symc\Name\Version\Data\IRON\
, LongSubPath:
CommonAppData\Symc\Name\Version\Data\IRON\
, ShortSubPath:
ComApp\Symc\Name\Version\Data\IRON\
MSI (c) (04:10) [20:14:43:765]: Dir (source): Key: Bash_datadir , Object:
E:\SEP\CommonAppData\Symc\Name\Version\Data\BASH\
, LongSubPath:
CommonAppData\Symc\Name\Version\Data\BASH\
, ShortSubPath:
ComApp\Symc\Name\Version\Data\BASH\
MSI (c) (04:10) [20:14:43:765]: Dir (source): Key: Snd_data , Object:
E:\SEP\CommonAppData\Symc\Name\Version\Data\symnetdrv\
, LongSubPath:
CommonAppData\Symc\Name\Version\Data\symnetdrv\
, ShortSubPath:
ComApp\Symc\Name\Version\Data\m82h-9ir\
MSI (c) (04:10) [20:14:43:765]: Dir (source): Key: APPDATAINSTALL
Object: E:\SEP\CommonAppData\Symc\Name\Version\Data\Install\
, LongSubPath:
CommonAppData\Symc\Name\Version\Data\Install\
, ShortSubPath:
ComApp\Symc\Name\Version\Data\Install\
MSI (c) (04:10) [20:14:43:765]: Dir (source): Key: APPDATAINSTALLLOGS ,
Object: E:\SEP\CommonAppData\Symc\Name\Version\Data\Install\Logs\
, LongSubPath: CommonAppData\Symc\Name\Version\Data\Install\Logs\
, ShortSubPath:
ComApp\Symc\Name\Version\Data\Install\Logs\
MSI (c) (04:10) [20:14:43:765]: Dir (source): Key: APPDATAINSTALLSCRIPTS
, Object: E:\SEP\CommonAppData\Symc\Name\Version\Data\Install\Scripts\
, LongSubPath: CommonAppData\Symc\Name\Version\Data\Install\Scripts\
, ShortSubPath: ComApp\Symc\Name\Version\Data\Install\Scripts\
MSI (c) (04:10) [20:14:43:765]: Dir (source): Key: Definitionsfolder ,
Object: E:\SEP\CommonAppData\Symc\Name\Version\Data\Defs\
, LongSubPath:
CommonAppData\Symc\Name\Version\Data\Defs\
, ShortSubPath:
ComApp\Symc\Name\Version\Data\Defs\
MSI (c) (04:10) [20:14:43:765]: Dir (source): Key: CONFIGDIR , Object:
E:\SEP\CommonAppData\Symc\Name\Version\Data\Config\
, LongSubPath:
CommonAppData\Symc\Name\Version\Data\Config\
, ShortSubPath:
ComApp\Symc\Name\Version\Data\Config\
MSI (c) (04:10) [20:14:43:765]: Dir (source): Key: SYLINKSRCDIR , Object:
E:\SEP\CommonAppData\Symc\Name\Version\Data\Config\SymlinkSourceDir\
, LongSubPath: CommonAppData\Symc\Name\Version\Data\Config\SymlinkSourceDir\
, ShortSubPath: ComApp\Symc\Name\Version\Data\Config\cs43o7wh\
MSI (c) (04:10) [20:14:43:765]: Dir (source): Key: SYMSRCDIR , Object:
E:\SEP\CommonAppData\Symc\Name\Version\Data\Config\SymSourceDir\
, LongSubPath: CommonAppData\Symc\Name\Version\Data\Config\SymSourceDir\
, ShortSubPath: ComApp\Symc\Name\Version\Data\Config\5d9joad6\
MSI (c) (04:10) [20:14:43:765]: Dir (source): Key: ProgramFilesFolder ,

SEP_INST.log

Object: E:\SEP\Program Files\ , LongSubPath: Program Files\ , ShortSubPath: Program\

MSI (c) (04:10) [20:14:43:765]: Dir (source): Key: SymantecProgramFiles , Object: E:\SEP\Program Files\Symantec\ , LongSubPath: Program Files\Symantec\ , ShortSubPath: Program\Symantec\

MSI (c) (04:10) [20:14:43:765]: Dir (source): Key: PRODUCTINSTALLDIR , Object: E:\SEP\Program Files\Symantec\Name\ , LongSubPath: Program Files\Symantec\Name\ , ShortSubPath: Program\Symantec\Name\

MSI (c) (04:10) [20:14:43:765]: Dir (source): Key: Basedir , Object: E:\SEP\Program Files\Symantec\Name\Version\ , LongSubPath: Program Files\Symantec\Name\Version\ , ShortSubPath: Program\Symantec\Name\Version\

MSI (c) (04:10) [20:14:43:765]: Dir (source): Key: Muidir , Object: E:\SEP\Program Files\Symantec\Name\Version\Res\ , LongSubPath: Program Files\Symantec\Name\Version\Res\ , ShortSubPath: Program\Symantec\Name\Version\Res\

MSI (c) (04:10) [20:14:43:765]: Dir (source): Key: STATICDATA , Object: E:\SEP\Program Files\Symantec\Name\Version\Config\ , LongSubPath: Program Files\Symantec\Name\Version\Config\ , ShortSubPath: Program\Symantec\Name\Version\Config\

MSI (c) (04:10) [20:14:43:765]: Dir (source): Key: SMCLU , Object: E:\SEP\Program Files\Symantec\Name\Version\SmClu\ , LongSubPath: Program Files\Symantec\Name\Version\SmClu\ , ShortSubPath: Program\Symantec\Name\Version\SmClu\

MSI (c) (04:10) [20:14:43:765]: Dir (source): Key: Tempbasedir , Object: E:\SEP\Program Files\Symantec\Name\Version\Temp\ , LongSubPath: Program Files\Symantec\Name\Version\Temp\ , ShortSubPath: Program\Symantec\Name\Version\Temp\

MSI (c) (04:10) [20:14:43:765]: Dir (source): Key: INSTALLSCRIPTS , Object: E:\SEP\Program Files\Symantec\Name\Version\Scripts\ , LongSubPath: Program Files\Symantec\Name\Version\Scripts\ , ShortSubPath: Program\Symantec\Name\Version\Scripts\

MSI (c) (04:10) [20:14:43:765]: Dir (source): Key: Installldir , Object: E:\SEP\Program Files\Symantec\Name\Version\Bin\ , LongSubPath: Program Files\Symantec\Name\Version\Bin\ , ShortSubPath: Program\Symantec\Name\Version\Bin\

MSI (c) (04:10) [20:14:43:765]: Dir (source): Key: Luepackagepath , Object: E:\SEP\Program Files\Symantec\Name\Version\Bin\LUReg\ , LongSubPath: Program Files\Symantec\Name\Version\Bin\LUReg\ , ShortSubPath: Program\Symantec\Name\Version\Bin\LUReg\

MSI (c) (04:10) [20:14:43:765]: Dir (source): Key: Ccinstallldir , Object: E:\SEP\Program Files\Symantec\Name\Version\Bin\CmnClnt\ , LongSubPath: Program Files\Symantec\Name\Version\Bin\CmnClnt\ , ShortSubPath: Program\Symantec\Name\Version\Bin\CmnClnt\

MSI (c) (04:10) [20:14:43:765]: Dir (source): Key: Subsdkininstallldir , Object: E:\SEP\Program Files\Symantec\Name\Version\Bin\CmnClnt\ccSubSDK\ , LongSubPath: Program Files\Symantec\Name\Version\Bin\CmnClnt\ccSubSDK\ , ShortSubPath: Program\Symantec\Name\Version\Bin\CmnClnt\ccSubSDK\

MSI (c) (04:10) [20:14:43:765]: Dir (source): Key: Jobscheduleinstalllocation , Object: E:\SEP\Program Files\Symantec\Name\Version\Bin\CmnClnt\ccJobSch\ , LongSubPath: Program Files\Symantec\Name\Version\Bin\CmnClnt\ccJobSch\ , ShortSubPath: Program\Symantec\Name\Version\Bin\CmnClnt\ccJobSch\

MSI (c) (04:10) [20:14:43:765]: Dir (source): Key: Ccglogdatainstalllocation , Object: E:\SEP\Program Files\Symantec\Name\Version\Bin\CmnClnt\ccGLog\ , LongSubPath: Program Files\Symantec\Name\Version\Bin\CmnClnt\ccGLog\ , ShortSubPath: Program\Symantec\Name\Version\Bin\CmnClnt\ccGLog\

MSI (c) (04:10) [20:14:43:765]: Dir (source): Key: Ccgevtdatainstalllocation , Object: E:\SEP\Program Files\Symantec\Name\Version\Bin\CmnClnt\ccGEvt\ , LongSubPath: Program Files\Symantec\Name\Version\Bin\CmnClnt\ccGEvt\ , ShortSubPath: Program\Symantec\Name\Version\Bin\CmnClnt\ccGEvt\

MSI (c) (04:10) [20:14:43:765]: Dir (source): Key: Ccgevtdataglobalfolder , Object: E:\SEP\Program Files\Symantec\Name\Version\Bin\CmnClnt\ccGEvt\Global\ , LongSubPath: Program Files\Symantec\Name\Version\Bin\CmnClnt\ccGEvt\Global\ , ShortSubPath: Program\Symantec\Name\Version\Bin\CmnClnt\ccGEvt\Global\

MSI (c) (04:10) [20:14:43:765]: Dir (source): Key: Ids_bho_dir , Object: E:\SEP\Program Files\Symantec\Name\Version\Bin\IPS\ , LongSubPath: Program Files\Symantec\Name\Version\Bin\IPS\ , ShortSubPath: Program\Symantec\Name\Version\Bin\IPS\

MSI (c) (04:10) [20:14:43:765]: Dir (source): Key: TEEFERXP , Object:

SEP_INST.log

E:\SEP\Program Files\Symantec\Name\Version\Bin\TeeferXP\ , LongSubPath:
Program Files\Symantec\Name\Version\Bin\TeeferXP\ , ShortSubPath:
Program\Symantec\Name\Version\Bin\TeeferXP\
MSI (c) (04:10) [20:14:43:765]: Dir (source): Key: TEEFERVISTA , Object:
E:\SEP\Program Files\Symantec\Name\Version\Bin\TeeferVista\ , LongSubPath:
Program Files\Symantec\Name\Version\Bin\TeeferVista\ , ShortSubPath:
Program\Symantec\Name\Version\Bin\witycamd\
MSI (c) (04:10) [20:14:43:765]: Dir (source): Key: HELP , Object: E:\SEP\Program
Files\Symantec\Name\Version\Bin\Help\ , LongSubPath: Program
Files\Symantec\Name\Version\Bin\Help\ , ShortSubPath:
Program\Symantec\Name\Version\Bin\Help\
MSI (c) (04:10) [20:14:43:765]: Dir (source): Key: Spman_installdir ,
Object: E:\SEP\Program Files\Symantec\Name\Version\Bin\SPManifests\
LongSubPath: Program Files\Symantec\Name\Version\Bin\SPManifests\
ShortSubPath: Program\Symantec\Name\Version\Bin\191b4hn8\
MSI (c) (04:10) [20:14:43:765]: Dir (source): Key: RES , Object: E:\SEP\Program
Files\Symantec\Name\Version\Res\
Files\Symantec\Name\Version\Res\
Program\Symantec\Name\Version\Res\
MSI (c) (04:10) [20:14:43:765]: Dir (source): Key: Muidir09 , Object:
E:\SEP\Program Files\Symantec\Name\Version\Res\19\
Files\Symantec\Name\Version\Res\19\
Program\Symantec\Name\Version\Res\19\
MSI (c) (04:10) [20:14:43:765]: Dir (source): Key: Muidir0901 , Object:
E:\SEP\Program Files\Symantec\Name\Version\Res\19\01\
Files\Symantec\Name\Version\Res\19\01\
Program\Symantec\Name\Version\Res\19\01\
MSI (c) (04:10) [20:14:43:765]: Dir (source): Key: LANG1049 , Object:
E:\SEP\Program Files\Symantec\Name\Version\Res\1049\
Files\Symantec\Name\Version\Res\1049\
Program\Symantec\Name\Version\Res\1049\
Завершение действия 20:14:43: ResolveSource. Возвращенное значение 1.
MSI (c) (04:10) [20:14:43:765]: Doing action: SetInUISequence
действие 20:14:43: SetInUISequence.
Начало действия 20:14:43: SetInUISequence.
MSI (c) (04:10) [20:14:43:765]: PROPERTY CHANGE: Modifying InUISequence
property. Its current value is '0'. Its new value: '1'.
Завершение действия 20:14:43: SetInUISequence. Возвращенное значение 1.
MSI (c) (04:10) [20:14:43:765]: Doing action: ParseLicenseFile
действие 20:14:43: ParseLicenseFile. Проверка файла лицензии
Начало действия 20:14:43: ParseLicenseFile.
MSI (c) (04:D4) [20:14:43:781]: Invoking remote custom action. DLL:
C:\DOCUME~1\ADMINI~1\LOCALS~1\Temp\MSI8.tmp, Entrypoint: ParseLicenseFile
ParseLic: License file E:\SEP\sep_NE.slf found
MSI (c) (04!D8) [20:14:43:859]: PROPERTY CHANGE: Adding FOUNDSEPSLF property.
Its value is 'E:\SEP\sep_NE.slf'.
ParseLic: License type set to Enterprise
MSI (c) (04!D8) [20:14:43:859]: PROPERTY CHANGE: Modifying ProductName property.
Its current value is 'Symantec Endpoint Protection'. Its new value: 'Клиент
Symantec Endpoint Protection'.
MSI (c) (04!D8) [20:14:43:859]: PROPERTY CHANGE: Modifying SYMLICENSETYPE
property. Its current value is '0'. Its new value: '1'.
Завершение действия 20:14:43: ParseLicenseFile. Возвращенное значение 1.
MSI (c) (04:10) [20:14:43:859]: Skipping action: SBEOversEEError (condition is
false)
MSI (c) (04:10) [20:14:43:859]: Skipping action: SBEOversSNACError (condition is
false)
MSI (c) (04:10) [20:14:43:859]: Skipping action: SBEOversSPASEAError (condition
is false)
MSI (c) (04:10) [20:14:43:859]: Doing action: ParseSetAid
действие 20:14:43: ParseSetAid. Проверка параметров установки
Начало действия 20:14:43: ParseSetAid.
MSI (c) (04:DC) [20:14:43:875]: Invoking remote custom action. DLL:
C:\DOCUME~1\ADMINI~1\LOCALS~1\Temp\MSI9.tmp, Entrypoint: ParseSetAid
clientca: SourceDir=E:\SEP\
clientca: SAVMIGINSTDIR=
clientca: No DestinationDirectory data found or value was empty
clientca: No OptOutRepSubmission data found

SEP_INST.log

clientca: No CONNECT_LU_SERVER data found
 clientca: No features in this setAid.ini, UI path will not be modified
 Завершение действия 20:14:43: ParseSetAid. Возвращенное значение 1.
 MSI (c) (04:10) [20:14:43:968]: Doing action: ParseSetAidFeatures
 Действие 20:14:43: ParseSetAidFeatures.
 Начало действия 20:14:43: ParseSetAidFeatures.
 MSI (c) (04:E4) [20:14:43:968]: Invoking remote custom action. DLL:
 C:\DOCUME~1\ADMINI~1\LOCALS~1\Temp\MSIA.tmp, Entrypoint: ParseSetAidFeatures
 clientca: SourceDir=E:\SEP\
 clientca: Unable to obtain feature list
 Завершение действия 20:14:44: ParseSetAidFeatures. Возвращенное значение 1.
 MSI (c) (04:10) [20:14:44:093]: Doing action: SymResolveFeatures
 Действие 20:14:44: SymResolveFeatures.
 Начало действия 20:14:44: SymResolveFeatures.
 MSI (c) (04:EC) [20:14:44:109]: Invoking remote custom action. DLL:
 C:\DOCUME~1\ADMINI~1\LOCALS~1\Temp\MSIB.tmp, Entrypoint: SymResolveFeatures
 ResolveFeatures could not determine the action state of feature: Core got back
 -1 as the requested action. Checking ADDLOCAL.
 ResolveFeatures could not determine the action state of feature: SAVMain got
 back -1 as the requested action. Checking ADDLOCAL.
 ResolveFeatures could not determine the action state of feature: Download got
 back -1 as the requested action. Checking ADDLOCAL.
 ResolveFeatures could not determine the action state of feature: OutlookSnapin
 got back -1 as the requested action. Checking ADDLOCAL.
 ResolveFeatures could not determine the action state of feature: NotesSnapin got
 back -1 as the requested action. Checking ADDLOCAL.
 ResolveFeatures could not determine the action state of feature: Pop3Smtplib got
 back -1 as the requested action. Checking ADDLOCAL.
 ResolveFeatures could not determine the action state of feature: PTPMain got
 back -1 as the requested action. Checking ADDLOCAL.
 ResolveFeatures could not determine the action state of feature: TruScan got
 back -1 as the requested action. Checking ADDLOCAL.
 ResolveFeatures could not determine the action state of feature: DCMain got back
 -1 as the requested action. Checking ADDLOCAL.
 ResolveFeatures could not determine the action state of feature: NTPMain got
 back -1 as the requested action. Checking ADDLOCAL.
 ResolveFeatures could not determine the action state of feature: ITPMain got
 back -1 as the requested action. Checking ADDLOCAL.
 ResolveFeatures could not determine the action state of feature: Firewall got
 back -1 as the requested action. Checking ADDLOCAL.
 ResolveFeatures could not determine the action state of feature: LANG1049 got
 back -1 as the requested action. Checking ADDLOCAL.
 ResolveFeatures successfully initialized the feature set information.
 ResolveFeatures believes that we should not migrate features from an old
 product.
 Завершение действия 20:14:44: SymResolveFeatures. Возвращенное значение 1.
 MSI (c) (04:10) [20:14:44:265]: Skipping action: BadSetAidError (condition is
 false)
 MSI (c) (04:10) [20:14:44:265]: Doing action: ParseSyLink
 Действие 20:14:44: ParseSyLink.
 Начало действия 20:14:44: ParseSyLink.
 MSI (c) (04:F4) [20:14:44:281]: Invoking remote custom action. DLL:
 C:\DOCUME~1\ADMINI~1\LOCALS~1\Temp\MSIC.tmp, Entrypoint: ParseSyLink
 clientca: SourceDir=E:\SEP\
 MSI (c) (04:F8) [20:14:44:890]: PROPERTY CHANGE: Adding SyLinkAlwaysConnect
 property. Its value is '0'.
 Завершение действия 20:14:44: ParseSyLink. Возвращенное значение 1.
 MSI (c) (04:10) [20:14:44:906]: Doing action: FileCost
 Действие 20:14:44: FileCost. Вычисление необходимого свободного места
 Начало действия 20:14:44: FileCost.
 MSI (c) (04:10) [20:14:44:906]: Note: 1: 2205 2: 3: MsiAssembly
 MSI (c) (04:10) [20:14:44:906]: Note: 1: 2205 2: 3: Class
 MSI (c) (04:10) [20:14:44:906]: Note: 1: 2205 2: 3: Extension
 MSI (c) (04:10) [20:14:44:906]: Note: 1: 2205 2: 3: TypeLib
 Завершение действия 20:14:44: FileCost. Возвращенное значение 1.
 MSI (c) (04:10) [20:14:44:906]: Skipping action: CloseUINow (condition is false)
 MSI (c) (04:10) [20:14:44:906]: Doing action: CostFinalize
 Действие 20:14:44: CostFinalize. Вычисление необходимого свободного места

SEP_INST.log

Начало действия 20:14:44: CostFinalize.

MSI (c) (04:10) [20:14:44:906]: PROPERTY CHANGE: Adding OutOfDiskSpace property. Its value is '0'.

MSI (c) (04:10) [20:14:44:906]: PROPERTY CHANGE: Adding OutOfNorbdiskSpace property. Its value is '0'.

MSI (c) (04:10) [20:14:44:906]: PROPERTY CHANGE: Adding PrimaryVolumeSpaceAvailable property. Its value is '0'.

MSI (c) (04:10) [20:14:44:906]: PROPERTY CHANGE: Adding PrimaryVolumeSpaceRequired property. Its value is '0'.

MSI (c) (04:10) [20:14:44:906]: PROPERTY CHANGE: Adding PrimaryVolumeSpaceRemaining property. Its value is '0'.

MSI (c) (04:10) [20:14:44:906]: Note: 1: 2205 2: 3: Patch

MSI (c) (04:10) [20:14:44:906]: PROPERTY CHANGE: Adding TARGETDIR property. Its value is 'D:\'.

MSI (c) (04:10) [20:14:44:906]: PROPERTY CHANGE: Modifying FOUNDSEPSLF property. Its current value is 'E:\SEP\sep_NE.slf'. Its new value: 'E:\SEP\sep_NE.slf\'.

MSI (c) (04:10) [20:14:44:906]: PROPERTY CHANGE: Adding SymTempFolder property. Its value is 'D:\'.

MSI (c) (04:10) [20:14:44:906]: PROPERTY CHANGE: Adding Symantecshared property. Its value is 'C:\Program Files\Common Files\Symantec Shared\'.

MSI (c) (04:10) [20:14:44:906]: PROPERTY CHANGE: Adding Drivers property. Its value is 'C:\WINDOWS\system32\Drivers\'.

MSI (c) (04:10) [20:14:44:906]: PROPERTY CHANGE: Adding ProductSymDriversDir property. Its value is 'C:\WINDOWS\system32\Drivers\SEP\'.

MSI (c) (04:10) [20:14:44:906]: PROPERTY CHANGE: Adding MajorMinorRevSymDriversDir property. Its value is 'C:\WINDOWS\system32\Drivers\SEP\0C01029F\'.

MSI (c) (04:10) [20:14:44:906]: PROPERTY CHANGE: Adding Symdriversbase property. Its value is 'C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\'.

MSI (c) (04:10) [20:14:44:906]: PROPERTY CHANGE: Adding Symdrivers property. Its value is 'C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\'.

MSI (c) (04:10) [20:14:44:906]: PROPERTY CHANGE: Adding SYMSTARTMENUDIR property. Its value is 'C:\Documents and Settings\All Users\Start

Menu\Programs\Symantec Endpoint Protection\'.

MSI (c) (04:10) [20:14:44:906]: PROPERTY CHANGE: Adding SymantecAppData property. Its value is 'C:\Documents and Settings\All Users\Application

Data\Symantec\'.

MSI (c) (04:10) [20:14:44:906]: PROPERTY CHANGE: Adding Appdatalegacy property. Its value is 'C:\Documents and Settings\All Users\Application

Data\Symantec\Symantec Endpoint Protection\'.

MSI (c) (04:10) [20:14:44:906]: PROPERTY CHANGE: Adding PERSISTEDDATA property. Its value is 'C:\Documents and Settings\All Users\Application

Data\Symantec\Symantec Endpoint Protection\PersistedData\'.

MSI (c) (04:10) [20:14:44:906]: PROPERTY CHANGE: Adding Appdatabase property. Its value is 'C:\Documents and Settings\All Users\Application

Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\'.

MSI (c) (04:10) [20:14:44:906]: PROPERTY CHANGE: Adding Appdatabasesrtsp

property. Its value is 'C:\Documents and Settings\All Users\Application

Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\SRTPSP\'.

MSI (c) (04:10) [20:14:44:906]: PROPERTY CHANGE: Adding Appdatabasesrtsptmp

property. Its value is 'C:\Documents and Settings\All Users\Application

Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\SRTPSP\SrtETmp\'.

MSI (c) (04:10) [20:14:44:906]: PROPERTY CHANGE: Adding Appdatabasesrtspquar

property. Its value is 'C:\Documents and Settings\All Users\Application

Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\SRTPSP\Quarantine\'.

MSI (c) (04:10) [20:14:44:906]: PROPERTY CHANGE: Adding Inbox property. Its value is 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec

Endpoint Protection\12.1.671.4971.105\inbox\'.

MSI (c) (04:10) [20:14:44:906]: PROPERTY CHANGE: Adding Appdata property. Its value is 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec

Endpoint Protection\12.1.671.4971.105\Data\'.

MSI (c) (04:10) [20:14:44:906]: PROPERTY CHANGE: Adding XFER_TMP property. Its value is 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec

Endpoint Protection\12.1.671.4971.105\Data\xfer_tmp\'.

MSI (c) (04:10) [20:14:44:906]: PROPERTY CHANGE: Adding XFER property. Its value is 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec

Endpoint Protection\12.1.671.4971.105\Data\xfer\'.

MSI (c) (04:10) [20:14:44:906]: PROPERTY CHANGE: Adding QUARANTINE property. Its

SEP_INST.log

value is 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Quarantine\'.
MSI (c) (04:10) [20:14:44:906]: PROPERTY CHANGE: Adding I2_LDVP.VDB property. Its value is 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\I2_LDVP.VDB\'.
MSI (c) (04:10) [20:14:44:906]: PROPERTY CHANGE: Adding DECTEMP property. Its value is 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\DecTemp\'.
MSI (c) (04:10) [20:14:44:906]: PROPERTY CHANGE: Adding DB property. Its value is 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\DB\'.
MSI (c) (04:10) [20:14:44:906]: PROPERTY CHANGE: Adding BADPATTS property. Its value is 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\BadPatts\'.
MSI (c) (04:10) [20:14:44:906]: PROPERTY CHANGE: Adding APTEMP property. Its value is 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\APTemp\'.
MSI (c) (04:10) [20:14:44:906]: PROPERTY CHANGE: Adding symds_base property. Its value is 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\SymDS\'.
MSI (c) (04:10) [20:14:44:906]: PROPERTY CHANGE: Adding symds_temp property. Its value is 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\SymDS\Temp\'.
MSI (c) (04:10) [20:14:44:906]: PROPERTY CHANGE: Adding Lueappdata property. Its value is 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Lue\'.
MSI (c) (04:10) [20:14:44:906]: PROPERTY CHANGE: Adding ccglogdefaultlogdir property. Its value is 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Logs\'.
MSI (c) (04:10) [20:14:44:906]: PROPERTY CHANGE: Adding Appdata_spmanifests property. Its value is 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\SPManifests\'.
MSI (c) (04:10) [20:14:44:906]: PROPERTY CHANGE: Adding FEATURESTATEDIR property. Its value is 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\FeatureState\'.
MSI (c) (04:10) [20:14:44:906]: PROPERTY CHANGE: Adding STATEDIR property. Its value is 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\State\'.
MSI (c) (04:10) [20:14:44:906]: PROPERTY CHANGE: Adding CONTENTCACHE property. Its value is 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\ContentCache\'.
MSI (c) (04:10) [20:14:44:906]: PROPERTY CHANGE: Adding CACHED_INSTALLS property. Its value is 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached Installs\'.
MSI (c) (04:10) [20:14:44:906]: PROPERTY CHANGE: Adding Ccdata property. Its value is 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\CmnCInt\'.
MSI (c) (04:10) [20:14:44:906]: PROPERTY CHANGE: Adding Ccsubsdktatadir property. Its value is 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\CmnCInt\ccSubSDK\'.
MSI (c) (04:10) [20:14:44:906]: PROPERTY CHANGE: Adding Ccjobmgrconfigfolder property. Its value is 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\CmnCInt\ccJobMgr\'.
MSI (c) (04:10) [20:14:44:906]: PROPERTY CHANGE: Adding ccglogdatadir property. Its value is 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\CmnCInt\ccGLog\'.
MSI (c) (04:10) [20:14:44:906]: PROPERTY CHANGE: Adding Ccgevtdatafolder property. Its value is 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\CmnCInt\ccGEvt\'.
MSI (c) (04:10) [20:14:44:906]: PROPERTY CHANGE: Adding Ccgevtglobaldatafolder property. Its value is 'C:\Documents and Settings\All Users\Application

```
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\CmnCInt\ccGEvt\Global\''.
MSI (c) (04:10) [20:14:44:906]: PROPERTY CHANGE: Adding Ccsetmaindatabasefolder property. Its value is 'C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\CmnCInt\ccSetMgr\''.
MSI (c) (04:10) [20:14:44:906]: PROPERTY CHANGE: Adding Lckdatadir property. Its value is 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\CmnCInt\_lck\''.
MSI (c) (04:10) [20:14:44:906]: PROPERTY CHANGE: Adding Ids_data_dir property. Its value is 'C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\IPS\''.
MSI (c) (04:10) [20:14:44:906]: PROPERTY CHANGE: Adding APPLOGS property. Its value is 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Logs\''.
MSI (c) (04:10) [20:14:44:906]: PROPERTY CHANGE: Adding AVLOGS property. Its value is 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Logs\AV\''.
MSI (c) (04:10) [20:14:44:906]: PROPERTY CHANGE: Adding Appdatasrtsp property. Its value is 'C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\SRTPSP\''.
MSI (c) (04:10) [20:14:44:906]: PROPERTY CHANGE: Adding Iron_data property. Its value is 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\IRON\''.
MSI (c) (04:10) [20:14:44:906]: PROPERTY CHANGE: Adding Bash_datadir property. Its value is 'C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\BASH\''.
MSI (c) (04:10) [20:14:44:906]: PROPERTY CHANGE: Adding Snd_data property. Its value is 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\symnetdrv\''.
MSI (c) (04:10) [20:14:44:906]: PROPERTY CHANGE: Adding APPDATAINSTALL property. Its value is 'C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Install\''.
MSI (c) (04:10) [20:14:44:906]: PROPERTY CHANGE: Adding APPDATAINSTALLLOGS property. Its value is 'C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Install\Logs\''.
MSI (c) (04:10) [20:14:44:906]: PROPERTY CHANGE: Adding APPDATAINSTALLSCRIPTS property. Its value is 'C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Install\Scripts\''.
MSI (c) (04:10) [20:14:44:906]: PROPERTY CHANGE: Adding Definitionsfolder property. Its value is 'C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Definitions\''.
MSI (c) (04:10) [20:14:44:906]: PROPERTY CHANGE: Adding CONFIGDIR property. Its value is 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Config\''.
MSI (c) (04:10) [20:14:44:906]: PROPERTY CHANGE: Adding SYLINKSRC DIR property. Its value is 'C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Config\SylinkSourceDir\''.
MSI (c) (04:10) [20:14:44:906]: PROPERTY CHANGE: Adding SYMSRC DIR property. Its value is 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Config\SymSourceDir\''.
MSI (c) (04:10) [20:14:44:906]: PROPERTY CHANGE: Adding SymantecProgramFiles property. Its value is 'C:\Program Files\Symantec\''.
MSI (c) (04:10) [20:14:44:906]: PROPERTY CHANGE: Adding PRODUCTINSTALLDIR property. Its value is 'C:\Program Files\Symantec\Symantec Endpoint
Protection\''.
MSI (c) (04:10) [20:14:44:906]: PROPERTY CHANGE: Adding Basedir property. Its value is 'C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\''.
MSI (c) (04:10) [20:14:44:906]: PROPERTY CHANGE: Adding Muidir property. Its value is 'C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Res\''.
MSI (c) (04:10) [20:14:44:906]: PROPERTY CHANGE: Adding STATICDATA property. Its value is 'C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Config\''.

```


SEP_INST.log

MSI (c) (04:10) [20:14:44:906]: PROPERTY CHANGE: Adding SMCLU property. Its value is 'C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Smclu\'.
MSI (c) (04:10) [20:14:44:906]: PROPERTY CHANGE: Adding Tempbasedir property. Its value is 'C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Temp\'.
MSI (c) (04:10) [20:14:44:906]: PROPERTY CHANGE: Adding INSTALLSCRIPTS property. Its value is 'C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Scripts\'.
MSI (c) (04:10) [20:14:44:906]: PROPERTY CHANGE: Adding Installldir property. Its value is 'C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\'.
MSI (c) (04:10) [20:14:44:906]: PROPERTY CHANGE: Adding Luepackagepath property. Its value is 'C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\LUReg\'.
MSI (c) (04:10) [20:14:44:906]: PROPERTY CHANGE: Adding Ccinstallldir property. Its value is 'C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\CmnCInt\'.
MSI (c) (04:10) [20:14:44:906]: PROPERTY CHANGE: Adding Subsdkininstallldir property. Its value is 'C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\CmnCInt\ccSubSDK\'.
MSI (c) (04:10) [20:14:44:906]: PROPERTY CHANGE: Adding Jobscheduleinstalllocation property. Its value is 'C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\CmnCInt\ccJobSch\'.
MSI (c) (04:10) [20:14:44:906]: PROPERTY CHANGE: Adding Ccglogdatainstalllocation property. Its value is 'C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\CmnCInt\ccGLog\'.
MSI (c) (04:10) [20:14:44:906]: PROPERTY CHANGE: Adding Ccgevtdatainstalllocation property. Its value is 'C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\CmnCInt\ccGEvt\'.
MSI (c) (04:10) [20:14:44:921]: PROPERTY CHANGE: Adding Ccgevtdataglobalfolder property. Its value is 'C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\CmnCInt\ccGEvt\Global\'.
MSI (c) (04:10) [20:14:44:921]: PROPERTY CHANGE: Adding Ids_bho_dir property. Its value is 'C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\IPS\'.
MSI (c) (04:10) [20:14:44:921]: PROPERTY CHANGE: Adding TEEFERXP property. Its value is 'C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\TeeferXP\'.
MSI (c) (04:10) [20:14:44:921]: PROPERTY CHANGE: Adding TEEFERVISTA property. Its value is 'C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\TeeferVista\'.
MSI (c) (04:10) [20:14:44:921]: PROPERTY CHANGE: Adding HELP property. Its value is 'C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\Help\'.
MSI (c) (04:10) [20:14:44:921]: PROPERTY CHANGE: Adding Spman_installldir property. Its value is 'C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\'.
MSI (c) (04:10) [20:14:44:921]: PROPERTY CHANGE: Adding RES property. Its value is 'C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\'.
MSI (c) (04:10) [20:14:44:921]: PROPERTY CHANGE: Adding Muidir09 property. Its value is 'C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\19\'.
MSI (c) (04:10) [20:14:44:921]: PROPERTY CHANGE: Adding Muidir0901 property. Its value is 'C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\19\01\'.
MSI (c) (04:10) [20:14:44:921]: PROPERTY CHANGE: Adding LANG1049 property. Its value is 'C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\'.
MSI (c) (04:10) [20:14:44:921]: Target path resolution complete. Dumping Directory table...
MSI (c) (04:10) [20:14:44:921]: Note: target paths subject to change (via custom actions or browsing)
MSI (c) (04:10) [20:14:44:921]: Dir (target): Key: TARGETDIR , Object: D:\

SEP_INST.log

MSI (c) (04:10) [20:14:44:921]: Dir (target): Key: FOUNDSEPSLF , Object: E:\SEP\sep_NE.slf\
MSI (c) (04:10) [20:14:44:921]: Dir (target): Key: FoundSepHwId , Object: NULL
MSI (c) (04:10) [20:14:44:921]: Dir (target): Key: FOUNDNACSLF , Object: NULL
MSI (c) (04:10) [20:14:44:921]: Dir (target): Key: windowsFolder , Object: C:\WINDOWS\
MSI (c) (04:10) [20:14:44:921]: Dir (target): Key: SymTempFolder , Object: D:\
MSI (c) (04:10) [20:14:44:921]: Dir (target): Key: DesktopFolder , Object: C:\Documents and Settings\All Users\Desktop\
MSI (c) (04:10) [20:14:44:921]: Dir (target): Key: CommonFilesFolder , Object: C:\Program Files\Common Files\
MSI (c) (04:10) [20:14:44:921]: Dir (target): Key: Symantecshared , Object: C:\Program Files\Common Files\Symantec Shared\
MSI (c) (04:10) [20:14:44:921]: Dir (target): Key: SystemFolder , Object: C:\WINDOWS\system32\
MSI (c) (04:10) [20:14:44:921]: Dir (target): Key: Drivers , Object: C:\WINDOWS\system32\Drivers\
MSI (c) (04:10) [20:14:44:921]: Dir (target): Key: ProductSymDriversDir , Object: C:\WINDOWS\system32\Drivers\SEP\
MSI (c) (04:10) [20:14:44:921]: Dir (target): Key: MajorMinorRevSymDriversDir , Object: C:\WINDOWS\system32\Drivers\SEP\0C01029F\
MSI (c) (04:10) [20:14:44:921]: Dir (target): Key: Symdriversbase , Object: C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\
MSI (c) (04:10) [20:14:44:921]: Dir (target): Key: Symdrivers , Object: C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\
MSI (c) (04:10) [20:14:44:921]: Dir (target): Key: ProgramMenuFolder , Object: C:\Documents and Settings\All Users\Start Menu\Programs\
MSI (c) (04:10) [20:14:44:921]: Dir (target): Key: SYMSTARTMENUDIR , Object: C:\Documents and Settings\All Users\Start Menu\Programs\Symantec Endpoint Protection\
MSI (c) (04:10) [20:14:44:921]: Dir (target): Key: CommonAppDataFolder , Object: C:\Documents and Settings\All Users\Application Data\
MSI (c) (04:10) [20:14:44:921]: Dir (target): Key: SymantecAppData , Object: C:\Documents and Settings\All Users\Application Data\Symantec\
MSI (c) (04:10) [20:14:44:921]: Dir (target): Key: Appdatalegacy , Object: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\
MSI (c) (04:10) [20:14:44:921]: Dir (target): Key: PERSISTEDDATA , Object: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\PersistedData\
MSI (c) (04:10) [20:14:44:921]: Dir (target): Key: Appdatabase , Object: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\
MSI (c) (04:10) [20:14:44:921]: Dir (target): Key: Appdatabasesrtsp , Object: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\SRTPSP\
MSI (c) (04:10) [20:14:44:921]: Dir (target): Key: Appdatabasesrtsptmp , Object: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\SRTPSP\SrtETmp\
MSI (c) (04:10) [20:14:44:921]: Dir (target): Key: Appdatabasesrtspquar , Object: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\SRTPSP\Quarantine\
MSI (c) (04:10) [20:14:44:921]: Dir (target): Key: Inbox , Object: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\inbox\
MSI (c) (04:10) [20:14:44:921]: Dir (target): Key: Appdata , Object: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\
MSI (c) (04:10) [20:14:44:921]: Dir (target): Key: XFER_TMP , Object: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\xfer_tmp\
MSI (c) (04:10) [20:14:44:921]: Dir (target): Key: XFER , Object: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\xfer\
MSI (c) (04:10) [20:14:44:921]: Dir (target): Key: QUARANTINE , Object: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Quarantine\

SEP_INST.log

MSI (c) (04:10) [20:14:44:921]: Dir (target): Key: I2_LDVP.VDB , Object: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\I2_LDVP.VDB\
MSI (c) (04:10) [20:14:44:921]: Dir (target): Key: DECTEMP , Object: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\DecTemp\
MSI (c) (04:10) [20:14:44:921]: Dir (target): Key: DB , Object: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\DB\
MSI (c) (04:10) [20:14:44:921]: Dir (target): Key: BADPATTS , Object: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\BadPatTs\
MSI (c) (04:10) [20:14:44:921]: Dir (target): Key: APTEMP , Object: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\APTemp\
MSI (c) (04:10) [20:14:44:921]: Dir (target): Key: Symds_base , Object: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\SymDS\
MSI (c) (04:10) [20:14:44:921]: Dir (target): Key: Symds_temp , Object: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\SymDS\Temp\
MSI (c) (04:10) [20:14:44:921]: Dir (target): Key: Lueappdata , Object: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Lue\
MSI (c) (04:10) [20:14:44:921]: Dir (target): Key: Ccglogdefaultlogdir , Object: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Logs\
MSI (c) (04:10) [20:14:44:921]: Dir (target): Key: Appdata_spmanifests , Object: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\SPManifests\
MSI (c) (04:10) [20:14:44:921]: Dir (target): Key: FEATURESTATEDIR , Object: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\FeatureState\
MSI (c) (04:10) [20:14:44:921]: Dir (target): Key: STATEDIR , Object: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\State\
MSI (c) (04:10) [20:14:44:921]: Dir (target): Key: CONTENTCACHE , Object: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\ContentCache\
MSI (c) (04:10) [20:14:44:921]: Dir (target): Key: CACHED_INSTALLS , Object: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached Installs\
MSI (c) (04:10) [20:14:44:921]: Dir (target): Key: Ccdata , Object: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\CmnCln\
MSI (c) (04:10) [20:14:44:921]: Dir (target): Key: Ccsubsdktadatadir , Object: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\CmnCln\ccSubSDK\
MSI (c) (04:10) [20:14:44:921]: Dir (target): Key: Ccjobmgrconfigfolder , Object: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\CmnCln\ccJobMgr\
MSI (c) (04:10) [20:14:44:921]: Dir (target): Key: Ccglogdatadir , Object: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\CmnCln\ccGLog\
MSI (c) (04:10) [20:14:44:921]: Dir (target): Key: Ccgevtdatafolder , Object: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\CmnCln\ccGEvt\
MSI (c) (04:10) [20:14:44:921]: Dir (target): Key: Ccgevtglobaldatafolder , Object: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\CmnCln\ccGEvt\Global\
MSI (c) (04:10) [20:14:44:921]: Dir (target): Key: Ccsetmaindatabasefolder , Object: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\CmnCln\ccSetMgr\
MSI (c) (04:10) [20:14:44:921]: Dir (target): Key: Lckdatadir , Object: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\CmnCln_lck\
MSI (c) (04:10) [20:14:44:921]: Dir (target): Key: Ids_data_dir , Object: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint

SEP_INST.log

Protection\12.1.671.4971.105\Data\IPS\
 MSI (c) (04:10) [20:14:44:921]: Dir (target): Key: APPLOGS , Object:
 C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint
 Protection\12.1.671.4971.105\Data\Logs\
 MSI (c) (04:10) [20:14:44:921]: Dir (target): Key: AVLOGS , Object:
 C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint
 Protection\12.1.671.4971.105\Data\Logs\AV\
 MSI (c) (04:10) [20:14:44:921]: Dir (target): Key: Appdatasrtsp , Object:
 C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint
 Protection\12.1.671.4971.105\Data\SRTSP\
 MSI (c) (04:10) [20:14:44:921]: Dir (target): Key: Iron_data , Object:
 C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint
 Protection\12.1.671.4971.105\Data\IRON\
 MSI (c) (04:10) [20:14:44:921]: Dir (target): Key: Bash_datadir , Object:
 C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint
 Protection\12.1.671.4971.105\Data\BASH\
 MSI (c) (04:10) [20:14:44:921]: Dir (target): Key: Snd_data , Object:
 C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint
 Protection\12.1.671.4971.105\Data\symnetdrv\
 MSI (c) (04:10) [20:14:44:921]: Dir (target): Key: APPDATAINSTALL , Object:
 C:\Documents and Settings\All Users\Application Data\Symantec\Symantec
 Endpoint Protection\12.1.671.4971.105\Data\Install\
 MSI (c) (04:10) [20:14:44:921]: Dir (target): Key: APPDATAINSTALLLOGS ,
 Object: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec
 Endpoint Protection\12.1.671.4971.105\Data\Install\Logs\
 MSI (c) (04:10) [20:14:44:921]: Dir (target): Key: APPDATAINSTALLSCRIPTS
 , Object: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec
 Endpoint Protection\12.1.671.4971.105\Data\Install\Scripts\
 MSI (c) (04:10) [20:14:44:921]: Dir (target): Key: Definitionsfolder ,
 Object: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec
 Endpoint Protection\12.1.671.4971.105\Data\Definitions\
 MSI (c) (04:10) [20:14:44:921]: Dir (target): Key: CONFIGDIR , Object:
 C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint
 Protection\12.1.671.4971.105\Data\Config\
 MSI (c) (04:10) [20:14:44:921]: Dir (target): Key: SYLINKSRCDIR , Object:
 C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint
 Protection\12.1.671.4971.105\Data\Config\SylinkSourceDir\
 MSI (c) (04:10) [20:14:44:921]: Dir (target): Key: SYMSRCDIR , Object:
 C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint
 Protection\12.1.671.4971.105\Data\Config\SymSourceDir\
 MSI (c) (04:10) [20:14:44:921]: Dir (target): Key: ProgramFilesFolder ,
 Object: C:\Program Files\
 MSI (c) (04:10) [20:14:44:921]: Dir (target): Key: SymantecProgramFiles ,
 Object: C:\Program Files\Symantec\
 MSI (c) (04:10) [20:14:44:921]: Dir (target): Key: PRODUCTINSTALLDIR ,
 Object: C:\Program Files\Symantec\Symantec Endpoint Protection\
 MSI (c) (04:10) [20:14:44:921]: Dir (target): Key: Basedir , Object:
 C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\
 MSI (c) (04:10) [20:14:44:921]: Dir (target): Key: Muidir , Object:
 C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\
 MSI (c) (04:10) [20:14:44:921]: Dir (target): Key: STATICDATA , Object:
 C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Config\
 MSI (c) (04:10) [20:14:44:921]: Dir (target): Key: SMCLU , Object:
 C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\SmClu\
 MSI (c) (04:10) [20:14:44:921]: Dir (target): Key: Tempbasedir , Object:
 C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Temp\
 MSI (c) (04:10) [20:14:44:921]: Dir (target): Key: INSTALLSCRIPTS ,
 Object: C:\Program Files\Symantec\Symantec Endpoint
 Protection\12.1.671.4971.105\Scripts\
 MSI (c) (04:10) [20:14:44:921]: Dir (target): Key: Installldir , Object:
 C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\
 MSI (c) (04:10) [20:14:44:921]: Dir (target): Key: Luepackagepath ,
 Object: C:\Program Files\Symantec\Symantec Endpoint
 Protection\12.1.671.4971.105\Bin\LUReg\
 MSI (c) (04:10) [20:14:44:921]: Dir (target): Key: Ccinstallldir , Object:
 C:\Program Files\Symantec\Symantec Endpoint
 Protection\12.1.671.4971.105\Bin\CmnCInt\
 MSI (c) (04:10) [20:14:44:921]: Dir (target): Key: Subsdinstallldir ,

SEP_INST.log

Object: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\CmnCInt\ccSubSDK\
MSI (c) (04:10) [20:14:44:921]: Dir (target): Key: Jobscheduleinstalllocation , Object: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\CmnCInt\ccJobSch\
MSI (c) (04:10) [20:14:44:921]: Dir (target): Key: Ccglogdatainstalllocation , Object: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\CmnCInt\ccGLog\
MSI (c) (04:10) [20:14:44:921]: Dir (target): Key: Ccgevtdatainstalllocation , Object: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\CmnCInt\ccGEvt\
MSI (c) (04:10) [20:14:44:921]: Dir (target): Key: Ccgevtdataglobalfolder , Object: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\CmnCInt\ccGEvt\Global\
MSI (c) (04:10) [20:14:44:921]: Dir (target): Key: Ids_bho_dir , Object: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\IPS\
MSI (c) (04:10) [20:14:44:921]: Dir (target): Key: TEEFERXP , Object: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\TeeferXP\
MSI (c) (04:10) [20:14:44:921]: Dir (target): Key: TEEFERVISTA , Object: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\TeeferVista\
MSI (c) (04:10) [20:14:44:921]: Dir (target): Key: HELP , Object: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\Help\
MSI (c) (04:10) [20:14:44:921]: Dir (target): Key: Spman_installdir , Object: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\
MSI (c) (04:10) [20:14:44:921]: Dir (target): Key: RES , Object: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\
MSI (c) (04:10) [20:14:44:921]: Dir (target): Key: Muidir09 , Object: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\19\
MSI (c) (04:10) [20:14:44:921]: Dir (target): Key: Muidir0901 , Object: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\19\01\
MSI (c) (04:10) [20:14:44:921]: Dir (target): Key: LANG1049 , Object: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\
MSI (c) (04:10) [20:14:44:921]: Note: 1: 2205 2: 3: MsiAssembly
MSI (c) (04:10) [20:14:44:921]: Note: 1: 2228 2: 3: MsiAssembly 4: SELECT `MsiAssembly`.`Attributes`, `MsiAssembly`.`File_Application`, `MsiAssembly`.`File_Manifest`, `Component`.`KeyPath` FROM `MsiAssembly`, `Component` WHERE `MsiAssembly`.`Component_` = `Component`.`Component` AND `MsiAssembly`.`Component_` = ?
Завершение действия 20:14:44: CostFinalize. Возвращенное значение 1.
MSI (c) (04:10) [20:14:44:937]: Skipping action: SetSCSInstallDirMig (condition is false)
MSI (c) (04:10) [20:14:44:937]: Skipping action: SetSNACInstallDirMig (condition is false)
MSI (c) (04:10) [20:14:44:937]: Skipping action: SetInstallDirMig (condition is false)
MSI (c) (04:10) [20:14:44:937]: Skipping action: SetInstallDirMigAmber (condition is false)
MSI (c) (04:10) [20:14:44:937]: Skipping action: SymVerifyFeatures (condition is false)
MSI (c) (04:10) [20:14:44:937]: Skipping action: PatchWelcome (condition is false)
MSI (c) (04:10) [20:14:44:937]: Doing action: InstallWelcome
действие 20:14:44: InstallWelcome.
Начало действия 20:14:44: InstallWelcome.
действие 20:14:44: InstallWelcome. Dialog created
MSI (c) (04:08) [20:14:45:000]: Note: 1: 2205 2: 3: _RemoveFilePath
MSI (c) (04:08) [20:14:45:015]: Note: 1: 2756 2: FoundSepHwId
MSI (c) (04:08) [20:14:45:015]: PROPERTY CHANGE: Modifying CostingComplete property. Its current value is '0'. Its new value: '1'.
MSI (c) (04:08) [20:14:45:015]: Note: 1: 2205 2: 3: BindImage
MSI (c) (04:08) [20:14:45:015]: Note: 1: 2205 2: 3: ProgId
MSI (c) (04:08) [20:14:45:015]: Note: 1: 2205 2: 3: PublishComponent

```

SEP_INST.log
MSI (c) (04:08) [20:14:45:015]: Note: 1: 2205 2: 3: SelfReg
MSI (c) (04:08) [20:14:45:015]: Note: 1: 2205 2: 3: Extension
MSI (c) (04:08) [20:14:45:015]: Note: 1: 2205 2: 3: Font
MSI (c) (04:08) [20:14:45:015]: Note: 1: 2205 2: 3: Shortcut
MSI (c) (04:08) [20:14:45:015]: Note: 1: 2205 2: 3: Class
MSI (c) (04:08) [20:14:45:015]: Note: 1: 2727 2:
Сведения 2898. Для текстового стиля MSSansBold8 система создала шрифт 'Tahoma' с
набором символов 204.
Сведения 2827. Кнопка я &не принимаю условия лицензионного соглашения в группе
переключателей Agree в окне диалога LicenseAgreement выходит за границы группы
to the right на 4 пикселей.
Действие 20:14:46: LicenseAgreement. Dialog created
MSI (c) (04:08) [20:14:47:359]: PROPERTY CHANGE: Modifying AgreeToLicense
property. Its current value is 'No'. Its new value: 'Yes'.
Действие 20:14:47: ClientType. Dialog created
Действие 20:14:49: SetupType. Dialog created
MSI (c) (04:08) [20:14:50:515]: Note: 1: 2727 2:
Действие 20:14:50: RepuSubOptOut. Dialog created
Сведения 2898. Для текстового стиля TahomaUnderline8 система создала шрифт
'Tahoma' с набором символов 204.
Действие 20:14:50: ReadyToInstall. Dialog created
MSI (c) (04:08) [20:14:51:234]: Note: 1: 2727 2:
Завершение действия 20:14:51: InstallWelcome. Возвращенное значение 1.
MSI (c) (04:10) [20:14:51:359]: Skipping action: SetupResume (condition is
false)
MSI (c) (04:10) [20:14:51:359]: Skipping action: MaintenanceWelcome (condition
is false)
MSI (c) (04:10) [20:14:51:359]: Doing action: SetupProgress
Действие 20:14:51: SetupProgress.
Начало действия 20:14:51: SetupProgress.
Действие 20:14:51: SetupProgress. Dialog created
Завершение действия 20:14:51: SetupProgress. Возвращенное значение 1.
MSI (c) (04:10) [20:14:51:375]: Skipping action: EnableUninstallReboot
(condition is false)
MSI (c) (04:10) [20:14:51:375]: Skipping action: ScheduleReboot (condition is
false)
MSI (c) (04:10) [20:14:51:375]: Doing action: ExecuteAction
Действие 20:14:51: ExecuteAction.
Начало действия 20:14:51: ExecuteAction.
MSI (c) (04:10) [20:14:51:375]: PROPERTY CHANGE: Adding SECONDSEQUENCE property.
Its value is '1'.
MSI (c) (04:10) [20:14:51:375]: Grabbed execution mutex.
MSI (c) (04:10) [20:14:51:375]: Incrementing counter to disable shutdown.
Counter after increment: 0
MSI (c) (04:10) [20:14:51:375]: Switching to server:
OS_SUPPORTS_UI="C:\WINDOWS\explorer.exe"
IE6FOUND="C:\WINDOWS\system32\shdocvw.dll" SPMXMLFOUND="E:\SEP\SyLink.xml"
SYMRASMAN_REG13_PATH="C:\WINDOWS\System32\rastls.dll"
SYMRASMAN_REG13_INTERACTIVEUIPATH="C:\WINDOWS\System32\rastls.dll"
SYMRASMAN_REG13_CONFIGUIPATH="C:\WINDOWS\System32\rastls.dll"
SYMRASMAN_REG13_IDENTITYPATH="C:\WINDOWS\System32\rastls.dll"
SYMRASMAN_REG25_PATH="C:\WINDOWS\System32\rastls.dll"
SYMRASMAN_REG25_INTERACTIVEUIPATH="C:\WINDOWS\System32\rastls.dll"
SYMRASMAN_REG25_CONFIGUIPATH="C:\WINDOWS\System32\rastls.dll"
SYMRASMAN_REG25_IDENTITYPATH="C:\WINDOWS\System32\rastls.dll"
FOUNDSEPSLF="E:\SEP\sep_ne.slf" SHDOCVW="C:\WINDOWS\system32\shdocvw.dll"
LANG1049="C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Res\1049\" CONFIGDIR="C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Config\" TARGETDIR="D:\"
SYMSTARTMENUDIR="C:\Documents and Settings\All Users\Start
Menu\Programs\Symantec Endpoint Protection\" HELP="C:\Program
MSI (s) (40:98) [20:14:51:375]: Grabbed execution mutex.
MSI (s) (40:68) [20:14:51:375]: Resetting cached policy values
MSI (s) (40:68) [20:14:51:375]: Machine policy value 'Debug' is 0
MSI (s) (40:68) [20:14:51:375]: ***** RunEngine:
***** Product: E:\SEP\Sep.msi
***** Action: INSTALL

```

SEP_INST.log

***** CommandLine: *****

```
MSI (s) (40:68) [20:14:51:375]: Machine policy value 'DisableUserInstalls' is 0
MSI (s) (40:68) [20:14:51:390]: File will have security applied from OpCode.
MSI (s) (40:68) [20:14:51:406]: SOFTWARE RESTRICTION POLICY: Verifying package
--> 'E:\SEP\Sep.msi' against software restriction policy
MSI (s) (40:68) [20:14:51:406]: SOFTWARE RESTRICTION POLICY: E:\SEP\Sep.msi has
a digital signature
MSI (s) (40:68) [20:14:51:468]: SOFTWARE RESTRICTION POLICY: E:\SEP\Sep.msi is
permitted to run at the 'unrestricted' authorization level.
MSI (s) (40:68) [20:14:51:468]: End dialog not enabled
MSI (s) (40:68) [20:14:51:468]: Original package ==> E:\SEP\Sep.msi
MSI (s) (40:68) [20:14:51:468]: Package we're running from ==>
C:\WINDOWS\Installer\bf48.msi
MSI (s) (40:68) [20:14:51:484]: APPCOMPAT: looking for appcompat database entry
with ProductCode '{816230FE-84A1-47CC-BF64-C113014BD15B}'.
MSI (s) (40:68) [20:14:51:484]: APPCOMPAT: no matching ProductCode found in
database.
MSI (s) (40:68) [20:14:51:484]: MSCOREE not loaded loading copy from system32
MSI (s) (40:68) [20:14:51:484]: Machine policy value 'TransformsSecure' is 0
MSI (s) (40:68) [20:14:51:484]: User policy value 'TransformsAtSource' is 0
MSI (s) (40:68) [20:14:51:484]: Machine policy value 'DisablePatch' is 0
MSI (s) (40:68) [20:14:51:484]: Machine policy value 'AllowLockdownPatch' is 0
MSI (s) (40:68) [20:14:51:484]: Machine policy value 'DisableLUAPatching' is 0
MSI (s) (40:68) [20:14:51:484]: Machine policy value 'DisableFlyweightPatching'
is 0
MSI (s) (40:68) [20:14:51:484]: APPCOMPAT: looking for appcompat database entry
with ProductCode '{816230FE-84A1-47CC-BF64-C113014BD15B}'.
MSI (s) (40:68) [20:14:51:484]: APPCOMPAT: no matching ProductCode found in
database.
MSI (s) (40:68) [20:14:51:484]: Transforms are not secure.
MSI (s) (40:68) [20:14:51:484]: Command Line:
OS_SUPPORTS_UI=C:\WINDOWS\explorer.exe IE6FOUND=C:\WINDOWS\system32\shdocvw.dll
SPMXMLFOUND=E:\SEP\SyLink.xml
SYMRASMAN_REG13_PATH=C:\WINDOWS\System32\rastls.dll
SYMRASMAN_REG13_INTERACTIVEUIPATH=C:\WINDOWS\System32\rastls.dll
SYMRASMAN_REG13_CONFIGUIPATH=C:\WINDOWS\System32\rastls.dll
SYMRASMAN_REG13_IDENTITYPATH=C:\WINDOWS\System32\rastls.dll
SYMRASMAN_REG25_PATH=C:\WINDOWS\System32\rastls.dll
SYMRASMAN_REG25_INTERACTIVEUIPATH=C:\WINDOWS\System32\rastls.dll
SYMRASMAN_REG25_CONFIGUIPATH=C:\WINDOWS\System32\rastls.dll
SYMRASMAN_REG25_IDENTITYPATH=C:\WINDOWS\System32\rastls.dll
FOUNDSEPSLF=E:\SEP\sep_ne.slf SHDOCW=C:\WINDOWS\system32\shdocvw.dll
LANG1049=C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Res\1049\ CONFIGDIR=C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Config\ TARGETDIR=D:\
SYMSTARTMENUDIR=C:\Documents and Settings\All Users\Start Menu\Programs\Symantec
Endpoint Protection\ HELP=C:\Program Files\Symantec\Symantec Endpoint Protectio
MSI (s) (40:68) [20:14:51:484]: PROPERTY CHANGE: Adding PackageCode property.
Its value is '{F3BE37D6-027B-4947-AD83-637FF28381E4}'.
MSI (s) (40:68) [20:14:51:484]: Product Code passed to Engine.Initialize:
,
MSI (s) (40:68) [20:14:51:484]: Product Code from property table before
transforms: '{816230FE-84A1-47CC-BF64-C113014BD15B}'
MSI (s) (40:68) [20:14:51:484]: Product Code from property table after
transforms: '{816230FE-84A1-47CC-BF64-C113014BD15B}'
MSI (s) (40:68) [20:14:51:484]: Product not registered: beginning first-time
install
MSI (s) (40:68) [20:14:51:484]: PROPERTY CHANGE: Adding ProductState property.
Its value is '-1'.
MSI (s) (40:68) [20:14:51:484]: Entering
CMsiConfigurationManager::SetLastUsedSource.
MSI (s) (40:68) [20:14:51:484]: User policy value 'DisableMedia' is 0
MSI (s) (40:68) [20:14:51:484]: User policy value 'SearchOrder' is 'nmu'
MSI (s) (40:68) [20:14:51:484]: Adding new sources is allowed.
MSI (s) (40:68) [20:14:51:484]: PROPERTY CHANGE: Adding PackageCodeChanging
property. Its value is '1'.
MSI (s) (40:68) [20:14:51:484]: Package name extracted from package path:
```

SEP_INST.log

'Sep.msi'

MSI (s) (40:68) [20:14:51:484]: Package to be registered: 'Sep.msi'
MSI (s) (40:68) [20:14:51:484]: Note: 1: 2729
MSI (s) (40:68) [20:14:51:484]: Note: 1: 2729
MSI (s) (40:68) [20:14:51:484]: Note: 1: 2262 2: AdminProperties 3: -2147287038
MSI (s) (40:68) [20:14:51:484]: Machine policy value 'DisableMsi' is 0
MSI (s) (40:68) [20:14:51:484]: Machine policy value 'AlwaysInstallElevated' is 0
MSI (s) (40:68) [20:14:51:484]: User policy value 'AlwaysInstallElevated' is 0
MSI (s) (40:68) [20:14:51:484]: Product installation will be elevated because user is admin and product is being installed per-machine.
MSI (s) (40:68) [20:14:51:484]: Running product '{816230FE-84A1-47CC-BF64-C113014BD15B}' with elevated privileges: Product is assigned.
MSI (s) (40:68) [20:14:51:484]: PROPERTY CHANGE: Adding OS_SUPPORTS_UI property. Its value is 'C:\WINDOWS\explorer.exe'.
MSI (s) (40:68) [20:14:51:484]: PROPERTY CHANGE: Adding IE6FOUND property. Its value is 'C:\WINDOWS\system32\shdocvw.dll'.
MSI (s) (40:68) [20:14:51:484]: PROPERTY CHANGE: Adding SPMXMLFOUND property. Its value is 'E:\SEP\SyLink.xml'.
MSI (s) (40:68) [20:14:51:484]: PROPERTY CHANGE: Adding SYMRASMAN_REG13_PATH property. Its value is 'C:\WINDOWS\System32\rastls.dll'.
MSI (s) (40:68) [20:14:51:484]: PROPERTY CHANGE: Adding SYMRASMAN_REG13_INTERACTIVEUIPATH property. Its value is 'C:\WINDOWS\System32\rastls.dll'.
MSI (s) (40:68) [20:14:51:484]: PROPERTY CHANGE: Adding SYMRASMAN_REG13_CONFIGUIPATH property. Its value is 'C:\WINDOWS\System32\rastls.dll'.
MSI (s) (40:68) [20:14:51:484]: PROPERTY CHANGE: Adding SYMRASMAN_REG13_IDENTITYPATH property. Its value is 'C:\WINDOWS\System32\rastls.dll'.
MSI (s) (40:68) [20:14:51:484]: PROPERTY CHANGE: Adding SYMRASMAN_REG25_PATH property. Its value is 'C:\WINDOWS\System32\rastls.dll'.
MSI (s) (40:68) [20:14:51:484]: PROPERTY CHANGE: Adding SYMRASMAN_REG25_INTERACTIVEUIPATH property. Its value is 'C:\WINDOWS\System32\rastls.dll'.
MSI (s) (40:68) [20:14:51:484]: PROPERTY CHANGE: Adding SYMRASMAN_REG25_CONFIGUIPATH property. Its value is 'C:\WINDOWS\System32\rastls.dll'.
MSI (s) (40:68) [20:14:51:484]: PROPERTY CHANGE: Adding SYMRASMAN_REG25_IDENTITYPATH property. Its value is 'C:\WINDOWS\System32\rastls.dll'.
MSI (s) (40:68) [20:14:51:484]: PROPERTY CHANGE: Adding FOUNDSEPSLF property. Its value is 'E:\SEP\sep_NE.slf'.
MSI (s) (40:68) [20:14:51:484]: PROPERTY CHANGE: Adding SHDOCVW property. Its value is 'C:\WINDOWS\system32\shdocvw.dll'.
MSI (s) (40:68) [20:14:51:484]: PROPERTY CHANGE: Adding LANG1049 property. Its value is 'C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\'.
MSI (s) (40:68) [20:14:51:484]: PROPERTY CHANGE: Adding CONFIGDIR property. Its value is 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Config\'.
MSI (s) (40:68) [20:14:51:484]: PROPERTY CHANGE: Adding TARGETDIR property. Its value is 'D:\'.
MSI (s) (40:68) [20:14:51:484]: PROPERTY CHANGE: Adding SYMSTARTMENUDIR property. Its value is 'C:\Documents and Settings\All Users\Start Menu\Programs\Symantec Endpoint Protection\'.
MSI (s) (40:68) [20:14:51:484]: PROPERTY CHANGE: Adding HELP property. Its value is 'C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\Help\'.
MSI (s) (40:68) [20:14:51:484]: PROPERTY CHANGE: Adding PERSISTEDDATA property. Its value is 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\PersistedData\'.
MSI (s) (40:68) [20:14:51:484]: PROPERTY CHANGE: Adding INSTALLSCRIPTS property. Its value is 'C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Scripts\'.
MSI (s) (40:68) [20:14:51:484]: PROPERTY CHANGE: Adding APPDATAINSTALLSCRIPTS property. Its value is 'C:\Documents and Settings\All Users\Application

SEP_INST.log

Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Install\Scripts\'.
 MSI (s) (40:68) [20:14:51:484]: PROPERTY CHANGE: Adding RES property. Its value is 'C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\'.
 MSI (s) (40:68) [20:14:51:484]: PROPERTY CHANGE: Adding TEEFERVISTA property. Its value is 'C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\TeeferVista\'.
 MSI (s) (40:68) [20:14:51:484]: PROPERTY CHANGE: Adding TEEFERXP property. Its value is 'C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\TeeferXP\'.
 MSI (s) (40:68) [20:14:51:484]: PROPERTY CHANGE: Adding APPLOGS property. Its value is 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Logs\'.
 MSI (s) (40:68) [20:14:51:484]: PROPERTY CHANGE: Adding PRODUCTINSTALLDIR property. Its value is 'C:\Program Files\Symantec\Symantec Endpoint Protection\'.
 MSI (s) (40:68) [20:14:51:484]: PROPERTY CHANGE: Adding CACHED_INSTALLS property. Its value is 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached Installs\'.
 MSI (s) (40:68) [20:14:51:484]: PROPERTY CHANGE: Adding CONTENTCACHE property. Its value is 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\ContentCache\'.
 MSI (s) (40:68) [20:14:51:484]: PROPERTY CHANGE: Adding STATEDIR property. Its value is 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\State\'.
 MSI (s) (40:68) [20:14:51:484]: PROPERTY CHANGE: Adding FEATURESTATEDIR property. Its value is 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\FeatureState\'.
 MSI (s) (40:68) [20:14:51:484]: PROPERTY CHANGE: Adding SMCLU property. Its value is 'C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Smclu\'.
 MSI (s) (40:68) [20:14:51:484]: PROPERTY CHANGE: Adding STATICDATA property. Its value is 'C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Config\'.
 MSI (s) (40:68) [20:14:51:484]: PROPERTY CHANGE: Adding APPDATAINSTALL property. Its value is 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Install\'.
 MSI (s) (40:68) [20:14:51:484]: PROPERTY CHANGE: Adding APPDATAINSTALLLOGS property. Its value is 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Install\Logs\'.
 MSI (s) (40:68) [20:14:51:484]: PROPERTY CHANGE: Adding AVLOGS property. Its value is 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Logs\AV\'.
 MSI (s) (40:68) [20:14:51:484]: PROPERTY CHANGE: Adding APTTEMP property. Its value is 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\APTtemp\'.
 MSI (s) (40:68) [20:14:51:484]: PROPERTY CHANGE: Adding BADPATTS property. Its value is 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\BadPatTs\'.
 MSI (s) (40:68) [20:14:51:484]: PROPERTY CHANGE: Adding DB property. Its value is 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\DB\'.
 MSI (s) (40:68) [20:14:51:484]: PROPERTY CHANGE: Adding DECTEMP property. Its value is 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\DecTemp\'.
 MSI (s) (40:68) [20:14:51:484]: PROPERTY CHANGE: Adding I2_LDVP.VDB property. Its value is 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\I2_LDVP.VDB\'.
 MSI (s) (40:68) [20:14:51:484]: PROPERTY CHANGE: Adding QUARANTINE property. Its value is 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Quarantine\'.
 MSI (s) (40:68) [20:14:51:484]: PROPERTY CHANGE: Adding XFER property. Its value is 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec

SEP_INST.log

Endpoint Protection\12.1.671.4971.105\Data\xfer\'.
MSI (s) (40:68) [20:14:51:484]: PROPERTY CHANGE: Adding XFER_TMP property. Its value is 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\xfer_tmp\'.
MSI (s) (40:68) [20:14:51:484]: PROPERTY CHANGE: Adding SYMSRCDIR property. Its value is 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Config\SymSourceDir\'.
MSI (s) (40:68) [20:14:51:484]: PROPERTY CHANGE: Adding SYLINKSRCDIR property. Its value is 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Config\SymlinkSourceDir\'.
MSI (s) (40:68) [20:14:51:484]: PROPERTY CHANGE: Modifying SYMLICENSETYPE property. Its current value is '0'. Its new value: '1'.
MSI (s) (40:68) [20:14:51:484]: PROPERTY CHANGE: Adding SRCLICFILE property. Its value is 'EE'.
MSI (s) (40:68) [20:14:51:484]: PROPERTY CHANGE: Adding CURRENTDIRECTORY property. Its value is 'E:\SEP'.
MSI (s) (40:68) [20:14:51:484]: PROPERTY CHANGE: Adding CLIENTUILEVEL property. Its value is '0'.
MSI (s) (40:68) [20:14:51:484]: PROPERTY CHANGE: Adding CLIENTPROCESSID property. Its value is '260'.
MSI (s) (40:68) [20:14:51:484]: PROPERTY CHANGE: Adding CURRENTMEDIAVOLUMELABEL property. Its value is 'SEP_12.1'.
MSI (s) (40:68) [20:14:51:484]: PROPERTY CHANGE: Adding USERNAME property. Its value is 'cor'.
MSI (s) (40:68) [20:14:51:484]: PROPERTY CHANGE: Adding COMPANYNAME property. Its value is 'cor'.
MSI (s) (40:68) [20:14:51:484]: PROPERTY CHANGE: Adding SOURCEDIR property. Its value is 'E:\SEP'.
MSI (s) (40:68) [20:14:51:484]: PROPERTY CHANGE: Adding ACTION property. Its value is 'INSTALL'.
MSI (s) (40:68) [20:14:51:484]: PROPERTY CHANGE: Adding EXECUTEACTION property. Its value is 'INSTALL'.
MSI (s) (40:68) [20:14:51:484]: PROPERTY CHANGE: Adding ROOTDRIVE property. Its value is 'D:\'.
MSI (s) (40:68) [20:14:51:484]: PROPERTY CHANGE: Adding SECONDSEQUENCE property. Its value is '1'.
MSI (s) (40:68) [20:14:51:484]: PROPERTY CHANGE: Adding ADDLOCAL property. Its value is 'Core,SAVMain,Download,Pop3SmtP,PTPMain,TruScan,DCMain,NTPMain,ITPMain,Firewall,LANG1049'.
MSI (s) (40:68) [20:14:51:484]: Engine has iefSecondSequence set to true.
MSI (s) (40:68) [20:14:51:484]: TRANSFORMS property is now:
MSI (s) (40:68) [20:14:51:484]: PROPERTY CHANGE: Deleting SOURCEDIR property. Its current value is 'E:\SEP'.
MSI (s) (40:68) [20:14:51:484]: PROPERTY CHANGE: Adding VersionDatabase property. Its value is '200'.
MSI (s) (40:68) [20:14:51:484]: SHELL32::SHGetFolderPath returned: C:\Documents and Settings\Administrator\Application Data
MSI (s) (40:68) [20:14:51:484]: SHELL32::SHGetFolderPath returned: C:\Documents and Settings\Administrator\Favorites
MSI (s) (40:68) [20:14:51:484]: SHELL32::SHGetFolderPath returned: C:\Documents and Settings\Administrator\NetHood
MSI (s) (40:68) [20:14:51:484]: SHELL32::SHGetFolderPath returned: C:\Documents and Settings\Administrator\My Documents
MSI (s) (40:68) [20:14:51:484]: SHELL32::SHGetFolderPath returned: C:\Documents and Settings\Administrator\PrinHood
MSI (s) (40:68) [20:14:51:484]: SHELL32::SHGetFolderPath returned: C:\Documents and Settings\Administrator\Recent
MSI (s) (40:68) [20:14:51:484]: SHELL32::SHGetFolderPath returned: C:\Documents and Settings\Administrator\SendTo
MSI (s) (40:68) [20:14:51:484]: SHELL32::SHGetFolderPath returned: C:\Documents and Settings\Administrator\Templates
MSI (s) (40:68) [20:14:51:484]: SHELL32::SHGetFolderPath returned: C:\Documents and Settings\All Users\Application Data
MSI (s) (40:68) [20:14:51:484]: SHELL32::SHGetFolderPath returned: C:\Documents and Settings\Administrator\Local Settings\Application Data
MSI (s) (40:68) [20:14:51:500]: SHELL32::SHGetFolderPath returned: C:\Documents

SEP_INST.log

and Settings\Administrator\My Documents\My Pictures
MSI (s) (40:68) [20:14:51:500]: SHELL32::SHGetFolderPath returned: C:\Documents
and Settings\All Users\Start Menu\Programs\Administrative Tools
MSI (s) (40:68) [20:14:51:500]: SHELL32::SHGetFolderPath returned: C:\Documents
and Settings\All Users\Start Menu\Programs\Startup
MSI (s) (40:68) [20:14:51:500]: SHELL32::SHGetFolderPath returned: C:\Documents
and Settings\All Users\Start Menu\Programs
MSI (s) (40:68) [20:14:51:500]: SHELL32::SHGetFolderPath returned: C:\Documents
and Settings\All Users\Start Menu
MSI (s) (40:68) [20:14:51:500]: SHELL32::SHGetFolderPath returned: C:\Documents
and Settings\All Users\Desktop
MSI (s) (40:68) [20:14:51:500]: SHELL32::SHGetFolderPath returned: C:\Documents
and Settings\Administrator\Start Menu\Programs\Administrative Tools
MSI (s) (40:68) [20:14:51:500]: SHELL32::SHGetFolderPath returned: C:\Documents
and Settings\Administrator\Start Menu\Programs\Startup
MSI (s) (40:68) [20:14:51:500]: SHELL32::SHGetFolderPath returned: C:\Documents
and Settings\Administrator\Start Menu\Programs
MSI (s) (40:68) [20:14:51:500]: SHELL32::SHGetFolderPath returned: C:\Documents
and Settings\Administrator\Start Menu
MSI (s) (40:68) [20:14:51:500]: SHELL32::SHGetFolderPath returned: C:\Documents
and Settings\Administrator\Desktop
MSI (s) (40:68) [20:14:51:500]: SHELL32::SHGetFolderPath returned: C:\Documents
and Settings\All Users\Templates
MSI (s) (40:68) [20:14:51:500]: SHELL32::SHGetFolderPath returned:
C:\WINDOWS\Fonts
MSI (s) (40:68) [20:14:51:500]: Note: 1: 2898 2: MS Sans Serif 3: MS Sans Serif
4: 0 5: 16
MSI (s) (40:68) [20:14:51:500]: MSCOREE not loaded loading copy from system32
MSI (s) (40:68) [20:14:51:500]: PROPERTY CHANGE: Adding Privileged property. Its
value is '1'.
MSI (s) (40:68) [20:14:51:500]: PROPERTY CHANGE: Adding DATABASE property. Its
value is 'C:\WINDOWS\Installer\bf48.msi'.
MSI (s) (40:68) [20:14:51:500]: PROPERTY CHANGE: Adding OriginalDatabase
property. Its value is 'E:\SEP\Sep.msi'.
MSI (s) (40:68) [20:14:51:500]: Note: 1: 2205 2: 3: PatchPackage
MSI (s) (40:68) [20:14:51:500]: Machine policy value 'DisableRollback' is 0
MSI (s) (40:68) [20:14:51:500]: User policy value 'DisableRollback' is 0
MSI (s) (40:68) [20:14:51:500]: PROPERTY CHANGE: Adding UILevel property. Its
value is '5'.
MSI (s) (40:68) [20:14:51:500]: PROPERTY CHANGE: Adding Preselected property.
Its value is '1'.
MSI (s) (40:68) [20:14:51:500]: Doing action: INSTALL
Действие 20:14:51: INSTALL.
Начало действия 20:14:51: INSTALL.
MSI (s) (40:68) [20:14:51:500]: Running ExecuteSequence
MSI (s) (40:68) [20:14:51:500]: Doing action: FindRelatedProducts
Действие 20:14:51: FindRelatedProducts. Поиск связанных приложений
Начало действия 20:14:51: FindRelatedProducts.
MSI (s) (40:68) [20:14:51:500]: Skipping FindRelatedProducts action: already
done on client side
Завершение действия 20:14:51: FindRelatedProducts. Возвращенное значение 0.
MSI (s) (40:68) [20:14:51:500]: Skipping action: DowngradeError (condition is
false)
MSI (s) (40:68) [20:14:51:500]: Skipping action: LegacyNortonError (condition is
false)
MSI (s) (40:68) [20:14:51:500]: Skipping action: LegacySymError (condition is
false)
MSI (s) (40:68) [20:14:51:500]: Doing action: DriverCheck
Действие 20:14:51: DriverCheck.
Начало действия 20:14:51: DriverCheck.
MSI (s) (40:68) [20:14:51:500]: Skipping action due to
msidbCustomActionTypeFirstSequence option.
Завершение действия 20:14:51: DriverCheck. Возвращенное значение 0.
MSI (s) (40:68) [20:14:51:500]: Doing action: SetMigrateProperty
Действие 20:14:51: SetMigrateProperty.
Начало действия 20:14:51: SetMigrateProperty.
MSI (s) (40:30) [20:14:51:515]: Invoking remote custom action. DLL:
C:\WINDOWS\Installer\MSID.tmp, Entrypoint: SetMigrateProperty

SEP_INST.log

MSI (s) (40:78) [20:14:51:515]: Generating random cookie.
MSI (s) (40:78) [20:14:51:515]: Created Custom Action Server with PID 808 (0x328).
MSI (s) (40:50) [20:14:51:515]: Running as a service.
MSI (s) (40:50) [20:14:51:515]: Hello, I'm your 32bit Impersonated custom action server.
Завершение действия 20:14:51: SetMigrateProperty. Возвращенное значение 1.
MSI (s) (40:68) [20:14:51:546]: Skipping action: SetIdcMultistageProperty (condition is false)
MSI (s) (40:68) [20:14:51:546]: Skipping action: SetSNACMigratePropertyAmberPlus (condition is false)
MSI (s) (40:68) [20:14:51:546]: Skipping action: SetSNACMigratePropertyOlder (condition is false)
MSI (s) (40:68) [20:14:51:546]: Skipping action: SetSNACMigratePropertyPreAmber (condition is false)
MSI (s) (40:68) [20:14:51:546]: Doing action: LocateSourceDir
Действие 20:14:51: LocateSourceDir.
Начало действия 20:14:51: LocateSourceDir.
MSI (s) (40:74) [20:14:51:562]: Invoking remote custom action. DLL: C:\WINDOWS\Installer\MSIE.tmp, Entrypoint: LocateSourceDir
clientca: SourceDir=
clientca: OriginalDatabase=E:\SEP\Sep.msi
MSI (s) (40:78) [20:14:51:625]: PROPERTY CHANGE: Adding SourceDir property. Its value is 'E:\SEP\'.
Завершение действия 20:14:51: LocateSourceDir. Возвращенное значение 1.
MSI (s) (40:68) [20:14:51:625]: Doing action: AppSearch
Действие 20:14:51: AppSearch. Поиск установленных приложений
Начало действия 20:14:51: AppSearch.
MSI (s) (40:68) [20:14:51:625]: Skipping AppSearch action: already done on client side
Завершение действия 20:14:51: AppSearch. Возвращенное значение 0.
MSI (s) (40:68) [20:14:51:625]: Doing action: checkInstallBlocksIE.87654321_4321_4321_4321_210987654321
Действие 20:14:51: checkInstallBlocksIE.87654321_4321_4321_4321_210987654321.
Поиск установленных приложений
Начало действия 20:14:51:
checkInstallBlocksIE.87654321_4321_4321_4321_210987654321.
MSI (s) (40:7C) [20:14:51:640]: Invoking remote custom action. DLL: C:\WINDOWS\Installer\MSIF.tmp, Entrypoint: checkInstallBlocksIE
MSI (s) (40:80) [20:14:51:656]: PROPERTY CHANGE: Adding IdcXmlPath property. Its value is 'C:\DOCUME~1\ADMINI~1\LOCALS~1\Temp\idc.xml'.
IDCCA: CMSiutil::isActionScheduled: Unable to fetch view (Result: 259)
Завершение действия 20:14:51:
checkInstallBlocksIE.87654321_4321_4321_4321_210987654321. Возвращенное значение 1.
MSI (s) (40:68) [20:14:51:671]: Doing action: CommunicateLaunchConditions
Действие 20:14:51: CommunicateLaunchConditions.
Начало действия 20:14:51: CommunicateLaunchConditions.
MSI (s) (40:84) [20:14:51:687]: Invoking remote custom action. DLL: C:\WINDOWS\Installer\MSI10.tmp, Entrypoint: CommunicateLaunchConditions
Communicate LC: NOT VersionNT64=1
Communicate LC: NOT Version9x=1
Communicate LC: VersionNT > 500=1
Communicate LC: (NOT MIGRATIONPENDINGREBOOT) OR SISFAILED=1
Communicate LC: (NOT UNINSTALLREBOOTREQUIRED) OR Installed=1
Communicate LC: NOT (LEGACYSAPAFUND AND (SPA51BLOCK="#105"))=1
Communicate LC: NOT SAVCORP7XFOUND=1
Communicate LC: NOT SSCOLDFOUND=1
Communicate LC: (NOT ((LOADEDDEDRIVERSFOUND=11) OR PENDINGMODULEREMOVAL)) OR MIGRATE OR NORTONFOUND OR NORTONAV OR NORTONAVPRO=1
Communicate LC: NOT (NORTONFOUND OR NORTONAV OR NORTONAVPRO)=1
Communicate LC: NOT FOUNDBROWSERPROTECTIONLITE=1
Communicate LC: (VersionNT <> 502) OR ((VersionNT = 502) AND (ServicePackLevel >= 1))=1
Communicate LC: (VersionNT > 501) OR ((VersionNT = 501) AND (ServicePackLevel >= 2) AND IE6FOUND)=1
Завершение действия 20:14:51: CommunicateLaunchConditions. Возвращенное значение 1.

SEP_INST.log

MSI (s) (40:68) [20:14:51:734]: Doing action: preLaunchCond.87654321_4321_4321_4321_210987654321
Действие 20:14:51: preLaunchCond.87654321_4321_4321_4321_210987654321. Проверка условия запуска
Начало действия 20:14:51: preLaunchCond.87654321_4321_4321_4321_210987654321.
MSI (s) (40:5C) [20:14:51:734]: Invoking remote custom action. DLL: C:\WINDOWS\Installer\MSI11.tmp, Entry point: preLaunchCond
Завершение действия 20:14:51: preLaunchCond.87654321_4321_4321_4321_210987654321. Возвращенное значение 1.
MSI (s) (40:68) [20:14:51:750]: Doing action: LaunchConditions
Действие 20:14:51: LaunchConditions. Проверка условий запуска
Начало действия 20:14:51: LaunchConditions.
Завершение действия 20:14:51: LaunchConditions. Возвращенное значение 1.
MSI (s) (40:68) [20:14:51:750]: Doing action: ValidateProductID
Действие 20:14:51: ValidateProductID.
Начало действия 20:14:51: ValidateProductID.
Завершение действия 20:14:51: ValidateProductID. Возвращенное значение 1.
MSI (s) (40:68) [20:14:51:750]: Doing action: CostInitialize
Действие 20:14:51: CostInitialize. Вычисление необходимого свободного места
Начало действия 20:14:51: CostInitialize.
MSI (s) (40:68) [20:14:51:750]: Machine policy value 'MaxPatchCacheSize' is 10
MSI (s) (40:68) [20:14:51:750]: PROPERTY CHANGE: Adding CostingComplete property. Its value is '0'.
MSI (s) (40:68) [20:14:51:750]: Note: 1: 2205 2: 3: Patch
MSI (s) (40:68) [20:14:51:750]: Note: 1: 2205 2: 3: PatchPackage
MSI (s) (40:68) [20:14:51:750]: Note: 1: 2205 2: 3: MsiPatchHeaders
MSI (s) (40:68) [20:14:51:750]: Note: 1: 2205 2: 3: __MsiPatchFileList
MSI (s) (40:68) [20:14:51:750]: Note: 1: 2205 2: 3: PatchPackage
MSI (s) (40:68) [20:14:51:750]: Note: 1: 2228 2: 3: PatchPackage 4: SELECT `DiskId`, `PatchId`, `LastSequence` FROM `Media`, `PatchPackage` WHERE `Media`.`DiskId`=`PatchPackage`.`Media` ORDER BY `DiskId`
Завершение действия 20:14:51: CostInitialize. Возвращенное значение 1.
MSI (s) (40:68) [20:14:51:750]: Doing action: SymCreateTempFolder
Действие 20:14:51: SymCreateTempFolder.
Начало действия 20:14:51: SymCreateTempFolder.
MSI (s) (40:A8) [20:14:51:765]: Invoking remote custom action. DLL: C:\WINDOWS\Installer\MSI12.tmp, Entry point: SymCreateTempFolder
MSI (s) (40:F8) [20:14:51:781]: PROPERTY CHANGE: Adding SymTempFolder property. Its value is 'C:\DOCUME~1\ADMINI~1\LOCALS~1\Temp\e99351f6-674a-46fe-bbd5-06c95a5a546d\'.
Завершение действия 20:14:51: SymCreateTempFolder. Возвращенное значение 1.
MSI (s) (40:68) [20:14:51:781]: Doing action: ResolveSource
Действие 20:14:51: ResolveSource.
Начало действия 20:14:51: ResolveSource.
MSI (s) (40:68) [20:14:51:781]: Resolving source.
MSI (s) (40:68) [20:14:51:781]: Resolving source to launched-from source.
MSI (s) (40:68) [20:14:51:781]: Setting launched-from source as last-used.
MSI (s) (40:68) [20:14:51:781]: PROPERTY CHANGE: Adding SOURCEDIR property. Its value is 'E:\SEP\'.
MSI (s) (40:68) [20:14:51:781]: PROPERTY CHANGE: Adding SourcedirProduct property. Its value is '{816230FE-84A1-47CC-BF64-C113014BD15B}'.
MSI (s) (40:68) [20:14:51:781]: SOURCEDIR ==> E:\SEP\
MSI (s) (40:68) [20:14:51:781]: SOURCEDIR product ==> {816230FE-84A1-47CC-BF64-C113014BD15B}
MSI (s) (40:68) [20:14:51:781]: Determining source type
MSI (s) (40:68) [20:14:51:781]: Source type from package 'Sep.msi': 0
MSI (s) (40:68) [20:14:51:781]: Source path resolution complete. Dumping Directory table...
MSI (s) (40:68) [20:14:51:781]: Dir (source): Key: TARGETDIR , Object: E:\SEP\ , LongSubPath: , ShortSubPath:
MSI (s) (40:68) [20:14:51:781]: Dir (source): Key: SymTempFolder , Object: E:\SEP\SymTemp\ , LongSubPath: SymTemp\ , ShortSubPath:
MSI (s) (40:68) [20:14:51:781]: Dir (source): Key: DesktopFolder , Object: E:\SEP\Desktop\ , LongSubPath: Desktop\ , ShortSubPath:
MSI (s) (40:68) [20:14:51:781]: Dir (source): Key: CommonFilesFolder , Object: E:\SEP\Common\ , LongSubPath: Common\ , ShortSubPath:
MSI (s) (40:68) [20:14:51:781]: Dir (source): Key: Symantecshared , Object: E:\SEP\Common\Symc\ , LongSubPath: Common\Symc\ , ShortSubPath:

SEP_INST.log

MSI (s) (40:68) [20:14:51:781]: Dir (source): Key: SystemFolder , Object: E:\SEP\System32\ , LongSubPath: System32\ , ShortSubPath: MSI (s) (40:68) [20:14:51:781]: Dir (source): Key: Drivers , Object: E:\SEP\System32\Drivers\ , LongSubPath: System32\Drivers\ , ShortSubPath: MSI (s) (40:68) [20:14:51:781]: Dir (source): Key: ProductSymDriversDir , Object: E:\SEP\System32\Drivers\Name\ , LongSubPath: System32\Drivers\Name\ , ShortSubPath: MSI (s) (40:68) [20:14:51:781]: Dir (source): Key: MajorMinorRevSymDriversDir , Object: E:\SEP\System32\Drivers\Name\Version\ , LongSubPath: System32\Drivers\Name\Version\ , ShortSubPath: MSI (s) (40:68) [20:14:51:781]: Dir (source): Key: Symdriversbase , Object: E:\SEP\System32\Drivers\Name\Version\BuildNum\ , LongSubPath: System32\Drivers\Name\Version\BuildNum\ , ShortSubPath: MSI (s) (40:68) [20:14:51:781]: Dir (source): Key: Symdrivers , Object: E:\SEP\System32\Drivers\Name\Version\BuildNum\x86\ , LongSubPath: System32\Drivers\Name\Version\BuildNum\x86\ , ShortSubPath: MSI (s) (40:68) [20:14:51:781]: Dir (source): Key: ProgramMenuFolder , Object: E:\SEP\Programs\ , LongSubPath: Programs\ , ShortSubPath: MSI (s) (40:68) [20:14:51:781]: Dir (source): Key: SYMSTARTMENUDIR , Object: E:\SEP\Programs\Symantec Endpoint Protection\ , LongSubPath: Programs\Symantec Endpoint Protection\ , ShortSubPath: Programs\v0iha9o8\ MSI (s) (40:68) [20:14:51:781]: Dir (source): Key: CommonAppDataFolder , Object: E:\SEP\CommonAppData\ , LongSubPath: CommonAppData\ , ShortSubPath: ComApp\ MSI (s) (40:68) [20:14:51:781]: Dir (source): Key: SymantecAppData , Object: E:\SEP\CommonAppData\Symc\ , LongSubPath: CommonAppData\Symc\ , ShortSubPath: ComApp\Symc\ MSI (s) (40:68) [20:14:51:781]: Dir (source): Key: Appdatalegacy , Object: E:\SEP\CommonAppData\Symc\Name\ , LongSubPath: CommonAppData\Symc\Name\ , ShortSubPath: ComApp\Symc\Name\ MSI (s) (40:68) [20:14:51:781]: Dir (source): Key: PERSISTEDDATA , Object: E:\SEP\CommonAppData\Symc\Name\PersistedData\ , LongSubPath: CommonAppData\Symc\Name\PersistedData\ , ShortSubPath: ComApp\Symc\Name\y24ugsga\ MSI (s) (40:68) [20:14:51:781]: Dir (source): Key: Appdatabase , Object: E:\SEP\CommonAppData\Symc\Name\Version\ , LongSubPath: CommonAppData\Symc\Name\Version\ , ShortSubPath: ComApp\Symc\Name\Version\ MSI (s) (40:68) [20:14:51:781]: Dir (source): Key: Appdatabasesrtsp , Object: E:\SEP\CommonAppData\Symc\Name\Version\RTSP\ , LongSubPath: CommonAppData\Symc\Name\Version\RTSP\ , ShortSubPath: ComApp\Symc\Name\Version\RTSP\ MSI (s) (40:68) [20:14:51:781]: Dir (source): Key: Appdatabasesrtsptmp , Object: E:\SEP\CommonAppData\Symc\Name\Version\RTSP\SrtETmp\ , LongSubPath: CommonAppData\Symc\Name\Version\RTSP\SrtETmp\ , ShortSubPath: ComApp\Symc\Name\Version\RTSP\SrtETmp\ MSI (s) (40:68) [20:14:51:781]: Dir (source): Key: Appdatabasesrtspquar , Object: E:\SEP\CommonAppData\Symc\Name\Version\RTSP\Quarantine\ , LongSubPath: CommonAppData\Symc\Name\Version\RTSP\Quarantine\ , ShortSubPath: ComApp\Symc\Name\Version\RTSP\x-ow28a\ MSI (s) (40:68) [20:14:51:781]: Dir (source): Key: Inbox , Object: E:\SEP\CommonAppData\Symc\Name\Version\inbox\ , LongSubPath: CommonAppData\Symc\Name\Version\inbox\ , ShortSubPath: ComApp\Symc\Name\Version\inbox\ MSI (s) (40:68) [20:14:51:781]: Dir (source): Key: Appdata , Object: E:\SEP\CommonAppData\Symc\Name\Version\Data\ , LongSubPath: CommonAppData\Symc\Name\Version\Data\ , ShortSubPath: ComApp\Symc\Name\Version\Data\ MSI (s) (40:68) [20:14:51:781]: Dir (source): Key: XFER_TMP , Object: E:\SEP\CommonAppData\Symc\Name\Version\Data\xfer_tmp\ , LongSubPath: CommonAppData\Symc\Name\Version\Data\xfer_tmp\ , ShortSubPath: ComApp\Symc\Name\Version\Data\xfer_tmp\ MSI (s) (40:68) [20:14:51:781]: Dir (source): Key: XFER , Object: E:\SEP\CommonAppData\Symc\Name\Version\Data\xfer\ , LongSubPath: CommonAppData\Symc\Name\Version\Data\xfer\ , ShortSubPath: ComApp\Symc\Name\Version\Data\xfer\ MSI (s) (40:68) [20:14:51:781]: Dir (source): Key: QUARANTINE , Object:

SEP_INST.log

E:\SEP\CommonAppData\Symc\Name\Version\Data\Quarantine\ , LongSubPath:
CommonAppData\Symc\Name\Version\Data\Quarantine\ , ShortSubPath:
ComApp\Symc\Name\Version\Data\c09nsacg\
MSI (s) (40:68) [20:14:51:781]: Dir (source): Key: I2_LDVP.VDB , Object:
E:\SEP\CommonAppData\Symc\Name\Version\Data\I2_LDVP.VDB\ , LongSubPath:
CommonAppData\Symc\Name\Version\Data\I2_LDVP.VDB\ , ShortSubPath:
ComApp\Symc\Name\Version\Data\I2_LDVP.VDB\
MSI (s) (40:68) [20:14:51:781]: Dir (source): Key: DECTEMP , Object:
E:\SEP\CommonAppData\Symc\Name\Version\Data\DecTemp\ , LongSubPath:
CommonAppData\Symc\Name\Version\Data\DecTemp\ , ShortSubPath:
ComApp\Symc\Name\Version\Data\DecTemp\
MSI (s) (40:68) [20:14:51:781]: Dir (source): Key: DB , Object:
E:\SEP\CommonAppData\Symc\Name\Version\Data\DB\ , LongSubPath:
CommonAppData\Symc\Name\Version\Data\DB\ , ShortSubPath:
ComApp\Symc\Name\Version\Data\DB\
MSI (s) (40:68) [20:14:51:781]: Dir (source): Key: BADPATTS , Object:
E:\SEP\CommonAppData\Symc\Name\Version\Data\BadPatTs\ , LongSubPath:
CommonAppData\Symc\Name\Version\Data\BadPatTs\ , ShortSubPath:
ComApp\Symc\Name\Version\Data\BadPatTs\
MSI (s) (40:68) [20:14:51:781]: Dir (source): Key: APTEMP , Object:
E:\SEP\CommonAppData\Symc\Name\Version\Data\APTemp\ , LongSubPath:
CommonAppData\Symc\Name\Version\Data\APTemp\ , ShortSubPath:
ComApp\Symc\Name\Version\Data\APTemp\
MSI (s) (40:68) [20:14:51:781]: Dir (source): Key: Symds_base , Object:
E:\SEP\CommonAppData\Symc\Name\Version\Data\SymDS\ , LongSubPath:
CommonAppData\Symc\Name\Version\Data\SymDS\ , ShortSubPath:
ComApp\Symc\Name\Version\Data\SymDS\
MSI (s) (40:68) [20:14:51:781]: Dir (source): Key: Symds_temp , Object:
E:\SEP\CommonAppData\Symc\Name\Version\Data\SymDS\Temp\ , LongSubPath:
CommonAppData\Symc\Name\Version\Data\SymDS\Temp\ , ShortSubPath:
ComApp\Symc\Name\Version\Data\SymDS\Temp\
MSI (s) (40:68) [20:14:51:781]: Dir (source): Key: Lueappdata , Object:
E:\SEP\CommonAppData\Symc\Name\Version\Data\Lue\ , LongSubPath:
CommonAppData\Symc\Name\Version\Data\Lue\ , ShortSubPath:
ComApp\Symc\Name\Version\Data\Lue\
MSI (s) (40:68) [20:14:51:781]: Dir (source): Key: Ccglogdefaultlogdir , Object:
E:\SEP\CommonAppData\Symc\Name\Version\Data\Logs\ , LongSubPath:
CommonAppData\Symc\Name\Version\Data\Logs\ , ShortSubPath:
ComApp\Symc\Name\Version\Data\Logs\
MSI (s) (40:68) [20:14:51:781]: Dir (source): Key: Appdata_spmanifests , Object:
E:\SEP\CommonAppData\Symc\Name\Version\Data\SPManifests\ , LongSubPath:
CommonAppData\Symc\Name\Version\Data\SPManifests\ , ShortSubPath:
ComApp\Symc\Name\Version\Data\SPManifests\
MSI (s) (40:68) [20:14:51:781]: Dir (source): Key: FEATURESTATEDIR , Object:
E:\SEP\CommonAppData\Symc\Name\Version\Data\FeatureState\ , LongSubPath:
CommonAppData\Symc\Name\Version\Data\FeatureState\ , ShortSubPath:
ComApp\Symc\Name\Version\Data\FeatureState\
MSI (s) (40:68) [20:14:51:781]: Dir (source): Key: STATEDIR , Object:
E:\SEP\CommonAppData\Symc\Name\Version\Data\State\ , LongSubPath:
CommonAppData\Symc\Name\Version\Data\State\ , ShortSubPath:
ComApp\Symc\Name\Version\Data\State\
MSI (s) (40:68) [20:14:51:781]: Dir (source): Key: CONTENTCACHE , Object:
E:\SEP\CommonAppData\Symc\Name\Version\Data\ContentCache\ , LongSubPath:
CommonAppData\Symc\Name\Version\Data\ContentCache\ , ShortSubPath:
ComApp\Symc\Name\Version\Data\ContentCache\
MSI (s) (40:68) [20:14:51:781]: Dir (source): Key: CACHED_INSTALLS , Object:
E:\SEP\CommonAppData\Symc\Name\Version\Data\Cached Installs\ , LongSubPath:
CommonAppData\Symc\Name\Version\Data\Cached Installs\ , ShortSubPath:
ComApp\Symc\Name\Version\Data\Cached Installs\
MSI (s) (40:68) [20:14:51:781]: Dir (source): Key: Ccdata , Object:
E:\SEP\CommonAppData\Symc\Name\Version\Data\CmnCInt\ , LongSubPath:
CommonAppData\Symc\Name\Version\Data\CmnCInt\ , ShortSubPath:
ComApp\Symc\Name\Version\Data\CmnCInt\
MSI (s) (40:68) [20:14:51:781]: Dir (source): Key: Ccsubsdksdatadir , Object:
E:\SEP\CommonAppData\Symc\Name\Version\Data\CmnCInt\ccSubSDK\ , LongSubPath:
CommonAppData\Symc\Name\Version\Data\CmnCInt\ccSubSDK\ , ShortSubPath:
ComApp\Symc\Name\Version\Data\CmnCInt\ccSubSDK\
MSI (s) (40:68) [20:14:51:781]: Dir (source): Key: Ccjobmgrconfigfolder ,

SEP_INST.log

Object: E:\SEP\CommonAppData\Symc\Name\Version\Data\CmnCInt\ccJobMgr\ ,
LongSubPath: CommonAppData\Symc\Name\Version\Data\CmnCInt\ccJobMgr\ ,
ShortSubPath: ComApp\Symc\Name\Version\Data\CmnCInt\ccJobMgr\ ,
MSI (s) (40:68) [20:14:51:781]: Dir (source): Key: Ccglogdatadir ,
Object: E:\SEP\CommonAppData\Symc\Name\Version\Data\CmnCInt\ccGLog\ ,
LongSubPath: CommonAppData\Symc\Name\Version\Data\CmnCInt\ccGLog\ ,
ShortSubPath: ComApp\Symc\Name\Version\Data\CmnCInt\ccGLog\ ,
MSI (s) (40:68) [20:14:51:781]: Dir (source): Key: Ccgevtdatafolder ,
Object: E:\SEP\CommonAppData\Symc\Name\Version\Data\CmnCInt\ccGEvt\ ,
LongSubPath: CommonAppData\Symc\Name\Version\Data\CmnCInt\ccGEvt\ ,
ShortSubPath: ComApp\Symc\Name\Version\Data\CmnCInt\ccGEvt\ ,
MSI (s) (40:68) [20:14:51:781]: Dir (source): Key: Ccgevtglobaldatafolder ,
Object: E:\SEP\CommonAppData\Symc\Name\Version\Data\CmnCInt\ccGEvt\Global\ ,
LongSubPath: CommonAppData\Symc\Name\Version\Data\CmnCInt\ccGEvt\Global\ ,
ShortSubPath: ComApp\Symc\Name\Version\Data\CmnCInt\ccGEvt\Global\ ,
MSI (s) (40:68) [20:14:51:781]: Dir (source): Key: Ccsetmaindatabasefolder ,
Object: E:\SEP\CommonAppData\Symc\Name\Version\Data\CmnCInt\ccSetMgr\ ,
LongSubPath: CommonAppData\Symc\Name\Version\Data\CmnCInt\ccSetMgr\ ,
ShortSubPath: ComApp\Symc\Name\Version\Data\CmnCInt\ccSetMgr\ ,
MSI (s) (40:68) [20:14:51:781]: Dir (source): Key: Lckdatadir , Object:
E:\SEP\CommonAppData\Symc\Name\Version\Data\CmnCInt_lck\ , LongSubPath:
CommonAppData\Symc\Name\Version\Data\CmnCInt_lck\ , ShortSubPath:
ComApp\Symc\Name\Version\Data\CmnCInt_lck\
MSI (s) (40:68) [20:14:51:781]: Dir (source): Key: Ids_data_dir , Object:
E:\SEP\CommonAppData\Symc\Name\Version\Data\IPS\ , LongSubPath:
CommonAppData\Symc\Name\Version\Data\IPS\ , ShortSubPath:
ComApp\Symc\Name\Version\Data\IPS\
MSI (s) (40:68) [20:14:51:781]: Dir (source): Key: APPLOGS , Object:
E:\SEP\CommonAppData\Symc\Name\Version\Data\Logs\ , LongSubPath:
CommonAppData\Symc\Name\Version\Data\Logs\ , ShortSubPath:
ComApp\Symc\Name\Version\Data\Logs\
MSI (s) (40:68) [20:14:51:781]: Dir (source): Key: AVLOGS , Object:
E:\SEP\CommonAppData\Symc\Name\Version\Data\Logs\AV\ , LongSubPath:
CommonAppData\Symc\Name\Version\Data\Logs\AV\ , ShortSubPath:
ComApp\Symc\Name\Version\Data\Logs\AV\
MSI (s) (40:68) [20:14:51:781]: Dir (source): Key: Appdatasrtsp , Object:
E:\SEP\CommonAppData\Symc\Name\Version\Data\SRTSP\ , LongSubPath:
CommonAppData\Symc\Name\Version\Data\SRTSP\ , ShortSubPath:
ComApp\Symc\Name\Version\Data\SRTSP\
MSI (s) (40:68) [20:14:51:781]: Dir (source): Key: Iron_data , Object:
E:\SEP\CommonAppData\Symc\Name\Version\Data\IRON\ , LongSubPath:
CommonAppData\Symc\Name\Version\Data\IRON\ , ShortSubPath:
ComApp\Symc\Name\Version\Data\IRON\
MSI (s) (40:68) [20:14:51:781]: Dir (source): Key: Bash_datadir , Object:
E:\SEP\CommonAppData\Symc\Name\Version\Data\BASH\ , LongSubPath:
CommonAppData\Symc\Name\Version\Data\BASH\ , ShortSubPath:
ComApp\Symc\Name\Version\Data\BASH\
MSI (s) (40:68) [20:14:51:781]: Dir (source): Key: Snd_data , Object:
E:\SEP\CommonAppData\Symc\Name\Version\Data\symnetdrv\ , LongSubPath:
CommonAppData\Symc\Name\Version\Data\symnetdrv\ , ShortSubPath:
ComApp\Symc\Name\Version\Data\m82h-9ir\
MSI (s) (40:68) [20:14:51:781]: Dir (source): Key: APPDATAINSTALL ,
Object: E:\SEP\CommonAppData\Symc\Name\Version\Data\Install\ , LongSubPath:
CommonAppData\Symc\Name\Version\Data\Install\ , ShortSubPath:
ComApp\Symc\Name\Version\Data\Install\
MSI (s) (40:68) [20:14:51:781]: Dir (source): Key: APPDATAINSTALLLOGS ,
Object: E:\SEP\CommonAppData\Symc\Name\Version\Data\Install\Logs\ ,
LongSubPath: CommonAppData\Symc\Name\Version\Data\Install\Logs\ , ShortSubPath:
ComApp\Symc\Name\Version\Data\Install\Logs\
MSI (s) (40:68) [20:14:51:781]: Dir (source): Key: APPDATAINSTALLSCRIPTS ,
Object: E:\SEP\CommonAppData\Symc\Name\Version\Data\Install\Scripts\ ,
LongSubPath: CommonAppData\Symc\Name\Version\Data\Install\Scripts\ ,
ShortSubPath: ComApp\Symc\Name\Version\Data\Install\Scripts\
MSI (s) (40:68) [20:14:51:781]: Dir (source): Key: Definitionsfolder ,
Object: E:\SEP\CommonAppData\Symc\Name\Version\Data\Defs\ , LongSubPath:
CommonAppData\Symc\Name\Version\Data\Defs\ , ShortSubPath:
ComApp\Symc\Name\Version\Data\Defs\
MSI (s) (40:68) [20:14:51:781]: Dir (source): Key: CONFIGDIR , Object:

SEP_INST.log

E:\SEP\CommonAppData\Symc\Name\Version\Data\Config\ , LongSubPath: CommonAppData\Symc\Name\Version\Data\Config\ , ShortSubPath: ComApp\Symc\Name\Version\Data\Config\
 MSI (s) (40:68) [20:14:51:781]: Dir (source): Key: SYLINKSRCDIR , Object: E:\SEP\CommonAppData\Symc\Name\Version\Data\Config\SymlinkSourceDir\ , LongSubPath: CommonAppData\Symc\Name\Version\Data\Config\SymlinkSourceDir\ , ShortSubPath: ComApp\Symc\Name\Version\Data\Config\cs43o7wh\
 MSI (s) (40:68) [20:14:51:781]: Dir (source): Key: SYMSRCDIR , Object: E:\SEP\CommonAppData\Symc\Name\Version\Data\Config\SymSourceDir\ , LongSubPath: CommonAppData\Symc\Name\Version\Data\Config\SymSourceDir\ , ShortSubPath: ComApp\Symc\Name\Version\Data\Config\5d9joad6\
 MSI (s) (40:68) [20:14:51:781]: Dir (source): Key: ProgramFilesFolder , Object: E:\SEP\Program Files\ , LongSubPath: Program Files\ , ShortSubPath: Program\
 MSI (s) (40:68) [20:14:51:781]: Dir (source): Key: SymantecProgramFiles , Object: E:\SEP\Program Files\Symantec\ , LongSubPath: Program Files\Symantec\ , ShortSubPath: Program\Symantec\
 MSI (s) (40:68) [20:14:51:781]: Dir (source): Key: PRODUCTINSTALLDIR , Object: E:\SEP\Program Files\Symantec\Name\ , LongSubPath: Program Files\Symantec\Name\ , ShortSubPath: Program\Symantec\Name\
 MSI (s) (40:68) [20:14:51:781]: Dir (source): Key: Basedir , Object: E:\SEP\Program Files\Symantec\Name\Version\ , LongSubPath: Program Files\Symantec\Name\Version\ , ShortSubPath: Program\Symantec\Name\Version\
 MSI (s) (40:68) [20:14:51:781]: Dir (source): Key: Muidir , Object: E:\SEP\Program Files\Symantec\Name\Version\Res\ , LongSubPath: Program Files\Symantec\Name\Version\Res\ , ShortSubPath: Program\Symantec\Name\Version\Res\
 MSI (s) (40:68) [20:14:51:781]: Dir (source): Key: STATICDATA , Object: E:\SEP\Program Files\Symantec\Name\Version\Config\ , LongSubPath: Program Files\Symantec\Name\Version\Config\ , ShortSubPath: Program\Symantec\Name\Version\Config\
 MSI (s) (40:68) [20:14:51:781]: Dir (source): Key: SMCLU , Object: E:\SEP\Program Files\Symantec\Name\Version\SmClu\ , LongSubPath: Program Files\Symantec\Name\Version\SmClu\ , ShortSubPath: Program\Symantec\Name\Version\SmClu\
 MSI (s) (40:68) [20:14:51:781]: Dir (source): Key: Tempbasedir , Object: E:\SEP\Program Files\Symantec\Name\Version\Temp\ , LongSubPath: Program Files\Symantec\Name\Version\Temp\ , ShortSubPath: Program\Symantec\Name\Version\Temp\
 MSI (s) (40:68) [20:14:51:781]: Dir (source): Key: INSTALLSCRIPTS , Object: E:\SEP\Program Files\Symantec\Name\Version\Scripts\ , LongSubPath: Program Files\Symantec\Name\Version\Scripts\ , ShortSubPath: Program\Symantec\Name\Version\Scripts\
 MSI (s) (40:68) [20:14:51:781]: Dir (source): Key: Installldir , Object: E:\SEP\Program Files\Symantec\Name\Version\Bin\ , LongSubPath: Program Files\Symantec\Name\Version\Bin\ , ShortSubPath: Program\Symantec\Name\Version\Bin\
 MSI (s) (40:68) [20:14:51:781]: Dir (source): Key: Luepackagepath , Object: E:\SEP\Program Files\Symantec\Name\Version\Bin\LUReg\ , LongSubPath: Program Files\Symantec\Name\Version\Bin\LUReg\ , ShortSubPath: Program\Symantec\Name\Version\Bin\LUReg\
 MSI (s) (40:68) [20:14:51:781]: Dir (source): Key: Ccinstallldir , Object: E:\SEP\Program Files\Symantec\Name\Version\Bin\CmnClnt\ , LongSubPath: Program Files\Symantec\Name\Version\Bin\CmnClnt\ , ShortSubPath: Program\Symantec\Name\Version\Bin\CmnClnt\
 MSI (s) (40:68) [20:14:51:781]: Dir (source): Key: Subsdkininstallldir , Object: E:\SEP\Program Files\Symantec\Name\Version\Bin\CmnClnt\ccSubSDK\ , LongSubPath: Program Files\Symantec\Name\Version\Bin\CmnClnt\ccSubSDK\ , ShortSubPath: Program\Symantec\Name\Version\Bin\CmnClnt\ccSubSDK\
 MSI (s) (40:68) [20:14:51:781]: Dir (source): Key: Jobscheduleinstalllocation , Object: E:\SEP\Program Files\Symantec\Name\Version\Bin\CmnClnt\ccJobSch\ , LongSubPath: Program Files\Symantec\Name\Version\Bin\CmnClnt\ccJobSch\ , ShortSubPath: Program\Symantec\Name\Version\Bin\CmnClnt\ccJobSch\
 MSI (s) (40:68) [20:14:51:781]: Dir (source): Key: Ccglogdatainstalllocation , Object: E:\SEP\Program Files\Symantec\Name\Version\Bin\CmnClnt\ccGLog\ , LongSubPath: Program Files\Symantec\Name\Version\Bin\CmnClnt\ccGLog\ , ShortSubPath: Program\Symantec\Name\Version\Bin\CmnClnt\ccGLog\
 MSI (s) (40:68) [20:14:51:781]: Dir (source): Key: Ccgevtdatainstalllocation

SEP_INST.log

, Object: E:\SEP\Program Files\Symantec\Name\Version\Bin\CmnClnt\ccGEvt\
, LongSubPath: Program Files\Symantec\Name\Version\Bin\CmnClnt\ccGEvt\
, ShortSubPath: Program\Symantec\Name\Version\Bin\CmnClnt\ccGEvt\
MSI (s) (40:68) [20:14:51:781]: Dir (source): Key: Ccgevtdataglobalfolder
, Object: E:\SEP\Program Files\Symantec\Name\Version\Bin\CmnClnt\ccGEvt\Global\
, LongSubPath: Program Files\Symantec\Name\Version\Bin\CmnClnt\ccGEvt\Global\
, ShortSubPath: Program\Symantec\Name\Version\Bin\CmnClnt\ccGEvt\Global\
MSI (s) (40:68) [20:14:51:781]: Dir (source): Key: Ids_bho_dir , Object:
E:\SEP\Program Files\Symantec\Name\Version\Bin\IPS\
, LongSubPath: Program
Files\Symantec\Name\Version\Bin\IPS\
, ShortSubPath:
Program\Symantec\Name\Version\Bin\IPS\
MSI (s) (40:68) [20:14:51:781]: Dir (source): Key: TEEFERXP , Object:
E:\SEP\Program Files\Symantec\Name\Version\Bin\TeeferXP\
, LongSubPath:
Program Files\Symantec\Name\Version\Bin\TeeferXP\
, ShortSubPath:
Program\Symantec\Name\Version\Bin\TeeferXP\
MSI (s) (40:68) [20:14:51:781]: Dir (source): Key: TEEFERVISTA , Object:
E:\SEP\Program Files\Symantec\Name\Version\Bin\TeeferVista\
, LongSubPath:
Program Files\Symantec\Name\Version\Bin\TeeferVista\
, ShortSubPath:
Program\Symantec\Name\Version\Bin\witycamd\
MSI (s) (40:68) [20:14:51:781]: Dir (source): Key: HELP , Object: E:\SEP\Program
Files\Symantec\Name\Version\Bin\Help\
, LongSubPath: Program
Files\Symantec\Name\Version\Bin\Help\
, ShortSubPath:
Program\Symantec\Name\Version\Bin\Help\
MSI (s) (40:68) [20:14:51:781]: Dir (source): Key: Spman_installdir ,
Object: E:\SEP\Program Files\Symantec\Name\Version\Bin\SPManifests\
, LongSubPath: Program Files\Symantec\Name\Version\Bin\SPManifests\
, ShortSubPath: Program\Symantec\Name\Version\Bin\l9lb4hn8\
MSI (s) (40:68) [20:14:51:781]: Dir (source): Key: RES , Object: E:\SEP\Program
Files\Symantec\Name\Version\Res\
, LongSubPath: Program
Files\Symantec\Name\Version\Res\
, ShortSubPath:
Program\Symantec\Name\Version\Res\
MSI (s) (40:68) [20:14:51:781]: Dir (source): Key: Muidir09 , Object:
E:\SEP\Program Files\Symantec\Name\Version\Res\19\
, LongSubPath: Program
Files\Symantec\Name\Version\Res\19\
, ShortSubPath:
Program\Symantec\Name\Version\Res\19\
MSI (s) (40:68) [20:14:51:781]: Dir (source): Key: Muidir0901 , Object:
E:\SEP\Program Files\Symantec\Name\Version\Res\19\01\
, LongSubPath: Program
Files\Symantec\Name\Version\Res\19\01\
, ShortSubPath:
Program\Symantec\Name\Version\Res\19\01\
MSI (s) (40:68) [20:14:51:781]: Dir (source): Key: LANG1049 , Object:
E:\SEP\Program Files\Symantec\Name\Version\Res\1049\
, LongSubPath: Program
Files\Symantec\Name\Version\Res\1049\
, ShortSubPath:
Program\Symantec\Name\Version\Res\1049\
Завершение действия 20:14:51: ResolveSource. Возвращенное значение 1.
MSI (s) (40:68) [20:14:51:781]: Doing action: ParseLicenseFile
Действие 20:14:51: ParseLicenseFile. Проверка файла лицензии
Начало действия 20:14:51: ParseLicenseFile.
MSI (s) (40:68) [20:14:51:781]: Skipping action due to
msidbCustomActionTypeFirstSequence option.
Завершение действия 20:14:51: ParseLicenseFile. Возвращенное значение 0.
MSI (s) (40:68) [20:14:51:781]: Skipping action: SBEOversNACError (condition is
false)
MSI (s) (40:68) [20:14:51:781]: Skipping action: SBEOversSPASEAError (condition
is false)
MSI (s) (40:68) [20:14:51:781]: Doing action: ParseSetAid
Действие 20:14:51: ParseSetAid. Проверка параметров установки
Начало действия 20:14:51: ParseSetAid.
MSI (s) (40:68) [20:14:51:781]: Skipping action due to
msidbCustomActionTypeFirstSequence option.
Завершение действия 20:14:51: ParseSetAid. Возвращенное значение 0.
MSI (s) (40:68) [20:14:51:781]: Doing action: ParseSetAidFeatures
Действие 20:14:51: ParseSetAidFeatures.
Начало действия 20:14:51: ParseSetAidFeatures.
MSI (s) (40:68) [20:14:51:781]: Skipping action due to
msidbCustomActionTypeFirstSequence option.
Завершение действия 20:14:51: ParseSetAidFeatures. Возвращенное значение 0.

SEP_INST.log

MSI (s) (40:68) [20:14:51:781]: Skipping action: SetSepMasterDescriptionMig (condition is false)
MSI (s) (40:68) [20:14:51:781]: Skipping action: SetSepMasterMig (condition is false)
MSI (s) (40:68) [20:14:51:781]: Doing action: SymResolveFeatures
Действие 20:14:51: SymResolveFeatures.
Начало действия 20:14:51: SymResolveFeatures.
MSI (s) (40:68) [20:14:51:781]: Skipping action due to msidbCustomActionTypeFirstSequence option.
Завершение действия 20:14:51: SymResolveFeatures. Возвращенное значение 0.
MSI (s) (40:68) [20:14:51:781]: Skipping action: BadSetAidError (condition is false)
MSI (s) (40:68) [20:14:51:781]: Doing action: FileCost
Действие 20:14:51: FileCost. Вычисление необходимого свободного места
Начало действия 20:14:51: FileCost.
MSI (s) (40:68) [20:14:51:781]: Note: 1: 2205 2: 3: MsiAssembly
MSI (s) (40:68) [20:14:51:781]: Note: 1: 2205 2: 3: Class
MSI (s) (40:68) [20:14:51:781]: Note: 1: 2205 2: 3: Extension
MSI (s) (40:68) [20:14:51:781]: Note: 1: 2205 2: 3: TypeLib
Завершение действия 20:14:51: FileCost. Возвращенное значение 1.
MSI (s) (40:68) [20:14:51:781]: Doing action: CreateInstallCacheDataTemp
Действие 20:14:51: CreateInstallCacheDataTemp.
Начало действия 20:14:51: CreateInstallCacheDataTemp.
MSI (s) (40:68) [20:14:51:781]: PROPERTY CHANGE: Adding CreateInstallCache property. Its value is
'12.1.671.4971;E:\SEP\;C:\DOCUME~1\ADMINI~1\LOCALS~1\Temp\e99351f6-674a-46fe-bbd5-06c95a5a546d\
Завершение действия 20:14:51: CreateInstallCacheDataTemp. Возвращенное значение 1.
MSI (s) (40:68) [20:14:51:781]: Doing action: CreateInstallCacheTemp
Действие 20:14:51: CreateInstallCacheTemp. Создание кэша установки
Начало действия 20:14:51: CreateInstallCacheTemp.
MSI (s) (40:68) [20:14:51:796]: Skipping action: CloseUINow (condition is false)
MSI (s) (40:68) [20:14:51:796]: Doing action: CreateMSIProperties
Действие 20:14:51: CreateMSIProperties.
MSI (s) (40:FC) [20:14:51:796]: Invoking remote custom action. DLL: C:\WINDOWS\Installer\MSI13.tmp, Entrypoint: CreateInstallCacheTemp
Начало действия 20:14:51: CreateMSIProperties.
MSI (s) (40:20) [20:14:51:828]: Invoking remote custom action. DLL: C:\WINDOWS\Installer\MSI14.tmp, Entrypoint: CreateMSIProperties
MSI (s) (40!24) [20:14:52:375]: PROPERTY CHANGE: Adding SylinkSrcProperty property. Its value is 'E:\SEP\
MSI (s) (40!14) [20:14:52:375]: PROPERTY CHANGE: Adding TEMPINSTALLCACHE property. Its value is
'C:\DOCUME~1\ADMINI~1\LOCALS~1\Temp\e99351f6-674a-46fe-bbd5-06c95a5a546d\2698f8e2-3bfd-4ac1-b8ca-d36cd1349b17\
Завершение действия 20:14:52: CreateMSIProperties. Возвращенное значение 1.
MSI (s) (40:68) [20:14:52:375]: Skipping action: OverrideReinstallMode (condition is false)
MSI (s) (40:68) [20:14:52:375]: Doing action: CostFinalize
Действие 20:14:52: CostFinalize. Вычисление необходимого свободного места
Начало действия 20:14:52: CostFinalize.
MSI (s) (40:68) [20:14:52:375]: PROPERTY CHANGE: Adding OutOfDiskSpace property. Its value is '0'.
MSI (s) (40:68) [20:14:52:375]: PROPERTY CHANGE: Adding OutOfNoRbDiskSpace property. Its value is '0'.
MSI (s) (40:68) [20:14:52:375]: PROPERTY CHANGE: Adding PrimaryVolumeSpaceAvailable property. Its value is '0'.
MSI (s) (40:68) [20:14:52:375]: PROPERTY CHANGE: Adding PrimaryVolumeSpaceRequired property. Its value is '0'.
MSI (s) (40:68) [20:14:52:375]: PROPERTY CHANGE: Adding PrimaryVolumeSpaceRemaining property. Its value is '0'.
MSI (s) (40:68) [20:14:52:375]: Note: 1: 2205 2: 3: Patch
MSI (s) (40:68) [20:14:52:375]: PROPERTY CHANGE: Adding Symantecshared property. Its value is 'C:\Program Files\Common Files\Symantec Shared\
MSI (s) (40:68) [20:14:52:375]: PROPERTY CHANGE: Adding Drivers property. Its value is 'C:\WINDOWS\system32\Drivers\
MSI (s) (40:68) [20:14:52:375]: PROPERTY CHANGE: Adding ProductSymDriversDir

SEP_INST.log

property. Its value is 'C:\WINDOWS\system32\Drivers\SEP\'.
 MSI (s) (40:68) [20:14:52:375]: PROPERTY CHANGE: Adding MajorMinorRevSymDriversDir property. Its value is 'C:\WINDOWS\system32\Drivers\SEP\0C01029F\'.
 MSI (s) (40:68) [20:14:52:375]: PROPERTY CHANGE: Adding Symdriversbase property. Its value is 'C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\'.
 MSI (s) (40:68) [20:14:52:375]: PROPERTY CHANGE: Adding Symdrivers property. Its value is 'C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\'.
 MSI (s) (40:68) [20:14:52:375]: PROPERTY CHANGE: Adding SymantecAppData property. Its value is 'C:\Documents and Settings\All Users\Application Data\Symantec\'.
 MSI (s) (40:68) [20:14:52:375]: PROPERTY CHANGE: Adding Appdatalegacy property. Its value is 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\'.
 MSI (s) (40:68) [20:14:52:375]: PROPERTY CHANGE: Adding Appdatabase property. Its value is 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\'.
 MSI (s) (40:68) [20:14:52:375]: PROPERTY CHANGE: Adding Appdatabasesrtsp property. Its value is 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\SRTSP\'.
 MSI (s) (40:68) [20:14:52:375]: PROPERTY CHANGE: Adding Appdatabasesrtsptmp property. Its value is 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\SRTSP\SrtETmp\'.
 MSI (s) (40:68) [20:14:52:375]: PROPERTY CHANGE: Adding Appdatabasesrtsptmp property. Its value is 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\SRTSP\Quarantine\'.
 MSI (s) (40:68) [20:14:52:375]: PROPERTY CHANGE: Adding Inbox property. Its value is 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\inbox\'.
 MSI (s) (40:68) [20:14:52:375]: PROPERTY CHANGE: Adding Appdata property. Its value is 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\'.
 MSI (s) (40:68) [20:14:52:375]: PROPERTY CHANGE: Adding Symds_base property. Its value is 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\SymDS\'.
 MSI (s) (40:68) [20:14:52:375]: PROPERTY CHANGE: Adding Symds_temp property. Its value is 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\SymDS\Temp\'.
 MSI (s) (40:68) [20:14:52:375]: PROPERTY CHANGE: Adding Lueappdata property. Its value is 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Lue\'.
 MSI (s) (40:68) [20:14:52:375]: PROPERTY CHANGE: Adding Ccglogdefaultlogdir property. Its value is 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Logs\'.
 MSI (s) (40:68) [20:14:52:375]: PROPERTY CHANGE: Adding Appdata_spmanifests property. Its value is 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\SPManifests\'.
 MSI (s) (40:68) [20:14:52:375]: PROPERTY CHANGE: Adding Ccdata property. Its value is 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\CmnCInt\'.
 MSI (s) (40:68) [20:14:52:375]: PROPERTY CHANGE: Adding Ccsubsdktatadir property. Its value is 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\CmnCInt\ccSubSDK\'.
 MSI (s) (40:68) [20:14:52:375]: PROPERTY CHANGE: Adding Ccjobmgrconfigfolder property. Its value is 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\CmnCInt\ccJobMgr\'.
 MSI (s) (40:68) [20:14:52:375]: PROPERTY CHANGE: Adding Ccglogdatadir property. Its value is 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\CmnCInt\ccGLog\'.
 MSI (s) (40:68) [20:14:52:375]: PROPERTY CHANGE: Adding Ccgevtdatafolder property. Its value is 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\CmnCInt\ccGEvt\'.
 MSI (s) (40:68) [20:14:52:375]: PROPERTY CHANGE: Adding Ccgevtglobaldatafolder property. Its value is 'C:\Documents and Settings\All Users\Application

```
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\CmnCInt\ccGEvt\Global\''.
MSI (s) (40:68) [20:14:52:375]: PROPERTY CHANGE: Adding Ccsetmaindatabasefolder
property. Its value is 'C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\CmnCInt\ccSetMgr\''.
MSI (s) (40:68) [20:14:52:375]: PROPERTY CHANGE: Adding Lckdatadir property. Its
value is 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Data\CmnCInt\_lck\''.
MSI (s) (40:68) [20:14:52:375]: PROPERTY CHANGE: Adding Ids_data_dir property.
Its value is 'C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\IPS\''.
MSI (s) (40:68) [20:14:52:375]: PROPERTY CHANGE: Adding Appdatasrtsp property.
Its value is 'C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\SRTPSP\''.
MSI (s) (40:68) [20:14:52:375]: PROPERTY CHANGE: Adding Iron_data property. Its
value is 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Data\IRON\''.
MSI (s) (40:68) [20:14:52:375]: PROPERTY CHANGE: Adding Bash_datadir property.
Its value is 'C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\BASH\''.
MSI (s) (40:68) [20:14:52:375]: PROPERTY CHANGE: Adding Snd_data property. Its
value is 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Data\symnetdrv\''.
MSI (s) (40:68) [20:14:52:375]: PROPERTY CHANGE: Adding Definitionsfolder
property. Its value is 'C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Definitions\''.
MSI (s) (40:68) [20:14:52:375]: PROPERTY CHANGE: Adding SymantecProgramFiles
property. Its value is 'C:\Program Files\Symantec\''.
MSI (s) (40:68) [20:14:52:375]: PROPERTY CHANGE: Adding Basedir property. Its
value is 'C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\''.
MSI (s) (40:68) [20:14:52:375]: PROPERTY CHANGE: Adding Muidir property. Its
value is 'C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Res\''.
MSI (s) (40:68) [20:14:52:375]: PROPERTY CHANGE: Adding Tempbasedir property.
Its value is 'C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Temp\''.
MSI (s) (40:68) [20:14:52:375]: PROPERTY CHANGE: Adding Installdir property. Its
value is 'C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\''.
MSI (s) (40:68) [20:14:52:375]: PROPERTY CHANGE: Adding Luepackagepath property.
Its value is 'C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\LUReg\''.
MSI (s) (40:68) [20:14:52:375]: PROPERTY CHANGE: Adding Ccinstalldir property.
Its value is 'C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\CmnCInt\''.
MSI (s) (40:68) [20:14:52:375]: PROPERTY CHANGE: Adding Subsdkinstalldir
property. Its value is 'C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\CmnCInt\ccSubSDK\''.
MSI (s) (40:68) [20:14:52:375]: PROPERTY CHANGE: Adding
Jobscheduleinstalllocation property. Its value is 'C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\CmnCInt\ccJobSch\''.
MSI (s) (40:68) [20:14:52:375]: PROPERTY CHANGE: Adding
Ccgllogdatainstalllocation property. Its value is 'C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\CmnCInt\ccGLog\''.
MSI (s) (40:68) [20:14:52:375]: PROPERTY CHANGE: Adding
Ccgevtdatainstalllocation property. Its value is 'C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\CmnCInt\ccGEvt\''.
MSI (s) (40:68) [20:14:52:375]: PROPERTY CHANGE: Adding Ccgevtdataglobalfolder
property. Its value is 'C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\CmnCInt\ccGEvt\Global\''.
MSI (s) (40:68) [20:14:52:375]: PROPERTY CHANGE: Adding Ids_bho_dir property.
Its value is 'C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\IPS\''.

```

SEP_INST.log

MSI (s) (40:68) [20:14:52:375]: PROPERTY CHANGE: Adding Spman_installDir property. Its value is 'C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\'.
MSI (s) (40:68) [20:14:52:375]: PROPERTY CHANGE: Adding Muidir09 property. Its value is 'C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\19\'.
MSI (s) (40:68) [20:14:52:375]: PROPERTY CHANGE: Adding Muidir0901 property. Its value is 'C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\19\01\'.
MSI (s) (40:68) [20:14:52:375]: Target path resolution complete. Dumping Directory table...
MSI (s) (40:68) [20:14:52:375]: Note: target paths subject to change (via custom actions or browsing)
MSI (s) (40:68) [20:14:52:375]: Dir (target): Key: TARGETDIR , Object: D:\
MSI (s) (40:68) [20:14:52:375]: Dir (target): Key: FOUNDSEPSLF , Object: E:\SEP\sep_NE.slf\
MSI (s) (40:68) [20:14:52:375]: Dir (target): Key: FoundSepHWId , Object: NULL
MSI (s) (40:68) [20:14:52:375]: Dir (target): Key: FOUNDNACSLF , Object: NULL
MSI (s) (40:68) [20:14:52:375]: Dir (target): Key: WindowsFolder , Object: C:\WINDOWS\
MSI (s) (40:68) [20:14:52:375]: Dir (target): Key: SymTempFolder , Object: C:\DOCUME~1\ADMINI~1\LOCALS~1\Temp\e99351f6-674a-46fe-bbd5-06c95a5a546d\
MSI (s) (40:68) [20:14:52:375]: Dir (target): Key: DesktopFolder , Object: C:\Documents and Settings\All Users\Desktop\
MSI (s) (40:68) [20:14:52:375]: Dir (target): Key: CommonFilesFolder , Object: C:\Program Files\Common Files\
MSI (s) (40:68) [20:14:52:375]: Dir (target): Key: Symantecshared , Object: C:\Program Files\Common Files\Symantec Shared\
MSI (s) (40:68) [20:14:52:375]: Dir (target): Key: SystemFolder , Object: C:\WINDOWS\system32\
MSI (s) (40:68) [20:14:52:375]: Dir (target): Key: Drivers , Object: C:\WINDOWS\system32\Drivers\
MSI (s) (40:68) [20:14:52:375]: Dir (target): Key: ProductSymDriversDir , Object: C:\WINDOWS\system32\Drivers\SEP\
MSI (s) (40:68) [20:14:52:375]: Dir (target): Key: MajorMinorRevSymDriversDir , Object: C:\WINDOWS\system32\Drivers\SEP\0C01029F\
MSI (s) (40:68) [20:14:52:375]: Dir (target): Key: Symdriversbase , Object: C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\
MSI (s) (40:68) [20:14:52:375]: Dir (target): Key: Symdrivers , Object: C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\
MSI (s) (40:68) [20:14:52:375]: Dir (target): Key: ProgramMenuFolder , Object: C:\Documents and Settings\All Users\Start Menu\Programs\
MSI (s) (40:68) [20:14:52:375]: Dir (target): Key: SYMSTARTMENUDIR , Object: C:\Documents and Settings\All Users\Start Menu\Programs\Symantec Endpoint Protection\
MSI (s) (40:68) [20:14:52:375]: Dir (target): Key: CommonAppDataFolder , Object: C:\Documents and Settings\All Users\Application Data\
MSI (s) (40:68) [20:14:52:375]: Dir (target): Key: SymantecAppData , Object: C:\Documents and Settings\All Users\Application Data\Symantec\
MSI (s) (40:68) [20:14:52:375]: Dir (target): Key: Appdatalegacy , Object: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\
MSI (s) (40:68) [20:14:52:375]: Dir (target): Key: PERSISTEDDATA , Object: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\PersistedData\
MSI (s) (40:68) [20:14:52:375]: Dir (target): Key: Appdatabase , Object: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\
MSI (s) (40:68) [20:14:52:375]: Dir (target): Key: Appdatabasesrtsp , Object: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\SRTSP\
MSI (s) (40:68) [20:14:52:375]: Dir (target): Key: Appdatabasesrtsptmp , Object: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\SRTSP\SrtETmp\
MSI (s) (40:68) [20:14:52:375]: Dir (target): Key: Appdatabasesrtspquar , Object: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\SRTSP\Quarantine\
MSI (s) (40:68) [20:14:52:375]: Dir (target): Key: InBox , Object:

SEP_INST.log

C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\inbox\
MSI (s) (40:68) [20:14:52:375]: Dir (target): Key: Appdata , Object: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\
MSI (s) (40:68) [20:14:52:375]: Dir (target): Key: XFER_TMP , Object: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\xfer_tmp\
MSI (s) (40:68) [20:14:52:375]: Dir (target): Key: XFER , Object: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\xfer\
MSI (s) (40:68) [20:14:52:375]: Dir (target): Key: QUARANTINE , Object: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Quarantine\
MSI (s) (40:68) [20:14:52:375]: Dir (target): Key: I2_LDVP.VDB , Object: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\I2_LDVP.VDB\
MSI (s) (40:68) [20:14:52:375]: Dir (target): Key: DECTEMP , Object: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\DecTemp\
MSI (s) (40:68) [20:14:52:375]: Dir (target): Key: DB , Object: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\DB\
MSI (s) (40:68) [20:14:52:375]: Dir (target): Key: BADPATTS , Object: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\BadPatTs\
MSI (s) (40:68) [20:14:52:375]: Dir (target): Key: APTTEMP , Object: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\APTemp\
MSI (s) (40:68) [20:14:52:375]: Dir (target): Key: Symds_base , Object: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\SymDS\
MSI (s) (40:68) [20:14:52:375]: Dir (target): Key: Symds_temp , Object: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\SymDS\Temp\
MSI (s) (40:68) [20:14:52:375]: Dir (target): Key: Lueappdata , Object: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Lue\
MSI (s) (40:68) [20:14:52:375]: Dir (target): Key: Ccglogdefaultlogdir , Object: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Logs\
MSI (s) (40:68) [20:14:52:375]: Dir (target): Key: Appdata_spmmanifests , Object: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\SPManifests\
MSI (s) (40:68) [20:14:52:375]: Dir (target): Key: FEATURESTATEDIR , Object: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\FeatureState\
MSI (s) (40:68) [20:14:52:375]: Dir (target): Key: STATEDIR , Object: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\State\
MSI (s) (40:68) [20:14:52:375]: Dir (target): Key: CONTENTCACHE , Object: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\ContentCache\
MSI (s) (40:68) [20:14:52:375]: Dir (target): Key: CACHED_INSTALLS , Object: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached Installs\
MSI (s) (40:68) [20:14:52:375]: Dir (target): Key: Ccdata , Object: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\CmnCInt\
MSI (s) (40:68) [20:14:52:375]: Dir (target): Key: Ccsubsdktatadir , Object: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\CmnCInt\ccSubSDK\
MSI (s) (40:68) [20:14:52:375]: Dir (target): Key: Ccjobmgrconfigfolder , Object: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\CmnCInt\ccJobMgr\
MSI (s) (40:68) [20:14:52:375]: Dir (target): Key: Ccglogdatadir , Object: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\CmnCInt\ccGLog\

SEP_INST.log

MSI (s) (40:68) [20:14:52:375]: Dir (target): Key: Ccgevtdatafolder , Object: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\CmnCInt\ccGEvt\
MSI (s) (40:68) [20:14:52:375]: Dir (target): Key: Ccgevtglobaldatafolder , Object: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\CmnCInt\ccGEvt\Global\
MSI (s) (40:68) [20:14:52:375]: Dir (target): Key: Ccsetmaindatabasefolder , Object: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\CmnCInt\ccSetMgr\
MSI (s) (40:68) [20:14:52:375]: Dir (target): Key: Lckdatadir , Object: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\CmnCInt\lck\
MSI (s) (40:68) [20:14:52:375]: Dir (target): Key: Ids_data_dir , Object: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\IPS\
MSI (s) (40:68) [20:14:52:375]: Dir (target): Key: APPLLOGS , Object: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Logs\
MSI (s) (40:68) [20:14:52:375]: Dir (target): Key: AVLOGS , Object: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Logs\AV\
MSI (s) (40:68) [20:14:52:375]: Dir (target): Key: Appdatasrtsp , Object: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\SRTSP\
MSI (s) (40:68) [20:14:52:375]: Dir (target): Key: Iron_data , Object: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\IRON\
MSI (s) (40:68) [20:14:52:375]: Dir (target): Key: Bash_datadir , Object: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\BASH\
MSI (s) (40:68) [20:14:52:375]: Dir (target): Key: Snd_data , Object: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\symnetdrv\
MSI (s) (40:68) [20:14:52:375]: Dir (target): Key: APPDATAINSTALL , Object: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Install\
MSI (s) (40:68) [20:14:52:375]: Dir (target): Key: APPDATAINSTALLLOGS , Object: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Install\Logs\
MSI (s) (40:68) [20:14:52:375]: Dir (target): Key: APPDATAINSTALLSCRIPTS , Object: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Install\Scripts\
MSI (s) (40:68) [20:14:52:375]: Dir (target): Key: Definitionsfolder , Object: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Definitions\
MSI (s) (40:68) [20:14:52:375]: Dir (target): Key: CONFIGDIR , Object: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Config\
MSI (s) (40:68) [20:14:52:375]: Dir (target): Key: SYLINKSRCDIR , Object: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Config\SymlinkSourceDir\
MSI (s) (40:68) [20:14:52:375]: Dir (target): Key: SYMSRCDIR , Object: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Config\SymSourceDir\
MSI (s) (40:68) [20:14:52:375]: Dir (target): Key: ProgramFilesFolder , Object: C:\Program Files\
MSI (s) (40:68) [20:14:52:375]: Dir (target): Key: SymantecProgramFiles , Object: C:\Program Files\Symantec\
MSI (s) (40:68) [20:14:52:375]: Dir (target): Key: PRODUCTINSTALLDIR , Object: C:\Program Files\Symantec\Symantec Endpoint Protection\
MSI (s) (40:68) [20:14:52:375]: Dir (target): Key: Basedir , Object: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\
MSI (s) (40:68) [20:14:52:375]: Dir (target): Key: Muidir , Object: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\
MSI (s) (40:68) [20:14:52:375]: Dir (target): Key: STATICDATA , Object: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Config\
MSI (s) (40:68) [20:14:52:375]: Dir (target): Key: SMCLU , Object: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\SmLu\

SEP_INST.log

```

MSI (s) (40:68) [20:14:52:375]: Dir (target): Key: Tempbasedir , Object:
C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Temp\
MSI (s) (40:68) [20:14:52:375]: Dir (target): Key: INSTALLSCRIPTS ,
Object: C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Scripts\
MSI (s) (40:68) [20:14:52:375]: Dir (target): Key: Installldir , Object:
C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\
MSI (s) (40:68) [20:14:52:375]: Dir (target): Key: Luepackagepath ,
Object: C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\LUReg\
MSI (s) (40:68) [20:14:52:375]: Dir (target): Key: Ccinstallldir , Object:
C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\CmnCInt\
MSI (s) (40:68) [20:14:52:375]: Dir (target): Key: Subsdkininstallldir ,
Object: C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\CmnCInt\ccSubSDK\
MSI (s) (40:68) [20:14:52:375]: Dir (target): Key: Jobscheduleinstalllocation
, Object: C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\CmnCInt\ccJobSch\
MSI (s) (40:68) [20:14:52:375]: Dir (target): Key: Ccglogdatainstalllocation
, Object: C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\CmnCInt\ccGLog\
MSI (s) (40:68) [20:14:52:375]: Dir (target): Key: Ccgevtdatainstalllocation
, Object: C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\CmnCInt\ccGEvt\
MSI (s) (40:68) [20:14:52:375]: Dir (target): Key: Ccgevtdataglobalfolder
, Object: C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\CmnCInt\ccGEvt\Global\
MSI (s) (40:68) [20:14:52:375]: Dir (target): Key: Ids_bho_dir , Object:
C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\IPS\
MSI (s) (40:68) [20:14:52:375]: Dir (target): Key: TEEFERXP , Object:
C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\TeeferXP\
MSI (s) (40:68) [20:14:52:375]: Dir (target): Key: TEEFERVISTA , Object:
C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\TeeferVista\
MSI (s) (40:68) [20:14:52:375]: Dir (target): Key: HELP , Object: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\Help\
MSI (s) (40:68) [20:14:52:375]: Dir (target): Key: Spman_installldir ,
Object: C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\SPManifests\
MSI (s) (40:68) [20:14:52:375]: Dir (target): Key: RES , Object: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\
MSI (s) (40:68) [20:14:52:375]: Dir (target): Key: Muidir09 , Object:
C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\19\
MSI (s) (40:68) [20:14:52:375]: Dir (target): Key: Muidir0901 , Object:
C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Res\19\01\
MSI (s) (40:68) [20:14:52:375]: Dir (target): Key: LANG1049 , Object:
C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Res\1049\
MSI (s) (40:68) [20:14:52:375]: Note: 1: 2205 2: 3: MsiAssembly
MSI (s) (40:68) [20:14:52:375]: Note: 1: 2228 2: 3: MsiAssembly 4: SELECT
`MsiAssembly`.`Attributes`, `MsiAssembly`.`File_Application`,
`MsiAssembly`.`File_Manifest`, `Component`.`KeyPath` FROM `MsiAssembly`,
`Component` WHERE `MsiAssembly`.`Component_` = `Component`.`Component` AND
`MsiAssembly`.`Component_` = ?
Завершение действия 20:14:52: CostFinalize. Возвращенное значение 1.
MSI (s) (40:68) [20:14:52:390]: Doing action: CheckInstallPath
Действие 20:14:52: CheckInstallPath.
Начало действия 20:14:52: CheckInstallPath.
MSI (s) (40:34) [20:14:52:390]: Invoking remote custom action. DLL:
C:\WINDOWS\Installer\MSI15.tmp, Entry point: CheckInstallPath
clientca: : Enter.
clientca: : Enter.
clientca: : PRODUCTINSTALLDIR survived UNICODE<->CODEPAGE roundtrip.
clientca: : Exit.

```

SEP_INST.log

MSI (s) (40!00) [20:14:52:453]: PROPERTY CHANGE: Modifying validInstallDir property. Its current value is '0'. Its new value: '1'.
 clientca: : Exit.
 Завершение действия 20:14:52: CheckInstallPath. Возвращенное значение 1.
 MSI (s) (40:68) [20:14:52:453]: Doing action: LocateSepHwid
 Действие 20:14:52: LocateSepHwid.
 Начало действия 20:14:52: LocateSepHwid.
 MSI (s) (40:48) [20:14:52:468]: Invoking remote custom action. DLL: C:\WINDOWS\Installer\MSI16.tmp, Entrypoint: LocateSepHwid
 CreateInstallCacheTemp copying
 E:\SEP\CommonAppData\Symc\Name\Version\Data\BASH\BASHOpts.bak to
 C:\DOCUME~1\ADMINI~1\LOCALS~1\Temp\e99351f6-674a-46fe-bbd5-06c95a5a546d\2698f8e2-3bfd-4ac1-b8ca-d36cd1349b17\CommonAppData\Symc\Name\Version\Data\BASH\BASHOpts.bak
 CreateInstallCacheTemp Error: ActOnFile failed with: 0x5
 LocateSepHwid: begin
 LocateSepHwid: Could not find sephwid.xml file. It will not be carried over.
 LocateSepHwid: end
 Завершение действия 20:14:53: LocateSepHwid. Возвращенное значение 1.
 MSI (s) (40:68) [20:14:53:296]: Skipping action: SetSCSInstallDirMig (condition is false)
 MSI (s) (40:68) [20:14:53:296]: Skipping action: SetSNACInstallDirMig (condition is false)
 MSI (s) (40:68) [20:14:53:296]: Skipping action: SetInstallDirMig (condition is false)
 MSI (s) (40:68) [20:14:53:296]: Skipping action: SetInstallDirMigAmber (condition is false)
 MSI (s) (40:68) [20:14:53:296]: Skipping action: SetOnOffOff (condition is false)
 MSI (s) (40:68) [20:14:53:296]: Doing action: SetOnOffOn
 Действие 20:14:53: SetOnOffOn.
 Начало действия 20:14:53: SetOnOffOn.
 MSI (s) (40:68) [20:14:53:296]: PROPERTY CHANGE: Adding OnOff property. Its value is '1'.
 Завершение действия 20:14:53: SetOnOffOn. Возвращенное значение 1.
 MSI (s) (40:68) [20:14:53:296]: Doing action: CreateInstallScript
 Действие 20:14:53: CreateInstallScript. Создание сценария установки
 Начало действия 20:14:53: CreateInstallScript.
 MSI (s) (40:50) [20:14:53:312]: Invoking remote custom action. DLL: C:\WINDOWS\Installer\MSI17.tmp, Entrypoint: CreateInstallScript
 MSI (s) (40!04) [20:14:53:406]: PROPERTY CHANGE: Adding SEPCore_Installing property. Its value is '1'.
 MSI (s) (40!04) [20:14:53:406]: PROPERTY CHANGE: Adding SNAC_Installing property. Its value is '1'.
 MSI (s) (40!04) [20:14:53:406]: PROPERTY CHANGE: Adding Core_Installing property. Its value is '1'.
 MSI (s) (40!04) [20:14:53:406]: PROPERTY CHANGE: Adding sis_Installing property. Its value is '1'.
 MSI (s) (40!04) [20:14:53:406]: PROPERTY CHANGE: Adding CommonHardLinks_Installing property. Its value is '1'.
 MSI (s) (40!04) [20:14:53:406]: PROPERTY CHANGE: Adding ccAlert_Installing property. Its value is '1'.
 MSI (s) (40!04) [20:14:53:406]: PROPERTY CHANGE: Adding ccEnv_Installing property. Its value is '1'.
 MSI (s) (40!04) [20:14:53:406]: PROPERTY CHANGE: Adding ccServiceHost_Installing property. Its value is '1'.
 MSI (s) (40!04) [20:14:53:406]: PROPERTY CHANGE: Adding ccSettings_Installing property. Its value is '1'.
 MSI (s) (40!04) [20:14:53:406]: PROPERTY CHANGE: Adding ccSettingsGlobalStream_Installing property. Its value is '1'.
 MSI (s) (40!04) [20:14:53:406]: PROPERTY CHANGE: Adding ccVerifyTrust_Installing property. Its value is '1'.
 MSI (s) (40!04) [20:14:53:406]: PROPERTY CHANGE: Adding ccErrorHandler_Installing property. Its value is '1'.
 MSI (s) (40!04) [20:14:53:406]: PROPERTY CHANGE: Adding ccGenericEvent_Installing property. Its value is '1'.
 MSI (s) (40!04) [20:14:53:406]: PROPERTY CHANGE: Adding ccGenericEventData_Installing property. Its value is '1'.

SEP_INST.log

MSI (s) (40!04) [20:14:53:406]: PROPERTY CHANGE: Adding ccGenericLog_Installing property. Its value is '1'.
MSI (s) (40!04) [20:14:53:406]: PROPERTY CHANGE: Adding ccGenericLogData_Installing property. Its value is '1'.
MSI (s) (40!04) [20:14:53:406]: PROPERTY CHANGE: Adding ccIPC_Installing property. Its value is '1'.
MSI (s) (40!04) [20:14:53:406]: PROPERTY CHANGE: Adding ccJobMgr_Installing property. Its value is '1'.
MSI (s) (40!04) [20:14:53:406]: PROPERTY CHANGE: Adding ccJobMgrScheduleData_Installing property. Its value is '1'.
MSI (s) (40!04) [20:14:53:406]: PROPERTY CHANGE: Adding ccJobMgrConfigDataStream_Installing property. Its value is '1'.
MSI (s) (40!04) [20:14:53:406]: PROPERTY CHANGE: Adding ccLib_Installing property. Its value is '1'.
MSI (s) (40!04) [20:14:53:406]: PROPERTY CHANGE: Adding ccSubEng_Installing property. Its value is '1'.
MSI (s) (40!04) [20:14:53:406]: PROPERTY CHANGE: Adding ccSubEngGlobalDataStream_Installing property. Its value is '1'.
MSI (s) (40!04) [20:14:53:406]: PROPERTY CHANGE: Adding ccSubEngConfigurationDataStream_Installing property. Its value is '1'.
MSI (s) (40!04) [20:14:53:406]: PROPERTY CHANGE: Adding ccSubEngLuReg_Installing property. Its value is '1'.
MSI (s) (40!04) [20:14:53:406]: PROPERTY CHANGE: Adding Lue_ent_Installing property. Its value is '1'.
MSI (s) (40!04) [20:14:53:406]: PROPERTY CHANGE: Adding DefUtilsD_Installing property. Its value is '1'.
MSI (s) (40!04) [20:14:53:406]: PROPERTY CHANGE: Adding DuLuCbk_Installing property. Its value is '1'.
MSI (s) (40!04) [20:14:53:406]: PROPERTY CHANGE: Adding MicroDefsD_Installing property. Its value is '1'.
MSI (s) (40!04) [20:14:53:406]: PROPERTY CHANGE: Adding SymProtect_Installing property. Its value is '1'.
MSI (s) (40!04) [20:14:53:406]: PROPERTY CHANGE: Adding SNAC_ccSvchSt_EimLoader_Installing property. Its value is '1'.
MSI (s) (40!04) [20:14:53:406]: PROPERTY CHANGE: Adding SNAC_ccSvchSt_RunOncePerSession_Installing property. Its value is '1'.
MSI (s) (40!04) [20:14:53:406]: PROPERTY CHANGE: Adding SNAC_ccSvchSt_SEPSessionPlugin_Installing property. Its value is '1'.
MSI (s) (40!04) [20:14:53:406]: PROPERTY CHANGE: Adding ccJobMgr_CentralizedProxyJob_Installing property. Its value is '1'.
MSI (s) (40!04) [20:14:53:406]: PROPERTY CHANGE: Adding D2MService_Installing property. Its value is '1'.
MSI (s) (40!04) [20:14:53:406]: PROPERTY CHANGE: Adding SEP_Product_LUReg_Installing property. Its value is '1'.
MSI (s) (40!04) [20:14:53:406]: PROPERTY CHANGE: Adding ecmlldr32_Installing property. Its value is '1'.
MSI (s) (40!04) [20:14:53:406]: PROPERTY CHANGE: Adding MSL32_Installing property. Its value is '1'.
MSI (s) (40!04) [20:14:53:406]: PROPERTY CHANGE: Adding ccSPManifest_Installing property. Its value is '1'.
MSI (s) (40!04) [20:14:53:421]: PROPERTY CHANGE: Adding SymDS_Installing property. Its value is '1'.
MSI (s) (40!04) [20:14:53:421]: PROPERTY CHANGE: Adding SymEFA_Installing property. Its value is '1'.
MSI (s) (40!04) [20:14:53:421]: PROPERTY CHANGE: Adding SymEvent_Installing property. Its value is '1'.
MSI (s) (40!04) [20:14:53:421]: PROPERTY CHANGE: Adding SymNetDrv_Installing property. Its value is '1'.
MSI (s) (40!04) [20:14:53:421]: PROPERTY CHANGE: Adding ccScanW_Installing property. Its value is '1'.
MSI (s) (40!04) [20:14:53:421]: PROPERTY CHANGE: Adding SAVMain_Installing property. Its value is '1'.
MSI (s) (40!04) [20:14:53:421]: PROPERTY CHANGE: Adding DecABI_Installing property. Its value is '1'.
MSI (s) (40!04) [20:14:53:421]: PROPERTY CHANGE: Adding VirusDefs_Installing property. Its value is '1'.
MSI (s) (40!04) [20:14:53:421]: PROPERTY CHANGE: Adding Bash_Installing property. Its value is '1'.

SEP_INST.log

MSI (s) (40!04) [20:14:53:421]: PROPERTY CHANGE: Adding BASHDefs_Installing property. Its value is '1'.
 MSI (s) (40!04) [20:14:53:421]: PROPERTY CHANGE: Adding Iron_Installing property. Its value is '1'.
 MSI (s) (40!04) [20:14:53:421]: PROPERTY CHANGE: Adding IronServer_SEPRelease_Installing property. Its value is '1'.
 MSI (s) (40!04) [20:14:53:421]: PROPERTY CHANGE: Adding SRTSP_Installing property. Its value is '1'.
 MSI (s) (40!04) [20:14:53:421]: PROPERTY CHANGE: Adding SepHardLinks_Installing property. Its value is '1'.
 MSI (s) (40!04) [20:14:53:421]: PROPERTY CHANGE: Adding ccJobMgr_AtpiBOHDriver_Installing property. Its value is '1'.
 MSI (s) (40!04) [20:14:53:421]: PROPERTY CHANGE: Adding ccJobMgr_AtpiDBPurge_Installing property. Its value is '1'.
 MSI (s) (40!04) [20:14:53:421]: PROPERTY CHANGE: Adding ccJobMgr_AtpiDllSnapshot_Installing property. Its value is '1'.
 MSI (s) (40!04) [20:14:53:421]: PROPERTY CHANGE: Adding ccJobMgr_AtpiFOIScan_Installing property. Its value is '1'.
 MSI (s) (40!04) [20:14:53:421]: PROPERTY CHANGE: Adding ccJobMgr_AtpiMrCleanRptSub_Installing property. Its value is '1'.
 MSI (s) (40!04) [20:14:53:421]: PROPERTY CHANGE: Adding ccJobMgr_AtpiProcessDataCollection_Installing property. Its value is '1'.
 MSI (s) (40!04) [20:14:53:421]: PROPERTY CHANGE: Adding ccJobMgr_AtpiRepSeed_Installing property. Its value is '1'.
 MSI (s) (40!04) [20:14:53:421]: PROPERTY CHANGE: Adding ccJobMgr_AtpiRunProcUpdateJob_Installing property. Its value is '1'.
 MSI (s) (40!04) [20:14:53:421]: PROPERTY CHANGE: Adding ccJobMgr_GEDataStoreFileHashUpdateJob_Installing property. Its value is '1'.
 MSI (s) (40!04) [20:14:53:421]: PROPERTY CHANGE: Adding ccJobMgr_UserScansCleanupJob_Installing property. Its value is '1'.
 MSI (s) (40!04) [20:14:53:421]: PROPERTY CHANGE: Adding ccJobMgr_WSCInitialUpdateJob_Installing property. Its value is '1'.
 MSI (s) (40!04) [20:14:53:421]: PROPERTY CHANGE: Adding ccSubSDK_SEPJobs_Installing property. Its value is '1'.
 MSI (s) (40!04) [20:14:53:421]: PROPERTY CHANGE: Adding ccSvcHstPlugins_SEP_Installing property. Its value is '1'.
 MSI (s) (40!04) [20:14:53:421]: PROPERTY CHANGE: Adding SEP_ccGarbageCollector_Installing property. Its value is '1'.
 MSI (s) (40!04) [20:14:53:421]: PROPERTY CHANGE: Adding SEP_AV_LUReg_Installing property. Its value is '1'.
 MSI (s) (40!04) [20:14:53:421]: PROPERTY CHANGE: Adding Download_Installing property. Its value is '1'.
 MSI (s) (40!04) [20:14:53:421]: PROPERTY CHANGE: Adding ITPMain_Installing property. Its value is '1'.
 MSI (s) (40!04) [20:14:53:421]: PROPERTY CHANGE: Adding ITPMain.Shared_Installing property. Its value is '1'.
 MSI (s) (40!04) [20:14:53:421]: PROPERTY CHANGE: Adding ClientIDS_Installing property. Its value is '1'.
 MSI (s) (40!04) [20:14:53:421]: PROPERTY CHANGE: Adding IPSDefs_Installing property. Its value is '1'.
 MSI (s) (40!04) [20:14:53:421]: PROPERTY CHANGE: Adding OutlookSnapin_Installing property. Its value is '0'.
 MSI (s) (40!04) [20:14:53:421]: PROPERTY CHANGE: Adding NotesSnapin_Installing property. Its value is '0'.
 MSI (s) (40!04) [20:14:53:421]: PROPERTY CHANGE: Adding Pop3Smtp_Installing property. Its value is '1'.
 MSI (s) (40!04) [20:14:53:421]: PROPERTY CHANGE: Adding ccEmailProxy_Installing property. Its value is '1'.
 MSI (s) (40!04) [20:14:53:421]: PROPERTY CHANGE: Adding ccOEH_Installing property. Its value is '1'.
 MSI (s) (40!04) [20:14:53:421]: PROPERTY CHANGE: Adding SEP_ccSvcHst_EmailPlugin_Installing property. Its value is '1'.
 MSI (s) (40!04) [20:14:53:421]: PROPERTY CHANGE: Adding ccEmailProxyFilterReg_Installing property. Its value is '1'.
 MSI (s) (40!04) [20:14:53:421]: PROPERTY CHANGE: Adding PTPMain_Installing property. Its value is '1'.
 MSI (s) (40!04) [20:14:53:421]: PROPERTY CHANGE: Adding TruScan_Installing property. Its value is '1'.

SEP_INST.log

MSI (s) (40!04) [20:14:53:421]: PROPERTY CHANGE: Adding DCMain_Installing property. Its value is '1'.
 MSI (s) (40!04) [20:14:53:421]: PROPERTY CHANGE: Adding DCMain.Common_Installing property. Its value is '1'.
 MSI (s) (40!04) [20:14:53:421]: PROPERTY CHANGE: Adding NTPMain_Installing property. Its value is '1'.
 MSI (s) (40!04) [20:14:53:421]: PROPERTY CHANGE: Adding ITPMain.Only_Installing property. Its value is '1'.
 MSI (s) (40!04) [20:14:53:421]: PROPERTY CHANGE: Adding NTPMain.Shared_Installing property. Its value is '1'.
 MSI (s) (40!04) [20:14:53:421]: PROPERTY CHANGE: Adding Firewall_Installing property. Its value is '1'.
 MSI (s) (40!04) [20:14:53:421]: PROPERTY CHANGE: Adding LANG_Installing property. Its value is '1'.
 MSI (s) (40!04) [20:14:53:421]: PROPERTY CHANGE: Adding ccMUI_Installing property. Its value is '1'.
 MSI (s) (40!04) [20:14:53:421]: PROPERTY CHANGE: Adding REMOVEALL property. Its value is '0'.
 ScriptGen: Action start SetContentDates 20:14:53.421
 Действие 20:14:53: . Определение сведений о содержимом
 ScriptGen:
 ScriptBuilder::SymContent::CSymContentBase::getCurrentPreviousDefsFolder
 OLDSILOFOUND not found
 ScriptGen: ScriptBuilder::SymContent::CSymContentBase::getPreviousDefsFolder No def or content path found
 MSI (s) (40!04) [20:14:53:421]: PROPERTY CHANGE: Adding VirusDefs_DefsInstalling property. Its value is '0'.
 MSI (s) (40!04) [20:14:53:421]: PROPERTY CHANGE: Adding ccSubSDK_SCD_Defs_DefsInstalling property. Its value is '0'.
 MSI (s) (40!04) [20:14:53:421]: PROPERTY CHANGE: Adding BASHDefs_DefsInstalling property. Its value is '0'.
 MSI (s) (40!04) [20:14:53:437]: PROPERTY CHANGE: Adding IronSettingsDefs_DefsInstalling property. Its value is '0'.
 MSI (s) (40!04) [20:14:53:437]: PROPERTY CHANGE: Adding IronRevocationDefs_DefsInstalling property. Its value is '0'.
 MSI (s) (40!04) [20:14:53:437]: PROPERTY CHANGE: Adding IronWhitelistDefs_DefsInstalling property. Its value is '0'.
 MSI (s) (40!04) [20:14:53:437]: PROPERTY CHANGE: Adding IPSDefs_DefsInstalling property. Its value is '0'.
 ScriptGen: Analyzing 'VirusDefs' with zip file of 'E:\SEP\VDefs.zip'
 MSI (s) (40!04) [20:14:53:718]: PROPERTY CHANGE: Adding VirusDefs_DefsDate property. Its value is '20110516.040'.
 MSI (s) (40!04) [20:14:53:718]: PROPERTY CHANGE: Modifying VirusDefs_DefsInstalling property. Its current value is '0'. Its new value: '1'.
 ScriptGen: Content for 'VirusDefs' is marked for installation
 ScriptGen: Analyzing 'ccSubSDK_SCD_Defs' with zip file of 'E:\SEP\Scd2.zip'
 ScriptGen: Content path returned by getContentPath() for ccSubSDK_SCD_Defs is NULL!
 ScriptGen: Analyzing 'BASHDefs' with zip file of 'E:\SEP\BASHDefs.zip'
 MSI (s) (40!04) [20:14:53:750]: PROPERTY CHANGE: Adding BASHDefs_DefsDate property. Its value is '20110514.001'.
 MSI (s) (40!04) [20:14:53:750]: PROPERTY CHANGE: Modifying BASHDefs_DefsInstalling property. Its current value is '0'. Its new value: '1'.
 ScriptGen: Content for 'BASHDefs' is marked for installation
 ScriptGen: Analyzing 'IronSettingsDefs' with zip file of 'E:\SEP\IronDefs.zip'
 ScriptGen: Content path returned by getContentPath() for IronSettingsDefs is NULL!
 ScriptGen: Analyzing 'IronRevocationDefs' with zip file of 'E:\SEP\IronRevokedDefs.zip'
 ScriptGen: Content path returned by getContentPath() for IronRevocationDefs is NULL!
 ScriptGen: Analyzing 'IronWhitelistDefs' with zip file of 'E:\SEP\IronWLDefs.zip'
 ScriptGen: Content path returned by getContentPath() for IronWhitelistDefs is NULL!
 ScriptGen: Analyzing 'IPSDefs' with zip file of 'E:\SEP\IDSDefs.zip'
 MSI (s) (40!04) [20:14:53:812]: PROPERTY CHANGE: Adding IPSDefs_DefsDate property. Its value is '20110514.005'.

SEP_INST.log

MSI (s) (40!04) [20:14:53:812]: PROPERTY CHANGE: Modifying
IPSDefs_DefsInstalling property. Its current value is '0'. Its new value: '1'.
ScriptGen: Content for 'IPSDefs' is marked for installation
ScriptGen: Action end SetContentDates 20:14:53.812
ScriptGen: Action start InstallInitialize 20:14:53.812
Действие 20:14:53: .
ScriptGen: Action end InstallInitialize 20:14:53.812
ScriptGen: Action start StopServices 20:14:53.812
Действие 20:14:53: . Остановка служб
ScriptGen: Loading service types and startup types
ScriptGen: Reading SymService table
ScriptGen: Service SymIRON with id: Iron0. ServiceType: KernelDriver (driver:
true). StartType: System
ScriptGen: Service NAVENG with id: NAVENG. ServiceType: KernelDriver (driver:
true). StartType: demand
ScriptGen: Service NAVEX15 with id: NAVEX15. ServiceType: KernelDriver (driver:
true). StartType: demand
ScriptGen: Service SysPlant with id: syspltsv01. ServiceType: KernelDriver
(driver: true). StartType: System
ScriptGen: Service SydVCtrl with id: sydvsvc01. ServiceType: KernelDriver
(driver: true). StartType: demand
ScriptGen: Service SNAC with id: snac. ServiceType: Win32OwnProcess (driver:
false). StartType: demand
ScriptGen: Service SmcService with id: smcservice01. ServiceType:
Win32OwnProcess (driver: false). StartType: demand
ScriptGen: Service SymDS0 with id: SymDS0. ServiceType: KernelDriver (driver:
true). StartType: boot
ScriptGen: Service SymEFA with id: SymEFA0. ServiceType: fileSystemDriver
(driver: true). StartType: boot
ScriptGen: Service SYMTDI with id: SymNetDrv0. ServiceType: KernelDriver
(driver: true). StartType: System
ScriptGen: Service SYMTDIV with id: SymNetDrv01. ServiceType: KernelDriver
(driver: true). StartType: System
ScriptGen: Service SYMNETS with id: SymNetDrv012. ServiceType: KernelDriver
(driver: true). StartType: System
ScriptGen: Service BHDrvx86 with id: BASHDefs0. ServiceType: KernelDriver
(driver: true). StartType: System
ScriptGen: Service BHDrvx86 with id: BASHDefs01. ServiceType: KernelDriver
(driver: true). StartType: System
ScriptGen: Service SRTSPX with id: SRTSP0. ServiceType: KernelDriver (driver:
true). StartType: System
ScriptGen: Service SRTSP with id: SRTSP01. ServiceType: fileSystemDriver
(driver: true). StartType: System
ScriptGen: Service IDSxpx86 with id: IPSDefs0. ServiceType: KernelDriver
(driver: true). StartType: demand
ScriptGen: Service IDSVix86 with id: IPSDefs01. ServiceType: KernelDriver
(driver: true). StartType: System
ScriptGen: Filtering service list by feature state and conditon
ScriptGen: Checking service. Name: SymIRON Key: Iron0
ScriptGen: Installing, evaluating condition: "DING: (%PLATFORM% == 32)"
ScriptGen: Condition evaluated to true
ScriptGen: Adding service to the filtered list
ScriptGen: Checking service. Name: NAVENG Key: NAVENG
ScriptGen: Installing, evaluating condition: "VirusDefs_DefsDate"
ScriptGen: Condition evaluated to true
ScriptGen: Adding service to the filtered list
ScriptGen: Checking service. Name: NAVEX15 Key: NAVEX15
ScriptGen: Installing, evaluating condition: "VirusDefs_DefsDate"
ScriptGen: Condition evaluated to true
ScriptGen: Adding service to the filtered list
ScriptGen: Checking service. Name: SymDS Key: SymDS0
ScriptGen: Installing, evaluating condition: "DING: %PLATFORM% == 32"
ScriptGen: Condition evaluated to true
ScriptGen: Adding service to the filtered list
ScriptGen: Checking service. Name: SymEFA Key: SymEFA0
ScriptGen: Installing, evaluating condition: "DING: %PLATFORM% == 32 &
!(%WINNTVER% == 5.1 & (%SERVICEPACKVER% == 0 | %SERVICEPACKVER% == 1))"
ScriptGen: Condition evaluated to true

```

SEP_INST.log
ScriptGen: Adding service to the filtered list
ScriptGen: Checking service. Name: SYMTDI Key: SymNetDrv0
ScriptGen: Installing, evaluating condition: "DING: (%WINNTVER% < 6.0) &
(%PLATFORM% == 32)"
ScriptGen: Condition evaluated to true
ScriptGen: Adding service to the filtered list
ScriptGen: Checking service. Name: SYMTDIV Key: SymNetDrv01
ScriptGen: Installing, evaluating condition: "DING: (%WINNTVER% == 6.0) &
(%PLATFORM% == 32)"
ScriptGen: Condition evaluated to false
ScriptGen: Checking service. Name: SYMNETS Key: SymNetDrv012
ScriptGen: Installing, evaluating condition: "DING: (%WINNTVER% >= 6.1) &
(%PLATFORM% == 32)"
ScriptGen: Condition evaluated to false
ScriptGen: Checking service. Name: BHDrv86 Key: BASHDefs0
ScriptGen: Installing, evaluating condition: "DING:( (%PLATFORM% == 32) &
(%WINNTVER% < 6.0)) & (1 == 1 )"
ScriptGen: Condition evaluated to true
ScriptGen: Adding service to the filtered list
ScriptGen: Checking service. Name: BHDrv86 Key: BASHDefs01
ScriptGen: Installing, evaluating condition: "DING:( (%PLATFORM% == 32) &
(%WINNTVER% >= 6.0)) & (1 == 1 )"
ScriptGen: Condition evaluated to false
ScriptGen: Checking service. Name: SRTSPX Key: SRTSP0
ScriptGen: Installing, evaluating condition: "DING: %PLATFORM% == 32"
ScriptGen: Condition evaluated to true
ScriptGen: Adding service to the filtered list
ScriptGen: Checking service. Name: SRTSP Key: SRTSP01
ScriptGen: Installing, evaluating condition: "DING: %PLATFORM% == 32"
ScriptGen: Condition evaluated to true
ScriptGen: Adding service to the filtered list
ScriptGen: Checking service. Name: IDSxpx86 Key: IPSDefs0
ScriptGen: Installing, evaluating condition: "DING:( ((%WINNTVER% >= 5.0) &
(%WINNTVER% < 6.0) & (%PLATFORM% == 32))) & (1 == 1 )"
ScriptGen: Condition evaluated to true
ScriptGen: Adding service to the filtered list
ScriptGen: Checking service. Name: IDSVix86 Key: IPSDefs01
ScriptGen: Installing, evaluating condition: "DING:( (%WINNTVER% >= 6.0) &
(%PLATFORM% == 32)) & (1 == 1 )"
ScriptGen: Condition evaluated to false
ScriptGen: Checking service. Name: RasMan Key: migr_RasManRestart
ScriptGen: Installing, evaluating condition: "MIGRATE"
ScriptGen: Condition evaluated to false
ScriptGen: Checking service. Name: SysPlant Key: sysplntsv01
ScriptGen: Installing, evaluating condition: "MIGRATE"
ScriptGen: Condition evaluated to false
ScriptGen: Checking service. Name: eeCtrl Key: migr_eeCtrlRestart
ScriptGen: Installing, evaluating condition: "MIGRATE"
ScriptGen: Condition evaluated to false
ScriptGen: Checking service. Name: SNAC Key: snacservice
ScriptGen: Installing, evaluating condition: "APPTYPE=151"
ScriptGen: Condition evaluated to false
ScriptGen: Checking service. Name: SNAC Key: stopSnac
ScriptGen: Installing, evaluating condition: "($snac.exe=2)"
ScriptGen: Condition evaluated to false
ScriptGen: Service list after filtering: SymIRON NAVENG NAVEX15 SymDS SymEFA
SYMTDI BHDrv86 SRTSPX SRTSP IDSxpx86
ScriptGen: Resolving service dependencies
ScriptGen: addServicewithDependencies: srtsp
ScriptGen: serviceMap contains 10 elements
ScriptGen: Looking for srtsp in serviceMap
ScriptGen: srtsp found on serviceMap
ScriptGen: srtsp is not yet added
ScriptGen: Processing srtsp dependency srtsp
ScriptGen: addServicewithDependencies: srtsp
ScriptGen: serviceMap contains 10 elements
ScriptGen: Looking for srtsp in serviceMap
ScriptGen: srtsp found on serviceMap

```

SEP_INST.log

ScriptGen: srtsp is not yet added
 ScriptGen: Processing srtsp dependency symefa
 ScriptGen: addServiceWithDependencies: symefa
 ScriptGen: serviceMap contains 10 elements
 ScriptGen: Looking for symefa in serviceMap
 ScriptGen: symefa found on serviceMap
 ScriptGen: symefa is not yet added
 ScriptGen: Processing symefa dependency symds
 ScriptGen: addServiceWithDependencies: symds
 ScriptGen: serviceMap contains 10 elements
 ScriptGen: Looking for symds in serviceMap
 ScriptGen: symds found on serviceMap
 ScriptGen: symds is not yet added
 ScriptGen: Adding symds to the list
 ScriptGen: Adding symefa to the list
 ScriptGen: Adding srtsp to the list
 ScriptGen: Adding srtsp to the list
 ScriptGen: Service list after resolving dependencies: symds symefa srtsp srtsp
 ScriptGen: StopServices::Install begin
 ScriptGen: Performing final filtering before stopping services
 ScriptGen: Service SymDS does not exist or is not directly requested to stop
 ScriptGen: Service SymEFA does not exist or is not directly requested to stop
 ScriptGen: Service SRTSPX does not exist or is not directly requested to stop
 ScriptGen: Service SRTSP does not exist or is not directly requested to stop
 ScriptGen: Services selected to stop:
 ScriptGen: StopServices::Install end. HRESULT: 0x0
 ScriptGen: Loading service types and startup types
 ScriptGen: Reading SymService table
 ScriptGen: Service SymIRON with id: Iron0. ServiceType: KernelDriver (driver: true). StartType: System
 ScriptGen: Service NAVENG with id: NAVENG. ServiceType: KernelDriver (driver: true). StartType: demand
 ScriptGen: Service NAVEX15 with id: NAVEX15. ServiceType: KernelDriver (driver: true). StartType: demand
 ScriptGen: Service SysPlant with id: syspltsv01. ServiceType: KernelDriver (driver: true). StartType: System
 ScriptGen: Service SydVCtrl with id: sydvsvc01. ServiceType: KernelDriver (driver: true). StartType: demand
 ScriptGen: Service SNAC with id: snac. ServiceType: Win32OwnProcess (driver: false). StartType: demand
 ScriptGen: Service SmcService with id: smcservice01. ServiceType: Win32OwnProcess (driver: false). StartType: demand
 ScriptGen: Service SymDS with id: SymDS0. ServiceType: KernelDriver (driver: true). StartType: boot
 ScriptGen: Service SymEFA with id: SymEFA0. ServiceType: FileSystemDriver (driver: true). StartType: boot
 ScriptGen: Service SYMTDI with id: SymNetDrv0. ServiceType: KernelDriver (driver: true). StartType: System
 ScriptGen: Service SYMTDIV with id: SymNetDrv01. ServiceType: KernelDriver (driver: true). StartType: System
 ScriptGen: Service SYMNETS with id: SymNetDrv012. ServiceType: KernelDriver (driver: true). StartType: System
 ScriptGen: Service BHDrvx86 with id: BASHDefs0. ServiceType: KernelDriver (driver: true). StartType: System
 ScriptGen: Service BHDrvx86 with id: BASHDefs01. ServiceType: KernelDriver (driver: true). StartType: System
 ScriptGen: Service SRTSPX with id: SRTSP0. ServiceType: KernelDriver (driver: true). StartType: System
 ScriptGen: Service SRTSP with id: SRTSP01. ServiceType: FileSystemDriver (driver: true). StartType: System
 ScriptGen: Service IDSxpx86 with id: IPSDefs0. ServiceType: KernelDriver (driver: true). StartType: demand
 ScriptGen: Service IDSVix86 with id: IPSDefs01. ServiceType: KernelDriver (driver: true). StartType: System
 ScriptGen: Filtering service list by feature state and conditon
 ScriptGen: Checking service. Name: SymIRON Key: Iron0
 ScriptGen: Service feature state indicates it should not be processed.
 ScriptGen: Checking service. Name: NAVENG Key: NAVENG

SEP_INST.log

ScriptGen: Service feature state indicates it should not be processed.
 ScriptGen: Checking service. Name: NAVEX15 Key: NAVEX15
 ScriptGen: Service feature state indicates it should not be processed.
 ScriptGen: Checking service. Name: SymDS Key: SymDS0
 ScriptGen: Service feature state indicates it should not be processed.
 ScriptGen: Checking service. Name: SymEFA Key: SymEFA0
 ScriptGen: Service feature state indicates it should not be processed.
 ScriptGen: Checking service. Name: SYMTDI Key: SymNetDrv0
 ScriptGen: Service feature state indicates it should not be processed.
 ScriptGen: Checking service. Name: SYMTDIV Key: SymNetDrv01
 ScriptGen: Service feature state indicates it should not be processed.
 ScriptGen: Checking service. Name: SYMNETS Key: SymNetDrv012
 ScriptGen: Service feature state indicates it should not be processed.
 ScriptGen: Checking service. Name: BHDrvx86 Key: BASHDefs0
 ScriptGen: Service feature state indicates it should not be processed.
 ScriptGen: Checking service. Name: BHDrvx86 Key: BASHDefs01
 ScriptGen: Service feature state indicates it should not be processed.
 ScriptGen: Checking service. Name: SRTSPX Key: SRTSP0
 ScriptGen: Service feature state indicates it should not be processed.
 ScriptGen: Checking service. Name: SRTSP Key: SRTSP01
 ScriptGen: Service feature state indicates it should not be processed.
 ScriptGen: Checking service. Name: IDSxpx86 Key: IPSDefs0
 ScriptGen: Service feature state indicates it should not be processed.
 ScriptGen: Checking service. Name: IDSVix86 Key: IPSDefs01
 ScriptGen: Service feature state indicates it should not be processed.
 ScriptGen: Checking service. Name: RasMan Key: migr_RasManRestart
 ScriptGen: Service feature state indicates it should not be processed.
 ScriptGen: Checking service. Name: SysPlant Key: sysplntsv01
 ScriptGen: Service feature state indicates it should not be processed.
 ScriptGen: Checking service. Name: eeCtrl Key: migr_eeCtrlRestart
 ScriptGen: Service feature state indicates it should not be processed.
 ScriptGen: Checking service. Name: SNAC Key: snacservice
 ScriptGen: Service feature state indicates it should not be processed.
 ScriptGen: Checking service. Name: SNAC Key: stopSnac
 ScriptGen: Service feature state indicates it should not be processed.
 ScriptGen: Service list after filtering:
 ScriptGen: Action end StopServices 20:14:53.937
 ScriptGen: Action start RemoveFirewallException 20:14:53.937
 Действие 20:14:53: . Удаление исключений брандмауэра
 ScriptGen: Action start RemoveFiles 20:14:53.937
 Действие 20:14:53: . Выбор файлов для удаления при перезагрузке
 ScriptGen: Usecase:rollback - installstatevar = INSTALLSTATE_LOCAL.
 ScriptGen: Adding C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint
 Protection\12.1.671.4971.105\Data\CmnClnt\ccSubSDK\ to removal list
 ScriptGen: Adding C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\IRON\Iron.db
 to removal list
 ScriptGen: Adding C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\IRON\ to
 removal list
 ScriptGen: Adding C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\IRON* to
 removal list
 ScriptGen: SymRemoveFile.Condition 'DING: %INSTALLING%==0' evaluated false
 ScriptGen: Adding C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\symnetdrv\ to
 removal list
 ScriptGen: Adding C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint
 Protection\12.1.671.4971.105\Data\SRTSP\SRTSPSE.DAT to removal list
 ScriptGen: Adding C:\Program Files\Symantec\Symantec Endpoint
 Protection\12.1.671.4971.105\bin\CmnClnt\ccJobSch\ to removal list
 ScriptGen: Adding C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint
 Protection\12.1.671.4971.105\Data\CmnClnt\ccSubSDK* to removal list
 ScriptGen: Adding C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint

SEP_INST.log

Protection\12.1.671.4971.105\Data\CmnCInt\SBSDKGB1.dat to removal list
ScriptGen: Adding C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\BASH\ to
removal list
ScriptGen: SymRemoveFile.Condition 'DING: %INSTALLING%==0' evaluated false
ScriptGen: SymRemoveFile.Condition 'DING: %INSTALLING%==0' evaluated false
ScriptGen: SymRemoveFile.Condition 'DING: %INSTALLING%==0' evaluated false
ScriptGen: Adding C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\SRTSP\SrtspSet.dat to removal list
ScriptGen: Adding C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\SRTSP\SRTSPSO.DAT to removal list
ScriptGen: Adding C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\SRTSP\SRTSPSP.DAT to removal list
ScriptGen: Adding C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\IPS\ to
removal list
ScriptGen: Adding C:\Program Files\Symantec\ to removal list
ScriptGen: Adding C:\Program Files\Symantec\Symantec Endpoint Protection\ to
removal list
ScriptGen: Adding C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\ to removal list
ScriptGen: Adding C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\ to removal list
ScriptGen: Adding C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Res\ to removal list
ScriptGen: Adding C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Temp\ to removal list
ScriptGen: Adding C:\Program Files\Common Files\Symantec Shared\ to removal list
ScriptGen: Adding C:\Documents and Settings\All Users\Application Data\Symantec\
to removal list
ScriptGen: Adding C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\ to removal list
ScriptGen: Adding C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\ to removal list
ScriptGen: Adding C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\ to removal
list
ScriptGen: Adding C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Definitions\
to removal list
ScriptGen: Adding C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\ to
removal list
ScriptGen: Adding C:\WINDOWS\system32\Drivers\SEP\ to removal list
ScriptGen: Adding C:\WINDOWS\system32\Drivers\SEP\0C01029F\ to removal list
ScriptGen: Adding C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\ to removal
list
ScriptGen: Adding C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\inbox* to removal
list
ScriptGen: Adding C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\inbox\ to removal
list
ScriptGen: Adding C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Logs*\ to
removal list
ScriptGen: Adding C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Logs\ to
removal list
ScriptGen: Adding C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\State* to
removal list
ScriptGen: Adding C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\DecTemp*\ to
removal list
ScriptGen: Adding C:\Documents and Settings\All Users\Application

SEP_INST.log

Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\DecTemp\ to removal list
ScriptGen: Adding C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\BASH\BHLINKS.DB to removal list
ScriptGen: Adding C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Definitions*\ to removal list
ScriptGen: Adding C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\State\ to removal list
ScriptGen: Adding C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\State\SerState.dat to removal list
ScriptGen: Adding C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\State\SerState.dat.bak to removal list
ScriptGen: Adding C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\CmnCInt*\ to removal list
ScriptGen: Adding C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Config* to removal list
ScriptGen: Adding C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Config\ to removal list
ScriptGen: Adding C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\LiveUpdate*\ to removal list
ScriptGen: Adding C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\LiveUpdate to removal list
ScriptGen: Adding C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\SmcLU*\ to removal list
ScriptGen: Adding C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\SmcLU to removal list
ScriptGen: Adding C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Temp*\ to removal list
ScriptGen: Adding C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SharedUpdates*\ to removal list
ScriptGen: Adding C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SharedUpdates\ to removal list
ScriptGen: Adding C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached Installs*\ to removal list
ScriptGen: Adding C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached Installs\ to removal list
ScriptGen: Adding C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\install\data.xml to removal list
ScriptGen: Adding C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Install\ to removal list
ScriptGen: Adding C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Install\Logs\ to removal list
ScriptGen: Adding C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Install\Scripts\ to removal list
ScriptGen: Adding C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\CurrentVersion\ to removal list
ScriptGen: Adding C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Install\Scripts\{24BF7A02-B60A-494B-843A-793BB C77DED4}.rus to removal list
ScriptGen: Adding C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Install\Scripts\{24BF7A02-B60A-494B-843A-793BB C77DED4}_completed.rus to removal list
ScriptGen: Adding C:\WINDOWS\system32\Drivers\SysPlant.sys to removal list

SEP_INST.log

ScriptGen: Adding C:\WINDOWS\system32\sysfer.dll to removal list
 ScriptGen: Adding C:\WINDOWS\system32\sysferThunk.dll to removal list
 ScriptGen: Adding C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Config\GRC.dat to removal list
 ScriptGen: Adding C:\WINDOWS\system32\FwsVpn.dll to removal list
 ScriptGen: Adding C:\WINDOWS\system32\Drivers\WGx.SYS to removal list
 ScriptGen: Adding C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\bin\SPManifests\ to removal list
 ScriptGen: Adding C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\bin\SPManifests* to removal list
 ScriptGen: Adding C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\SPManifests\ to removal list
 ScriptGen: Adding C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\SPManifests* to removal list
 ScriptGen: Adding C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\CmnCInt\ to removal list
 ScriptGen: Adding C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\CmnCInt_lck\ to removal list
 ScriptGen: Adding C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\CmnCInt_lck* to removal list
 ScriptGen: Adding C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\bin\CmnCInt\ to removal list
 ScriptGen: Adding C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\CmnCInt\ccSetMgr\ to removal list
 ScriptGen: Adding C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\CmnCInt\ccSetMgr* to removal list
 ScriptGen: Adding C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\bin\CmnCInt\ccGEvt\ to removal list
 ScriptGen: Adding C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\bin\CmnCInt\ccGEvt\Global\ to removal list
 ScriptGen: Adding C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\CmnCInt\ccGEvt\ to removal list
 ScriptGen: Adding C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\CmnCInt\ccGEvt\Global\ to removal list
 ScriptGen: Adding C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\bin\CmnCInt\ccGEvt\Global\LM.dat to removal list
 ScriptGen: Adding C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\CmnCInt\ccGEvt\Global\LM2.dat to removal list
 ScriptGen: Adding C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\bin\CmnCInt\ccGLog\ to removal list
 ScriptGen: Adding C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\CmnCInt\ccGLog\ to removal list
 ScriptGen: Adding C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Logs\ to removal list
 ScriptGen: Adding C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Logs* to removal list
 ScriptGen: Adding C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\CmnCInt\ccGLog\LM.dat to removal list
 ScriptGen: Adding C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\bin\CmnCInt\ccGLog\ccGLog.dat to removal list
 ScriptGen: Adding C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\bin\CmnCInt\ccJobSch\ccJobSch.dat to removal list
 ScriptGen: Adding C:\Documents and Settings\All Users\Application

SEP_INST.log

Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\CmnCInt\ccJobMgr\ to removal list
ScriptGen: Adding C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\CmnCInt\ccJobMgr\JobMgr.dat to removal list
ScriptGen: Adding C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\CmnCInt\SBSDKEng.dat to removal list
ScriptGen: Adding C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\bin\CmnCInt\ccSubSDK\ to removal list
ScriptGen: Adding C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Lue\ to removal list
ScriptGen: Adding C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Lue* to removal list
ScriptGen: Adding C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\bin\LUReg\ to removal list
ScriptGen: Adding C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\bin\LUReg* to removal list
ScriptGen: Adding C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Lue*\ to removal list
ScriptGen: Adding C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\bin\LUReg*\ to removal list
ScriptGen: Adding C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\bin\DuPtUpRg.dat to removal list
ScriptGen: Adding C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\SymDS\ to removal list
ScriptGen: Adding C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\SymDS\Temp\ to removal list
ScriptGen: SymRemoveFile.Condition 'DING: %INSTALLING%==0' evaluated false
ScriptGen: Adding C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\symnetdrv* to removal list
ScriptGen: SymRemoveFile.Condition 'DING: %INSTALLING%==0' evaluated false
ScriptGen: SymRemoveFile.Condition 'DING: %INSTALLING%==0' evaluated false
ScriptGen: SymRemoveFile.Condition 'DING: %INSTALLING%==0' evaluated false
ScriptGen: SymRemoveFile.Condition 'DING: %INSTALLING%==0' evaluated false
ScriptGen: Adding C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\SRTSP\ to removal list
ScriptGen: Adding C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\SRTSP\Quarantine\ to removal list
ScriptGen: Adding C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\SRTSP\Quarantine* to removal list
ScriptGen: Adding C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\SRTSP\SrtETmp\ to removal list
ScriptGen: Adding C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\SRTSP\SrtETmp* to removal list
ScriptGen: Adding C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\SRTSP* to removal list
ScriptGen: Adding C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\SRTSP\ to removal list
ScriptGen: Adding C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\IPS* to removal list
ScriptGen: Adding C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\bin\IPS\ to removal list
ScriptGen: SymRemoveFile.Condition 'DING: %INSTALLING% == 0' evaluated false

SEP_INST.log

[illegible]

SEP_INST.log

[illegible]

SEP_INST.log

ScriptGen: Module 'SymDS' set to INSTALLSTATE_LOCAL, not removing file
ScriptGen: SymRemoveFile.Condition 'DING: %INSTALLING%==0' evaluated false
ScriptGen: Module 'SymNetDrv' set to INSTALLSTATE_LOCAL, not removing file
ScriptGen: SymRemoveFile.Condition 'DING: %INSTALLING%==0' evaluated false
ScriptGen: SymRemoveFile.Condition 'DING: %INSTALLING%==0' evaluated false
ScriptGen: SymRemoveFile.Condition 'DING: %INSTALLING%==0' evaluated false
ScriptGen: SymRemoveFile.Condition 'DING: %INSTALLING%==0' evaluated false
ScriptGen: Module 'SRTSP' set to INSTALLSTATE_LOCAL, not removing file
ScriptGen: Module 'SRTSP' set to INSTALLSTATE_LOCAL, not removing file
ScriptGen: Module 'SRTSP' set to INSTALLSTATE_LOCAL, not removing file
ScriptGen: Module 'SRTSP' set to INSTALLSTATE_LOCAL, not removing file
ScriptGen: Module 'SRTSP' set to INSTALLSTATE_LOCAL, not removing file
ScriptGen: Module 'SRTSP' set to INSTALLSTATE_LOCAL, not removing file
ScriptGen: Module 'SRTSP' set to INSTALLSTATE_LOCAL, not removing file
ScriptGen: Module 'ClientIDS' set to INSTALLSTATE_LOCAL, not removing file
ScriptGen: Module 'ClientIDS' set to INSTALLSTATE_LOCAL, not removing file
ScriptGen: SymRemoveFile.Condition 'DING: %INSTALLING% == 0' evaluated false
ScriptGen: SymRemoveFile.Condition 'DING: %INSTALLING% == 0' evaluated false
ScriptGen: SymRemoveFile.Condition 'DING: %INSTALLING% == 0' evaluated false
MSI (s) (40!04) [20:14:54:187]: PROPERTY CHANGE: Adding SymRemoveFiles property.
Its value is
'C:\DOCUME~1\ADMINI~1\LOCALS~1\Temp\e99351f6-674a-46fe-bbd5-06c95a5a546d\removefiles.xml'.
ScriptGen: Action end RemoveFiles 20:14:54.187
ScriptGen: Action start CopyFiles 20:14:54.187
Действие 20:14:54: . Копирование файлов
ScriptGen: Action end CopyFiles 20:14:54.203
ScriptGen: Action start CreateHardLinks 20:14:54.203
Действие 20:14:54: . Создание жестких связей
ScriptGen: Action end CreateHardLinks 20:14:54.203
ScriptGen: Action start CreateServices 20:14:54.203
Действие 20:14:54: . Установка служб
ScriptGen: Setting service SymIRON start type to manual start. It will be restored in RestoreServiceStartTypes action
ScriptGen: Setting service SysPlant start type to manual start. It will be restored in RestoreServiceStartTypes action
ScriptGen: Setting service SymDS start type to manual start. It will be restored in RestoreServiceStartTypes action
ScriptGen: Setting service SymEFA start type to manual start. It will be restored in RestoreServiceStartTypes action
ScriptGen: Setting service SYMTDI start type to manual start. It will be restored in RestoreServiceStartTypes action
ScriptGen: Setting service BHDrvx86 start type to manual start. It will be restored in RestoreServiceStartTypes action
ScriptGen: Setting service SRTSPX start type to manual start. It will be restored in RestoreServiceStartTypes action
ScriptGen: Setting service SRTSP start type to manual start. It will be restored in RestoreServiceStartTypes action
MSI (s) (40!04) [20:14:54:218]: PROPERTY CHANGE: Adding RestoreServiceStartTypes property. Its value is
'SymIRON,1,8;SysPlant,1,8;SymDS,0,8;SymEFA,0,8;SYMTDI,1,8;BHDrvx86,1,8;SRTSPX,1,8;SRTSP,1,8'.
ScriptGen: Action end CreateServices 20:14:54.250
ScriptGen: Action start CreateShortcuts 20:14:54.250
Действие 20:14:54: . Создание ярлыков
ScriptGen: Action end CreateShortcuts 20:14:54.250
ScriptGen: Action start WriteRegistryValues 20:14:54.250
Действие 20:14:54: . Запись разделов и значений реестра
ScriptGen: Action end WriteRegistryValues 20:14:55.484
ScriptGen: Action start CreateccSettingsFiles 20:14:55.484
Действие 20:14:55: . Инициализация временного хранилища параметров
MSI (s) (40!04) [20:14:55:531]: Note: 1: 2756 2: FOUNDNACSLF
ScriptGen: ScriptBuilder::CSymccSettingsFileAction::getReverseDirectoryMap: Unable to get target path (Result: 267)
MSI (s) (40!04) [20:14:55:890]: Note: 1: 2756 2: FoundSepHwId
ScriptGen: ScriptBuilder::CSymccSettingsFileAction::getReverseDirectoryMap: Unable to get target path (Result: 267)
ScriptGen: CSymccSettingsFileAction: Not removing symresolver.dat, module not

SEP_INST.log

being uninstalled
ScriptGen: CSymccSettingsFileAction: Not removing TrayPluginRegistration.dat, module not being uninstalled
ScriptGen: CSymccSettingsFileAction: Not removing LueRegSettings.dat, module not being uninstalled
ScriptGen: CSymccSettingsFileAction: Not removing Lue.dat, module not being uninstalled
ScriptGen: CSymccSettingsFileAction: Not removing LUESettings.dat, module not being uninstalled
ScriptGen: CSymccSettingsFileAction: Not removing ProfileManagement.dat, module not being uninstalled
ScriptGen: CSymccSettingsFileAction: Not removing EimLoaderData.dat, module not being uninstalled
ScriptGen: CSymccSettingsFileAction: Not removing {E4A1F471-FE50-441E-AF75-B246B653CCB8}.dat, module not being uninstalled
ScriptGen: CSymccSettingsFileAction: Not removing Connections.dat, module not being uninstalled
ScriptGen: CSymccSettingsFileAction: Not removing OutlookSessionPlugin.dat, module not being uninstalled
ScriptGen: CSymccSettingsFileAction: Not removing OutlookSessionPlugin2.dat, module not being uninstalled
ScriptGen: CSymccSettingsFileAction: Not removing ccSettings_12.1.671.4971.dat, module not being uninstalled
ScriptGen: CSymccSettingsFileAction: Not removing LM.dat, module not being uninstalled
ScriptGen: CSymccSettingsFileAction: Not removing ccGLog.dat, module not being uninstalled
ScriptGen: CSymccSettingsFileAction: Not removing ccJobSch.dat, module not being uninstalled
ScriptGen: CSymccSettingsFileAction: Not removing JobMgr.dat, module not being uninstalled
ScriptGen: CSymccSettingsFileAction: Not removing SBSDKEng.dat, module not being uninstalled
ScriptGen: CSymccSettingsFileAction: Not removing SBSDKGbl.dat, module not being uninstalled
ScriptGen: CSymccSettingsFileAction: Not removing DIS_Submission_{DE95C124-EAC6-4320-90F3-BEDD2F026AA5}.dat, module not being uninstalled
ScriptGen: CSymccSettingsFileAction: Not removing DIS_Ping_{DE95C124-EAC6-4320-90F3-BEDD2F026AA5}.dat, module not being uninstalled
ScriptGen: CSymccSettingsFileAction: Not removing {B6DC6C8F-46FA-40c7-A806-B669BE1D2D19}.dat, module not being uninstalled
ScriptGen: CSymccSettingsFileAction: Not removing {B6DC6C8F-BEEF-40c7-A806-B669BE1D2D19}.dat, module not being uninstalled
ScriptGen: CSymccSettingsFileAction: Not removing LueDyn.dat, module not being uninstalled
ScriptGen: CSymccSettingsFileAction: Not removing ErrSub_{3E6A5FF1-CC96-4b64-A899-A4AF4D0969C3}.dat, module not being uninstalled
ScriptGen: CSymccSettingsFileAction: Not removing DuPtUpRg.dat, module not being uninstalled
ScriptGen: CSymccSettingsFileAction: Not removing service.dat, module not being uninstalled
ScriptGen: CSymccSettingsFileAction: Not removing {20209388-19DA-443e-ABC2-A706D2AAF9E9}.dat, module not being uninstalled
ScriptGen: CSymccSettingsFileAction: Not removing SPSettg.dat, module not being uninstalled
ScriptGen: CSymccSettingsFileAction: Not removing ShdSettg.dat, module not being uninstalled
ScriptGen: CSymccSettingsFileAction: Not removing {D6AEB07-D833-485f-9723-6C908D37F806}.dat, module not being uninstalled
ScriptGen: CSymccSettingsFileAction: Not removing {2F090208-20DC-42f0-BBD8-B68B472F7215}.dat, module not being uninstalled
ScriptGen: CSymccSettingsFileAction: Not removing IronReg.dat, module not being uninstalled
ScriptGen: CSymccSettingsFileAction: Not removing {EDBD3BD0-8395-4d4d-BAC9-19DD32EF4758}.dat, module not being uninstalled
ScriptGen: CSymccSettingsFileAction: Not removing

SEP_INST.log

{EDBD3BD0-BEEF-4d4d-BAC9-19DD32EF4758}.dat, module not being uninstalled
ScriptGen: CSymccSettingsFileAction: Not removing
{810D5A61-809F-49c2-BD75-177F0647D2BA}.dat, module not being uninstalled
ScriptGen: CSymccSettingsFileAction: Not removing
{810D5A61-BEEF-49c2-BD75-177F0647D2BA}.dat, module not being uninstalled
ScriptGen: CSymccSettingsFileAction: Not removing
{263395A0-D3D8-4be4-80B5-202C94EF4AA0}.dat, module not being uninstalled
ScriptGen: CSymccSettingsFileAction: Not removing
{263395A0-BEEF-4be4-80B5-202C94EF4AA0}.dat, module not being uninstalled
ScriptGen: CSymccSettingsFileAction: Not removing Iron.dat, module not being uninstalled
ScriptGen: CSymccSettingsFileAction: Not removing
CAT_Submission_{8F1A65BE-9A9E-4b0d-9D69-470957B25186}.dat, module not being uninstalled
ScriptGen: CSymccSettingsFileAction: Not removing
MrClean_Submission_{D352E420-9E86-4a7f-826C-A8782662B246}.dat, module not being uninstalled
ScriptGen: CSymccSettingsFileAction: Not removing
{72DA128F-2591-43f2-B272-29DA5452A197}.dat, module not being uninstalled
ScriptGen: CSymccSettingsFileAction: Not removing
{535CB6A4-441F-4e8a-A897-804CD859100E}.dat, module not being uninstalled
ScriptGen: CSymccSettingsFileAction: Not removing
{6AAE5D6B-C70C-4cdf-96C9-110AA1378E8C}.dat, module not being uninstalled
ScriptGen: CSymccSettingsFileAction: Not removing
{55DE35DC-862A-44c9-8A2B-3EF451665D0A}.dat, module not being uninstalled
ScriptGen: CSymccSettingsFileAction: Not removing
{31D8C93E-8DB2-4eeb-8D75-87FD92F1C62C}.dat, module not being uninstalled
ScriptGen: CSymccSettingsFileAction: Not removing
{12589686-DEFD-22EE-9DA6-DDD156D89593}.dat, module not being uninstalled
ScriptGen: CSymccSettingsFileAction: Not removing
{511C2222-DEFD-22EE-B154-4A6A546B9793}.dat, module not being uninstalled
ScriptGen: Action end CreateccSettingsFiles 20:14:55.906
ScriptGen: Action start writeccSettingsValues 20:14:55.906
Действие 20:14:55: . Кэширование параметров приложений
ScriptGen: Action end writeccSettingsValues 20:14:56.796
ScriptGen: Action start CommitccSettingsFiles 20:14:56.796
Действие 20:14:59: . Запись хранилища параметров
ScriptGen: Action end CommitccSettingsFiles 20:14:59.953
ScriptGen: Action start InstallContent 20:14:59.953
Действие 20:14:59: . Установка содержимого
Завершение действия 20:15:08: CreateInstallCacheTemp. Возвращенное значение 0.
ScriptGen: Installing new content
C:\DOCUME~1\ADMINI~1\LOCALS~1\Temp\e99351f6-674a-46fe-bbd5-06c95a5a546d\VDefs.zip with a date of 20110516.040
ScriptGen: Finalizing content
C:\DOCUME~1\ADMINI~1\LOCALS~1\Temp\e99351f6-674a-46fe-bbd5-06c95a5a546d\VDefs.zip with a date of 20110516.040
ScriptGen: Content path returned by getNewerContentPath(..., ,) for ccSubSDK_SCD_Defs is NULL!
ScriptGen: Installing new content
C:\DOCUME~1\ADMINI~1\LOCALS~1\Temp\e99351f6-674a-46fe-bbd5-06c95a5a546d\BASHDefs.zip with a date of 20110514.001
ScriptGen: Finalizing content
C:\DOCUME~1\ADMINI~1\LOCALS~1\Temp\e99351f6-674a-46fe-bbd5-06c95a5a546d\BASHDefs.zip with a date of 20110514.001
ScriptGen: Content path returned by getNewerContentPath(..., ,) for IronSettingsDefs is NULL!
ScriptGen: Content path returned by getNewerContentPath(..., ,) for IronRevocationDefs is NULL!
ScriptGen: Content path returned by getNewerContentPath(..., ,) for IronWhitelistDefs is NULL!
ScriptGen: Installing new content
C:\DOCUME~1\ADMINI~1\LOCALS~1\Temp\e99351f6-674a-46fe-bbd5-06c95a5a546d\IDSDefs.zip with a date of 20110514.005
ScriptGen: Finalizing content
C:\DOCUME~1\ADMINI~1\LOCALS~1\Temp\e99351f6-674a-46fe-bbd5-06c95a5a546d\IDSDefs.zip with a date of 20110514.005
ScriptGen: CSymContentAction::UnInstall start

SEP_INST.log

ScriptGen: CSymContentAction::UnInstall End
ScriptGen: Action end InstallContent 20:15:9.421
ScriptGen: Action start CreateFirewallException 20:15:9.421
Действие 20:15:09: . Создание исключений брандмауэра
ScriptGen: Action end CreateFirewallException 20:15:9.421
ScriptGen: Action start RunCustomActions 20:15:9.421
Действие 20:15:09: . Настройка компонентов
ScriptGen: CRunCustomAction::UnInstall()
MSI (s) (40!04) [20:15:09:421]: PROPERTY CHANGE: Adding RunSymCustomActions property. Its value is
'C:\DOCUME~1\ADMINI~1\LOCALS~1\Temp\e99351f6-674a-46fe-bbd5-06c95a5a546d\customa
ctions.xml'.
MSI (s) (40!04) [20:15:09:421]: PROPERTY CHANGE: Adding RunSymCustomActions_RB property. Its value is
'C:\DOCUME~1\ADMINI~1\LOCALS~1\Temp\e99351f6-674a-46fe-bbd5-06c95a5a546d\customa
ctions_rb.xml'.
ScriptGen: Module 'SymEFA' set to INSTALLSTATE_LOCAL, not removing file
ScriptGen: Module 'SymEvent' set to INSTALLSTATE_LOCAL, not removing file
ScriptGen: Module 'SymNetDrv' set to INSTALLSTATE_LOCAL, not removing file
ScriptGen: Module 'SRTSP' set to INSTALLSTATE_LOCAL, not removing file
ScriptGen: Action end RunCustomActions 20:15:9.421
ScriptGen: Action start StartccSettings 20:15:9.421
Действие 20:15:09: . Запуск хранилища параметров
ScriptGen: Action end StartccSettings 20:15:9.421
ScriptGen: Action start RunSISCustomActions 20:15:9.421
Действие 20:15:09: . Установка перенесенных компонентов
ScriptGen: Action end RunSISCustomActions 20:15:9.437
ScriptGen: Action start StartServices 20:15:9.437
Действие 20:15:09: . Запуск служб
ScriptGen: Loading service types and startup types
ScriptGen: Reading SymService table
ScriptGen: Service SymIRON with id: Iron0. ServiceType: KernelDriver (driver: true). StartType: System
ScriptGen: Service NAVENG with id: NAVENG. ServiceType: KernelDriver (driver: true). StartType: demand
ScriptGen: Service NAVEX15 with id: NAVEX15. ServiceType: KernelDriver (driver: true). StartType: demand
ScriptGen: Service SysPlant with id: syspltsv01. ServiceType: KernelDriver (driver: true). StartType: System
ScriptGen: Service SyDvCtrl with id: sydvsvc01. ServiceType: KernelDriver (driver: true). StartType: demand
ScriptGen: Service SNAC with id: snac. ServiceType: Win32OwnProcess (driver: false). StartType: demand
ScriptGen: Service SmcService with id: smcservice01. ServiceType: Win32OwnProcess (driver: false). StartType: demand
ScriptGen: Service SymDS with id: SymDS0. ServiceType: KernelDriver (driver: true). StartType: boot
ScriptGen: Service SymEFA with id: SymEFA0. ServiceType: FileSystemDriver (driver: true). StartType: boot
ScriptGen: Service SYMTDI with id: SymNetDrv0. ServiceType: KernelDriver (driver: true). StartType: System
ScriptGen: Service SYMTDIV with id: SymNetDrv01. ServiceType: KernelDriver (driver: true). StartType: System
ScriptGen: Service SYMNETS with id: SymNetDrv012. ServiceType: KernelDriver (driver: true). StartType: System
ScriptGen: Service BHDrvX86 with id: BASHDefs0. ServiceType: KernelDriver (driver: true). StartType: System
ScriptGen: Service BHDrvX86 with id: BASHDefs01. ServiceType: KernelDriver (driver: true). StartType: System
ScriptGen: Service SRTSPX with id: SRTSP0. ServiceType: KernelDriver (driver: true). StartType: System
ScriptGen: Service SRTSP with id: SRTSP01. ServiceType: FileSystemDriver (driver: true). StartType: System
ScriptGen: Service IDSxpx86 with id: IPSDefs0. ServiceType: KernelDriver (driver: true). StartType: demand
ScriptGen: Service IDSVix86 with id: IPSDefs01. ServiceType: KernelDriver (driver: true). StartType: System
ScriptGen: Filtering service list by feature state and conditon

SEP_INST.log

ScriptGen: Checking service. Name: SymIRON Key: Iron0
 ScriptGen: Installing, evaluating condition: "DING: (%PLATFORM% == 32)"
 ScriptGen: Condition evaluated to true
 ScriptGen: Adding service to the filtered list
 ScriptGen: Checking service. Name: NAVENG Key: NAVENG
 ScriptGen: Installing, evaluating condition: "VirusDefs_DefsDate"
 ScriptGen: Condition evaluated to true
 ScriptGen: Adding service to the filtered list
 ScriptGen: Checking service. Name: NAVEX15 Key: NAVEX15
 ScriptGen: Installing, evaluating condition: "VirusDefs_DefsDate"
 ScriptGen: Condition evaluated to true
 ScriptGen: Adding service to the filtered list
 ScriptGen: Checking service. Name: SymDS Key: SymDS0
 ScriptGen: Installing, evaluating condition: "DING: %PLATFORM% == 32"
 ScriptGen: Condition evaluated to true
 ScriptGen: Adding service to the filtered list
 ScriptGen: Checking service. Name: SymEFA Key: SymEFA0
 ScriptGen: Installing, evaluating condition: "DING: %PLATFORM% == 32 & !(%WINNTVER% == 5.1 & (%SERVICEPACKVER% == 0 | %SERVICEPACKVER% == 1))"
 ScriptGen: Condition evaluated to true
 ScriptGen: Adding service to the filtered list
 ScriptGen: Checking service. Name: SYMTDI Key: SymNetDrv0
 ScriptGen: Installing, evaluating condition: "DING: (%WINNTVER% < 6.0) & (%PLATFORM% == 32)"
 ScriptGen: Condition evaluated to true
 ScriptGen: Adding service to the filtered list
 ScriptGen: Checking service. Name: SYMTDIV Key: SymNetDrv01
 ScriptGen: Installing, evaluating condition: "DING: (%WINNTVER% == 6.0) & (%PLATFORM% == 32)"
 ScriptGen: Condition evaluated to false
 ScriptGen: Checking service. Name: SYMNETS Key: SymNetDrv012
 ScriptGen: Installing, evaluating condition: "DING: (%WINNTVER% >= 6.1) & (%PLATFORM% == 32)"
 ScriptGen: Condition evaluated to false
 ScriptGen: Checking service. Name: BHDrvx86 Key: BASHDefs0
 ScriptGen: Installing, evaluating condition: "DING: ((%PLATFORM% == 32) & (%WINNTVER% < 6.0)) & (1 == 1)"
 ScriptGen: Condition evaluated to true
 ScriptGen: Adding service to the filtered list
 ScriptGen: Checking service. Name: BHDrvx86 Key: BASHDefs01
 ScriptGen: Installing, evaluating condition: "DING: ((%PLATFORM% == 32) & (%WINNTVER% >= 6.0)) & (1 == 1)"
 ScriptGen: Condition evaluated to false
 ScriptGen: Checking service. Name: SRTSPX Key: SRTSP0
 ScriptGen: Installing, evaluating condition: "DING: %PLATFORM% == 32"
 ScriptGen: Condition evaluated to true
 ScriptGen: Adding service to the filtered list
 ScriptGen: Checking service. Name: SRTSP Key: SRTSP01
 ScriptGen: Installing, evaluating condition: "DING: %PLATFORM% == 32"
 ScriptGen: Condition evaluated to true
 ScriptGen: Adding service to the filtered list
 ScriptGen: Checking service. Name: IDSxpx86 Key: IPSDefs0
 ScriptGen: Installing, evaluating condition: "DING: ((%WINNTVER% >= 5.0) & (%WINNTVER% < 6.0) & (%PLATFORM% == 32)) & (1 == 1)"
 ScriptGen: Condition evaluated to true
 ScriptGen: Adding service to the filtered list
 ScriptGen: Checking service. Name: IDSVix86 Key: IPSDefs01
 ScriptGen: Installing, evaluating condition: "DING: ((%WINNTVER% >= 6.0) & (%PLATFORM% == 32)) & (1 == 1)"
 ScriptGen: Condition evaluated to false
 ScriptGen: Checking service. Name: RasMan Key: migr_RasManRestart
 ScriptGen: Installing, evaluating condition: "MIGRATE"
 ScriptGen: Condition evaluated to false
 ScriptGen: Checking service. Name: SysPlant Key: sysplntsv01
 ScriptGen: Installing, evaluating condition: "MIGRATE"
 ScriptGen: Condition evaluated to false
 ScriptGen: Checking service. Name: eeCtrl Key: migr_eeCtrlRestart
 ScriptGen: Installing, evaluating condition: "MIGRATE"

SEP_INST.log

ScriptGen: Condition evaluated to false
ScriptGen: Checking service. Name: SNAC Key: snacservice
ScriptGen: Installing, evaluating condition: "APPTYPE=151"
ScriptGen: Condition evaluated to false
ScriptGen: Checking service. Name: SNAC Key: stopSnac
ScriptGen: Installing, evaluating condition: "(\$snac.exe=2)"
ScriptGen: Condition evaluated to false
ScriptGen: Service list after filtering: SymIRON NAVENG NAVEX15 SymDS SymEFA
SYMIDI BHDrvX86 SRTSPX SRTSP IDSxpx86
ScriptGen: Resolving service dependencies
ScriptGen: addServiceWithDependencies: symiron
ScriptGen: serviceMap contains a elements
ScriptGen: Looking for symiron in serviceMap
ScriptGen: symiron found on serviceMap
ScriptGen: symiron is not yet added
ScriptGen: Processing symiron dependency symefa
ScriptGen: addServiceWithDependencies: symefa
ScriptGen: serviceMap contains a elements
ScriptGen: Looking for symefa in serviceMap
ScriptGen: symefa found on serviceMap
ScriptGen: symefa is not yet added
ScriptGen: Processing symefa dependency symds
ScriptGen: addServiceWithDependencies: symds
ScriptGen: serviceMap contains a elements
ScriptGen: Looking for symds in serviceMap
ScriptGen: symds found on serviceMap
ScriptGen: symds is not yet added
ScriptGen: Adding symds to the list
ScriptGen: Adding symefa to the list
ScriptGen: Processing symiron dependency symds
ScriptGen: addServiceWithDependencies: symds
ScriptGen: serviceMap contains a elements
ScriptGen: Looking for symds in serviceMap
ScriptGen: symds found on serviceMap
ScriptGen: symds is already present on service list
ScriptGen: Adding symiron to the list
ScriptGen: addServiceWithDependencies: symds
ScriptGen: serviceMap contains a elements
ScriptGen: Looking for symds in serviceMap
ScriptGen: symds found on serviceMap
ScriptGen: symds is already present on service list
ScriptGen: addServiceWithDependencies: symefa
ScriptGen: serviceMap contains a elements
ScriptGen: Looking for symefa in serviceMap
ScriptGen: symefa found on serviceMap
ScriptGen: symefa is already present on service list
ScriptGen: addServiceWithDependencies: symtdi
ScriptGen: serviceMap contains a elements
ScriptGen: Looking for symtdi in serviceMap
ScriptGen: symtdi found on serviceMap
ScriptGen: symtdi is not yet added
ScriptGen: Processing symtdi dependency symefa
ScriptGen: addServiceWithDependencies: symefa
ScriptGen: serviceMap contains a elements
ScriptGen: Looking for symefa in serviceMap
ScriptGen: symefa found on serviceMap
ScriptGen: symefa is already present on service list
ScriptGen: Adding symtdi to the list
ScriptGen: addServiceWithDependencies: bhdrvX86
ScriptGen: serviceMap contains a elements
ScriptGen: Looking for bhdrvX86 in serviceMap
ScriptGen: bhdrvX86 found on serviceMap
ScriptGen: bhdrvX86 is not yet added
ScriptGen: Processing bhdrvX86 dependency symefa
ScriptGen: addServiceWithDependencies: symefa
ScriptGen: serviceMap contains a elements
ScriptGen: Looking for symefa in serviceMap
ScriptGen: symefa found on serviceMap

SEP_INST.log

ScriptGen: symefa is already present on service list
 ScriptGen: Processing bhdrvx86 dependency symds
 ScriptGen: addServiceWithDependencies: symds
 ScriptGen: serviceMap contains a elements
 ScriptGen: Looking for symds in serviceMap
 ScriptGen: symds found on serviceMap
 ScriptGen: symds is already present on service list
 ScriptGen: Processing bhdrvx86 dependency symiron
 ScriptGen: addServiceWithDependencies: symiron
 ScriptGen: serviceMap contains a elements
 ScriptGen: Looking for symiron in serviceMap
 ScriptGen: symiron found on serviceMap
 ScriptGen: symiron is already present on service list
 ScriptGen: Processing bhdrvx86 dependency srtspk
 ScriptGen: addServiceWithDependencies: srtspk
 ScriptGen: serviceMap contains a elements
 ScriptGen: Looking for srtspk in serviceMap
 ScriptGen: srtspk found on serviceMap
 ScriptGen: srtspk is not yet added
 ScriptGen: Processing srtspk dependency symefa
 ScriptGen: addServiceWithDependencies: symefa
 ScriptGen: serviceMap contains a elements
 ScriptGen: Looking for symefa in serviceMap
 ScriptGen: symefa found on serviceMap
 ScriptGen: symefa is already present on service list
 ScriptGen: Adding srtspk to the list
 ScriptGen: Adding bhdrvx86 to the list
 ScriptGen: addServiceWithDependencies: srtspk
 ScriptGen: serviceMap contains a elements
 ScriptGen: Looking for srtspk in serviceMap
 ScriptGen: srtspk found on serviceMap
 ScriptGen: srtspk is already present on service list
 ScriptGen: Service list after resolving dependencies: symds symefa symiron symtdi srtspk bhdrvx86
 ScriptGen: StartServices::Install begin
 ScriptGen: Requesting service SymDS to start
 ScriptGen: Start action has been successfully created.
 ScriptGen: Requesting service SymEFA to start
 ScriptGen: Start action has been successfully created.
 ScriptGen: Requesting service SymIRON to start
 ScriptGen: Start action has been successfully created.
 ScriptGen: Requesting service SYMTDI to start
 ScriptGen: Start action has been successfully created.
 ScriptGen: Requesting service SRTSPK to start
 ScriptGen: Start action has been successfully created.
 ScriptGen: Requesting service BHDRvx86 to start
 ScriptGen: Start action has been successfully created.
 ScriptGen: StartServices::Install end. HRESULT: 0x0
 ScriptGen: Loading service types and startup types
 ScriptGen: Reading SymService table
 ScriptGen: Service SymIRON with id: Iron0. ServiceType: KernelDriver (driver: true). StartType: System
 ScriptGen: Service NAVENG with id: NAVENG. ServiceType: KernelDriver (driver: true). StartType: demand
 ScriptGen: Service NAVEX15 with id: NAVEX15. ServiceType: KernelDriver (driver: true). StartType: demand
 ScriptGen: Service SysPlant with id: syspltsv01. ServiceType: KernelDriver (driver: true). StartType: System
 ScriptGen: Service SyDvCtrl with id: sydvsvc01. ServiceType: KernelDriver (driver: true). StartType: demand
 ScriptGen: Service SNAC with id: snac. ServiceType: Win32OwnProcess (driver: false). StartType: demand
 ScriptGen: Service SMCService with id: smcservice01. ServiceType: Win32OwnProcess (driver: false). StartType: demand
 ScriptGen: Service SymDS with id: SymDS0. ServiceType: KernelDriver (driver: true). StartType: boot
 ScriptGen: Service SymEFA with id: SymEFA0. ServiceType: FileSystemDriver (driver: true). StartType: boot

SEP_INST.log

ScriptGen: Service SYMTDI with id: SymNetDrv0. ServiceType: KernelDriver (driver: true). StartType: System
 ScriptGen: Service SYMTDIV with id: SymNetDrv01. ServiceType: KernelDriver (driver: true). StartType: System
 ScriptGen: Service SYMNETS with id: SymNetDrv012. ServiceType: KernelDriver (driver: true). StartType: System
 ScriptGen: Service BHDrvx86 with id: BASHDefs0. ServiceType: KernelDriver (driver: true). StartType: System
 ScriptGen: Service BHDrvx86 with id: BASHDefs01. ServiceType: KernelDriver (driver: true). StartType: System
 ScriptGen: Service SRTSPX with id: SRTSP0. ServiceType: KernelDriver (driver: true). StartType: System
 ScriptGen: Service SRTSP with id: SRTSP01. ServiceType: fileSystemDriver (driver: true). StartType: System
 ScriptGen: Service IDSxpx86 with id: IPSDefs0. ServiceType: KernelDriver (driver: true). StartType: demand
 ScriptGen: Service IDSVix86 with id: IPSDefs01. ServiceType: KernelDriver (driver: true). StartType: System
 ScriptGen: Filtering service list by feature state and conditon
 ScriptGen: Checking service. Name: SymIRON Key: Iron0
 ScriptGen: Service feature state indicates it should not be processed.
 ScriptGen: Checking service. Name: NAVENG Key: NAVENG
 ScriptGen: Service feature state indicates it should not be processed.
 ScriptGen: Checking service. Name: NAVEX15 Key: NAVEX15
 ScriptGen: Service feature state indicates it should not be processed.
 ScriptGen: Checking service. Name: SymDS Key: SymDS0
 ScriptGen: Service feature state indicates it should not be processed.
 ScriptGen: Checking service. Name: SymEFA Key: SymEFA0
 ScriptGen: Service feature state indicates it should not be processed.
 ScriptGen: Checking service. Name: SYMTDI Key: SymNetDrv0
 ScriptGen: Service feature state indicates it should not be processed.
 ScriptGen: Checking service. Name: SYMTDIV Key: SymNetDrv01
 ScriptGen: Service feature state indicates it should not be processed.
 ScriptGen: Checking service. Name: SYMNETS Key: SymNetDrv012
 ScriptGen: Service feature state indicates it should not be processed.
 ScriptGen: Checking service. Name: BHDrvx86 Key: BASHDefs0
 ScriptGen: Service feature state indicates it should not be processed.
 ScriptGen: Checking service. Name: BHDrvx86 Key: BASHDefs01
 ScriptGen: Service feature state indicates it should not be processed.
 ScriptGen: Checking service. Name: SRTSPX Key: SRTSP0
 ScriptGen: Service feature state indicates it should not be processed.
 ScriptGen: Checking service. Name: SRTSP Key: SRTSP01
 ScriptGen: Service feature state indicates it should not be processed.
 ScriptGen: Checking service. Name: IDSxpx86 Key: IPSDefs0
 ScriptGen: Service feature state indicates it should not be processed.
 ScriptGen: Checking service. Name: IDSVix86 Key: IPSDefs01
 ScriptGen: Service feature state indicates it should not be processed.
 ScriptGen: Checking service. Name: RasMan Key: migr_RasManRestart
 ScriptGen: Service feature state indicates it should not be processed.
 ScriptGen: Checking service. Name: SysPlant Key: sysplntsv01
 ScriptGen: Service feature state indicates it should not be processed.
 ScriptGen: Checking service. Name: eeCtrl Key: migr_eeCtrlRestart
 ScriptGen: Service feature state indicates it should not be processed.
 ScriptGen: Checking service. Name: SNAC Key: snacservice
 ScriptGen: Service feature state indicates it should not be processed.
 ScriptGen: Checking service. Name: SNAC Key: stopSnac
 ScriptGen: Service feature state indicates it should not be processed.
 ScriptGen: Service list after filtering:
 ScriptGen: Action end StartServices 20:15:9.531
 ScriptGen: Action start RestoreServiceStartTypes 20:15:9.531
 Действие 20:15:09: .
 ScriptGen: Restoring service start type for entry "SymIRON,1,8"
 ScriptGen: Creating action for Service: SymIRON StartType: 1 Flags: 8
 ScriptGen: Restoring service start type for entry "SysPlant,1,8"
 ScriptGen: Creating action for Service: SysPlant StartType: 1 Flags: 8
 ScriptGen: Restoring service start type for entry "SymDS,0,8"
 ScriptGen: Creating action for Service: SymDS StartType: 0 Flags: 8
 ScriptGen: Restoring service start type for entry "SymEFA,0,8"

SEP_INST.log

ScriptGen: Creating action for Service: SymEFA StartType: 0 Flags: 8
ScriptGen: Restoring service start type for entry "SYMTDI,1,8"
ScriptGen: Creating action for Service: SYMTDI StartType: 1 Flags: 8
ScriptGen: Restoring service start type for entry "BHDrvx86,1,8"
ScriptGen: Creating action for Service: BHDrvx86 StartType: 1 Flags: 8
ScriptGen: Restoring service start type for entry "SRTSPX,1,8"
ScriptGen: Creating action for Service: SRTSPX StartType: 1 Flags: 8
ScriptGen: Restoring service start type for entry "SRTSP,1,8"
ScriptGen: Creating action for Service: SRTSP StartType: 1 Flags: 8
ScriptGen: Action end RestoreServiceStartTypes 20:15:9.531
ScriptGen: Action start InstallFinalize 20:15:9.531
Действие 20:15:09: . Завершение установки
ScriptGen: Reboot at end activated from installation of Firewall feature
ScriptGen: Action end InstallFinalize 20:15:9.546
MSI (s) (40!04) [20:15:09:656]: PROPERTY CHANGE: Adding InstallScriptHash property. Its value is '422da26385d21a1193f356433fbc6ad6fc7916d28119fb7a69f16291894e78e1'.
MSI (s) (40!04) [20:15:09:656]: PROPERTY CHANGE: Adding InstallScriptPath property. Its value is 'C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Scripts\installscript.sis'.
MSI (s) (40!04) [20:15:09:656]: PROPERTY CHANGE: Adding TempInstallScriptPath property. Its value is 'C:\DOCUME~1\ADMINI~1\LOCALS~1\Temp\e99351f6-674a-46fe-bbd5-06c95a5a546d\installscript.sis'.
Завершение действия 20:15:09: CreateInstallScript. Возвращенное значение 1.
MSI (s) (40:68) [20:15:09:671]: Doing action: ReparseCheck
Действие 20:15:09: ReparseCheck.
Начало действия 20:15:09: ReparseCheck.
MSI (s) (40:1C) [20:15:09:671]: Invoking remote custom action. DLL: C:\WINDOWS\Installer\MSI18.tmp, Entry point: ReparseCheck
Завершение действия 20:15:09: ReparseCheck. Возвращенное значение 1.
MSI (s) (40:68) [20:15:09:796]: Skipping action: ReparseError (condition is false)
MSI (s) (40:68) [20:15:09:796]: Doing action: SetSymlinkSrcDir
Действие 20:15:09: SetSymlinkSrcDir.
Начало действия 20:15:09: SetSymlinkSrcDir.
MSI (s) (40:68) [20:15:09:796]: PROPERTY CHANGE: Modifying SYLINKSRCDIR property. Its current value is 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Config\symlinkSourceDir\'. Its new value: 'E:\SEP\'.
Завершение действия 20:15:09: SetSymlinkSrcDir. Возвращенное значение 1.
MSI (s) (40:68) [20:15:09:796]: Doing action: SetSymSrcDir
Действие 20:15:09: SetSymSrcDir.
Начало действия 20:15:09: SetSymSrcDir.
MSI (s) (40:68) [20:15:09:796]: PROPERTY CHANGE: Modifying SYMSRCDIR property. Its current value is 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Config\SymSourceDir\'. Its new value: 'E:\SEP\'.
Завершение действия 20:15:09: SetSymSrcDir. Возвращенное значение 1.
MSI (s) (40:68) [20:15:09:796]: Skipping action: SymVerifyFeatures (condition is false)
MSI (s) (40:68) [20:15:09:796]: Skipping action: CheckUninstallPassword (condition is false)
MSI (s) (40:68) [20:15:09:796]: Skipping action: CheckUninstallPasswordFailure (condition is false)
MSI (s) (40:68) [20:15:09:796]: Doing action: InstallValidate
Действие 20:15:09: InstallValidate. Проверка установки
Начало действия 20:15:09: InstallValidate.
MSI (s) (40:68) [20:15:09:796]: Feature: Core; Installed: Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Feature: SAVMain; Installed: Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Feature: Download; Installed: Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Feature: OutlookSnapin; Installed: Absent; Request: Null; Action: Null

SEP_INST.log

MSI (s) (40:68) [20:15:09:796]: Feature: NotesSnapin; Installed: Absent;
 Request: Null; Action: Null
 MSI (s) (40:68) [20:15:09:796]: Feature: Pop3Smtplib; Installed: Absent; Request:
 Local; Action: Local
 MSI (s) (40:68) [20:15:09:796]: Feature: PTPMain; Installed: Absent; Request:
 Local; Action: Local
 MSI (s) (40:68) [20:15:09:796]: Feature: TruScan; Installed: Absent; Request:
 Local; Action: Local
 MSI (s) (40:68) [20:15:09:796]: Feature: DCMain; Installed: Absent; Request:
 Local; Action: Local
 MSI (s) (40:68) [20:15:09:796]: Feature: NTPMain; Installed: Absent; Request:
 Local; Action: Local
 MSI (s) (40:68) [20:15:09:796]: Feature: ITPMain; Installed: Absent; Request:
 Local; Action: Local
 MSI (s) (40:68) [20:15:09:796]: Feature: Firewall; Installed: Absent; Request:
 Local; Action: Local
 MSI (s) (40:68) [20:15:09:796]: Feature: LANG1049; Installed: Absent; Request:
 Local; Action: Local
 MSI (s) (40:68) [20:15:09:796]: Component: CoreFeature; Installed: Absent;
 Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:796]: Component: SAVMainFeature; Installed: Absent;
 Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:796]: Component: DownloadFeature; Installed: Absent;
 Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:796]: Component: OutlookSnapinFeature; Installed:
 Absent; Request: Null; Action: Null
 MSI (s) (40:68) [20:15:09:796]: Component: NotesSnapinFeature; Installed:
 Absent; Request: Null; Action: Null
 MSI (s) (40:68) [20:15:09:796]: Component: Pop3SmtplibFeature; Installed: Absent;
 Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:796]: Component: PTPMainFeature; Installed: Absent;
 Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:796]: Component: TruScanFeature; Installed: Absent;
 Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:796]: Component: DCMainFeature; Installed: Absent;
 Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:796]: Component: NTPMainFeature; Installed: Absent;
 Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:796]: Component: ITPMainFeature; Installed: Absent;
 Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:796]: Component: FirewallFeature; Installed: Absent;
 Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:796]: Component: LANG1049Feature; Installed: Absent;
 Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:796]: Component: Core.TempBaseDir; Installed: Absent;
 Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:796]: Component: Core.DefinitionsFolder; Installed:
 Absent; Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:796]: Component: SLICLicenseFile_snac; Installed:
 Absent; Request: Local; Action: Null
 MSI (s) (40:68) [20:15:09:796]: Component: SLICLicenseFile_ne_snac; Installed:
 Absent; Request: Local; Action: Null
 MSI (s) (40:68) [20:15:09:796]: Component: StartMenuFolders; Installed: Absent;
 Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:796]: Component: SystemRestoreConfigXP; Installed:
 Absent; Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:796]: Component: CommonAppDataFolders; Installed:
 Absent; Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:796]: Component: InBox.Folder; Installed: Absent;
 Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:796]: Component: BaseDirSubFolders; Installed: Absent;
 Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:796]: Component: Readme.txt; Installed: Absent;
 Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:796]: Component: sepmsi.grd; Installed: Absent;
 Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:796]: Component: sepmsi.sig; Installed: Absent;
 Request: Local; Action: Local

SEP_INST.log

MSI (s) (40:68) [20:15:09:796]: Component: sepmsi.spm; Installed: Absent;
 Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:796]: Component: InstallDirSubFolders; Installed:
 Absent; Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:796]: Component: StopLegacyServices_SNAC; Installed:
 Absent; Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:796]: Component: DevViewer.exe; Installed: Absent;
 Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:796]: Component: EimLoader.dll; Installed: Absent;
 Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:796]: Component: SyLinkDrop.exe; Installed: Absent;
 Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:796]: Component: RebootMgrEim.dll; Installed: Absent;
 Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:796]: Component: RebootMgrEimProxy.dll; Installed:
 Absent; Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:796]: Component: Communicator.dll; Installed: Absent;
 Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:796]: Component: SISCUSTOMACTIONSMC.dll; Installed:
 Absent; Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:796]: Component: SyLink.dll; Installed: Absent;
 Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:796]: Component: SyLinkSymInterfaceProxy.dll;
 Installed: Absent; Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:796]: Component: agentcore.dll; Installed: Absent;
 Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:796]: Component: DataMan.dll; Installed: Absent;
 Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:796]: Component: NavNTut1.dll; Installed: Absent;
 Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:796]: Component: LDDateTm.ocx; Installed: Absent;
 Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:796]: Component: LDVPCTls.ocx; Installed: Absent;
 Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:796]: Component: LDVPDlgs.ocx; Installed: Absent;
 Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:796]: Component: ldvpui.ocx; Installed: Absent;
 Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:796]: Component: Checksum.exe; Installed: Absent;
 Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:796]: Component: HITrayStatus.dll; Installed: Absent;
 Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:796]: Component: LicenseMan.dll; Installed: Absent;
 Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:796]: Component: RunOnceSessionPlugin.dll; Installed:
 Absent; Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:796]: Component: PatchWrap.exe; Installed: Absent;
 Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:796]: Component: PatchWrapPS.dll; Installed: Absent;
 Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:796]: Component: ProtectionProviderPS.dll; Installed:
 Absent; Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:796]: Component: ProtectionUtil.dll; Installed:
 Absent; Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:796]: Component: gdiplus.dll; Installed: Absent;
 Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:796]: Component: ProtectionUtilSurrogate.exe;
 Installed: Absent; Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:796]: Component: SepLiveUpdate.exe; Installed: Absent;
 Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:796]: Component: SEPSessionPlugin.dll; Installed:
 Absent; Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:796]: Component: SMCTrayStatus.dll; Installed: Absent;
 Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:796]: Component: SNACTrayStatus.dll; Installed:
 Absent; Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:796]: Component: SymCorpUI.exe; Installed: Absent;
 Request: Local; Action: Local

SEP_INST.log

MSI (s) (40:68) [20:15:09:796]: Component: SymPP.dll; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: SymDeltaDll.dll; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: CacheInstall.reg; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: SnacRegistry; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: SnacInstalledApps; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: LueEim.dll; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: SISCustomActionLUE.dll; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: LueEimProxy.dll; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: SubmissionsEim.dll; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: SubmissionsEimProxy.dll; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: RepMgtTim.dll; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: ReportSubmission.dll; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: RepMgtEimProxy.dll; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: ProfileManagementClient.dll;
Installed: Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: Eim.Loader.Data; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: Help_Client_Root_EE; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: Help_Client_Root_SBE; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: UIRebootNotification; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: SymPP.inf; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: SepHwId; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: SyLink.xml; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: TSysConf.xml; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: serdef.dat; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: server.dat; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: cltdef.dat; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: default.dat; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: stddef.dat; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: SNACStopLegacyServices; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: MigrateConfigFiles; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: ccsymworkingsetGarbageCollectorKeys;
Installed: Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: path.Expansion; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: EventViewer.Registration; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: Uninstall.Cleanup; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: SymProtect_CreateFolderComp_0;
Installed: Absent; Request: Local; Action: Local

SEP_INST.log

MSI (s) (40:68) [20:15:09:796]: Component: SymProtect_CreateFolderComp_1;
Installed: Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: ContentMetaData.dat; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: CommonBaseDirFolders; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: installscript.sis; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: startup.sis; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: failure.sis; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: startrollback.sis; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: roruMig; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: sis.dll; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: SessionShutdown.dll; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: path.Expansion.sis; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: sms.dll; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: SepMasterService; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: SISStatusDlg.exe; Installed: Absent;
Request: Local; Action: Null
MSI (s) (40:68) [20:15:09:796]: Component: sepduhandler.dll; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: sisnat.exe; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: roru.exe; Installed: Absent;
Request: Local; Action: Null
MSI (s) (40:68) [20:15:09:796]: Component: uninstallsched.dll; Installed:
Absent; Request: Local; Action: Null
MSI (s) (40:68) [20:15:09:796]: Component: isolate.ini; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: IUMetadata.reg.sis; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: langver.map; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: fallback.dat; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: maplngid.dat; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: path.Expansion.mui; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: mfc90dll.1.config; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: Microsoft.VC90.ATL.manifest;
Installed: Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: Microsoft.VC90.CRT.manifest;
Installed: Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: Microsoft.VC90.MFC.manifest;
Installed: Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: atl90.dll; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: msvcm90.dll; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: msvcp90.dll; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: msvcr90.dll; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: mfc90.dll; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: mfc90u.dll; Installed: Absent;
Request: Local; Action: Local

SEP_INST.log

MSI (s) (40:68) [20:15:09:796]: Component: mfcm90.dll; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: mfcm90u.dll; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: SepStub.exe; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: HardLinks.Common; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: ccAlert.__ccAlert.dll; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: ccEnv_CreateFolderComp_0; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: ccEnv_CreateFolderComp_1; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: ccEnv_CreateFolderComp_2; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: ccServiceHost.__ccSvc.dll; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: ccServiceHost.__ccSvcHst.exe;
Installed: Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: ccSettings.__ccSet.dll; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component:
ccSettingsGlobalStream_CreateFolderComp_0; Installed: Absent; Request: Local;
Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: ccVerifyTrust.__ccVrTrst.dll;
Installed: Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: ccErrorHandler.__ccErrDsp.dll;
Installed: Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: ccGenericEvent.__ccGEvt.dll;
Installed: Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component:
ccGenericEventData_CreateFolderComp_0; Installed: Absent; Request: Local;
Action: Local
MSI (s) (40:68) [20:15:09:796]: Component:
ccGenericEventData_CreateFolderComp_1; Installed: Absent; Request: Local;
Action: Local
MSI (s) (40:68) [20:15:09:796]: Component:
ccGenericEventData_CreateFolderComp_2; Installed: Absent; Request: Local;
Action: Local
MSI (s) (40:68) [20:15:09:796]: Component:
ccGenericEventData_CreateFolderComp_3; Installed: Absent; Request: Local;
Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: ccGenericLog.__ccGLog.dll; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: ccGenericLogData_CreateFolderComp_0;
Installed: Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: ccGenericLogData_CreateFolderComp_1;
Installed: Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: ccGenericLogData_CreateFolderComp_2;
Installed: Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: ccIPC.__ccIPC.dll; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: Reg_ccIPC0; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: ccJobMgr.__ccJobMgr.dll; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component:
ccJobMgrScheduleData_CreateFolderComp_0; Installed: Absent; Request: Local;
Action: Local
MSI (s) (40:68) [20:15:09:796]: Component:
ccJobMgrConfigDataStream_CreateFolderComp_0; Installed: Absent; Request:
Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: ccLib.__ccL100U.dll; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: ccSubEng.__ccSEBind.dll; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: ccSubEng.__ccSubEng.dll; Installed:

SEP_INST.log

Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: ccSubEng_CreateFolderComp_0;
Installed: Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component:
ccSubEngConfigurationDataStream_CreateFolderComp_0; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: LueFiles.__LUCtl.dll; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: LueFiles.__LUEng.dll; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: LueFiles.__LUSub.dll; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: LueFiles.__LUSvc.dll; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: Lue_ent_CreateFolderComp_0;
Installed: Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: Lue_ent_CreateFolderComp_1;
Installed: Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: DefUtilsDynamic.__DefUtDCD.dll;
Installed: Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: DefUtilsDynamic.__ducclib.dll;
Installed: Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: DuLuCbkFiles.__DuLuCbk.dll;
Installed: Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: MicroDefsDynamic.__patch25d.dll;
Installed: Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: MicroDefsDynamic.__SymDltCl.dll;
Installed: Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: CheckDrivers.Sep; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: ecmlldr32.__ecmlldr32.DLL; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: MSLDLL.__msl.dll; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: ccSPManifest.__ccCommon.grd;
Installed: Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: ccSPManifest.__ccCommon.sig;
Installed: Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: ccSPManifest.__ccCommon.spm;
Installed: Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: SymDSDriver.__SymDS.cat; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: SymDSDriver.__SymDS.inf; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: SymDSDriver.__SymDS.sys; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: SYMDS.__DSCli.dll; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: SymDSSPManifest.__SymDS.grd;
Installed: Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: SymDSSPManifest.__SymDS.sig;
Installed: Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: SymDSSPManifest.__SymDS.spm;
Installed: Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: SymDS_CreateFolderComp_0; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: SymDS_CreateFolderComp_1; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: SymEFADriver.__SymEFA.cat; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: SymEFADriver.__SymEFA.inf; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: SymEFADriver.__SymEFA.sys; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: SYMEFA.__EFACli.dll; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: SYMEFA.__EFAInst.exe; Installed:
Absent; Request: Local; Action: Local

SEP_INST.log

MSI (s) (40:68) [20:15:09:796]: Component: EFASPManifest.__SymEFA.grd;
Installed: Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: EFASPManifest.__SymEFA.sig;
Installed: Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: EFASPManifest.__SymEFA.spm;
Installed: Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: Sevinst.__Sevinst.exe; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: SE_SPMft.__symevnt.grd; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: SE_SPMft.__symevnt.sig; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: SE_SPMft.__symevnt.spm; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: SND_Core.__SNDSvc.dll; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: SND_Core.__SymNeti.dll; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: SND_Core.__SymRdrSv.dll; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: SND_Core.__SymRedir.dll; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: SND_Core.__WFPUnins.exe; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: SND_Data.__RULE_ORG.dat; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: SND_Data.__SET_ORG.dat; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: SND_SymProtect.__snd.grd; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: SND_SymProtect.__snd.sig; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: SND_SymProtect.__snd.spm; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: SND_DTM.__SymNet.cat; Installed:
Absent; Request: Local; Action: Null
MSI (s) (40:68) [20:15:09:796]: Component: SND_DTM.__SymNet.inf; Installed:
Absent; Request: Local; Action: Null
MSI (s) (40:68) [20:15:09:796]: Component: SND_DTMv.__symnetv.cat; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: SND_DTMv.__SymNetV.inf; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: SND_XP_Drivers.__symtdi.sys;
Installed: Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: SND_Vista_Drivers.__symtdiv.sys;
Installed: Absent; Request: Local; Action: Null
MSI (s) (40:68) [20:15:09:796]: Component: SND_win7_Drivers.__symnets.sys;
Installed: Absent; Request: Local; Action: Null
MSI (s) (40:68) [20:15:09:796]: Component: SymNetDrv_CreateFolderComp_0;
Installed: Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: ccScanW.__ccScanw.dll; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: dec_abi.__dec_abi.dll; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: VirusDefs.x86; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: BashBinaries32.__BHCA.exe; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: BashBinaries32.__BHClient.dll;
Installed: Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: BashBinaries32.__BHSvcPlg.dll;
Installed: Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: BashSPManifests.__BASH.grd;
Installed: Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: BashSPManifests.__BASH.sig;
Installed: Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: BashSPManifests.__BASH.spm;
Installed: Absent; Request: Local; Action: Local

SEP_INST.log

MSI (s) (40:68) [20:15:09:796]: Component: BashData32_.BASHOpts.bak; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: BashData32_.BASHOpts.dat; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: Bash_CreateFolderComp_0; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: IRON_CORE_.Iron.dll; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: IRONDB_.Iron.db; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: IRON_SymProtect_.iron.grd;
Installed: Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: IRON_SymProtect_.iron.sig;
Installed: Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: IRON_SymProtect_.iron.spm;
Installed: Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: Iron_Drivers_.iron.cat; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: Iron_Drivers_.Iron.inf; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: Iron_Drivers_.Ironx86.sys;
Installed: Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: IRON_Data_.Symwhite.irn; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: IRON_Data_.Symwht5.irn; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: IRON_TrstZone_.TrstZone.dll;
Installed: Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: Iron_CreateFolderComp_0; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: SRTSPOptions_Static_.SRTSPP.dat;
Installed: Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: SRTSPOptions_Dynamic_.SRTSPSE.DAT;
Installed: Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: SRTSPOptions_Dynamic_.SrtspSet.dat;
Installed: Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: SRTSPOptions_Dynamic_.SRTSPSO.DAT;
Installed: Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: SRTSPOptions_Dynamic_.SRTSPSP.DAT;
Installed: Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: SRTSPu32_.SavRT32.dll; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: SRTSPu32_.Srtsp32.dll; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: SRTSPu32_.SRTSPP.dat; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: SRTSPu32_.SRTSP_CA.exe; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: SRTSPMft_.srt.grd; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: SRTSPMft_.srt.sig; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: SRTSPMft_.srt.spm; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: SRTSPk32_.srtsp.cat; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: SRTSPk32_.srtsp.inf; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: SRTSPk32_.srtsp.sys; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: SRTSPk32_.srtsp.x.cat; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: SRTSPk32_.srtsp.x.inf; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: SRTSPk32_.srtsp.x.sys; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: SRTSP_CreateFolderComp_0; Installed:
Absent; Request: Local; Action: Local

SEP_INST.log

MSI (s) (40:68) [20:15:09:796]: Component: SRTSP_CreateFolderComp_1; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: SRTSP_CreateFolderComp_2; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: SRTSP_CreateFolderComp_3; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: HardLinks.Sep; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: AVMan.plg; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: installTeefer.exe; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: teefer.sys.Vista; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: teeferinf.Vista; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: teefer.sys.XP; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: teeferinf.XP; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: DevMan.plg; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: SfMan.plg; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: sysplant.sys; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: SysPlant.inf; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: SyDvCtrl32.sys; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: vpshell2.dll; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: CIDSMan.plg; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: BashMan.plg; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: LocalRep.plg; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: AtpiMan.plg; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: IdsTrafficPipe.dll; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: tfman.dll; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: Tse.dll; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: RepMgtMan.plg; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: AVPluginImpl.dll; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: DisableDefender.reg; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: SavMainReserveCost; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: IDSMMainReserveCost; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: SLICLicenseFile; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: SLICLicenseFile_ne; Installed:
Absent; Request: Local; Action: Null
MSI (s) (40:68) [20:15:09:796]: Component: AppDataLogFolders; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: SepCommonAppDataFolders; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: RepuSeed.irn; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: diArkive.dll; Installed: Absent;
Request: Local; Action: Local

SEP_INST.log

MSI (s) (40:68) [20:15:09:796]: Component: ProxySettings; Installed: Absent;
 Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:796]: Component: InfectedState_x86; Installed: Absent;
 Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:796]: Component: StopLegacySerivces; Installed:
 Absent; Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:796]: Component: Cliproxy.dll; Installed: Absent;
 Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:796]: Component: ComCatCacheAV; Installed: Absent;
 Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:796]: Component: ComCatCachePTP; Installed: Absent;
 Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:796]: Component: ComCatCacheNTP; Installed: Absent;
 Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:796]: Component: LuAuth.dll; Installed: Absent;
 Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:796]: Component: GEDataStore.dll; Installed: Absent;
 Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:796]: Component: HPPProtectionProvide; Installed:
 Absent; Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:796]: Component: QsInfo.dll; Installed: Absent;
 Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:796]: Component: qscomm32.dll; Installed: Absent;
 Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:796]: Component: qspak32.dll; Installed: Absent;
 Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:796]: Component: ExchngUI.ocx; Installed: Absent;
 Request: Null; Action: Null
 MSI (s) (40:68) [20:15:09:796]: Component: vpmsece.dll; Installed: Absent;
 Request: Null; Action: Null
 MSI (s) (40:68) [20:15:09:796]: Component: OutlookSessionPlugin.dll; Installed:
 Absent; Request: Null; Action: Null
 MSI (s) (40:68) [20:15:09:796]: Component: SEPOutlookAddin.dll; Installed:
 Absent; Request: Null; Action: Null
 MSI (s) (40:68) [20:15:09:796]: Component: LotNtsUI.ocx; Installed: Absent;
 Request: Null; Action: Null
 MSI (s) (40:68) [20:15:09:796]: Component: nlnvp.dll; Installed: Absent;
 Request: Null; Action: Null
 MSI (s) (40:68) [20:15:09:796]: Component: notesext.dll; Installed: Absent;
 Request: Null; Action: Null
 MSI (s) (40:68) [20:15:09:796]: Component: IMail.dll; Installed: Absent;
 Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:796]: Component: IMailUI.ocx; Installed: Absent;
 Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:796]: Component: SavEmail.dll; Installed: Absent;
 Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:796]: Component: SavEmailSeshlp.dll; Installed:
 Absent; Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:796]: Component: rtvscanPS.dll; Installed: Absent;
 Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:796]: Component: WSCSAVNotifier.exe; Installed:
 Absent; Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:796]: Component: RtvStart.exe; Installed: Absent;
 Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:796]: Component: ControlAP.exe; Installed: Absent;
 Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:796]: Component: DWHWizrd.exe; Installed: Absent;
 Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:796]: Component: i2ldvp3.dll; Installed: Absent;
 Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:796]: Component: Luawrap.exe; Installed: Absent;
 Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:796]: Component: DoScan.exe; Installed: Absent;
 Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:796]: Component: dwLdPntScan.dll; Installed: Absent;
 Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:796]: Component: nlnhook.exe; Installed: Absent;
 Request: Local; Action: Local

SEP_INST.log

MSI (s) (40:68) [20:15:09:796]: Component: nnewdefs.dll; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: SDSNAPSX.dll; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: SDPCK32I.dll; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: SAVSesHlp.dll; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: SAVStatusFinder.dll; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: CidsTrayStatus.dll; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: FWTrayStatus.dll; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: PTPTrayStatus.dll; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: SAVTrayStatus.dll; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: WinLogoutNotifier.dll; Installed:
Absent; Request: Local; Action: Null
MSI (s) (40:68) [20:15:09:796]: Component: AVHostPlugin.dll; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: CidsEim.dll; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: CidsEimProxy.dll; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: BashEim.dll; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: BashEimProxy.dll; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: AtpiEim.dll; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: AtpiEimProxy.dll; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: sysfer.dll; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: sysferThunk.dll; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: SepInstalledApps; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: DCMain_Registry; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: Overwrite.Reg; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: DefWatch.reg; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: DefaultFullScanOptions.reg;
Installed: Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: DefaultCustomScanOptions.reg;
Installed: Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: HeuristicReDetection.reg; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: Base.reg; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: SavMainUI.dll; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: SavUI.exe; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: scandlg.dll; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: webshell.dll; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: FixExtend.exe; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: MigrateUserScans.exe; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: SISCUSTOMActionBash.dll; Installed:
Absent; Request: Local; Action: Local

SEP_INST.log

MSI (s) (40:68) [20:15:09:796]: Component: SISCUSTOMACTIONSCANSETTINGS.dll;
Installed: Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: SUBMISSIONSSISCUSTOMACTION.dll;
Installed: Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: SUBMISSIONSSISOPTOUTCUSTOMACTION.dll;
Installed: Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: SISCUSTOMACTIONCIDS.dll; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: IUMETADATA.REG; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: AUTOPROTECT.NETWORKTRUST.REG;
Installed: Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: EIM.LOADER.DATA.SEP; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: QUARANTINE.MIGRATION; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: LOG.MIGRATION; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: REMOVE.LOG.KEYS; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: SYSTEMSNAPSHOTRULES.BIN; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: COUNTRY.DAT; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: PLATFORM.DAT; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: SCANCFG.DAT; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: DEC3.CFG; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: SDI.DAT; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: PROTECTION.DAT; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: SCSSAV.GRD; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: SCSSAV.SIG; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: SCSSAV.SPM; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: LICENSE.RTF; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: DUMMYPTPCOMPONENT; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: DUMMYNTPCOMPONENT; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: PATH.EXPANSIONSEP; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: SEPUNINSTALL.CLEANUP; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: IDS_Core_.IDS Aux.dll; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: IDS_Core_.IPSFFP1.dll; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: IDS_Core_.IPSPUG.dll; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:796]: Component: IDS_Bho_.IPSBHO.dll; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: IDS_Data_.IDSSettg.dat; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: IDS_SymProtect_.cids.grd; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: IDS_SymProtect_.cids.sig; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: IDS_SymProtect_.cids.spm; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: CLIENTIDS_CreateFolderComp_0;
Installed: Absent; Request: Local; Action: Local

SEP_INST.log

MSI (s) (40:68) [20:15:09:812]: Component: ClientIDS_CreateFolderComp_1;
Installed: Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: ccEmailProxy.__.ccEmIPxy.dll;
Installed: Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: ccEmailProxyAppData.__.EMPxyOpt.dat;
Installed: Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: ccOEH.__.OEHeur.dll; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: MUI.__.rcAlert.dll; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: MUI.__.rcEmIPxy.dll; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: MUI.__.rcErrDsp.dll; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: MUI.__.rcSvcHst.dll; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: FwsVpn.dll; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: CommonMan.plg; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: GUProxy.plg; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: ProfileMgrMan.plg; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: LUMan.plg; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: MakeDatPerm; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: Netport.dll; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: PSSensor.dll; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: ProductRegComPS.dll; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: RebootMgrMan.plg; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: setaid.dll; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: sfConfig.dll; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: SgHI.dll; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: SmcGui.exe; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: smcinst.exe; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: SpNet.dll; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: SyLog.dll; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: SymVPN.dll; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: SymVPNImpl.dll; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: Trident.dll; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: tseConfig.dll; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: ProfileManagement.dll; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: snac.exe; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: SubmissionsMan.plg; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: Smc.exe; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: dot1xtray.exe; Installed: Absent;
Request: Local; Action: Local

SEP_INST.log

MSI (s) (40:68) [20:15:09:812]: Component: NacManager.plg; Installed: Absent;
 Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:812]: Component: snacnp.dll; Installed: Absent;
 Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:812]: Component: RasSymEap.dll; Installed: Absent;
 Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:812]: Component: SymNAPSHAgent.dll; Installed: Absent;
 Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:812]: Component: SymRasMan.dll; Installed: Absent;
 Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:812]: Component: WGX.SYS; Installed: Absent;
 Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:812]: Component: WGXMAN.DLL; Installed: Absent;
 Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:812]: Component: SnacReserveCost; Installed: Absent;
 Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:812]: Component: path.Expansion86; Installed: Absent;
 Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:812]: Component: ControlAPRes.dll; Installed: Absent;
 Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:812]: Component: DWHwizrdRes.dll; Installed: Absent;
 Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:812]: Component: DoScanRes.dll; Installed: Absent;
 Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:812]: Component: SAVSeshlpRes.dll; Installed: Absent;
 Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:812]: Component: PScanRes.dll; Installed: Absent;
 Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:812]: Component: WSCSAVNotifierRes.dll; Installed:
 Absent; Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:812]: Component: CidseimRes.dll; Installed: Absent;
 Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:812]: Component: CIDSMANRes.dll; Installed: Absent;
 Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:812]: Component: RepMgtTimRes.dll; Installed: Absent;
 Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:812]: Component: HPPProtectionProviderUIRes.dll;
 Installed: Absent; Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:812]: Component: webshellRes.dll; Installed: Absent;
 Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:812]: Component: VpshellRes.dll; Installed: Absent;
 Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:812]: Component: SymProtectUIRes.dll; Installed:
 Absent; Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:812]: Component: ScanDlgsRes.dll; Installed: Absent;
 Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:812]: Component: SavMainUIRes.dll; Installed: Absent;
 Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:812]: Component: LDVPURes.dll; Installed: Absent;
 Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:812]: Component: LDVPDlgsRes.dll; Installed: Absent;
 Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:812]: Component: LDVPCTlsRes.dll; Installed: Absent;
 Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:812]: Component: ExchngUIRes.dll; Installed: Absent;
 Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:812]: Component: vpmseceRes.dll; Installed: Absent;
 Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:812]: Component: LotNtsUIRes.dll; Installed: Absent;
 Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:812]: Component: notesextRes.dll; Installed: Absent;
 Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:812]: Component: IMailRes.dll; Installed: Absent;
 Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:812]: Component: IMailUIRes.dll; Installed: Absent;
 Request: Local; Action: Local
 MSI (s) (40:68) [20:15:09:812]: Component: ActaRes.dll; Installed: Absent;
 Request: Local; Action: Local

SEP_INST.log

MSI (s) (40:68) [20:15:09:812]: Component: AVManRes.dll; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: DevManRes.dll; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: GUProxyRes.dll; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: LicenseManRes.dll; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: LDDateTmRes.dll; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: LueEimRes.dll; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: LUManRes.dll; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: NacManagerRes.dll; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: NetportRes.dll; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: SEPSessionPluginRes.dll; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: SfManRes.dll; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: SgHIRes.dll; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: SmcGuiRes.dll; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: SmcInstRes.dll; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: SmcRes.dll; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: SpNetRes.dll; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: SubmissionsEimRes.dll; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: SyLinkRes.dll; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: TseConfigRes.dll; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: TseRes.dll; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: ProtectionUtilRes.dll; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: RebootMgrEimRes.dll; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: SymCorpUIRes.dll; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: SavEmailSeshlpRes.dll; Installed:
Absent; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: SavUIRes.dll; Installed: Absent;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: SISStatusDlgRes.dll; Installed:
Absent; Request: Local; Action: Null
MSI (s) (40:68) [20:15:09:812]: Component: __HITrayStatus.dll65; Installed:
Null; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: __LueEim.dll65; Installed: Null;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: __ProfileManagementClient.dll65;
Installed: Null; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: __Eim.Loader.Data65; Installed: Null;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: __ProxySettings65; Installed: Null;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: __SepCommonAppDataFolders65;
Installed: Null; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: __SLICLicenseFile_snac65; Installed:
Null; Request: Local; Action: Null
MSI (s) (40:68) [20:15:09:812]: Component: __SLICLicenseFile_ne_snac65;
Installed: Null; Request: Local; Action: Null

SEP_INST.log

MSI (s) (40:68) [20:15:09:812]: Component: __SymCorpUI.exe65; Installed: Null;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: __roru.exe65; Installed: Null;
Request: Local; Action: Null
MSI (s) (40:68) [20:15:09:812]: Component: __isolate.ini65; Installed: Null;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: __isolate.ini66; Installed: Null;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: __isolate.ini67; Installed: Null;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: __SLICLicenseFile65; Installed: Null;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: __SLICLicenseFile_ne65; Installed:
Null; Request: Local; Action: Null
MSI (s) (40:68) [20:15:09:812]: Component: __AtpiEim.dll65; Installed: Null;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: __SEPUninstall.Cleanup65; Installed:
Null; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: __Smc.exe65; Installed: Null;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component:
__ccSymworkingSetGarbageCollectorKeys65; Installed: Null; Request: Local;
Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: __path.Expansion65; Installed: Null;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: __installscript.sis65; Installed:
Null; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: __path.Expansion.sis65; Installed:
Null; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: __IUMetadata.reg.sis65; Installed:
Null; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: __path.Expansion.mui65; Installed:
Null; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: __IUMetadata.reg65; Installed: Null;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: __path.ExpansionSep65; Installed:
Null; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: __path.Expansion8665; Installed:
Null; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: __Uninstall.Cleanup65; Installed:
Null; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: __CommonBaseDirFolders65; Installed:
Null; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: __sis.dll65; Installed: Null;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: __sms.dll65; Installed: Null;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: __sepduhandler.dll65; Installed:
Null; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: __uninstallsched.dll65; Installed:
Null; Request: Local; Action: Null
MSI (s) (40:68) [20:15:09:812]: Component: __isolate.ini68; Installed: Null;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: __Reg_ccIPC065; Installed: Null;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: __diArkive.dll65; Installed: Null;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: __FixExtend.exe65; Installed: Null;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: __MigrateUserScans.exe65; Installed:
Null; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: __snac.exe65; Installed: Null;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: __Smc.exe66; Installed: Null;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: __RebootMgrEim.dll65; Installed:
Null; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: __RebootMgrEimProxy.dll65; Installed:

SEP_INST.log

Null; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: __Communicator.dll65; Installed:
Null; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: __SISCustomActionSMC.dll65;
Installed: Null; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: __SyLink.dll65; Installed: Null;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: __SyLinkSymInterfaceProxy.dll65;
Installed: Null; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: __agentcore.dll65; Installed: Null;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: __HITrayStatus.dll66; Installed:
Null; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: __LicenseMan.dll65; Installed: Null;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: __SMCTrayStatus.dll65; Installed:
Null; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: __SNACTrayStatus.dll65; Installed:
Null; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: __LueEim.dll66; Installed: Null;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: __SISCustomActionLUE.dll65;
Installed: Null; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: __LueEimProxy.dll65; Installed: Null;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: __SubmissionsEim.dll65; Installed:
Null; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: __SubmissionsEimProxy.dll65;
Installed: Null; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: __RepMgtTim.dll65; Installed: Null;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: __ReportSubmission.dll65; Installed:
Null; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: __RepMgtEimProxy.dll65; Installed:
Null; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: __ProfileManagementClient.dll66;
Installed: Null; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: __AtpiMan.plg65; Installed: Null;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: __GEDataStore.dll65; Installed: Null;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: __SavEmail.dll65; Installed: Null;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: __SavEmailSesHlp.dll65; Installed:
Null; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: __rtvscanPS.dll65; Installed: Null;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: __CidsTrayStatus.dll65; Installed:
Null; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: __FWTrayStatus.dll65; Installed:
Null; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: __PTPTrayStatus.dll65; Installed:
Null; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: __SAVTrayStatus.dll65; Installed:
Null; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: __AVHostPlugin.dll65; Installed:
Null; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: __CidsEim.dll65; Installed: Null;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: __CidsEimProxy.dll65; Installed:
Null; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: __BashEim.dll65; Installed: Null;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: __BashEimProxy.dll65; Installed:
Null; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: __AtpiEim.dll66; Installed: Null;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: __AtpiEimProxy.dll65; Installed:

SEP_INST.log

```

Null; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: __SISCustomActionBash.dll65;
Installed: Null; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: __SISCustomActionScanSettings.dll65;
Installed: Null; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: __SubmissionsSISCustomAction.dll65;
Installed: Null; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component:
__SubmissionsSISOptOutCustomAction.dll65; Installed: Null; Request: Local;
Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: __SISCustomActionCIDS.dll65;
Installed: Null; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: __SgHI.dll65; Installed: Null;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: __ProfileManagement.dll65; Installed:
Null; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: __SyLink.xml65; Installed: Null;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: __SyLink.xml66; Installed: Null;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: __serdef.dat65; Installed: Null;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: __serdef.dat66; Installed: Null;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: __sdi.dat65; Installed: Null;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: __sdi.dat66; Installed: Null;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: __SLICLicenseFile_snac66; Installed:
Null; Request: Local; Action: Null
MSI (s) (40:68) [20:15:09:812]: Component: __SLICLicenseFile_ne_snac66;
Installed: Null; Request: Local; Action: Null
MSI (s) (40:68) [20:15:09:812]: Component: __SepHwId65; Installed: Null;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: __SLICLicenseFile66; Installed: Null;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: __SLICLicenseFile_ne66; Installed:
Null; Request: Local; Action: Null
MSI (s) (40:68) [20:15:09:812]: Component: __SnacReserveCost65; Installed: Null;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: __SavMainReserveCost65; Installed:
Null; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: __IDSMMainReserveCost65; Installed:
Null; Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: __SnacReserveCost66; Installed: Null;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Component: __SnacReserveCost67; Installed: Null;
Request: Local; Action: Local
MSI (s) (40:68) [20:15:09:812]: Note: 1: 2205 2: 3: BindImage
MSI (s) (40:68) [20:15:09:812]: Note: 1: 2205 2: 3: ProgId
MSI (s) (40:68) [20:15:09:812]: Note: 1: 2205 2: 3: PublishComponent
MSI (s) (40:68) [20:15:09:812]: Note: 1: 2205 2: 3: SelfReg
MSI (s) (40:68) [20:15:09:812]: Note: 1: 2205 2: 3: Extension
MSI (s) (40:68) [20:15:09:812]: Note: 1: 2205 2: 3: Font
MSI (s) (40:68) [20:15:09:812]: Note: 1: 2205 2: 3: Shortcut
MSI (s) (40:68) [20:15:09:812]: Note: 1: 2205 2: 3: Class
MSI (s) (40:68) [20:15:09:812]: Note: 1: 2205 2: 3: _RemoveFilePath
MSI (s) (40:68) [20:15:09:843]: Note: 1: 2756 2: FoundSepHwId
MSI (s) (40:68) [20:15:09:859]: PROPERTY CHANGE: Modifying CostingComplete
property. Its current value is '0'. Its new value: '1'.
MSI (s) (40:68) [20:15:09:859]: Note: 1: 2205 2: 3: BindImage
MSI (s) (40:68) [20:15:09:859]: Note: 1: 2205 2: 3: ProgId
MSI (s) (40:68) [20:15:09:859]: Note: 1: 2205 2: 3: PublishComponent
MSI (s) (40:68) [20:15:09:859]: Note: 1: 2205 2: 3: SelfReg
MSI (s) (40:68) [20:15:09:859]: Note: 1: 2205 2: 3: Extension
MSI (s) (40:68) [20:15:09:859]: Note: 1: 2205 2: 3: Font
MSI (s) (40:68) [20:15:09:859]: Note: 1: 2205 2: 3: Shortcut
MSI (s) (40:68) [20:15:09:859]: Note: 1: 2205 2: 3: Class

```

SEP_INST.log

MSI (s) (40:68) [20:15:09:859]: Note: 1: 2727 2:
MSI (s) (40:68) [20:15:09:859]: Note: 1: 2727 2:
Завершение действия 20:15:09: InstallValidate. Возвращенное значение 1.
MSI (s) (40:68) [20:15:09:859]: Doing action: SetARPINSTALLLOCATION
действие 20:15:09: SetARPINSTALLLOCATION.
Начало действия 20:15:09: SetARPINSTALLLOCATION.
MSI (s) (40:68) [20:15:09:859]: PROPERTY CHANGE: Adding ARPINSTALLLOCATION
property. Its value is 'C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\'.
Завершение действия 20:15:09: SetARPINSTALLLOCATION. Возвращенное значение 1.
MSI (s) (40:68) [20:15:09:859]: Doing action:
persistData.87654321_4321_4321_4321_210987654321
действие 20:15:09: persistData.87654321_4321_4321_4321_210987654321. Сохранение
данных в отложенном режиме
Начало действия 20:15:09: persistData.87654321_4321_4321_4321_210987654321.
MSI (s) (40:40) [20:15:09:859]: Invoking remote custom action. DLL:
C:\WINDOWS\Installer\MSI19.tmp, Entrypoint: persistData
IDCCA: Machine ID: 8fcc7e1e95ea9aa37d20d9a661d539cef55c7b20
Завершение действия 20:15:10: persistData.87654321_4321_4321_4321_210987654321.
Возвращенное значение 1.
MSI (s) (40:68) [20:15:10:031]: Doing action: InstallInitialize
действие 20:15:10: InstallInitialize.
Начало действия 20:15:10: InstallInitialize.
MSI (s) (40:68) [20:15:10:031]: Machine policy value 'AlwaysInstallElevated' is
0
MSI (s) (40:68) [20:15:10:031]: User policy value 'AlwaysInstallElevated' is 0
MSI (s) (40:68) [20:15:10:031]: BeginTransaction: Locking Server
MSI (s) (40:68) [20:15:10:031]: Machine policy value
'LimitSystemRestoreCheckpointing' is 0
MSI (s) (40:68) [20:15:10:031]: Note: 1: 1715 2: Symantec Endpoint Protection
MSI (s) (40:68) [20:15:10:031]: Calling SRSetRestorePoint API. dwRestorePtType:
0, dwEventType: 102, llSequenceNumber: 0, szDescription: "Установлено: Symantec
Endpoint Protection."
MSI (s) (40:68) [20:15:14:109]: The call to SRSetRestorePoint API succeeded.
Returned status: 0, llSequenceNumber: 4.
MSI (s) (40:68) [20:15:14:109]: Server not locked: locking for product
{816230FE-84A1-47CC-BF64-C113014BD15B}
Завершение действия 20:15:14: InstallInitialize. Возвращенное значение 1.
MSI (s) (40:68) [20:15:14:375]: Doing action:
installFailure.87654321_4321_4321_4321_210987654321
действие 20:15:14: installFailure.87654321_4321_4321_4321_210987654321. запись
сбоя установки в журнал
Начало действия 20:15:14: installFailure.87654321_4321_4321_4321_210987654321.
MSI (s) (40:68) [20:15:14:375]: Note: 1: 2205 2: 3: MsiPatchCertificate
MSI (s) (40:68) [20:15:14:375]: LUA patching is disabled: missing
MsiPatchCertificate table
действие 20:15:14: GenerateScript. Создание операций сценария для макрокоманды:
GenerateScript: Запись сбоя установки в журнал
Завершение действия 20:15:14:
installFailure.87654321_4321_4321_4321_210987654321. Возвращенное значение 1.
MSI (s) (40:68) [20:15:14:375]: Skipping action:
repairFailure.87654321_4321_4321_4321_210987654321 (condition is false)
MSI (s) (40:68) [20:15:14:375]: Skipping action:
uninstallFailure.87654321_4321_4321_4321_210987654321 (condition is false)
MSI (s) (40:68) [20:15:14:375]: Doing action: CommunicateRollbackData
действие 20:15:14: CommunicateRollbackData.
Начало действия 20:15:14: CommunicateRollbackData.
MSI (s) (40:68) [20:15:14:375]: PROPERTY CHANGE: Adding CommunicateRollback
property. Its value is '12.1.671.4971;E:\SEP\;;105'.
Завершение действия 20:15:14: CommunicateRollbackData. Возвращенное значение 1.
MSI (s) (40:68) [20:15:14:375]: Doing action: CommunicateRollback
действие 20:15:14: CommunicateRollback.
Начало действия 20:15:14: CommunicateRollback.
CommunicateRollback:
Завершение действия 20:15:14: CommunicateRollback. Возвращенное значение 1.
MSI (s) (40:68) [20:15:14:390]: Skipping action: CopyNamedFilesData (condition
is false)
MSI (s) (40:68) [20:15:14:390]: Skipping action: CopyNamedFiles (condition is

SEP_INST.log

```

false)
MSI (s) (40:68) [20:15:14:390]: Skipping action: CustomUninstall_Data (condition
is false)
MSI (s) (40:68) [20:15:14:390]: Skipping action: CustomUninstall_RB (condition
is false)
MSI (s) (40:68) [20:15:14:390]: Skipping action: CustomUninstall (condition is
false)
MSI (s) (40:68) [20:15:14:390]: Doing action: ShowServiceProgress_Data
Действие 20:15:14: ShowServiceProgress_Data.
Начало действия 20:15:14: ShowServiceProgress_Data.
MSI (s) (40:68) [20:15:14:390]: PROPERTY CHANGE: Adding ShowServiceProgress
property. Its value is
'{472D8985-7554-4137-AC02-1CD4D7F06876};SOFTWARE\Symantec\Symantec Endpoint
Protection;Выполнение сценария установки с помощью службы;'.
Завершение действия 20:15:14: ShowServiceProgress_Data. Возвращенное значение 1.
MSI (s) (40:68) [20:15:14:390]: Doing action: ProcessComponents
Действие 20:15:14: ProcessComponents. Обновление регистрации компонентов
Начало действия 20:15:14: ProcessComponents.
1: Обновление регистрации компонентов
Завершение действия 20:15:14: ProcessComponents. Возвращенное значение 1.
MSI (s) (40:68) [20:15:14:406]: Doing action: UnpublishFeatures
Действие 20:15:14: UnpublishFeatures. Отмена публикации компонентов продукта
Начало действия 20:15:14: UnpublishFeatures.
Завершение действия 20:15:14: UnpublishFeatures. Возвращенное значение 1.
MSI (s) (40:68) [20:15:14:406]: Skipping action: FlushUninstallJobs_Data
(condition is false)
MSI (s) (40:68) [20:15:14:406]: Skipping action: FlushUninstallJobs (condition
is false)
MSI (s) (40:68) [20:15:14:406]: Skipping action: NotifySMCofUninstall (condition
is false)
MSI (s) (40:68) [20:15:14:406]: Skipping action: PrepCloseUI (condition is
false)
MSI (s) (40:68) [20:15:14:406]: Skipping action: CloseUI (condition is false)
MSI (s) (40:68) [20:15:14:406]: Skipping action: StopSMC (condition is false)
MSI (s) (40:68) [20:15:14:406]: Skipping action: StopSMS_RB_Data (condition is
false)
MSI (s) (40:68) [20:15:14:406]: Skipping action: StopSMS_RB (condition is false)
MSI (s) (40:68) [20:15:14:406]: Skipping action: StopSMS_Data (condition is
false)
MSI (s) (40:68) [20:15:14:406]: Skipping action: StopSMS (condition is false)
MSI (s) (40:68) [20:15:14:406]: Skipping action: UninstallSymFirewallExceptions
(condition is false)
MSI (s) (40:68) [20:15:14:406]: Doing action: StopServices
Действие 20:15:14: StopServices. Остановка служб
Начало действия 20:15:14: StopServices.
StopServices: Служба: Остановка служб
Завершение действия 20:15:14: StopServices. Возвращенное значение 1.
MSI (s) (40:68) [20:15:14:406]: Skipping action: UninstallccSettingsValues_RB
(condition is false)
MSI (s) (40:68) [20:15:14:406]: Skipping action: UninstallccSettingsValues
(condition is false)
MSI (s) (40:68) [20:15:14:406]: Doing action: DeleteServices
Действие 20:15:14: DeleteServices. Удаление служб
Начало действия 20:15:14: DeleteServices.
DeleteServices: Служба: Удаление служб
Завершение действия 20:15:14: DeleteServices. Возвращенное значение 1.
MSI (s) (40:68) [20:15:14:406]: Doing action: CleanInstallDeleteSMS_RB_Data
Действие 20:15:14: CleanInstallDeleteSMS_RB_Data.
Начало действия 20:15:14: CleanInstallDeleteSMS_RB_Data.
MSI (s) (40:68) [20:15:14:421]: PROPERTY CHANGE: Adding CleanInstallDeleteSMS_RB
property. Its value is 'SepMasterService'.
Завершение действия 20:15:14: CleanInstallDeleteSMS_RB_Data. Возвращенное
значение 1.
MSI (s) (40:68) [20:15:14:421]: Doing action: CleanInstallDeleteSMS_RB
Действие 20:15:14: CleanInstallDeleteSMS_RB.
Начало действия 20:15:14: CleanInstallDeleteSMS_RB.
CleanInstallDeleteSMS_RB:
Завершение действия 20:15:14: CleanInstallDeleteSMS_RB. Возвращенное значение 1.

```

SEP_INST.log

MSI (s) (40:68) [20:15:14:421]: Doing action: CleanInstallStopSMS_RB_Data
 Действие 20:15:14: CleanInstallStopSMS_RB_Data.
 Начало действия 20:15:14: CleanInstallStopSMS_RB_Data.
 MSI (s) (40:68) [20:15:14:421]: PROPERTY CHANGE: Adding CleanInstallStopSMS_RB property. Its value is 'SepMasterService'.
 Завершение действия 20:15:14: CleanInstallStopSMS_RB_Data. Возвращенное значение 1.
 MSI (s) (40:68) [20:15:14:421]: Doing action: CleanInstallStopSMS_RB
 Действие 20:15:14: CleanInstallStopSMS_RB.
 Начало действия 20:15:14: CleanInstallStopSMS_RB.
 CleanInstallStopSMS_RB:
 Завершение действия 20:15:14: CleanInstallStopSMS_RB. Возвращенное значение 1.
 MSI (s) (40:68) [20:15:14:421]: Skipping action: DeleteSepMasterService_RB_Data (condition is false)
 MSI (s) (40:68) [20:15:14:421]: Skipping action: DeleteSepMasterService_RB (condition is false)
 MSI (s) (40:68) [20:15:14:421]: Skipping action: DeleteSepMasterService_Data (condition is false)
 MSI (s) (40:68) [20:15:14:421]: Skipping action: DeleteSepMasterService (condition is false)
 MSI (s) (40:68) [20:15:14:421]: Skipping action: RestoreRasManSettings_RB (condition is false)
 MSI (s) (40:68) [20:15:14:421]: Skipping action: RestoreRasManSettings (condition is false)
 MSI (s) (40:68) [20:15:14:421]: Doing action: SymDeleteServices_RB
 Действие 20:15:14: SymDeleteServices_RB. Восстановление служб, выбранных для удаления
 Начало действия 20:15:14: SymDeleteServices_RB.
 SymDeleteServices_RB: Восстановление служб, выбранных для удаления
 Завершение действия 20:15:14: SymDeleteServices_RB. Возвращенное значение 1.
 MSI (s) (40:68) [20:15:14:421]: Doing action: SymDeleteServices
 Действие 20:15:14: SymDeleteServices. Выбор служб для удаления при перезагрузке
 Начало действия 20:15:14: SymDeleteServices.
 SymDeleteServices: Выбор служб для удаления при перезагрузке
 Завершение действия 20:15:14: SymDeleteServices. Возвращенное значение 1.
 MSI (s) (40:68) [20:15:14:437]: Skipping action: UninstallFirewall_Data (condition is false)
 MSI (s) (40:68) [20:15:14:437]: Skipping action: UninstallFirewall_RBData (condition is false)
 MSI (s) (40:68) [20:15:14:437]: Skipping action: UninstallFirewall_RB (condition is false)
 MSI (s) (40:68) [20:15:14:437]: Skipping action: UninstallFirewall (condition is false)
 MSI (s) (40:68) [20:15:14:437]: Skipping action: UnregisterAVFromWSCData (condition is false)
 MSI (s) (40:68) [20:15:14:437]: Skipping action: UnregisterAVFromWSC (condition is false)
 MSI (s) (40:68) [20:15:14:437]: Skipping action: UnregisterASFromWSCData (condition is false)
 MSI (s) (40:68) [20:15:14:437]: Skipping action: UnregisterASFromWSC (condition is false)
 MSI (s) (40:68) [20:15:14:437]: Skipping action: UnregisterFWFromWSCData (condition is false)
 MSI (s) (40:68) [20:15:14:437]: Skipping action: UnregisterFWFromWSC (condition is false)
 MSI (s) (40:68) [20:15:14:437]: Skipping action: SymDeleteRegistryLinks_Data (condition is false)
 MSI (s) (40:68) [20:15:14:437]: Skipping action: SymDeleteRegistryLinks (condition is false)
 MSI (s) (40:68) [20:15:14:437]: Skipping action: SymDeleteRegistryLinks_RB_Data (condition is false)
 MSI (s) (40:68) [20:15:14:437]: Skipping action: SymDeleteRegistryLinks_RB (condition is false)
 MSI (s) (40:68) [20:15:14:437]: Doing action: RemoveRegistryValues
 Действие 20:15:14: RemoveRegistryValues. Удаление параметров системного реестра
 Начало действия 20:15:14: RemoveRegistryValues.
 RemoveRegistryValues: Раздел: Удаление параметров системного реестра, имя:
 MSI (s) (40:68) [20:15:14:437]: Note: 1: 2205 2: 3: sidCache

SEP_INST.log

MSI (s) (40:68) [20:15:14:437]: Using well known SID for System
 MSI (s) (40:68) [20:15:14:437]: Finished allocating new user SID
 Завершение действия 20:15:14: RemoveRegistryValues. Возвращенное значение 1.
 MSI (s) (40:68) [20:15:14:437]: Skipping action: LeaveVolatileUninstallKey (condition is false)
 MSI (s) (40:68) [20:15:14:437]: Skipping action: RemoveOutlookPlugin (condition is false)
 MSI (s) (40:68) [20:15:14:437]: Skipping action: SetWindowsFirewallState_RB_Data (condition is false)
 MSI (s) (40:68) [20:15:14:437]: Skipping action: SetWindowsFirewallState_RB (condition is false)
 MSI (s) (40:68) [20:15:14:437]: Skipping action: SetWindowsFirewallState_Data (condition is false)
 MSI (s) (40:68) [20:15:14:437]: Skipping action: SetWindowsFirewallState (condition is false)
 MSI (s) (40:68) [20:15:14:437]: Doing action: RemoveIniValues
 Действие 20:15:14: RemoveIniValues. Удаление записей в INI-файлах
 Начало действия 20:15:14: RemoveIniValues.
 Завершение действия 20:15:14: RemoveIniValues. Возвращенное значение 1.
 MSI (s) (40:68) [20:15:14:437]: Doing action: RemoveDuplicateFiles
 Действие 20:15:14: RemoveDuplicateFiles. Удаление дублирующихся файлов
 Начало действия 20:15:14: RemoveDuplicateFiles.
 Завершение действия 20:15:14: RemoveDuplicateFiles. Возвращенное значение 1.
 MSI (s) (40:68) [20:15:14:437]: Skipping action: QuarantineCleanupData (condition is false)
 MSI (s) (40:68) [20:15:14:437]: Skipping action: QuarantineCleanup (condition is false)
 MSI (s) (40:68) [20:15:14:437]: Skipping action: RunSymCustomActions_RB (condition is false)
 MSI (s) (40:68) [20:15:14:437]: Skipping action: RunSymCustomActions (condition is false)
 MSI (s) (40:68) [20:15:14:437]: Doing action: SymRemoveEmptyFolders_Data
 Действие 20:15:14: SymRemoveEmptyFolders_Data.
 Начало действия 20:15:14: SymRemoveEmptyFolders_Data.
 MSI (s) (40:68) [20:15:14:437]: PROPERTY CHANGE: Adding SymRemoveEmptyFolders property. Its value is 'C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\;C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\;C:\Program Files\Symantec\Symantec Endpoint Protection\;C:\Program Files\Symantec\'.
 Завершение действия 20:15:14: SymRemoveEmptyFolders_Data. Возвращенное значение 1.
 MSI (s) (40:68) [20:15:14:437]: Doing action: SymRemoveEmptyFolders
 Действие 20:15:14: SymRemoveEmptyFolders.
 Начало действия 20:15:14: SymRemoveEmptyFolders.
 SymRemoveEmptyFolders:
 Завершение действия 20:15:14: SymRemoveEmptyFolders. Возвращенное значение 1.
 MSI (s) (40:68) [20:15:14:437]: Doing action: RemoveFiles
 Действие 20:15:14: RemoveFiles. Удаление файлов
 Начало действия 20:15:14: RemoveFiles.
 Завершение действия 20:15:14: RemoveFiles. Возвращенное значение 1.
 MSI (s) (40:68) [20:15:14:437]: Doing action: CreateInstallDataXML_RB_Data
 Действие 20:15:14: CreateInstallDataXML_RB_Data.
 Начало действия 20:15:14: CreateInstallDataXML_RB_Data.
 MSI (s) (40:68) [20:15:14:437]: PROPERTY CHANGE: Adding CreateInstallDataXML_RB property. Its value is 'C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\;C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Scripts\installscript.sis'.
 Завершение действия 20:15:14: CreateInstallDataXML_RB_Data. Возвращенное значение 1.
 MSI (s) (40:68) [20:15:14:437]: Doing action: SymRemoveFiles_RB_Data
 Действие 20:15:14: SymRemoveFiles_RB_Data.
 Начало действия 20:15:14: SymRemoveFiles_RB_Data.
 MSI (s) (40:68) [20:15:14:437]: PROPERTY CHANGE: Adding SymRemoveFiles_RB property. Its value is 'C:\DOCUME~1\ADMINI~1\LOCALS~1\Temp\e99351f6-674a-46fe-bbd5-06c95a5a546d\removefiles.xml'.
 Завершение действия 20:15:14: SymRemoveFiles_RB_Data. Возвращенное значение 1.
 MSI (s) (40:68) [20:15:14:437]: Doing action: SymRemoveRollbackFiles

SEP_INST.log

Действие 20:15:14: SymRemoveRollbackFiles.
 Начало действия 20:15:14: SymRemoveRollbackFiles.
 SymRemoveRollbackFiles:
 Завершение действия 20:15:14: SymRemoveRollbackFiles. Возвращенное значение 1.
 MSI (s) (40:68) [20:15:14:453]: Doing action: SymRemoveFiles_RB
 Действие 20:15:14: SymRemoveFiles_RB.
 Начало действия 20:15:14: SymRemoveFiles_RB.
 SymRemoveFiles_RB:
 Завершение действия 20:15:14: SymRemoveFiles_RB. Возвращенное значение 1.
 MSI (s) (40:68) [20:15:14:453]: Doing action: SymRemoveFiles
 Действие 20:15:14: SymRemoveFiles. Выбор файлов для удаления при перезагрузке
 Начало действия 20:15:14: SymRemoveFiles.
 SymRemoveFiles: Выбор файлов для удаления при перезагрузке
 Завершение действия 20:15:14: SymRemoveFiles. Возвращенное значение 1.
 MSI (s) (40:68) [20:15:14:453]: Doing action: RemoveFolders
 Действие 20:15:14: RemoveFolders. Удаление папок
 Начало действия 20:15:14: RemoveFolders.
 Завершение действия 20:15:14: RemoveFolders. Возвращенное значение 1.
 MSI (s) (40:68) [20:15:14:453]: Doing action: CreateFolders
 Действие 20:15:14: CreateFolders. Создание папок
 Начало действия 20:15:14: CreateFolders.
 CreateFolders: папка: Создание папок
 MSI (s) (40:68) [20:15:14:468]: Using well known SID for Everyone
 MSI (s) (40:68) [20:15:14:468]: Finished allocating new user SID
 MSI (s) (40:68) [20:15:14:468]: Using well known SID for Administrators
 MSI (s) (40:68) [20:15:14:468]: Finished allocating new user SID
 Завершение действия 20:15:14: CreateFolders. Возвращенное значение 1.
 MSI (s) (40:68) [20:15:14:468]: Doing action: SetCompressFoldersData
 Действие 20:15:14: SetCompressFoldersData. Формирование данных сжатой папки
 Начало действия 20:15:14: SetCompressFoldersData.
 MSI (s) (40:88) [20:15:14:484]: Invoking remote custom action. DLL:
 C:\WINDOWS\Installer\MSI1B.tmp, Entrypoint: SetCompressFoldersData
 MSI (s) (40!8C) [20:15:14:781]: PROPERTY CHANGE: Adding CompressFolders
 property. Its value is 'C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\;0;C:\Program Files\Symantec\Symantec Endpoint
 Protection\12.1.671.4971.105\Bin\;0;'.
 Завершение действия 20:15:14: SetCompressFoldersData. Возвращенное значение 1.
 MSI (s) (40:68) [20:15:14:781]: Doing action: CompressFolders
 Действие 20:15:14: CompressFolders. Сжатие папок
 Начало действия 20:15:14: CompressFolders.
 1: Сжатие папок
 Завершение действия 20:15:14: CompressFolders. Возвращенное значение 1.
 MSI (s) (40:68) [20:15:14:781]: Doing action: MoveFiles
 Действие 20:15:14: MoveFiles. Перемещение файлов
 Начало действия 20:15:14: MoveFiles.
 MoveFiles: файл: Перемещение файлов, Каталог: , Размер:
 Завершение действия 20:15:14: MoveFiles. Возвращенное значение 1.
 MSI (s) (40:68) [20:15:14:781]: Doing action: CreateInstallCacheDataFin
 Действие 20:15:14: CreateInstallCacheDataFin.
 Начало действия 20:15:14: CreateInstallCacheDataFin.
 MSI (s) (40:68) [20:15:14:781]: PROPERTY CHANGE: Adding CreateInstallCacheFin
 property. Its value is
 '12.1.671.4971;C:\DOCUME~1\ADMINI~1\LOCALS~1\Temp\e99351f6-674a-46fe-bbd5-06c95a
 5a546d\2698f8e2-3bfd-4ac1-b8ca-d36cd1349b17\;C:\Documents and Settings\All
 Users\Application Data\Symantec\Symantec Endpoint
 Protection\12.1.671.4971.105\Data\Cached Installs\'.
 Завершение действия 20:15:14: CreateInstallCacheDataFin. Возвращенное значение
 1.
 MSI (s) (40:68) [20:15:14:781]: Doing action: DestroyInstallCacheData
 Действие 20:15:14: DestroyInstallCacheData.
 Начало действия 20:15:14: DestroyInstallCacheData.
 MSI (s) (40:68) [20:15:14:781]: PROPERTY CHANGE: Adding DestroyInstallCache
 property. Its value is 'C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\'.
 Завершение действия 20:15:14: DestroyInstallCacheData. Возвращенное значение 1.
 MSI (s) (40:68) [20:15:14:781]: Doing action: DestroyInstallCache

SEP_INST.log

Действие 20:15:14: DestroyInstallCache.
 Начало действия 20:15:14: DestroyInstallCache.
 DestroyInstallCache:
 Завершение действия 20:15:14: DestroyInstallCache. Возвращенное значение 1.
 MSI (s) (40:68) [20:15:14:796]: Doing action: CreateInstallCacheFin
 Действие 20:15:14: CreateInstallCacheFin. Создание кэша установки
 Начало действия 20:15:14: CreateInstallCacheFin.
 1: Создание кэша установки
 Завершение действия 20:15:14: CreateInstallCacheFin. Возвращенное значение 1.
 MSI (s) (40:68) [20:15:14:796]: Doing action: InstallFiles
 Действие 20:15:14: InstallFiles. Копирование новых файлов
 Начало действия 20:15:14: InstallFiles.
 InstallFiles: Файл: Копирование новых файлов, Каталог: , Размер:
 MSI (s) (40:68) [20:15:14:796]: Note: 1: 2205 2: 3: Patch
 MSI (s) (40:68) [20:15:14:796]: Note: 1: 2228 2: 3: Patch 4: SELECT
 `Patch`.`File_`, `Patch`.`Header`, `Patch`.`Attributes`, `Patch`.`Sequence`,
 `Patch`.`StreamRef` FROM `Patch` WHERE `Patch`.`File_` = ? AND
 `Patch`.`#_MsiActive`=? ORDER BY `Patch`.`Sequence`
 MSI (s) (40:68) [20:15:14:796]: Note: 1: 2205 2: 3: MsiSFCBypass
 MSI (s) (40:68) [20:15:14:796]: Note: 1: 2228 2: 3: MsiSFCBypass 4: SELECT
 `File_` FROM `MsiSFCBypass` WHERE `File_` = ?
 MSI (s) (40:68) [20:15:14:796]: Note: 1: 2205 2: 3: MsiPatchHeaders
 MSI (s) (40:68) [20:15:14:796]: Note: 1: 2228 2: 3: MsiPatchHeaders 4: SELECT
 `Header` FROM `MsiPatchHeaders` WHERE `StreamRef` = ?
 MSI (s) (40:68) [20:15:14:812]: Note: 1: 2205 2: 3: PatchPackage
 Завершение действия 20:15:14: InstallFiles. Возвращенное значение 1.
 MSI (s) (40:68) [20:15:14:843]: Doing action: CreateInstallDataXML_RB
 Действие 20:15:14: CreateInstallDataXML_RB.
 Начало действия 20:15:14: CreateInstallDataXML_RB.
 CreateInstallDataXML_RB:
 Завершение действия 20:15:14: CreateInstallDataXML_RB. Возвращенное значение 1.
 MSI (s) (40:68) [20:15:14:843]: Doing action: CreateInstallDataXML_Data
 Действие 20:15:14: CreateInstallDataXML_Data. Создание параметров установки
 Начало действия 20:15:14: CreateInstallDataXML_Data.
 MSI (s) (40:68) [20:15:14:843]: PROPERTY CHANGE: Adding CreateInstallDataXML
 property. Its value is
 '422da26385d21a1193f356433fbc6ad6fc7916d28119fb7a69f16291894e78e1;C:\Program
 Files\Symantec\Symantec Endpoint
 Protection\12.1.671.4971.105\Scripts\startup.sis;C:\Program
 Files\Symantec\Symantec Endpoint
 Protection\12.1.671.4971.105\Scripts\startrollback.sis;C:\Program
 Files\Symantec\Symantec Endpoint
 Protection\12.1.671.4971.105\Scripts\failure.sis;C:\DOCUMENT~1\ADMINI~1\LOCALS~1\T
 emp\e99351f6-674a-46fe-bbd5-06c95a5a546d\installscript.sis;C:\Program
 Files\Symantec\Symantec Endpoint
 Protection\12.1.671.4971.105\Scripts\installscript.sis;C:\Program
 Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\;C:\Documents
 and Settings\All Users\Application Data\Symantec\Symantec Endpoint
 Protection\12.1.671.4971.105\Data\Install\Logs\1;;;'.
 Завершение действия 20:15:14: CreateInstallDataXML_Data. Возвращенное значение
 1.
 MSI (s) (40:68) [20:15:14:843]: Doing action: CreateInstallDataXML
 Действие 20:15:14: CreateInstallDataXML. Создание параметров установки
 Начало действия 20:15:14: CreateInstallDataXML.
 CreateInstallDataXML: Создание параметров установки
 Завершение действия 20:15:14: CreateInstallDataXML. Возвращенное значение 1.
 MSI (s) (40:68) [20:15:14:843]: Doing action: CreateMetadataFile_Data
 Действие 20:15:14: CreateMetadataFile_Data.
 Начало действия 20:15:14: CreateMetadataFile_Data.
 MSI (s) (40:94) [20:15:14:859]: Invoking remote custom action. DLL:
 C:\WINDOWS\Installer\MSI1C.tmp, Entrypoint: CreateMetadataProperty
 MSI (s) (40!B0) [20:15:14:921]: PROPERTY CHANGE: Adding CreateMetadataFile_RB
 property. Its value is 'C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Definitions\'.
 MSI (s) (40!B0) [20:15:14:921]: PROPERTY CHANGE: Adding CreateMetadataFile
 property. Its value is 'C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint
 Protection\12.1.671.4971.105\Data\Definitions\;virusDefs;0;101208036;ccSubSDK_SC

SEP_INST.log

D_Defs;0;0;BASHDefs;1;110501001;IronSettingsDefs;0;0;IronRevocationDefs;0;0;IronWhitelistDefs;0;0;IPSDefs;1;100507001;IPSDefs;1;100507001;IPSDefs;1;100507001'.
 Завершение действия 20:15:14: CreateMetadataFile_Data. Возвращенное значение 1.
 MSI (s) (40:68) [20:15:14:921]: Doing action: CreateMetadataFile_RB
 Действие 20:15:14: CreateMetadataFile_RB.
 Начало действия 20:15:14: CreateMetadataFile_RB.
 CreateMetadataFile_RB:
 Завершение действия 20:15:14: CreateMetadataFile_RB. Возвращенное значение 1.
 MSI (s) (40:68) [20:15:14:937]: Doing action: CreateMetadataFile
 Действие 20:15:14: CreateMetadataFile.
 Начало действия 20:15:14: CreateMetadataFile.
 CreateMetadataFile:
 Завершение действия 20:15:14: CreateMetadataFile. Возвращенное значение 1.
 MSI (s) (40:68) [20:15:14:937]: Doing action: CreateSepMasterService_RB_Data
 Действие 20:15:14: CreateSepMasterService_RB_Data.
 Начало действия 20:15:14: CreateSepMasterService_RB_Data.
 MSI (s) (40:68) [20:15:14:937]: PROPERTY CHANGE: Adding
 CreateSepMasterService_RB property. Its value is 'SepMasterService'.
 Завершение действия 20:15:14: CreateSepMasterService_RB_Data. Возвращенное значение 1.
 MSI (s) (40:68) [20:15:14:937]: Doing action: CreateSepMasterService_RB
 Действие 20:15:14: CreateSepMasterService_RB.
 Начало действия 20:15:14: CreateSepMasterService_RB.
 CreateSepMasterService_RB:
 Завершение действия 20:15:14: CreateSepMasterService_RB. Возвращенное значение 1.
 MSI (s) (40:68) [20:15:14:937]: Doing action: CreateSepMasterService_Data
 Действие 20:15:14: CreateSepMasterService_Data. Настройка служб
 Начало действия 20:15:14: CreateSepMasterService_Data.
 MSI (s) (40:68) [20:15:14:937]: PROPERTY CHANGE: Adding CreateSepMasterService
 property. Its value is 'SepMasterService;Symantec Endpoint
 Protection;Обеспечивает защиту от вредоносного программного обеспечения и угроз
 для Symantec Endpoint Protection;C:\Program Files\Symantec\Symantec Endpoint
 Protection\12.1.671.4971.105\Bin\;C:\Program Files\Symantec\Symantec Endpoint
 Protection\12.1.671.4971.105\Bin\sms.dll'.
 Завершение действия 20:15:14: CreateSepMasterService_Data. Возвращенное значение 1.
 MSI (s) (40:68) [20:15:14:937]: Doing action: CreateSepMasterService
 Действие 20:15:14: CreateSepMasterService. Настройка служб
 Начало действия 20:15:14: CreateSepMasterService.
 CreateSepMasterService: Настройка служб
 Завершение действия 20:15:14: CreateSepMasterService. Возвращенное значение 1.
 MSI (s) (40:68) [20:15:14:953]: Doing action: LinkAllExecutablesData
 Действие 20:15:14: LinkAllExecutablesData.
 Начало действия 20:15:14: LinkAllExecutablesData.
 MSI (s) (40:68) [20:15:14:953]: PROPERTY CHANGE: Adding LinkAllExecutables
 property. Its value is 'E:\SEP\;C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\;Installldir'.
 Завершение действия 20:15:14: LinkAllExecutablesData. Возвращенное значение 1.
 MSI (s) (40:68) [20:15:14:953]: Skipping action: LinkAllExecutablesData64
 (condition is false)
 MSI (s) (40:68) [20:15:14:953]: Doing action: ExpandLinkAllExecutablesProperty
 Действие 20:15:14: ExpandLinkAllExecutablesProperty.
 Начало действия 20:15:14: ExpandLinkAllExecutablesProperty.
 MSI (s) (40:58) [20:15:14:953]: Invoking remote custom action. DLL:
 C:\WINDOWS\Installer\MSI1D.tmp, Entrypoint: ExpandLinkAllExecutablesProperty
 MSI (s) (40:B8) [20:15:15:078]: PROPERTY CHANGE: Modifying LinkAllExecutables
 property. Its current value is 'E:\SEP\;C:\Documents and Settings\All
 Users\Application Data\Symantec\Symantec Endpoint
 Protection\12.1.671.4971.105\Data\Cached Installs\;Installldir'. Its new value:
 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint
 Protection\12.1.671.4971.105\Data\Cached Installs\;C:\Program
 Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\;C:\Documents
 and Settings\All Users\Application Data\Symantec\Symantec Endpoint
 Protection\12.1.671.4971.105\Data\Cached Installs\Program
 Files\Symantec\Name\Version\Bin\'.
 Завершение действия 20:15:15: ExpandLinkAllExecutablesProperty. Возвращенное

значение 1.

MSI (s) (40:68) [20:15:15:093]: Doing action: LinkAllExecutables

Действие 20:15:15: LinkAllExecutables.

Начало действия 20:15:15: LinkAllExecutables.

LinkAllExecutables:

Завершение действия 20:15:15: LinkAllExecutables. Возвращенное значение 1.

MSI (s) (40:68) [20:15:15:093]: Doing action: WriteRegistryValues

действие 20:15:15: WriteRegistryValues. Запись параметров системного реестра

Начало действия 20:15:15: WriteRegistryValues.

WriteRegistryValues: Раздел: Запись параметров системного реестра, Имя: ,
Значение:

Завершение действия 20:15:15: WriteRegistryValues. Возвращенное значение 1.

MSI (s) (40:68) [20:15:15:109]: Doing action: SetSetFolderPermissionsData

действие 20:15:15: SetSetFolderPermissionsData.

Начало действия 20:15:15: SetSetFolderPermissionsData.

MSI (s) (40:68) [20:15:15:109]: PROPERTY CHANGE: Adding SetFolderPermissions

property. Its value is 'C:\Documents and Settings\All Users\Application

Data\Symantec\Symantec Endpoint

Protection\12.1.671.4971.105\Data\Quarantine\;C:\Documents and Settings\All

Users\Application Data\Symantec\Symantec Endpoint

Protection\12.1.671.4971.105\Data\APTempt\;C:\Documents and Settings\All

Users\Application Data\Symantec\Symantec Endpoint

Protection\12.1.671.4971.105\Data\I2_LDVP.VDB\;'.

Завершение действия 20:15:15: SetSetFolderPermissionsData. Возвращенное значение 1.

MSI (s) (40:68) [20:15:15:109]: Doing action: SetFolderPermissions

действие 20:15:15: SetFolderPermissions.

Начало действия 20:15:15: SetFolderPermissions.

SetFolderPermissions:

Завершение действия 20:15:15: SetFolderPermissions. Возвращенное значение 1.

MSI (s) (40:68) [20:15:15:109]: Doing action: WriteIniValues

действие 20:15:15: WriteIniValues. Сохранение значений в INI-файлах

Начало действия 20:15:15: WriteIniValues.

WriteIniValues: Файл: Сохранение значений в INI-файлах, Раздел: , Подраздел: ,
Значение:

Завершение действия 20:15:15: WriteIniValues. Возвращенное значение 1.

MSI (s) (40:68) [20:15:15:125]: Doing action: RegisterUser

действие 20:15:15: RegisterUser. Регистрация пользователей

Начало действия 20:15:15: RegisterUser.

Завершение действия 20:15:15: RegisterUser. Возвращенное значение 1.

MSI (s) (40:68) [20:15:15:125]: Doing action: RegisterProduct

действие 20:15:15: RegisterProduct. Регистрация продукта

Начало действия 20:15:15: RegisterProduct.

RegisterProduct: Регистрация продукта

MSI (s) (40:68) [20:15:15:125]: PROPERTY CHANGE: Adding ProductToBeRegistered
property. Its value is '1'.

Завершение действия 20:15:15: RegisterProduct. Возвращенное значение 1.

MSI (s) (40:68) [20:15:15:125]: Doing action: PublishFeatures

действие 20:15:15: PublishFeatures. Публикация компонентов продукта

Начало действия 20:15:15: PublishFeatures.

PublishFeatures: Компонент: Публикация компонентов продукта

Завершение действия 20:15:15: PublishFeatures. Возвращенное значение 1.

MSI (s) (40:68) [20:15:15:125]: Doing action: PublishProduct

действие 20:15:15: PublishProduct. Публикация сведений о продукте

Начало действия 20:15:15: PublishProduct.

MSI (s) (40:68) [20:15:15:125]: Note: 1: 2205 2: 3: Icon

MSI (s) (40:68) [20:15:15:125]: Note: 1: 2228 2: 3: Icon 4: SELECT `Name`,
`Data` FROM `Icon`

1: Публикация сведений о продукте

Завершение действия 20:15:15: PublishProduct. Возвращенное значение 1.

MSI (s) (40:68) [20:15:15:125]: Doing action: AddCacheAsInstallSource_Data

действие 20:15:15: AddCacheAsInstallSource_Data.

Начало действия 20:15:15: AddCacheAsInstallSource_Data.

MSI (s) (40:68) [20:15:15:125]: PROPERTY CHANGE: Adding AddCacheAsInstallSource

property. Its value is '{816230FE-84A1-47CC-BF64-C113014BD15B};C:\Documents and

Settings\All Users\Application Data\Symantec\Symantec Endpoint

Protection\12.1.671.4971.105\Data\Cached Installs\'.

Завершение действия 20:15:15: AddCacheAsInstallSource_Data. Возвращенное

SEP_INST.log

значение 1.
 MSI (s) (40:68) [20:15:15:125]: Doing action: AddCacheAsInstallSource
 Действие 20:15:15: AddCacheAsInstallSource.
 Начало действия 20:15:15: AddCacheAsInstallSource.
 AddCacheAsInstallSource:
 Завершение действия 20:15:15: AddCacheAsInstallSource. Возвращенное значение 1.
 MSI (s) (40:68) [20:15:15:125]: Skipping action: CommunicateUninstall (condition is false)
 MSI (s) (40:68) [20:15:15:125]: Skipping action: ForceInstallFailure (condition is false)
 MSI (s) (40:68) [20:15:15:125]: Doing action: StartServices
 Действие 20:15:15: StartServices. Запуск служб
 Начало действия 20:15:15: StartServices.
 StartServices: Служба: Запуск служб
 Завершение действия 20:15:15: StartServices. Возвращенное значение 1.
 MSI (s) (40:68) [20:15:15:125]: Skipping action: StartSMS_Data (condition is false)
 MSI (s) (40:68) [20:15:15:125]: Skipping action: StartSMS_RB_Data (condition is false)
 MSI (s) (40:68) [20:15:15:125]: Skipping action: StartSMS_RB (condition is false)
 MSI (s) (40:68) [20:15:15:125]: Skipping action: StartSMS (condition is false)
 MSI (s) (40:68) [20:15:15:125]: Doing action: ShowServiceProgress_RB_Data
 Действие 20:15:15: ShowServiceProgress_RB_Data.
 Начало действия 20:15:15: ShowServiceProgress_RB_Data.
 MSI (s) (40:68) [20:15:15:125]: PROPERTY CHANGE: Adding ShowServiceProgress_RB property. Its value is
 '{472D8985-7554-4137-AC02-1CD4D7F06876};SOFTWARE\Symantec\Symantec Endpoint Protection;Выполнение сценария отката с помощью службы;'.
 Завершение действия 20:15:15: ShowServiceProgress_RB_Data. Возвращенное значение 1.
 MSI (s) (40:68) [20:15:15:125]: Doing action: ShowServiceProgress_RB
 Действие 20:15:15: ShowServiceProgress_RB. Выполнение сценария отката с помощью службы
 Начало действия 20:15:15: ShowServiceProgress_RB.
 ShowServiceProgress_RB: Выполнение сценария отката с помощью службы
 Завершение действия 20:15:15: ShowServiceProgress_RB. Возвращенное значение 1.
 MSI (s) (40:68) [20:15:15:140]: Doing action: ShowServiceProgress
 Действие 20:15:15: ShowServiceProgress. Выполнение сценария установки с помощью службы
 Начало действия 20:15:15: ShowServiceProgress.
 ShowServiceProgress: Выполнение сценария установки с помощью службы
 Завершение действия 20:15:15: ShowServiceProgress. Возвращенное значение 1.
 MSI (s) (40:68) [20:15:15:140]: Skipping action: SymDeleteTempFolder_Data (condition is false)
 MSI (s) (40:68) [20:15:15:140]: Skipping action: SymDeleteTempFolder (condition is false)
 MSI (s) (40:68) [20:15:15:140]: Doing action: InstallFinalize
 Действие 20:15:15: InstallFinalize.
 Начало действия 20:15:15: InstallFinalize.
 MSI (s) (40:68) [20:15:15:140]: Running Script: C:\WINDOWS\Installer\MSI1A.tmp
 MSI (s) (40:68) [20:15:15:140]: PROPERTY CHANGE: Adding UpdateStarted property. Its value is '1'.
 MSI (s) (40:68) [20:15:15:140]: Machine policy value 'DisableRollback' is 0
 MSI (s) (40:68) [20:15:15:140]: Note: 1: 1402 2:
 HKEY_LOCAL_MACHINE\Software\Microsoft\Windows\CurrentVersion\Installer\Rollback\Scripts 3: 2
 MSI (s) (40:68) [20:15:15:140]: Executing op:
 Header(Signature=1397708873,Version=301,Timestamp=1123918312,LangId=1049,Platform=0,ScriptType=1,ScriptMajorVersion=21,ScriptMinorVersion=4,ScriptAttributes=1)
 MSI (s) (40:68) [20:15:15:140]: Executing op:
 ProductInfo(ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B},ProductName=Symantec Endpoint Protection,PackageName=Sep.msi,Language=1049,Version=201392799,Assignment=1,ObsoleteArg=0,,PackageMediaPath=\SEP\,PackageCode={F3BE37D6-027B-4947-AD83-637FF28381E4},,,InstanceType=0,LUASetting=0,RemoteURTInstalls=0)
 MSI (s) (40:68) [20:15:15:140]: Executing op: DialogInfo(Type=0,Argument=1049)
 MSI (s) (40:68) [20:15:15:140]: Executing op:

SEP_INST.log

DialogInfo(Type=1,Argument=Symantec Endpoint Protection)
 MSI (s) (40:68) [20:15:15:140]: Executing op:
 RollbackInfo(,RollbackAction=Rollback,RollbackDescription=Откат
 действия:,RollbackTemplate=[1],CleanupAction=RollbackCleanup,CleanupDescription=
 Удаление временных файлов,CleanupTemplate=Файл: [1])
 MSI (s) (40:68) [20:15:15:140]: Executing op: SetBaseline(Baseline=0,)
 MSI (s) (40:68) [20:15:15:140]: Executing op: SetBaseline(Baseline=1,)
 MSI (s) (40:68) [20:15:15:140]: Executing op:
 ActionStart(Name=installFailure.87654321_4321_4321_4321_210987654321,Description
 =Запись сбоя установки в журнал,Template=[1])
 Действие 20:15:15: installFailure.87654321_4321_4321_4321_210987654321. Запись
 сбоя установки в журнал
 MSI (s) (40:68) [20:15:15:140]: Executing op:
 CustomActionSchedule(Action=installFailure.87654321_4321_4321_4321_210987654321,
 ActionType=1281,Source=BinaryData,Target=installFailure,)
 MSI (s) (40:68) [20:15:15:140]: Executing op:
 ActionStart(Name=CommunicateRollback,,)
 Действие 20:15:15: CommunicateRollback.
 MSI (s) (40:68) [20:15:15:140]: Executing op:
 CustomActionSchedule(Action=CommunicateRollback,ActionType=1345,Source=BinaryDat
 a,Target=CommunicateRollback,CustomActionData=12.1.671.4971;E:\SEP\;;105)
 MSI (s) (40:68) [20:15:15:140]: Executing op:
 ActionStart(Name=ProcessComponents,Description=Обновление регистрации
 компонентов,)
 Действие 20:15:15: ProcessComponents. Обновление регистрации компонентов
 MSI (s) (40:68) [20:15:15:140]: Executing op:
 ProgressTotal(Total=9,Type=1,ByteEquivalent=24000)
 MSI (s) (40:68) [20:15:15:156]: Executing op:
 ComponentUnregister(ComponentId={958C1B57-423D-4DFA-85FD-76E8F095DF72},,BinaryTy
 pe=0,PreviouslyPinned=1)
 1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
 {958C1B57-423D-4DFA-85FD-76E8F095DF72}
 MSI (s) (40:68) [20:15:15:156]: Note: 1: 1402 2:
 UNKNOWN\Components\75B1C859D324AFD458DF678E0F59FD27 3: 2
 MSI (s) (40:68) [20:15:15:156]: Note: 1: 1402 2:
 UNKNOWN\Components\75B1C859D324AFD458DF678E0F59FD27 3: 2
 MSI (s) (40:68) [20:15:15:156]: Executing op:
 ComponentUnregister(ComponentId={9D6E3206-D550-445B-BD3F-B305EEF05481},,BinaryTy
 pe=0,PreviouslyPinned=1)
 1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
 {9D6E3206-D550-445B-BD3F-B305EEF05481}
 MSI (s) (40:68) [20:15:15:156]: Note: 1: 1402 2:
 UNKNOWN\Components\6023E6D9055DB544DBF33B50EE0F4518 3: 2
 MSI (s) (40:68) [20:15:15:156]: Note: 1: 1402 2:
 UNKNOWN\Components\6023E6D9055DB544DBF33B50EE0F4518 3: 2
 MSI (s) (40:68) [20:15:15:156]: Executing op:
 ComponentUnregister(ComponentId={C2F01261-38F8-530F-8F93-3F3E94DB9463},,BinaryTy
 pe=0,PreviouslyPinned=1)
 1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
 {C2F01261-38F8-530F-8F93-3F3E94DB9463}
 MSI (s) (40:68) [20:15:15:156]: Note: 1: 1402 2:
 UNKNOWN\Components\16210F2C8F83F035F839F3E349BD4936 3: 2
 MSI (s) (40:68) [20:15:15:156]: Note: 1: 1402 2:
 UNKNOWN\Components\16210F2C8F83F035F839F3E349BD4936 3: 2
 MSI (s) (40:68) [20:15:15:156]: Executing op:
 ComponentUnregister(ComponentId={B461B8DC-2A74-58F6-A0E4-BCDEEBB9DAC6},,BinaryTy
 pe=0,PreviouslyPinned=1)
 1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
 {B461B8DC-2A74-58F6-A0E4-BCDEEBB9DAC6}
 MSI (s) (40:68) [20:15:15:156]: Note: 1: 1402 2:
 UNKNOWN\Components\CD8B164B47A26F850A4ECBEDBE9BAD6C 3: 2
 MSI (s) (40:68) [20:15:15:156]: Note: 1: 1402 2:
 UNKNOWN\Components\CD8B164B47A26F850A4ECBEDBE9BAD6C 3: 2
 MSI (s) (40:68) [20:15:15:156]: Executing op:
 ComponentUnregister(ComponentId={182C07AC-FE32-55EC-9CF8-0B14F7D60629},,BinaryTy
 pe=0,PreviouslyPinned=1)
 1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
 {182C07AC-FE32-55EC-9CF8-0B14F7D60629}

```

SEP_INST.log
MSI (s) (40:68) [20:15:15:156]: Note: 1: 1402 2:
UNKNOWN\Components\CA70C28123EFCE55C98FB0417F6D6092 3: 2
MSI (s) (40:68) [20:15:15:156]: Note: 1: 1402 2:
UNKNOWN\Components\CA70C28123EFCE55C98FB0417F6D6092 3: 2
MSI (s) (40:68) [20:15:15:156]: Executing op:
ComponentUnregister(ComponentId={D1A14176-7EA8-5D0A-A797-DE25DD7CA208},,BinaryTy
pe=0,PreviouslyPinned=1)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{D1A14176-7EA8-5D0A-A797-DE25DD7CA208}
MSI (s) (40:68) [20:15:15:156]: Note: 1: 1402 2:
UNKNOWN\Components\67141A1D8AE7A0D57A79ED52DDC72A80 3: 2
MSI (s) (40:68) [20:15:15:156]: Note: 1: 1402 2:
UNKNOWN\Components\67141A1D8AE7A0D57A79ED52DDC72A80 3: 2
MSI (s) (40:68) [20:15:15:156]: Executing op:
ComponentUnregister(ComponentId={88043892-579B-5729-8DE1-D0636C3E93B2},,BinaryTy
pe=0,PreviouslyPinned=1)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{88043892-579B-5729-8DE1-D0636C3E93B2}
MSI (s) (40:68) [20:15:15:156]: Note: 1: 1402 2:
UNKNOWN\Components\29834088B9759275D81E0D36C6E3392B 3: 2
MSI (s) (40:68) [20:15:15:156]: Note: 1: 1402 2:
UNKNOWN\Components\29834088B9759275D81E0D36C6E3392B 3: 2
MSI (s) (40:68) [20:15:15:156]: Executing op:
ComponentUnregister(ComponentId={0CC867E2-3541-5BEE-8846-8F897F56AEC8},,BinaryTy
pe=0,PreviouslyPinned=1)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{0CC867E2-3541-5BEE-8846-8F897F56AEC8}
MSI (s) (40:68) [20:15:15:156]: Note: 1: 1402 2:
UNKNOWN\Components\2E768CC01453EEB58864F898F765EA8C 3: 2
MSI (s) (40:68) [20:15:15:156]: Note: 1: 1402 2:
UNKNOWN\Components\2E768CC01453EEB58864F898F765EA8C 3: 2
MSI (s) (40:68) [20:15:15:156]: Executing op:
ComponentUnregister(ComponentId={88DBE242-DB60-5031-9A2A-CB7462065B6A},,BinaryTy
pe=0,PreviouslyPinned=1)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{88DBE242-DB60-5031-9A2A-CB7462065B6A}
MSI (s) (40:68) [20:15:15:156]: Note: 1: 1402 2:
UNKNOWN\Components\242EBD8806BD1305A9A2BC472660B5A6 3: 2
MSI (s) (40:68) [20:15:15:156]: Note: 1: 1402 2:
UNKNOWN\Components\242EBD8806BD1305A9A2BC472660B5A6 3: 2
MSI (s) (40:68) [20:15:15:156]: Executing op:
ProgressTotal(Total=480,Type=1,ByteEquivalent=24000)
MSI (s) (40:68) [20:15:15:156]: Executing op:
ComponentRegister(ComponentId={619086CA-A216-46F1-BD39-8B64630B1F2C},KeyPath=C:\
Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Config\,State=3,,Disk=1,SharedDllRefCount=0,Bi
naryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{619086CA-A216-46F1-BD39-8B64630B1F2C} 3: C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Config\
MSI (s) (40:68) [20:15:15:156]: Executing op:
ComponentRegister(ComponentId={489485AD-7BDE-4A3A-9579-DF1F013A1175},KeyPath=C:\
Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Config\,State=3,,Disk=1,SharedDllRefCount=0,Bi
naryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{489485AD-7BDE-4A3A-9579-DF1F013A1175} 3: C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Config\
MSI (s) (40:68) [20:15:15:156]: Executing op:
ComponentRegister(ComponentId={7B1C11D0-1E89-4CFC-8009-022714E46912},KeyPath=C:\
Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Config\,State=3,,Disk=1,SharedDllRefCount=0,Bi
naryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{7B1C11D0-1E89-4CFC-8009-022714E46912} 3: C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint

```

SEP_INST.log

```
Protection\12.1.671.4971.105\Data\Config\
MSI (s) (40:68) [20:15:15:156]: Executing op:
ComponentRegister(ComponentId={BAE3590F-C9BB-421E-9F87-2D76D4573D77},KeyPath=C:\
Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Config\,State=3,,Disk=1,SharedDllRefCount=0,Bi
naryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{BAE3590F-C9BB-421E-9F87-2D76D4573D77} 3: C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Config\
MSI (s) (40:68) [20:15:15:156]: Executing op:
ComponentRegister(ComponentId={EBFC7408-CE02-44E6-BD1F-4E6AFF42A72F},KeyPath=C:\
Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Config\,State=3,,Disk=1,SharedDllRefCount=0,Bi
naryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{EBFC7408-CE02-44E6-BD1F-4E6AFF42A72F} 3: C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Config\
MSI (s) (40:68) [20:15:15:156]: Executing op:
ComponentRegister(ComponentId={C585EA92-0D9F-4336-8C5E-C52112949B8F},KeyPath=C:\
Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Config\,State=3,,Disk=1,SharedDllRefCount=0,Bi
naryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{C585EA92-0D9F-4336-8C5E-C52112949B8F} 3: C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Config\
MSI (s) (40:68) [20:15:15:156]: Executing op:
ComponentRegister(ComponentId={9AEB731-058F-418F-B7D9-80AD2DFE6E86},KeyPath=C:\
Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Config\,State=3,,Disk=1,SharedDllRefCount=0,Bi
naryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{9AEB731-058F-418F-B7D9-80AD2DFE6E86} 3: C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Config\
MSI (s) (40:68) [20:15:15:156]: Executing op:
ComponentRegister(ComponentId={BDD65678-F320-4E01-B23E-31A4DF9BC499},KeyPath=C:\
Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Config\,State=3,,Disk=1,SharedDllRefCount=0,Bi
naryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{BDD65678-F320-4E01-B23E-31A4DF9BC499} 3: C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Config\
MSI (s) (40:68) [20:15:15:156]: Executing op:
ComponentRegister(ComponentId={05FBDC5F-EEB8-45D0-BF4C-06F84A94F950},KeyPath=C:\
Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Config\,State=3,,Disk=1,SharedDllRefCount=0,Bi
naryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{05FBDC5F-EEB8-45D0-BF4C-06F84A94F950} 3: C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Config\
MSI (s) (40:68) [20:15:15:156]: Executing op:
ComponentRegister(ComponentId={C0608EED-7979-47FC-AA2C-C1A2BF92B30E},KeyPath=C:\
Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Config\,State=3,,Disk=1,SharedDllRefCount=0,Bi
naryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{C0608EED-7979-47FC-AA2C-C1A2BF92B30E} 3: C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Config\
MSI (s) (40:68) [20:15:15:156]: Executing op:
ComponentRegister(ComponentId={C1E12AF1-A8B5-4C9E-9480-738C9C5D6DBB},KeyPath=C:\
Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Config\,State=3,,Disk=1,SharedDllRefCount=0,Bi
```

```

naryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{C1E12AF1-A8B5-4C9E-9480-738C9C5D6DBB} 3: C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Config\
MSI (s) (40:68) [20:15:15:156]: Executing op:
ComponentRegister(ComponentId={7ADE53AD-D4F3-4082-AA35-E390A0C77151},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{7ADE53AD-D4F3-4082-AA35-E390A0C77151} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\
MSI (s) (40:68) [20:15:15:156]: Executing op:
ComponentRegister(ComponentId={1A86A22D-5968-4B2A-AC2A-A53602758144},KeyPath=C:\
Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{1A86A22D-5968-4B2A-AC2A-A53602758144} 3: C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\
MSI (s) (40:68) [20:15:15:156]: Executing op:
ComponentRegister(ComponentId={B4666154-21D4-4339-8066-F494BD788A5D},,State=-7,,
Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{B4666154-21D4-4339-8066-F494BD788A5D}
MSI (s) (40:68) [20:15:15:156]: Executing op:
ComponentRegister(ComponentId={AE1EA529-A1D3-4FF5-8A49-EB34BBD00286},,State=-7,,
Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{AE1EA529-A1D3-4FF5-8A49-EB34BBD00286}
MSI (s) (40:68) [20:15:15:156]: Executing op:
ComponentRegister(ComponentId={87197354-FAEA-4BAC-8B0A-0B50F0028339},KeyPath=C:\
Documents and Settings\All Users\Start Menu\Programs\Symantec Endpoint
Protection\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{87197354-FAEA-4BAC-8B0A-0B50F0028339} 3: C:\Documents and Settings\All
Users\Start Menu\Programs\Symantec Endpoint Protection\
MSI (s) (40:68) [20:15:15:156]: Executing op:
ComponentRegister(ComponentId={52DB0A2C-F1F1-47C5-851F-D30E2D043035},KeyPath=D:\
,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{52DB0A2C-F1F1-47C5-851F-D30E2D043035} 3: D:\
MSI (s) (40:68) [20:15:15:156]: Executing op:
ComponentRegister(ComponentId={6B0BC747-4D7F-41F3-ADE4-8FBFD3B0B241},KeyPath=C:\
Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{6B0BC747-4D7F-41F3-ADE4-8FBFD3B0B241} 3: C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\
MSI (s) (40:68) [20:15:15:156]: Executing op:
ComponentRegister(ComponentId={AFFF3864-BB47-404C-B367-7331046C247F},KeyPath=C:\
Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\inbox\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{AFFF3864-BB47-404C-B367-7331046C247F} 3: C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\inbox\
MSI (s) (40:68) [20:15:15:156]: Executing op:
ComponentRegister(ComponentId={A1B37710-0D15-4696-B821-19AC3379ABBE},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{A1B37710-0D15-4696-B821-19AC3379ABBE} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\

```

SEP_INST.log

MSI (s) (40:68) [20:15:15:156]: Executing op:
 ComponentRegister(ComponentId={5AD0C876-1ACD-5E83-B703-CCADBADF61B2},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Readme.txt,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
 1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {5AD0C876-1ACD-5E83-B703-CCADBADF61B2} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Readme.txt
 MSI (s) (40:68) [20:15:15:156]: Executing op:
 ComponentRegister(ComponentId={A2DEADBE-3F2E-501A-92B2-2A7AA317163A},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\sep-msi.grd,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
 1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {A2DEADBE-3F2E-501A-92B2-2A7AA317163A} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\sep-msi.grd
 MSI (s) (40:68) [20:15:15:156]: Executing op:
 ComponentRegister(ComponentId={DC67801E-9733-53D1-9B95-6E755EFB6EE5},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\sep-msi.sig,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
 1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {DC67801E-9733-53D1-9B95-6E755EFB6EE5} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\sep-msi.sig
 MSI (s) (40:68) [20:15:15:156]: Executing op:
 ComponentRegister(ComponentId={91FE35C6-D419-5110-AB7B-DFCA564FEC35},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\sep-msi.spm,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
 1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {91FE35C6-D419-5110-AB7B-DFCA564FEC35} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\sep-msi.spm
 MSI (s) (40:68) [20:15:15:156]: Executing op:
 ComponentRegister(ComponentId={F6F921A7-A352-4F07-9DCC-A64EF0699206},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
 1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {F6F921A7-A352-4F07-9DCC-A64EF0699206} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\
 MSI (s) (40:68) [20:15:15:156]: Executing op:
 ComponentRegister(ComponentId={34F6FE1C-B6AD-4A7D-9C0E-7B6CBAD57EC0},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
 1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {34F6FE1C-B6AD-4A7D-9C0E-7B6CBAD57EC0} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\
 MSI (s) (40:68) [20:15:15:156]: Executing op:
 ComponentRegister(ComponentId={BE710B96-8721-5324-9D25-A11BC9298B5F},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\DevViewer.exe,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
 1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {BE710B96-8721-5324-9D25-A11BC9298B5F} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\DevViewer.exe
 MSI (s) (40:68) [20:15:15:156]: Executing op:
 ComponentRegister(ComponentId={F2995D1F-CB72-58AB-91B1-6D891110E125},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\EimLoader.dll,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
 1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {F2995D1F-CB72-58AB-91B1-6D891110E125} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\EimLoader.dll
 MSI (s) (40:68) [20:15:15:156]: Executing op:
 ComponentRegister(ComponentId={C5314E9A-53B7-5C2D-A737-7018E621F374},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\symlinkDrop.exe,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
 1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {C5314E9A-53B7-5C2D-A737-7018E621F374} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\symlinkDrop.exe

SEP_INST.log

t=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{C5314E9A-53B7-5C2D-A737-7018E621F374} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\SyLinkDrop.exe
MSI (s) (40:68) [20:15:15:156]: Executing op:
ComponentRegister(ComponentId={D541BAC2-EEEE-5F31-A8D4-CD76191C6BE3},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\RebootMgrEim.dll,State=3,,Disk=1,SharedDllRefCo
unt=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{D541BAC2-EEEE-5F31-A8D4-CD76191C6BE3} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\RebootMgrEim.dll
MSI (s) (40:68) [20:15:15:156]: Executing op:
ComponentRegister(ComponentId={38271B3D-72FE-5A14-B8B6-C69D12E24711},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\RebootMgrEimProxy.dll,State=3,,Disk=1,SharedDll
RefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{38271B3D-72FE-5A14-B8B6-C69D12E24711} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\RebootMgrEimProxy.dll
MSI (s) (40:68) [20:15:15:156]: Executing op:
ComponentRegister(ComponentId={98B42298-3D43-59CB-9E3A-884831297AC2},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\Communicator.dll,State=3,,Disk=1,SharedDllRefCo
unt=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{98B42298-3D43-59CB-9E3A-884831297AC2} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\Communicator.dll
MSI (s) (40:68) [20:15:15:156]: Executing op:
ComponentRegister(ComponentId={5DAFF7B0-8DB0-53B2-82AC-AF8BDA3B3DAB},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\SISCustomActionSMC.dll,State=3,,Disk=1,SharedDl
lRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{5DAFF7B0-8DB0-53B2-82AC-AF8BDA3B3DAB} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\SISCustomActionSMC.dll
MSI (s) (40:68) [20:15:15:156]: Executing op:
ComponentRegister(ComponentId={C45A7592-1A15-555B-B397-70744AB66287},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\SyLink.dll,State=3,,Disk=1,SharedDllRefCount=0,
BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{C45A7592-1A15-555B-B397-70744AB66287} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\SyLink.dll
MSI (s) (40:68) [20:15:15:156]: Executing op:
ComponentRegister(ComponentId={4469C486-D9F3-5FF6-834D-56F232285029},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\SyLinkSymInterfaceProxy.dll,State=3,,Disk=1,Sha
redDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{4469C486-D9F3-5FF6-834D-56F232285029} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\SyLinkSymInterfaceProxy.dll
MSI (s) (40:68) [20:15:15:156]: Executing op:
ComponentRegister(ComponentId={48D8A715-22B9-5B82-A378-BC8D7DC755CF},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\AgentCore.dll,State=3,,Disk=1,SharedDllRefCount
=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{48D8A715-22B9-5B82-A378-BC8D7DC755CF} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\AgentCore.dll
MSI (s) (40:68) [20:15:15:156]: Executing op:
ComponentRegister(ComponentId={ED045AC1-0BAC-57E9-8F4B-FA37C4B3D0E2},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\DataMan.dll,State=3,,Disk=1,SharedDllRefCount=0
,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{ED045AC1-0BAC-57E9-8F4B-FA37C4B3D0E2} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\DataMan.dll

SEP_INST.log

MSI (s) (40:68) [20:15:15:156]: Executing op:
 ComponentRegister(ComponentId={DAC1D33F-D0C2-5B90-9273-608FD1C2ABAD},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\NavNTutl.dll,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
 1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {DAC1D33F-D0C2-5B90-9273-608FD1C2ABAD} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\NavNTutl.dll
 MSI (s) (40:68) [20:15:15:156]: Executing op:
 ComponentRegister(ComponentId={50F73367-5458-56EF-B9F5-020933CE8378},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\LDDateTm.ocx,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
 1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {50F73367-5458-56EF-B9F5-020933CE8378} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\LDDateTm.ocx
 MSI (s) (40:68) [20:15:15:156]: Executing op:
 ComponentRegister(ComponentId={A399359D-D178-51F6-8835-4C746114A92E},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\LDVPctls.ocx,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
 1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {A399359D-D178-51F6-8835-4C746114A92E} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\LDVPctls.ocx
 MSI (s) (40:68) [20:15:15:156]: Executing op:
 ComponentRegister(ComponentId={3614DB93-8B4C-5E3F-AF79-16B958E52A9D},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\LDVPDlgs.ocx,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
 1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {3614DB93-8B4C-5E3F-AF79-16B958E52A9D} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\LDVPDlgs.ocx
 MSI (s) (40:68) [20:15:15:156]: Executing op:
 ComponentRegister(ComponentId={7F4E65B3-686D-584B-B212-922F153DBE38},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\ldvpui.ocx,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
 1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {7F4E65B3-686D-584B-B212-922F153DBE38} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\ldvpui.ocx
 MSI (s) (40:68) [20:15:15:156]: Executing op:
 ComponentRegister(ComponentId={D254351D-FCEF-5C20-8EE0-E91108138F4C},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\Checksum.exe,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
 1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {D254351D-FCEF-5C20-8EE0-E91108138F4C} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\Checksum.exe
 MSI (s) (40:68) [20:15:15:156]: Executing op:
 ComponentRegister(ComponentId={2D13673C-0382-5957-80E4-4C56364D9B01},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\HITrayStatus.dll,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
 1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {2D13673C-0382-5957-80E4-4C56364D9B01} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\HITrayStatus.dll
 MSI (s) (40:68) [20:15:15:171]: Executing op:
 ComponentRegister(ComponentId={7AA3F2F0-48C3-5ECD-9B40-742E137CB28A},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\LicenseMan.dll,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
 1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {7AA3F2F0-48C3-5ECD-9B40-742E137CB28A} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\LicenseMan.dll
 MSI (s) (40:68) [20:15:15:171]: Executing op:
 ComponentRegister(ComponentId={0804C558-D44F-5479-98C8-745D28130D73},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\RunOnceSessionPlugin.dll,State=3,,Disk=1,Shared

SEP_INST.log

```

DllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{0804C558-D44F-5479-98C8-745D28130D73} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\RunOnceSessionPlugin.dll
MSI (s) (40:68) [20:15:15:171]: Executing op:
ComponentRegister(ComponentId={1A739718-E99A-5340-A774-243BAD970E00},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\PatchWrap.exe,State=3,,Disk=1,SharedDllRefCount
=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{1A739718-E99A-5340-A774-243BAD970E00} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\PatchWrap.exe
MSI (s) (40:68) [20:15:15:171]: Executing op:
ComponentRegister(ComponentId={5C59337A-7D7A-5DF9-8EC7-7BD5D5E4A7B1},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\PatchWrapPS.dll,State=3,,Disk=1,SharedDllRefCou
nt=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{5C59337A-7D7A-5DF9-8EC7-7BD5D5E4A7B1} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\PatchWrapPS.dll
MSI (s) (40:68) [20:15:15:171]: Executing op:
ComponentRegister(ComponentId={B4D0841B-3564-5E5D-870D-73679DE4162B},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\ProtectionProviderPS.dll,State=3,,Disk=1,Shared
DllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{B4D0841B-3564-5E5D-870D-73679DE4162B} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\ProtectionProviderPS.dll
MSI (s) (40:68) [20:15:15:171]: Executing op:
ComponentRegister(ComponentId={0EE7047D-CFF6-56DF-BC44-1307879580E7},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\ProtectionUtil.dll,State=3,,Disk=1,SharedDllRef
Count=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{0EE7047D-CFF6-56DF-BC44-1307879580E7} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\ProtectionUtil.dll
MSI (s) (40:68) [20:15:15:171]: Executing op:
ComponentRegister(ComponentId={25539A01-6C75-54C3-8FD4-B8BB39722E2C},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\gdiplus.dll,State=3,,Disk=1,SharedDllRefCount=0
,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{25539A01-6C75-54C3-8FD4-B8BB39722E2C} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\gdiplus.dll
MSI (s) (40:68) [20:15:15:171]: Executing op:
ComponentRegister(ComponentId={C2CCF2B8-D0E7-5AE5-A663-4D23735352AF},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\ProtectionUtilSurrogate.exe,State=3,,Disk=1,Sha
redDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{C2CCF2B8-D0E7-5AE5-A663-4D23735352AF} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\ProtectionUtilSurrogate.exe
MSI (s) (40:68) [20:15:15:171]: Executing op:
ComponentRegister(ComponentId={CC4F16B6-C270-5C2F-B223-614B91B23DE8},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\SepLiveUpdate.exe,State=3,,Disk=1,SharedDllRefC
ount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{CC4F16B6-C270-5C2F-B223-614B91B23DE8} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\SepLiveUpdate.exe
MSI (s) (40:68) [20:15:15:171]: Executing op:
ComponentRegister(ComponentId={7B3FC58A-1E8D-5810-B6F8-C61852C17952},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\SEPSessionPlugin.dll,State=3,,Disk=1,SharedDllR
efCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{7B3FC58A-1E8D-5810-B6F8-C61852C17952} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\SEPSessionPlugin.dll

```

SEP_INST.log

```

MSI (s) (40:68) [20:15:15:171]: Executing op:
ComponentRegister(ComponentId={E8B94DBD-2F86-5ADC-B1DA-6D7791BD6498},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\SMCTrayStatus.dll,State=3,,Disk=1,SharedDllRefC
ount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{E8B94DBD-2F86-5ADC-B1DA-6D7791BD6498} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\SMCTrayStatus.dll
MSI (s) (40:68) [20:15:15:171]: Executing op:
ComponentRegister(ComponentId={228DA0DF-B936-524E-AF24-3B6CDF0F1694},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\SNACTrayStatus.dll,State=3,,Disk=1,SharedDllRef
Count=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{228DA0DF-B936-524E-AF24-3B6CDF0F1694} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\SNACTrayStatus.dll
MSI (s) (40:68) [20:15:15:171]: Executing op:
ComponentRegister(ComponentId={ECB6CA21-F558-53F4-9F0A-CB07024B1826},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\SymCorpUI.exe,State=3,,Disk=1,SharedDllRefCount
=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{ECB6CA21-F558-53F4-9F0A-CB07024B1826} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\SymCorpUI.exe
MSI (s) (40:68) [20:15:15:171]: Executing op:
ComponentRegister(ComponentId={3CBF72E1-0F0E-5BDC-8C69-E9766564047E},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\SymPP.dll,State=3,,Disk=1,SharedDllRefCount=0,B
inaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{3CBF72E1-0F0E-5BDC-8C69-E9766564047E} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\SymPP.dll
MSI (s) (40:68) [20:15:15:171]: Executing op:
ComponentRegister(ComponentId={CC335CB3-2250-5C4A-BD45-519214482099},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\SymDeltaDll.dll,State=3,,Disk=1,SharedDllRefCou
nt=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{CC335CB3-2250-5C4A-BD45-519214482099} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\SymDeltaDll.dll
MSI (s) (40:68) [20:15:15:171]: Executing op:
ComponentRegister(ComponentId={12AE6DF4-1B41-4322-A800-9E140685AC65},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType
=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{12AE6DF4-1B41-4322-A800-9E140685AC65} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\
MSI (s) (40:68) [20:15:15:171]: Executing op:
ComponentRegister(ComponentId={7FF59738-96DA-4A69-8769-92585F94FB5C},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType
=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{7FF59738-96DA-4A69-8769-92585F94FB5C} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\
MSI (s) (40:68) [20:15:15:171]: Executing op:
ComponentRegister(ComponentId={2BC084F7-3E2B-4F45-A7B2-0D4B03DEBDAC},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType
=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{2BC084F7-3E2B-4F45-A7B2-0D4B03DEBDAC} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\
MSI (s) (40:68) [20:15:15:171]: Executing op:
ComponentRegister(ComponentId={4DEF0C27-9A5B-5E53-A2B8-8CE91E0C30C2},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\LueEim.dll,State=3,,Disk=1,SharedDllRefCount=0,

```

SEP_INST.log

BinaryType=0)

1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {4DEF0C27-9A5B-5E53-A2B8-8CE91E0C30C2} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\LueEim.dll
MSI (s) (40:68) [20:15:15:171]: Executing op: ComponentRegister(ComponentId={80D678D9-29D9-5B05-AA15-D0B7FEA0533C},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SISCustomActionLUE.dll,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {80D678D9-29D9-5B05-AA15-D0B7FEA0533C} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SISCustomActionLUE.dll
MSI (s) (40:68) [20:15:15:171]: Executing op: ComponentRegister(ComponentId={ADB8D32A-F0FF-5F4B-A89F-8CB0D8AB8B7C},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\LueEimProxy.dll,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {ADB8D32A-F0FF-5F4B-A89F-8CB0D8AB8B7C} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\LueEimProxy.dll
MSI (s) (40:68) [20:15:15:171]: Executing op: ComponentRegister(ComponentId={57371B8D-4E54-5291-823A-6ACDDAC97715},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SubmissionsEim.dll,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {57371B8D-4E54-5291-823A-6ACDDAC97715} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SubmissionsEim.dll
MSI (s) (40:68) [20:15:15:171]: Executing op: ComponentRegister(ComponentId={11503B24-2C24-504C-BF5A-DC60D89DECE0},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SubmissionsEimProxy.dll,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {11503B24-2C24-504C-BF5A-DC60D89DECE0} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SubmissionsEimProxy.dll
MSI (s) (40:68) [20:15:15:171]: Executing op: ComponentRegister(ComponentId={EF40EF9C-5A27-5C35-BDCB-715502D9072B},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\RepMgtTim.dll,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {EF40EF9C-5A27-5C35-BDCB-715502D9072B} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\RepMgtTim.dll
MSI (s) (40:68) [20:15:15:171]: Executing op: ComponentRegister(ComponentId={0A513448-8188-596A-BED4-8F681C725F88},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\ReportSubmission.dll,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {0A513448-8188-596A-BED4-8F681C725F88} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\ReportSubmission.dll
MSI (s) (40:68) [20:15:15:171]: Executing op: ComponentRegister(ComponentId={54F4611A-C20C-5044-8562-7C4BD2A48F87},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\RepMgtEimProxy.dll,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {54F4611A-C20C-5044-8562-7C4BD2A48F87} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\RepMgtEimProxy.dll
MSI (s) (40:68) [20:15:15:171]: Executing op: ComponentRegister(ComponentId={EA2A78C2-5234-5004-91C2-4D26F96AB492},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\ProfileManagementClient.dll,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {EA2A78C2-5234-5004-91C2-4D26F96AB492} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\ProfileManagementClient.dll

SEP_INST.log

MSI (s) (40:68) [20:15:15:171]: Executing op:
 ComponentRegister(ComponentId={68FB5A2A-18F8-4847-82D9-95C2DF74A566},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
 1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {68FB5A2A-18F8-4847-82D9-95C2DF74A566} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\
 MSI (s) (40:68) [20:15:15:171]: Executing op:
 ComponentRegister(ComponentId={51D57E7C-2BDD-41E6-B481-F5B800C11727},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\Help\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
 1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {51D57E7C-2BDD-41E6-B481-F5B800C11727} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\Help\
 MSI (s) (40:68) [20:15:15:171]: Executing op:
 ComponentRegister(ComponentId={1FBF5EA4-FB5B-4A24-B200-1668DECFF8B0},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\Help\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
 1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {1FBF5EA4-FB5B-4A24-B200-1668DECFF8B0} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\Help\
 MSI (s) (40:68) [20:15:15:171]: Executing op:
 ComponentRegister(ComponentId={23DD9526-52BD-4995-BD02-E9583416CD7D},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
 1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {23DD9526-52BD-4995-BD02-E9583416CD7D} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\
 MSI (s) (40:68) [20:15:15:171]: Executing op:
 ComponentRegister(ComponentId={077BC9B6-8AB3-512A-B573-1A2ABB164254},KeyPath=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\SymPP.inf,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
 1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {077BC9B6-8AB3-512A-B573-1A2ABB164254} 3: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\SymPP.inf
 MSI (s) (40:68) [20:15:15:171]: Executing op:
 ComponentRegister(ComponentId={018F835A-DECE-4802-B644-CE451DBFFE81},KeyPath=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\PersistedData\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
 1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {018F835A-DECE-4802-B644-CE451DBFFE81} 3: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\PersistedData\
 MSI (s) (40:68) [20:15:15:171]: Executing op:
 ComponentRegister(ComponentId={018F835A-DECE-4802-B644-CE451DBFFE81},KeyPath=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\PersistedData\,State=3,ProductKey={00000000-0000-0000-0000-000000000000},Disk=1,SharedDllRefCount=0,BinaryType=0)
 1: {00000000-0000-0000-0000-000000000000} 2: {018F835A-DECE-4802-B644-CE451DBFFE81} 3: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\PersistedData\
 MSI (s) (40:68) [20:15:15:171]: Executing op:
 ComponentRegister(ComponentId={F51FBDC6-31B5-585F-BB0F-59D84C6DF33D},KeyPath=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Config\SyLink.xml,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
 1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {F51FBDC6-31B5-585F-BB0F-59D84C6DF33D} 3: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Config\SyLink.xml
 MSI (s) (40:68) [20:15:15:171]: Executing op:
 ComponentRegister(ComponentId={1D32CF82-72D3-57C7-8F74-CE731CF7A49E},KeyPath=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint

SEP_INST.log

Protection\12.1.671.4971.105\Data\Config\TSysConf.xml,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
 1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
 {1D32CF82-72D3-57C7-8F74-CE731CF7A49E} 3: C:\Documents and Settings\All
 Users\Application Data\Symantec\Symantec Endpoint
 Protection\12.1.671.4971.105\Data\Config\TSysConf.xml
 MSI (s) (40:68) [20:15:15:171]: Executing op:
 ComponentRegister(ComponentId={13053DF8-3F15-5FF8-B632-A1194B6F2AF1},KeyPath=C:\
 Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint
 Protection\12.1.671.4971.105\Data\Config\serdef.dat,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
 1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
 {13053DF8-3F15-5FF8-B632-A1194B6F2AF1} 3: C:\Documents and Settings\All
 Users\Application Data\Symantec\Symantec Endpoint
 Protection\12.1.671.4971.105\Data\Config\serdef.dat
 MSI (s) (40:68) [20:15:15:171]: Executing op:
 ComponentRegister(ComponentId={A5EE5D42-BAE7-4E9D-9292-45DC70F3DD80},KeyPath=C:\
 Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint
 Protection\12.1.671.4971.105\Data\Config\,State=3,,Disk=1,SharedDllRefCount=0,Bi
 naryType=0)
 1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
 {A5EE5D42-BAE7-4E9D-9292-45DC70F3DD80} 3: C:\Documents and Settings\All
 Users\Application Data\Symantec\Symantec Endpoint
 Protection\12.1.671.4971.105\Data\Config\
 MSI (s) (40:68) [20:15:15:171]: Executing op:
 ComponentRegister(ComponentId={48E0FFDE-E5AD-53D4-8455-392271FDD39A},KeyPath=C:\
 Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint
 Protection\12.1.671.4971.105\Data\Config\cltdef.dat,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
 1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
 {48E0FFDE-E5AD-53D4-8455-392271FDD39A} 3: C:\Documents and Settings\All
 Users\Application Data\Symantec\Symantec Endpoint
 Protection\12.1.671.4971.105\Data\Config\cltdef.dat
 MSI (s) (40:68) [20:15:15:171]: Executing op:
 ComponentRegister(ComponentId={F4A7E530-E88E-54DE-A841-AF4964A222FA},KeyPath=C:\
 Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint
 Protection\12.1.671.4971.105\Data\Config\default.dat,State=3,,Disk=1,SharedDllRe
 fCount=0,BinaryType=0)
 1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
 {F4A7E530-E88E-54DE-A841-AF4964A222FA} 3: C:\Documents and Settings\All
 Users\Application Data\Symantec\Symantec Endpoint
 Protection\12.1.671.4971.105\Data\Config\default.dat
 MSI (s) (40:68) [20:15:15:171]: Executing op:
 ComponentRegister(ComponentId={067BDF08-8FFB-5107-882A-F769C6C53524},KeyPath=C:\
 Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint
 Protection\12.1.671.4971.105\Data\Config\stddef.dat,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
 1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
 {067BDF08-8FFB-5107-882A-F769C6C53524} 3: C:\Documents and Settings\All
 Users\Application Data\Symantec\Symantec Endpoint
 Protection\12.1.671.4971.105\Data\Config\stddef.dat
 MSI (s) (40:68) [20:15:15:171]: Executing op:
 ComponentRegister(ComponentId={E5F15435-3C23-4942-BDC7-2093029D0FAF},KeyPath=C:\
 Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint
 Protection\12.1.671.4971.105\Data\Config\,State=3,,Disk=1,SharedDllRefCount=0,Bi
 naryType=0)
 1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
 {E5F15435-3C23-4942-BDC7-2093029D0FAF} 3: C:\Documents and Settings\All
 Users\Application Data\Symantec\Symantec Endpoint
 Protection\12.1.671.4971.105\Data\Config\
 MSI (s) (40:68) [20:15:15:171]: Executing op:
 ComponentRegister(ComponentId={709DD4A0-8427-425C-B03D-524FF4A5FE28},KeyPath=C:\
 Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint
 Protection\12.1.671.4971.105\Data\Config\,State=3,,Disk=1,SharedDllRefCount=0,Bi
 naryType=0)
 1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
 {709DD4A0-8427-425C-B03D-524FF4A5FE28} 3: C:\Documents and Settings\All
 Users\Application Data\Symantec\Symantec Endpoint

SEP_INST.log

```

Protection\12.1.671.4971.105\Data\Config\
MSI (s) (40:68) [20:15:15:171]: Executing op:
ComponentRegister(ComponentId={178FDC48-7E12-5556-A42E-4A2159CE2B13},KeyPath=02:
\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\Common
Client\WorkingSetGarbageCollector\SmcService\WorkingSetThreshold,State=3,,Disk=1
,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{178FDC48-7E12-5556-A42E-4A2159CE2B13} 3: 02:\SOFTWARE\Symantec\Symantec
Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\Common
Client\WorkingSetGarbageCollector\SmcService\WorkingSetThreshold
MSI (s) (40:68) [20:15:15:171]: Executing op:
ComponentRegister(ComponentId={CB3CD250-13DD-58C4-9401-A4200CA97678},KeyPath=02:
\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\Common
Client\PathExpansionMap\BASEDIR,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0
)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{CB3CD250-13DD-58C4-9401-A4200CA97678} 3: 02:\SOFTWARE\Symantec\Symantec
Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\Common
Client\PathExpansionMap\BASEDIR
MSI (s) (40:68) [20:15:15:171]: Executing op:
ComponentRegister(ComponentId={DB172CA5-DCD6-4730-87C3-EF38FB9CB351},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType
=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{DB172CA5-DCD6-4730-87C3-EF38FB9CB351} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\
MSI (s) (40:68) [20:15:15:171]: Executing op:
ComponentRegister(ComponentId={0F9250EF-BDD8-43F3-8D6A-8102755D9E92},KeyPath=C:\
Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Config\,State=3,,Disk=1,SharedDllRefCount=0,Bi
naryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{0F9250EF-BDD8-43F3-8D6A-8102755D9E92} 3: C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Config\
MSI (s) (40:68) [20:15:15:171]: Executing op:
ComponentRegister(ComponentId={9C01AC8E-61A0-4512-A80A-781FF815C931},KeyPath=D:\
,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{9C01AC8E-61A0-4512-A80A-781FF815C931} 3: D:\
MSI (s) (40:68) [20:15:15:171]: Executing op:
ComponentRegister(ComponentId={70D0244C-9388-41FA-9B60-19C386F188D5},KeyPath=D:\
,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{70D0244C-9388-41FA-9B60-19C386F188D5} 3: D:\
MSI (s) (40:68) [20:15:15:171]: Executing op:
ComponentRegister(ComponentId={2C304096-1FCB-4293-80FE-B740398B7795},KeyPath=C:\
Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Definitions\,State=3,,Disk=1,SharedDllRefCount
=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{2C304096-1FCB-4293-80FE-B740398B7795} 3: C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Definitions\
MSI (s) (40:68) [20:15:15:171]: Executing op:
ComponentRegister(ComponentId={F211A0B4-5682-4B44-AF79-A74480371BE3},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{F211A0B4-5682-4B44-AF79-A74480371BE3} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\
MSI (s) (40:68) [20:15:15:171]: Executing op:
ComponentRegister(ComponentId={FE377BD5-547B-4B49-A055-B9ADF12514DF},KeyPath=02:
\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\Common

```


SEP_INST.log

Client\PathExpansionMap\SEPINSTALLSCRIPTSDIR,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {FE377BD5-547B-4B49-A055-B9ADF12514DF} 3: 02:\SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\Common
Client\PathExpansionMap\SEPINSTALLSCRIPTSDIR
MSI (s) (40:68) [20:15:15:171]: Executing op:
ComponentRegister(ComponentId={D13F9A8B-420D-517C-AE05-C4707B74CCA8},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Scripts\startup.sis,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {D13F9A8B-420D-517C-AE05-C4707B74CCA8} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Scripts\startup.sis
MSI (s) (40:68) [20:15:15:171]: Executing op:
ComponentRegister(ComponentId={33F597C9-AF47-5D32-804C-834C989CCEB1},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Scripts\failure.sis,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {33F597C9-AF47-5D32-804C-834C989CCEB1} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Scripts\failure.sis
MSI (s) (40:68) [20:15:15:171]: Executing op:
ComponentRegister(ComponentId={1CFE60E0-BF9C-5133-A4FA-96B3CE38ABD3},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Scripts\startrollback.sis,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {1CFE60E0-BF9C-5133-A4FA-96B3CE38ABD3} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Scripts\startrollback.sis
MSI (s) (40:68) [20:15:15:187]: Executing op:
ComponentRegister(ComponentId={387754D9-373C-42E6-9B1C-7E9A656F1BE7},KeyPath=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Install\Scripts\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {387754D9-373C-42E6-9B1C-7E9A656F1BE7} 3: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Install\Scripts\
MSI (s) (40:68) [20:15:15:187]: Executing op:
ComponentRegister(ComponentId={C1CC4125-F736-5BF3-B0EF-7DA168FE0B7A},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\sis.dll,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {C1CC4125-F736-5BF3-B0EF-7DA168FE0B7A} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\sis.dll
MSI (s) (40:68) [20:15:15:187]: Executing op:
ComponentRegister(ComponentId={D3A7484C-4105-56AD-9D7C-A27233071473},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SessionShutdown.dll,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {D3A7484C-4105-56AD-9D7C-A27233071473} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SessionShutdown.dll
MSI (s) (40:68) [20:15:15:187]: Executing op:
ComponentRegister(ComponentId={1605EED8-0B3C-5B9B-A899-EE880E30D0C8},KeyPath=02:\SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\Common
Client\PathExpansionMap\APPDATAINSTALLSCRIPTS,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {1605EED8-0B3C-5B9B-A899-EE880E30D0C8} 3: 02:\SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\Common
Client\PathExpansionMap\APPDATAINSTALLSCRIPTS
MSI (s) (40:68) [20:15:15:187]: Executing op:
ComponentRegister(ComponentId={2179601B-3272-56B9-ADB2-914DAA1F6FA9},KeyPath=C:\Program Files\Symantec\Symantec Endpoint

SEP_INST.log

Protection\12.1.671.4971.105\Bin\sms.dll,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{2179601B-3272-56B9-ADB2-914DAA1F6FA9} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\sms.dll
MSI (s) (40:68) [20:15:15:187]: Executing op:
ComponentRegister(ComponentId={9041C93B-70F2-496E-B50C-49FD331B547E},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType
=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{9041C93B-70F2-496E-B50C-49FD331B547E} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\
MSI (s) (40:68) [20:15:15:187]: Executing op:
ComponentRegister(ComponentId={885F5F5F-A909-5341-BDC8-2794D0C1603D},,State=-7,,
Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{885F5F5F-A909-5341-BDC8-2794D0C1603D}
MSI (s) (40:68) [20:15:15:187]: Executing op:
ComponentRegister(ComponentId={98936188-372A-5DC5-B09C-E00D6D1DC9F6},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\sepdhandler.dll,State=3,,Disk=1,SharedDllRefCo
unt=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{98936188-372A-5DC5-B09C-E00D6D1DC9F6} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\sepdhandler.dll
MSI (s) (40:68) [20:15:15:187]: Executing op:
ComponentRegister(ComponentId={B00A171B-D8B6-59A4-AD9D-16C5C9284F63},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\sisnat.exe,State=3,,Disk=1,SharedDllRefCount=0,
BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{B00A171B-D8B6-59A4-AD9D-16C5C9284F63} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\sisnat.exe
MSI (s) (40:68) [20:15:15:187]: Executing op:
ComponentRegister(ComponentId={C96FC360-1071-570C-A678-ECBC24892E69},,State=-7,,
Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{C96FC360-1071-570C-A678-ECBC24892E69}
MSI (s) (40:68) [20:15:15:187]: Executing op:
ComponentRegister(ComponentId={7D9F179C-B6BD-5C2F-AC83-2BDAC4915D79},,State=-7,,
Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{7D9F179C-B6BD-5C2F-AC83-2BDAC4915D79}
MSI (s) (40:68) [20:15:15:187]: Executing op:
ComponentRegister(ComponentId={EF6E9A19-90B8-46E1-AB74-B88B3D1F87B4},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType
=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{EF6E9A19-90B8-46E1-AB74-B88B3D1F87B4} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\
MSI (s) (40:68) [20:15:15:187]: Executing op:
ComponentRegister(ComponentId={FBF2B7D1-C82A-4D4E-8AE8-5141703407AA},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType
=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{FBF2B7D1-C82A-4D4E-8AE8-5141703407AA} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\
MSI (s) (40:68) [20:15:15:187]: Executing op:
ComponentRegister(ComponentId={CA41095B-18E7-45D2-BAD7-AB815306494C},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Res\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType
=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{CA41095B-18E7-45D2-BAD7-AB815306494C} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Res\

SEP_INST.log

MSI (s) (40:68) [20:15:15:187]: Executing op:
 ComponentRegister(ComponentId={6392FCC5-FEF1-5599-9D50-1B463190F040},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\fallback.dat,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
 1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {6392FCC5-FEF1-5599-9D50-1B463190F040} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\fallback.dat
 MSI (s) (40:68) [20:15:15:187]: Executing op:
 ComponentRegister(ComponentId={8B3DEE7F-A165-5402-9909-66CA0ED16CB3},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\maplngid.dat,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
 1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {8B3DEE7F-A165-5402-9909-66CA0ED16CB3} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\maplngid.dat
 MSI (s) (40:68) [20:15:15:187]: Executing op:
 ComponentRegister(ComponentId={8CDC3DF8-5E75-5704-A9EE-E2116A548581},KeyPath=02:\SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\LanguageConfig\Default Language,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
 1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {8CDC3DF8-5E75-5704-A9EE-E2116A548581} 3: 02:\SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\LanguageConfig\Default Language
 MSI (s) (40:68) [20:15:15:187]: Executing op:
 ComponentRegister(ComponentId={5262D3C6-9BCF-5D88-AFFB-56FC813B8B6B},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\mfc90dll.1.config,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
 1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {5262D3C6-9BCF-5D88-AFFB-56FC813B8B6B} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\mfc90dll.1.config
 MSI (s) (40:68) [20:15:15:187]: Executing op:
 ComponentRegister(ComponentId={F7534C3F-E413-5F73-960A-292836B67BBC},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\Microsoft.VC90.ATL.manifest,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
 1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {F7534C3F-E413-5F73-960A-292836B67BBC} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\Microsoft.VC90.ATL.manifest
 MSI (s) (40:68) [20:15:15:187]: Executing op:
 ComponentRegister(ComponentId={534E5FB5-A08A-5DD6-8B05-4CD71842B11D},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\Microsoft.VC90.CRT.manifest,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
 1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {534E5FB5-A08A-5DD6-8B05-4CD71842B11D} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\Microsoft.VC90.CRT.manifest
 MSI (s) (40:68) [20:15:15:187]: Executing op:
 ComponentRegister(ComponentId={8A7E2A7F-2003-5F25-BB6D-BBAC8056B535},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\Microsoft.VC90.MFC.manifest,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
 1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {8A7E2A7F-2003-5F25-BB6D-BBAC8056B535} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\Microsoft.VC90.MFC.manifest
 MSI (s) (40:68) [20:15:15:187]: Executing op:
 ComponentRegister(ComponentId={1B35D6C8-8B57-5209-9AF1-9FBCD9798D9C},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\atl90.dll,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
 1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {1B35D6C8-8B57-5209-9AF1-9FBCD9798D9C} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\atl90.dll
 MSI (s) (40:68) [20:15:15:187]: Executing op:
 ComponentRegister(ComponentId={DEC104C4-10BB-50E9-853F-C0B449E523D8},KeyPath=C:\

SEP_INST.log

```

Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\msvc90.dll,State=3,,Disk=1,SharedDllRefCount=0
,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{DEC104C4-10BB-50E9-853F-C0B449E523D8} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\msvc90.dll
MSI (s) (40:68) [20:15:15:187]: Executing op:
ComponentRegister(ComponentId={AD345B6F-DF4D-54B4-9546-E8DCB04346CD},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\msvc90.dll,State=3,,Disk=1,SharedDllRefCount=0
,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{AD345B6F-DF4D-54B4-9546-E8DCB04346CD} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\msvc90.dll
MSI (s) (40:68) [20:15:15:187]: Executing op:
ComponentRegister(ComponentId={81416C6C-975F-5FA7-AD1F-67F72CAA69D1},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\msvc90.dll,State=3,,Disk=1,SharedDllRefCount=0
,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{81416C6C-975F-5FA7-AD1F-67F72CAA69D1} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\msvc90.dll
MSI (s) (40:68) [20:15:15:187]: Executing op:
ComponentRegister(ComponentId={B0C0063A-6A1F-59E0-ABBB-AC9263284726},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\mfc90.dll,State=3,,Disk=1,SharedDllRefCount=0,B
inaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{B0C0063A-6A1F-59E0-ABBB-AC9263284726} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\mfc90.dll
MSI (s) (40:68) [20:15:15:187]: Executing op:
ComponentRegister(ComponentId={F9182513-F586-5763-B10F-58CBE6BCC0F9},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\mfc90u.dll,State=3,,Disk=1,SharedDllRefCount=0,
BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{F9182513-F586-5763-B10F-58CBE6BCC0F9} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\mfc90u.dll
MSI (s) (40:68) [20:15:15:187]: Executing op:
ComponentRegister(ComponentId={67B96DFB-71A9-5E0A-BF6E-5EB26102C46F},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\mfc90.dll,State=3,,Disk=1,SharedDllRefCount=0,
BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{67B96DFB-71A9-5E0A-BF6E-5EB26102C46F} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\mfc90.dll
MSI (s) (40:68) [20:15:15:187]: Executing op:
ComponentRegister(ComponentId={E27C127D-C851-598F-80D8-4E758BEDB372},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\mfc90u.dll,State=3,,Disk=1,SharedDllRefCount=0
,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{E27C127D-C851-598F-80D8-4E758BEDB372} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\mfc90u.dll
MSI (s) (40:68) [20:15:15:187]: Executing op:
ComponentRegister(ComponentId={921984F2-AF31-5D7F-8B9D-BBEC0FDA0EA3},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\SepStub.exe,State=3,,Disk=1,SharedDllRefCount=0
,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{921984F2-AF31-5D7F-8B9D-BBEC0FDA0EA3} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\SepStub.exe
MSI (s) (40:68) [20:15:15:187]: Executing op:
ComponentRegister(ComponentId={45B62B9C-0949-4E18-9662-05E030F5D653},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{45B62B9C-0949-4E18-9662-05E030F5D653} 3: C:\Program Files\Symantec\Symantec

```

SEP_INST.log

Endpoint Protection\12.1.671.4971.105\
MSI (s) (40:68) [20:15:15:187]: Executing op:
ComponentRegister(ComponentId={36EF7C28-D578-43AE-B391-B29B7FCF25AC},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\ccAlert.dll,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {36EF7C28-D578-43AE-B391-B29B7FCF25AC} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\ccAlert.dll
MSI (s) (40:68) [20:15:15:187]: Executing op:
ComponentRegister(ComponentId={B54C84C3-9FB6-493B-A664-854755EB0CF6},KeyPath=D:\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {B54C84C3-9FB6-493B-A664-854755EB0CF6} 3: D:\
MSI (s) (40:68) [20:15:15:187]: Executing op:
ComponentRegister(ComponentId={85988C2D-58D7-417C-AD1B-52A19F1D035F},KeyPath=D:\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {85988C2D-58D7-417C-AD1B-52A19F1D035F} 3: D:\
MSI (s) (40:68) [20:15:15:187]: Executing op:
ComponentRegister(ComponentId={90EADE40-2811-4586-9296-ACCF A56D01DB},KeyPath=D:\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {90EADE40-2811-4586-9296-ACCF A56D01DB} 3: D:\
MSI (s) (40:68) [20:15:15:187]: Executing op:
ComponentRegister(ComponentId={5442C1A3-B7D5-46D3-8B4A-267DBCC01023},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\ccSvc.dll,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {5442C1A3-B7D5-46D3-8B4A-267DBCC01023} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\ccSvc.dll
MSI (s) (40:68) [20:15:15:187]: Executing op:
ComponentRegister(ComponentId={65DD3027-1A55-4AD2-B800-34E605D8176C},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\ccSvcHst.exe,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {65DD3027-1A55-4AD2-B800-34E605D8176C} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\ccSvcHst.exe
MSI (s) (40:68) [20:15:15:187]: Executing op:
ComponentRegister(ComponentId={21ABFB0A-19C8-43DF-8882-F6AD1C9CC64E},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\ccSet.dll,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {21ABFB0A-19C8-43DF-8882-F6AD1C9CC64E} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\ccSet.dll
MSI (s) (40:68) [20:15:15:187]: Executing op:
ComponentRegister(ComponentId={0A84A2C2-31D8-4BE4-8C01-B357A1A61500},KeyPath=D:\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {0A84A2C2-31D8-4BE4-8C01-B357A1A61500} 3: D:\
MSI (s) (40:68) [20:15:15:187]: Executing op:
ComponentRegister(ComponentId={9D8A64DB-A066-4BF1-9AF4-EAA18822FC77},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\ccVrTrst.dll,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {9D8A64DB-A066-4BF1-9AF4-EAA18822FC77} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\ccVrTrst.dll
MSI (s) (40:68) [20:15:15:187]: Executing op:
ComponentRegister(ComponentId={5EB206DC-25AC-477A-9923-6F1D433BD51F},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\ccErrDsp.dll,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {5EB206DC-25AC-477A-9923-6F1D433BD51F} 3: C:\Program Files\Symantec\Symantec

SEP_INST.log

Endpoint Protection\12.1.671.4971.105\Bin\ccErrDsp.dll
MSI (s) (40:68) [20:15:15:187]: Executing op:
ComponentRegister(ComponentId={FF82AF26-0540-4908-979F-925F646E50A5},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\ccGEvt.dll,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {FF82AF26-0540-4908-979F-925F646E50A5} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\ccGEvt.dll
MSI (s) (40:68) [20:15:15:187]: Executing op:
ComponentRegister(ComponentId={2B397E08-5A2C-42E9-A8F3-FC819E526EE6},KeyPath=D:\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {2B397E08-5A2C-42E9-A8F3-FC819E526EE6} 3: D:\
MSI (s) (40:68) [20:15:15:187]: Executing op:
ComponentRegister(ComponentId={A657B390-54D5-4D66-BE15-09694EF7D8E6},KeyPath=D:\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {A657B390-54D5-4D66-BE15-09694EF7D8E6} 3: D:\
MSI (s) (40:68) [20:15:15:187]: Executing op:
ComponentRegister(ComponentId={FEA870BC-1FA3-4459-BDBA-D44050F676DF},KeyPath=D:\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {FEA870BC-1FA3-4459-BDBA-D44050F676DF} 3: D:\
MSI (s) (40:68) [20:15:15:187]: Executing op:
ComponentRegister(ComponentId={0BADFBDE-0FCC-48B0-81A8-608789C288F1},KeyPath=D:\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {0BADFBDE-0FCC-48B0-81A8-608789C288F1} 3: D:\
MSI (s) (40:68) [20:15:15:187]: Executing op:
ComponentRegister(ComponentId={E3C2D593-2209-46E6-8BF6-7A3DAC384C07},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\ccGLog.dll,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {E3C2D593-2209-46E6-8BF6-7A3DAC384C07} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\ccGLog.dll
MSI (s) (40:68) [20:15:15:187]: Executing op:
ComponentRegister(ComponentId={18BE817E-1170-49B6-8F13-050D5A7399C0},KeyPath=D:\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {18BE817E-1170-49B6-8F13-050D5A7399C0} 3: D:\
MSI (s) (40:68) [20:15:15:187]: Executing op:
ComponentRegister(ComponentId={4B82872F-1676-44C3-884D-3B9C06EB09EB},KeyPath=D:\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {4B82872F-1676-44C3-884D-3B9C06EB09EB} 3: D:\
MSI (s) (40:68) [20:15:15:187]: Executing op:
ComponentRegister(ComponentId={6FE8CB1A-9246-43CE-8179-1A0F0E617359},KeyPath=D:\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {6FE8CB1A-9246-43CE-8179-1A0F0E617359} 3: D:\
MSI (s) (40:68) [20:15:15:187]: Executing op:
ComponentRegister(ComponentId={64FB9147-227E-4E8E-92E9-B39212CD2BBA},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\ccIPC.dll,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {64FB9147-227E-4E8E-92E9-B39212CD2BBA} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\ccIPC.dll
MSI (s) (40:68) [20:15:15:187]: Executing op:
ComponentRegister(ComponentId={08A0CA18-7B78-4771-B8CB-A880E49162FD},KeyPath=D:\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {08A0CA18-7B78-4771-B8CB-A880E49162FD} 3: D:\
MSI (s) (40:68) [20:15:15:187]: Executing op:
ComponentRegister(ComponentId={8656575E-49AF-442D-B37F-A64853D2B919},KeyPath=C:\Program Files\Symantec\Symantec Endpoint

SEP_INST.log

```

Protection\12.1.671.4971.105\Bin\ccJobMgr.dll,State=3,,Disk=1,SharedDllRefCount=
0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{8656575E-49AF-442D-B37F-A64853D2B919} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\ccJobMgr.dll
MSI (s) (40:68) [20:15:15:187]: Executing op:
ComponentRegister(ComponentId={85E8B264-B1D0-43D6-A6F9-EE00AEC6E2CC},KeyPath=D:\
,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{85E8B264-B1D0-43D6-A6F9-EE00AEC6E2CC} 3: D:\
MSI (s) (40:68) [20:15:15:187]: Executing op:
ComponentRegister(ComponentId={F48CC214-70E7-4DD4-B02F-A51411B9A423},KeyPath=D:\
,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{F48CC214-70E7-4DD4-B02F-A51411B9A423} 3: D:\
MSI (s) (40:68) [20:15:15:187]: Executing op:
ComponentRegister(ComponentId={0CBA84E2-408E-42C5-B747-3D9FA68EA5CC},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\ccL100U.dll,State=3,,Disk=1,SharedDllRefCount=0
,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{0CBA84E2-408E-42C5-B747-3D9FA68EA5CC} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\ccL100U.dll
MSI (s) (40:68) [20:15:15:187]: Executing op:
ComponentRegister(ComponentId={F391493A-9B4E-4662-BE75-F15E931D9221},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\ccSEBind.dll,State=3,,Disk=1,SharedDllRefCount=
0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{F391493A-9B4E-4662-BE75-F15E931D9221} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\ccSEBind.dll
MSI (s) (40:68) [20:15:15:187]: Executing op:
ComponentRegister(ComponentId={620D64F4-8535-46A3-B52E-12322A4F2108},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\ccSubEng.dll,State=3,,Disk=1,SharedDllRefCount=
0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{620D64F4-8535-46A3-B52E-12322A4F2108} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\ccSubEng.dll
MSI (s) (40:68) [20:15:15:187]: Executing op:
ComponentRegister(ComponentId={C678E30E-A833-4DC3-B6AE-14D1CB184043},KeyPath=D:\
,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{C678E30E-A833-4DC3-B6AE-14D1CB184043} 3: D:\
MSI (s) (40:68) [20:15:15:187]: Executing op:
ComponentRegister(ComponentId={C6A5EFC2-4CB9-4788-98A1-201F62247AE5},KeyPath=D:\
,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{C6A5EFC2-4CB9-4788-98A1-201F62247AE5} 3: D:\
MSI (s) (40:68) [20:15:15:187]: Executing op:
ComponentRegister(ComponentId={9FE08C00-31CB-4004-8394-DB126055634E},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\LUctl.dll,State=3,,Disk=1,SharedDllRefCount=0,B
inaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{9FE08C00-31CB-4004-8394-DB126055634E} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\LUctl.dll
MSI (s) (40:68) [20:15:15:187]: Executing op:
ComponentRegister(ComponentId={8BB36FB5-A2C5-46DA-9133-60FDE0290A0C},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\LUEng.dll,State=3,,Disk=1,SharedDllRefCount=0,B
inaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{8BB36FB5-A2C5-46DA-9133-60FDE0290A0C} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\LUEng.dll
MSI (s) (40:68) [20:15:15:187]: Executing op:
ComponentRegister(ComponentId={2D8C0AA6-A72A-4848-BF4B-40F182E8D626},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint

```

SEP_INST.log

Protection\12.1.671.4971.105\Bin\LUSub.dll,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
 1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {2D8C0AA6-A72A-4848-BF4B-40F182E8D626} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\LUSub.dll
 MSI (s) (40:68) [20:15:15:187]: Executing op: ComponentRegister(ComponentId={1497B44F-FF51-4B19-9039-F506B1E4AAB9},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\LUSvc.dll,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
 1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {1497B44F-FF51-4B19-9039-F506B1E4AAB9} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\LUSvc.dll
 MSI (s) (40:68) [20:15:15:203]: Executing op: ComponentRegister(ComponentId={A843FF22-9175-43F2-B2EA-48EDA3ADAB05},KeyPath=D:\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
 1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {A843FF22-9175-43F2-B2EA-48EDA3ADAB05} 3: D:\
 MSI (s) (40:68) [20:15:15:203]: Executing op: ComponentRegister(ComponentId={336A7940-F8B2-4CCE-B9BB-E379E8D7F4F6},KeyPath=D:\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
 1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {336A7940-F8B2-4CCE-B9BB-E379E8D7F4F6} 3: D:\
 MSI (s) (40:68) [20:15:15:203]: Executing op: ComponentRegister(ComponentId={B3DE178A-2E3E-436D-8C26-587E567457CF},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\DefUtDCD.dll,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
 1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {B3DE178A-2E3E-436D-8C26-587E567457CF} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\DefUtDCD.dll
 MSI (s) (40:68) [20:15:15:203]: Executing op: ComponentRegister(ComponentId={24887825-BA64-440D-A371-CDFE86B152E4},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\duclib.dll,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
 1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {24887825-BA64-440D-A371-CDFE86B152E4} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\duclib.dll
 MSI (s) (40:68) [20:15:15:203]: Executing op: ComponentRegister(ComponentId={E50E15EE-5ECB-4B8C-AEC7-5A8F8A412FE1},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\DuLucbk.dll,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
 1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {E50E15EE-5ECB-4B8C-AEC7-5A8F8A412FE1} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\DuLucbk.dll
 MSI (s) (40:68) [20:15:15:203]: Executing op: ComponentRegister(ComponentId={D88B513D-8EB5-439C-8058-D922D7EFC794},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\patch25d.dll,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
 1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {D88B513D-8EB5-439C-8058-D922D7EFC794} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\patch25d.dll
 MSI (s) (40:68) [20:15:15:203]: Executing op: ComponentRegister(ComponentId={697AA60D-D8A3-4846-A013-BE0C243C655B},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SymDltCl.dll,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
 1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {697AA60D-D8A3-4846-A013-BE0C243C655B} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SymDltCl.dll
 MSI (s) (40:68) [20:15:15:203]: Executing op: ComponentRegister(ComponentId={7BC693B0-35B9-48F0-8726-3EF1F4426B99},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
 1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:

SEP_INST.log

{7BC693B0-35B9-48F0-8726-3EF1F4426B99} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\
MSI (s) (40:68) [20:15:15:203]: Executing op:
ComponentRegister(ComponentId={44FFA698-CD48-4337-85E5-FAFFC70BF244},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\ecmlldr32.DLL,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {44FFA698-CD48-4337-85E5-FAFFC70BF244} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\ecmlldr32.DLL
MSI (s) (40:68) [20:15:15:203]: Executing op:
ComponentRegister(ComponentId={3810364A-96DD-4355-9027-9271E418CEC8},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\msl.dll,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {3810364A-96DD-4355-9027-9271E418CEC8} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\msl.dll
MSI (s) (40:68) [20:15:15:203]: Executing op:
ComponentRegister(ComponentId={94AB25A1-56E0-4B60-9D49-DF1366D08FDB},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\ccCommon.grd,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {94AB25A1-56E0-4B60-9D49-DF1366D08FDB} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\ccCommon.grd
MSI (s) (40:68) [20:15:15:203]: Executing op:
ComponentRegister(ComponentId={52A544EC-7630-423E-8472-2C61ACDE36C7},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\ccCommon.sig,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {52A544EC-7630-423E-8472-2C61ACDE36C7} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\ccCommon.sig
MSI (s) (40:68) [20:15:15:203]: Executing op:
ComponentRegister(ComponentId={A6DA9C96-AEF4-45BE-B6EF-0CFF404465C2},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\ccCommon.spm,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {A6DA9C96-AEF4-45BE-B6EF-0CFF404465C2} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\ccCommon.spm
MSI (s) (40:68) [20:15:15:203]: Executing op:
ComponentRegister(ComponentId={FE9609CC-899D-41EF-93B0-13B28DE135AF},KeyPath=C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {FE9609CC-899D-41EF-93B0-13B28DE135AF} 3: C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\
MSI (s) (40:68) [20:15:15:203]: Executing op:
ComponentRegister(ComponentId={5FE5DC26-3C6B-4FE4-A46F-D8AE13D5483A},KeyPath=C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {5FE5DC26-3C6B-4FE4-A46F-D8AE13D5483A} 3: C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\
MSI (s) (40:68) [20:15:15:203]: Executing op:
ComponentRegister(ComponentId={1C75E465-905B-4C7B-87E5-527AB13BE115},KeyPath=C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {1C75E465-905B-4C7B-87E5-527AB13BE115} 3: C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\
MSI (s) (40:68) [20:15:15:203]: Executing op:
ComponentRegister(ComponentId={4CDAF46A-9050-44FC-A164-9BF678877F84},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\DSCLI.dll,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)

SEP_INST.log

```

1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{4CDAF46A-9050-44FC-A164-9BF678877F84} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\DSCli.dll
MSI (s) (40:68) [20:15:15:203]: Executing op:
ComponentRegister(ComponentId={D9A23ECC-F3AA-4586-B344-622A8B1B7EF4},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\SPManifests\SymDS.grd,State=3,,Disk=1,SharedDll
RefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{D9A23ECC-F3AA-4586-B344-622A8B1B7EF4} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\SymDS.grd
MSI (s) (40:68) [20:15:15:203]: Executing op:
ComponentRegister(ComponentId={43FC3A90-A914-4A9E-A33F-36AC7C786B35},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\SPManifests\SymDS.sig,State=3,,Disk=1,SharedDll
RefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{43FC3A90-A914-4A9E-A33F-36AC7C786B35} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\SymDS.sig
MSI (s) (40:68) [20:15:15:203]: Executing op:
ComponentRegister(ComponentId={56375C27-9066-4C02-8F35-0A7F1B2EF4A4},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\SPManifests\SymDS.spm,State=3,,Disk=1,SharedDll
RefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{56375C27-9066-4C02-8F35-0A7F1B2EF4A4} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\SymDS.spm
MSI (s) (40:68) [20:15:15:203]: Executing op:
ComponentRegister(ComponentId={D4821E17-B39B-496C-B102-40CEECCBBD42},KeyPath=D:\
,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{D4821E17-B39B-496C-B102-40CEECCBBD42} 3: D:\
MSI (s) (40:68) [20:15:15:203]: Executing op:
ComponentRegister(ComponentId={D43FCF95-A5EE-4038-8942-40B39248488E},KeyPath=D:\
,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{D43FCF95-A5EE-4038-8942-40B39248488E} 3: D:\
MSI (s) (40:68) [20:15:15:203]: Executing op:
ComponentRegister(ComponentId={EE39FFBF-D769-4332-96B1-86A94AAC0B14},KeyPath=C:\
WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\,State=3,,Disk=1,SharedDllRef
Count=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{EE39FFBF-D769-4332-96B1-86A94AAC0B14} 3:
C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\
MSI (s) (40:68) [20:15:15:203]: Executing op:
ComponentRegister(ComponentId={97967063-4A13-4EBA-9FC2-801993751D46},KeyPath=C:\
WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\,State=3,,Disk=1,SharedDllRef
Count=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{97967063-4A13-4EBA-9FC2-801993751D46} 3:
C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\
MSI (s) (40:68) [20:15:15:203]: Executing op:
ComponentRegister(ComponentId={EADC6B24-74F1-4B9F-8D7B-1F8BED7EA5A8},KeyPath=C:\
WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\,State=3,,Disk=1,SharedDllRef
Count=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{EADC6B24-74F1-4B9F-8D7B-1F8BED7EA5A8} 3:
C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\
MSI (s) (40:68) [20:15:15:203]: Executing op:
ComponentRegister(ComponentId={3781F577-9878-4CB2-AB6D-36EB477E714E},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\EFACli.dll,State=3,,Disk=1,SharedDllRefCount=0,
BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{3781F577-9878-4CB2-AB6D-36EB477E714E} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\EFACli.dll
MSI (s) (40:68) [20:15:15:203]: Executing op:
ComponentRegister(ComponentId={54C9C7FA-5825-4AD7-B8D5-0A0FE4224EF3},KeyPath=C:\

```

SEP_INST.log

```

Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\EFAInst.exe,State=3,,Disk=1,SharedDllRefCount=0
,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{54C9C7FA-5825-4AD7-B8D5-0A0FE4224EF3} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\EFAInst.exe
MSI (s) (40:68) [20:15:15:203]: Executing op:
ComponentRegister(ComponentId={36078FBA-890F-48C4-B0BD-3E8ABA785EDA},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\SPManifests\SymEFA.grd,State=3,,Disk=1,SharedDl
lRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{36078FBA-890F-48C4-B0BD-3E8ABA785EDA} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\SymEFA.grd
MSI (s) (40:68) [20:15:15:203]: Executing op:
ComponentRegister(ComponentId={2CE33BEE-5009-41A0-8204-2CFB288DDC8F},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\SPManifests\SymEFA.sig,State=3,,Disk=1,SharedDl
lRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{2CE33BEE-5009-41A0-8204-2CFB288DDC8F} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\SymEFA.sig
MSI (s) (40:68) [20:15:15:203]: Executing op:
ComponentRegister(ComponentId={2F33587F-2078-4E4D-8712-79AA17E6309F},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\SPManifests\SymEFA.spm,State=3,,Disk=1,SharedDl
lRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{2F33587F-2078-4E4D-8712-79AA17E6309F} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\SymEFA.spm
MSI (s) (40:68) [20:15:15:203]: Executing op:
ComponentRegister(ComponentId={287F9E71-C5AA-4159-BE2E-B38F91AC7A63},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\Sevinst.exe,State=3,,Disk=1,SharedDllRefCount=0
,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{287F9E71-C5AA-4159-BE2E-B38F91AC7A63} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\Sevinst.exe
MSI (s) (40:68) [20:15:15:203]: Executing op:
ComponentRegister(ComponentId={F29D379A-2BEB-4A62-9730-613CE4886C7E},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\SPManifests\symevnt.grd,State=3,,Disk=1,SharedD
llRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{F29D379A-2BEB-4A62-9730-613CE4886C7E} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\symevnt.grd
MSI (s) (40:68) [20:15:15:203]: Executing op:
ComponentRegister(ComponentId={8B918C67-F588-4376-B642-7307FAB59231},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\SPManifests\symevnt.sig,State=3,,Disk=1,SharedD
llRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{8B918C67-F588-4376-B642-7307FAB59231} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\symevnt.sig
MSI (s) (40:68) [20:15:15:203]: Executing op:
ComponentRegister(ComponentId={B40FBCEF-EA99-44F7-932D-D7A02765508B},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\SPManifests\symevnt.spm,State=3,,Disk=1,SharedD
llRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{B40FBCEF-EA99-44F7-932D-D7A02765508B} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\symevnt.spm
MSI (s) (40:68) [20:15:15:203]: Executing op:
ComponentRegister(ComponentId={BD440A47-2711-4C20-8CE8-62465957CA7D},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\SNDSvc.dll,State=3,,Disk=1,SharedDllRefCount=0,
BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:

```

SEP_INST.log

{BD440A47-2711-4C20-8CE8-62465957CA7D} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SNDSvc.dll
MSI (s) (40:68) [20:15:15:203]: Executing op:
ComponentRegister(ComponentId={5C416F03-1DC0-43FB-BC54-98C468CFBBAD},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SymNeti.dll,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{5C416F03-1DC0-43FB-BC54-98C468CFBBAD} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SymNeti.dll
MSI (s) (40:68) [20:15:15:203]: Executing op:
ComponentRegister(ComponentId={3475E047-0EE5-4F04-A6CC-38DE38D73789},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SymRdrSv.dll,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{3475E047-0EE5-4F04-A6CC-38DE38D73789} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SymRdrSv.dll
MSI (s) (40:68) [20:15:15:203]: Executing op:
ComponentRegister(ComponentId={B332E0DD-2926-4742-B584-1C7A883B7E55},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SymRedir.dll,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{B332E0DD-2926-4742-B584-1C7A883B7E55} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SymRedir.dll
MSI (s) (40:68) [20:15:15:203]: Executing op:
ComponentRegister(ComponentId={50AA1C4A-910C-4490-A496-9CA26FD83074},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\WFPUnins.exe,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{50AA1C4A-910C-4490-A496-9CA26FD83074} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\WFPUnins.exe
MSI (s) (40:68) [20:15:15:203]: Executing op:
ComponentRegister(ComponentId={A35546A8-6BFF-423F-8277-CB1562399BF7},KeyPath=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\symnetdrv\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{A35546A8-6BFF-423F-8277-CB1562399BF7} 3: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\symnetdrv\
MSI (s) (40:68) [20:15:15:203]: Executing op:
ComponentRegister(ComponentId={21AD80F2-A15A-499A-901B-81418E5A5830},KeyPath=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\symnetdrv\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{21AD80F2-A15A-499A-901B-81418E5A5830} 3: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\symnetdrv\
MSI (s) (40:68) [20:15:15:203]: Executing op:
ComponentRegister(ComponentId={90D2DC94-C5AE-4257-AA16-9F9B530D2C83},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\snd.grd,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{90D2DC94-C5AE-4257-AA16-9F9B530D2C83} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\snd.grd
MSI (s) (40:68) [20:15:15:203]: Executing op:
ComponentRegister(ComponentId={2E54F05A-4A2D-43E5-89C0-2749A5A9759B},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\snd.sig,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{2E54F05A-4A2D-43E5-89C0-2749A5A9759B} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\snd.sig

SEP_INST.log

MSI (s) (40:68) [20:15:15:203]: Executing op:
 ComponentRegister(ComponentId={145DAC35-6E11-40BB-98FB-A789A7BBB85B},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\snd.spm,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
 1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {145DAC35-6E11-40BB-98FB-A789A7BBB85B} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\snd.spm
 MSI (s) (40:68) [20:15:15:203]: Executing op:
 ComponentRegister(ComponentId={0F407460-C6CF-456C-9932-A544BBEBC535},,State=-7,,Disk=1,SharedDllRefCount=0,BinaryType=0)
 1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {0F407460-C6CF-456C-9932-A544BBEBC535}
 MSI (s) (40:68) [20:15:15:203]: Executing op:
 ComponentRegister(ComponentId={AD18E94D-1232-4712-A833-F90031D48058},,State=-7,,Disk=1,SharedDllRefCount=0,BinaryType=0)
 1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {AD18E94D-1232-4712-A833-F90031D48058}
 MSI (s) (40:68) [20:15:15:203]: Executing op:
 ComponentRegister(ComponentId={8782439F-535D-4BBF-B942-9AC2EA6B3D1F},KeyPath=C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
 1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {8782439F-535D-4BBF-B942-9AC2EA6B3D1F} 3: C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\
 MSI (s) (40:68) [20:15:15:203]: Executing op:
 ComponentRegister(ComponentId={0D7A68C9-2A77-4AEB-AD38-DE2A02401C80},KeyPath=C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
 1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {0D7A68C9-2A77-4AEB-AD38-DE2A02401C80} 3: C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\
 MSI (s) (40:68) [20:15:15:203]: Executing op:
 ComponentRegister(ComponentId={7E6673CF-982E-46A1-8251-C71A147D48FA},KeyPath=C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
 1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {7E6673CF-982E-46A1-8251-C71A147D48FA} 3: C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\
 MSI (s) (40:68) [20:15:15:203]: Executing op:
 ComponentRegister(ComponentId={582B8C78-AE34-46D1-A42E-51EE82803D47},,State=-7,,Disk=1,SharedDllRefCount=0,BinaryType=0)
 1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {582B8C78-AE34-46D1-A42E-51EE82803D47}
 MSI (s) (40:68) [20:15:15:203]: Executing op:
 ComponentRegister(ComponentId={E088D0EE-8293-4670-A91B-861E5D60D49C},,State=-7,,Disk=1,SharedDllRefCount=0,BinaryType=0)
 1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {E088D0EE-8293-4670-A91B-861E5D60D49C}
 MSI (s) (40:68) [20:15:15:203]: Executing op:
 ComponentRegister(ComponentId={F4F25E33-A3A4-4A0A-9BB8-BDDCBD5A7749},KeyPath=D:\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
 1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {F4F25E33-A3A4-4A0A-9BB8-BDDCBD5A7749} 3: D:\
 MSI (s) (40:68) [20:15:15:203]: Executing op:
 ComponentRegister(ComponentId={DE301980-C8FF-4902-9692-C3677157CFBA},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\ccScanw.dll,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
 1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {DE301980-C8FF-4902-9692-C3677157CFBA} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\ccScanw.dll
 MSI (s) (40:68) [20:15:15:203]: Executing op:
 ComponentRegister(ComponentId={BA24A7DB-4635-45EE-8BDA-EF26434FFB03},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\dec_abi.dll,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
 1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:

SEP_INST.log

```
{BA24A7DB-4635-45EE-8BDA-EF26434FFB03} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\dec_abi.dll
MSI (s) (40:68) [20:15:15:203]: Executing op:
ComponentRegister(ComponentId={DA73868D-B969-44C4-8726-F7931777A066},KeyPath=C:\
Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Definitions\,State=3,,Disk=1,SharedDllRefCount
=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{DA73868D-B969-44C4-8726-F7931777A066} 3: C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Definitions\
MSI (s) (40:68) [20:15:15:203]: Executing op:
ComponentRegister(ComponentId={D02EA6A5-C729-4ABC-ADC7-5B090FC0FA06},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\BHCA.exe,State=3,,Disk=1,SharedDllRefCount=0,Bi
naryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{D02EA6A5-C729-4ABC-ADC7-5B090FC0FA06} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\BHCA.exe
MSI (s) (40:68) [20:15:15:203]: Executing op:
ComponentRegister(ComponentId={32985803-BAA4-4F57-85C6-C2DC2527AB89},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\BHClient.dll,State=3,,Disk=1,SharedDllRefCount=
0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{32985803-BAA4-4F57-85C6-C2DC2527AB89} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\BHClient.dll
MSI (s) (40:68) [20:15:15:203]: Executing op:
ComponentRegister(ComponentId={B9E1E67A-0A0E-4EDC-A8E2-79CECA428ED2},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\BHSvcPlg.dll,State=3,,Disk=1,SharedDllRefCount=
0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{B9E1E67A-0A0E-4EDC-A8E2-79CECA428ED2} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\BHSvcPlg.dll
MSI (s) (40:68) [20:15:15:203]: Executing op:
ComponentRegister(ComponentId={029C3F2F-10ED-48DF-8130-213847433494},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\SPManifests\BASH.grd,State=3,,Disk=1,SharedDllR
efCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{029C3F2F-10ED-48DF-8130-213847433494} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\BASH.grd
MSI (s) (40:68) [20:15:15:203]: Executing op:
ComponentRegister(ComponentId={39E880DF-C1A8-4B3B-9D62-AD22C383A24A},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\SPManifests\BASH.sig,State=3,,Disk=1,SharedDllR
efCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{39E880DF-C1A8-4B3B-9D62-AD22C383A24A} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\BASH.sig
MSI (s) (40:68) [20:15:15:203]: Executing op:
ComponentRegister(ComponentId={6AE5F246-19A3-47C8-BF0C-21DE507CD75B},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\SPManifests\BASH.spm,State=3,,Disk=1,SharedDllR
efCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{6AE5F246-19A3-47C8-BF0C-21DE507CD75B} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\BASH.spm
MSI (s) (40:68) [20:15:15:203]: Executing op:
ComponentRegister(ComponentId={5828A8C4-4558-43F4-BF4B-B384D29D0295},KeyPath=C:\
Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\BASH\,State=3,,Disk=1,SharedDllRefCount=0,Bina
ryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{5828A8C4-4558-43F4-BF4B-B384D29D0295} 3: C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\BASH\
```

SEP_INST.log

MSI (s) (40:68) [20:15:15:203]: Executing op:
ComponentRegister(ComponentId={68CCED1A-5611-4951-BA7C-433DDDB0D9C6},KeyPath=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\BASH\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {68CCED1A-5611-4951-BA7C-433DDDB0D9C6} 3: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\BASH\
MSI (s) (40:68) [20:15:15:203]: Executing op:
ComponentRegister(ComponentId={BFAFD174-B6E4-4F96-87FA-2AF531642F03},KeyPath=D:\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {BFAFD174-B6E4-4F96-87FA-2AF531642F03} 3: D:\
MSI (s) (40:68) [20:15:15:203]: Executing op:
ComponentRegister(ComponentId={0EF386D8-9977-462C-A4F3-01EEB0811A0E},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\Iron.dll,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {0EF386D8-9977-462C-A4F3-01EEB0811A0E} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\Iron.dll
MSI (s) (40:68) [20:15:15:203]: Executing op:
ComponentRegister(ComponentId={F7AA046F-765E-44DA-8C54-FF8172D6B6E0},KeyPath=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\IRON\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {F7AA046F-765E-44DA-8C54-FF8172D6B6E0} 3: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\IRON\
MSI (s) (40:68) [20:15:15:218]: Executing op:
ComponentRegister(ComponentId={F7AA046F-765E-44DA-8C54-FF8172D6B6E0},KeyPath=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\IRON\,State=3,ProductKey={00000000-0000-0000-0000-000000000000},Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {00000000-0000-0000-0000-000000000000} 2: {F7AA046F-765E-44DA-8C54-FF8172D6B6E0} 3: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\IRON\
MSI (s) (40:68) [20:15:15:218]: Executing op:
ComponentRegister(ComponentId={BB8930D7-3963-4ACC-9DDD-71232DE5DE21},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\iron.grd,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {BB8930D7-3963-4ACC-9DDD-71232DE5DE21} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\iron.grd
MSI (s) (40:68) [20:15:15:218]: Executing op:
ComponentRegister(ComponentId={53F1C101-D4B2-483A-9F8F-5C0F5A5B08C5},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\iron.sig,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {53F1C101-D4B2-483A-9F8F-5C0F5A5B08C5} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\iron.sig
MSI (s) (40:68) [20:15:15:218]: Executing op:
ComponentRegister(ComponentId={F5112C7A-34C7-4E2E-96CF-4288A4E13558},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\iron.spm,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {F5112C7A-34C7-4E2E-96CF-4288A4E13558} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\iron.spm
MSI (s) (40:68) [20:15:15:218]: Executing op:
ComponentRegister(ComponentId={1CABBD31-C29B-4912-AFA8-3796808326EC},KeyPath=C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)

SEP_INST.log

```

1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{1CABBD31-C29B-4912-AFA8-3796808326EC} 3:
C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\
MSI (s) (40:68) [20:15:15:218]: Executing op:
ComponentRegister(ComponentId={CD653C74-2923-40E6-BDF4-35AE8B3E413E},KeyPath=C:\
WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\,State=3,,Disk=1,SharedDllRef
Count=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{CD653C74-2923-40E6-BDF4-35AE8B3E413E} 3:
C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\
MSI (s) (40:68) [20:15:15:218]: Executing op:
ComponentRegister(ComponentId={1D732208-710D-48A4-83AA-E7319D4FDCAF},KeyPath=C:\
WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\,State=3,,Disk=1,SharedDllRef
Count=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{1D732208-710D-48A4-83AA-E7319D4FDCAF} 3:
C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\
MSI (s) (40:68) [20:15:15:218]: Executing op:
ComponentRegister(ComponentId={52570EBE-F29F-49E6-9FD8-ABEB168F818F},KeyPath=C:\
Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\IRON\,State=3,,Disk=1,SharedDllRefCount=0,Bina
ryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{52570EBE-F29F-49E6-9FD8-ABEB168F818F} 3: C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\IRON\
MSI (s) (40:68) [20:15:15:218]: Executing op:
ComponentRegister(ComponentId={C7D6E009-6859-42CA-880F-094635167AB4},KeyPath=C:\
Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\IRON\,State=3,,Disk=1,SharedDllRefCount=0,Bina
ryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{C7D6E009-6859-42CA-880F-094635167AB4} 3: C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\IRON\
MSI (s) (40:68) [20:15:15:218]: Executing op:
ComponentRegister(ComponentId={D2772241-9EDA-41FA-BF1E-53A2A1B4D019},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\TrstZone.dll,State=3,,Disk=1,SharedDllRefCount=
0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{D2772241-9EDA-41FA-BF1E-53A2A1B4D019} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\TrstZone.dll
MSI (s) (40:68) [20:15:15:218]: Executing op:
ComponentRegister(ComponentId={1CC9D583-3A9D-40F7-8717-A89DD4BB5D56},KeyPath=D:\
,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{1CC9D583-3A9D-40F7-8717-A89DD4BB5D56} 3: D:\
MSI (s) (40:68) [20:15:15:218]: Executing op:
ComponentRegister(ComponentId={4CDAC785-A397-47E2-8B77-3D28A05DC8B9},KeyPath=C:\
Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\SRTSP\,State=3,,Disk=1,SharedDllRefCount=0,Bin
aryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{4CDAC785-A397-47E2-8B77-3D28A05DC8B9} 3: C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\SRTSP\
MSI (s) (40:68) [20:15:15:218]: Executing op:
ComponentRegister(ComponentId={2BEA73A3-5112-49A8-B317-A0DB12A7EF29},KeyPath=C:\
Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\SRTSP\,State=3,,Disk=1,SharedDllRefCount=0,Bin
aryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{2BEA73A3-5112-49A8-B317-A0DB12A7EF29} 3: C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\SRTSP\
MSI (s) (40:68) [20:15:15:218]: Executing op:
ComponentRegister(ComponentId={2BEA73A3-5112-49A8-B317-A0DB12A7EF29},KeyPath=C\

```


SEP_INST.log

Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\SRTSP\,State=3,ProductKey={00000000-0000-0000-0000-000000000000},Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {00000000-0000-0000-0000-000000000000} 2:
{2BEA73A3-5112-49A8-B317-A0DB12A7EF29} 3: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\SRTSP\
MSI (s) (40:68) [20:15:15:218]: Executing op:
ComponentRegister(ComponentId={1BF43700-1F42-41A3-A020-156FB23357A3},KeyPath=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\SRTSP\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{1BF43700-1F42-41A3-A020-156FB23357A3} 3: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\SRTSP\
MSI (s) (40:68) [20:15:15:218]: Executing op:
ComponentRegister(ComponentId={1BF43700-1F42-41A3-A020-156FB23357A3},KeyPath=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\SRTSP\,State=3,ProductKey={00000000-0000-0000-0000-000000000000},Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {00000000-0000-0000-0000-000000000000} 2:
{1BF43700-1F42-41A3-A020-156FB23357A3} 3: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\SRTSP\
MSI (s) (40:68) [20:15:15:218]: Executing op:
ComponentRegister(ComponentId={67A963C5-6B39-4355-BDAC-630DD0E851FA},KeyPath=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\SRTSP\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{67A963C5-6B39-4355-BDAC-630DD0E851FA} 3: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\SRTSP\
MSI (s) (40:68) [20:15:15:218]: Executing op:
ComponentRegister(ComponentId={67A963C5-6B39-4355-BDAC-630DD0E851FA},KeyPath=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\SRTSP\,State=3,ProductKey={00000000-0000-0000-0000-000000000000},Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {00000000-0000-0000-0000-000000000000} 2:
{67A963C5-6B39-4355-BDAC-630DD0E851FA} 3: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\SRTSP\
MSI (s) (40:68) [20:15:15:218]: Executing op:
ComponentRegister(ComponentId={4812E7D1-2941-49B1-98E3-0EB8F1E92368},KeyPath=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\SRTSP\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{4812E7D1-2941-49B1-98E3-0EB8F1E92368} 3: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\SRTSP\
MSI (s) (40:68) [20:15:15:218]: Executing op:
ComponentRegister(ComponentId={4812E7D1-2941-49B1-98E3-0EB8F1E92368},KeyPath=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\SRTSP\,State=3,ProductKey={00000000-0000-0000-0000-000000000000},Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {00000000-0000-0000-0000-000000000000} 2:
{4812E7D1-2941-49B1-98E3-0EB8F1E92368} 3: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\SRTSP\
MSI (s) (40:68) [20:15:15:218]: Executing op:
ComponentRegister(ComponentId={62B9A8D3-1500-47D6-8AB0-439C2A7F3309},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SavRT32.dll,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{62B9A8D3-1500-47D6-8AB0-439C2A7F3309} 3: C:\Program Files\Symantec\Symantec

SEP_INST.log

Endpoint Protection\12.1.671.4971.105\Bin\SavRT32.dll
MSI (s) (40:68) [20:15:15:218]: Executing op:
ComponentRegister(ComponentId={AF55EE6F-1560-49D1-963D-B9CA467FFAC4},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\Srtsp32.dll,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {AF55EE6F-1560-49D1-963D-B9CA467FFAC4} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\Srtsp32.dll
MSI (s) (40:68) [20:15:15:218]: Executing op:
ComponentRegister(ComponentId={84EE41FC-370A-4758-8BAC-10FE94C5AB1F},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SRTPP.dat,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {84EE41FC-370A-4758-8BAC-10FE94C5AB1F} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SRTPP.dat
MSI (s) (40:68) [20:15:15:218]: Executing op:
ComponentRegister(ComponentId={23658C56-19D4-4DB6-8530-2E74D9161A09},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SRTPP_CA.exe,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {23658C56-19D4-4DB6-8530-2E74D9161A09} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SRTPP_CA.exe
MSI (s) (40:68) [20:15:15:218]: Executing op:
ComponentRegister(ComponentId={06315854-B291-4AB2-81B8-9E1B2F7CE1CF},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\srt.grd,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {06315854-B291-4AB2-81B8-9E1B2F7CE1CF} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\srt.grd
MSI (s) (40:68) [20:15:15:218]: Executing op:
ComponentRegister(ComponentId={611AC0C9-76F2-42D2-BFB4-E5C2F2A5A132},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\srt.sig,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {611AC0C9-76F2-42D2-BFB4-E5C2F2A5A132} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\srt.sig
MSI (s) (40:68) [20:15:15:218]: Executing op:
ComponentRegister(ComponentId={89E3A980-C992-43EA-8337-EDEA3B7AC0C3},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\srt.spm,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {89E3A980-C992-43EA-8337-EDEA3B7AC0C3} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\srt.spm
MSI (s) (40:68) [20:15:15:218]: Executing op:
ComponentRegister(ComponentId={6E32F405-4036-4DAA-81A8-C9041C958202},KeyPath=C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {6E32F405-4036-4DAA-81A8-C9041C958202} 3: C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\
MSI (s) (40:68) [20:15:15:218]: Executing op:
ComponentRegister(ComponentId={A2921712-2BBF-47E7-A4F8-FC4F27A6B5BE},KeyPath=C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {A2921712-2BBF-47E7-A4F8-FC4F27A6B5BE} 3: C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\
MSI (s) (40:68) [20:15:15:218]: Executing op:
ComponentRegister(ComponentId={B71E2E12-CD09-4FCE-923B-C178F7114963},KeyPath=C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:

```

SEP_INST.log
{B71E2E12-CD09-4FCE-923B-C178F7114963} 3:
C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\
MSI (s) (40:68) [20:15:15:218]: Executing op:
ComponentRegister(ComponentId={F01B7914-87B5-4D1A-929E-A993C17872A3},KeyPath=C:\
WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\,State=3,,Disk=1,SharedDllRef
Count=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{F01B7914-87B5-4D1A-929E-A993C17872A3} 3:
C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\
MSI (s) (40:68) [20:15:15:218]: Executing op:
ComponentRegister(ComponentId={37F00418-CD93-4674-837B-EFA3FC6BE771},KeyPath=C:\
WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\,State=3,,Disk=1,SharedDllRef
Count=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{37F00418-CD93-4674-837B-EFA3FC6BE771} 3:
C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\
MSI (s) (40:68) [20:15:15:218]: Executing op:
ComponentRegister(ComponentId={8831786D-D279-4EB3-B692-B13009077592},KeyPath=C:\
WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\,State=3,,Disk=1,SharedDllRef
Count=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{8831786D-D279-4EB3-B692-B13009077592} 3:
C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\
MSI (s) (40:68) [20:15:15:218]: Executing op:
ComponentRegister(ComponentId={B0CD3F7A-B7AE-4796-BA8B-7DADF6FFA615},KeyPath=D:\
,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{B0CD3F7A-B7AE-4796-BA8B-7DADF6FFA615} 3: D:\
MSI (s) (40:68) [20:15:15:218]: Executing op:
ComponentRegister(ComponentId={DD1AE543-76DB-4DC1-AF2F-EA966158D5B8},KeyPath=D:\
,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{DD1AE543-76DB-4DC1-AF2F-EA966158D5B8} 3: D:\
MSI (s) (40:68) [20:15:15:218]: Executing op:
ComponentRegister(ComponentId={169F8999-24D9-46D4-99B1-B0D9C6505DAB},KeyPath=D:\
,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{169F8999-24D9-46D4-99B1-B0D9C6505DAB} 3: D:\
MSI (s) (40:68) [20:15:15:218]: Executing op:
ComponentRegister(ComponentId={A1C62EF2-A1B2-4093-BC97-2071943B29EB},KeyPath=D:\
,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{A1C62EF2-A1B2-4093-BC97-2071943B29EB} 3: D:\
MSI (s) (40:68) [20:15:15:218]: Executing op:
ComponentRegister(ComponentId={FC720AB2-3242-4516-BD9F-953C36BAD43F},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{FC720AB2-3242-4516-BD9F-953C36BAD43F} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\
MSI (s) (40:68) [20:15:15:218]: Executing op:
ComponentRegister(ComponentId={A3FF8530-6D15-59F4-9AE0-D76BD642D87F},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\AVMan.plg,State=3,,Disk=1,SharedDllRefCount=0,B
inaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{A3FF8530-6D15-59F4-9AE0-D76BD642D87F} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\AVMan.plg
MSI (s) (40:68) [20:15:15:218]: Executing op:
ComponentRegister(ComponentId={735433E1-0B49-545E-ACDC-B15983724CCD},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\installTeefer.exe,State=3,,Disk=1,SharedDllRefC
ount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{735433E1-0B49-545E-ACDC-B15983724CCD} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\installTeefer.exe
MSI (s) (40:68) [20:15:15:218]: Executing op:
ComponentRegister(ComponentId={AC61DB88-047B-4E9E-A864-CCE4D6A27188},KeyPath=C:\

```

SEP_INST.log

```

Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\TeeferVista\teefer.sys,State=3,,Disk=1,SharedDll
RefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{AC61DB88-047B-4E9E-A864-CCE4D6A27188} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\TeeferVista\teefer.sys
MSI (s) (40:68) [20:15:15:218]: Executing op:
ComponentRegister(ComponentId={8DBEBBF8-0AB6-465A-8AE7-699A89C36738},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\TeeferVista\teefer.inf,State=3,,Disk=1,SharedDll
RefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{8DBEBBF8-0AB6-465A-8AE7-699A89C36738} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\TeeferVista\teefer.inf
MSI (s) (40:68) [20:15:15:218]: Executing op:
ComponentRegister(ComponentId={880E77D2-356F-43B5-84BA-491C68E616A8},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\TeeferXP\teefer.sys,State=3,,Disk=1,SharedDllRe
fCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{880E77D2-356F-43B5-84BA-491C68E616A8} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\TeeferXP\teefer.sys
MSI (s) (40:68) [20:15:15:218]: Executing op:
ComponentRegister(ComponentId={8931FE00-82C7-40E7-A1D9-BE580A91EB01},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\TeeferXP\teefer.inf,State=3,,Disk=1,SharedDllRe
fCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{8931FE00-82C7-40E7-A1D9-BE580A91EB01} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\TeeferXP\teefer.inf
MSI (s) (40:68) [20:15:15:218]: Executing op:
ComponentRegister(ComponentId={FB9300B2-9CBC-5ECA-85EA-22F3F3C8194E},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\DevMan.plg,State=3,,Disk=1,SharedDllRefCount=0,
BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{FB9300B2-9CBC-5ECA-85EA-22F3F3C8194E} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\DevMan.plg
MSI (s) (40:68) [20:15:15:218]: Executing op:
ComponentRegister(ComponentId={46BF3BCF-AD12-5F4D-854C-2BE9F4E32F26},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\SfMan.plg,State=3,,Disk=1,SharedDllRefCount=0,B
inaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{46BF3BCF-AD12-5F4D-854C-2BE9F4E32F26} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\SfMan.plg
MSI (s) (40:68) [20:15:15:218]: Executing op:
ComponentRegister(ComponentId={E0913D36-3761-5D96-A410-311A08830B4C},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\SysPlant.sys,State=3,,Disk=1,SharedDllRefCount=
0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{E0913D36-3761-5D96-A410-311A08830B4C} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\SysPlant.sys
MSI (s) (40:68) [20:15:15:218]: Executing op:
ComponentRegister(ComponentId={77239209-B2FF-5C79-9D70-D79C2639C502},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\SysPlant.inf,State=3,,Disk=1,SharedDllRefCount=
0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{77239209-B2FF-5C79-9D70-D79C2639C502} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\SysPlant.inf
MSI (s) (40:68) [20:15:15:218]: Executing op:
ComponentRegister(ComponentId={04F0C237-B482-596C-AECA-1CE6FF44EA20},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\SyDvCtrl32.sys,State=3,,Disk=1,SharedDllRefCoun
t=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:

```

SEP_INST.log

```
{04F0C237-B482-596C-AECA-1CE6FF44EA20} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\SyDvCtrl32.sys
MSI (s) (40:68) [20:15:15:218]: Executing op:
ComponentRegister(ComponentId={465146B9-371A-5BD9-8CAE-54AE28321D63},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\vpshell2.dll,State=3,,Disk=1,SharedDllRefCount=
0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{465146B9-371A-5BD9-8CAE-54AE28321D63} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\vpshell2.dll
MSI (s) (40:68) [20:15:15:218]: Executing op:
ComponentRegister(ComponentId={BCF31EFC-FE09-517E-A38A-1A92A5E79B33},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\CIDSMAN.plg,State=3,,Disk=1,SharedDllRefCount=0
,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{BCF31EFC-FE09-517E-A38A-1A92A5E79B33} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\CIDSMAN.plg
MSI (s) (40:68) [20:15:15:218]: Executing op:
ComponentRegister(ComponentId={5CD85948-BD23-5E22-8E53-370DC1EB3144},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\BashMAN.plg,State=3,,Disk=1,SharedDllRefCount=0
,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{5CD85948-BD23-5E22-8E53-370DC1EB3144} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\BashMAN.plg
MSI (s) (40:68) [20:15:15:218]: Executing op:
ComponentRegister(ComponentId={876479E5-DC48-5BF7-9E74-338C76C0CBD4},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\LocalRep.plg,State=3,,Disk=1,SharedDllRefCount=
0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{876479E5-DC48-5BF7-9E74-338C76C0CBD4} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\LocalRep.plg
MSI (s) (40:68) [20:15:15:218]: Executing op:
ComponentRegister(ComponentId={50728127-26F4-5C20-80D7-196623574B35},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\AtpiMAN.plg,State=3,,Disk=1,SharedDllRefCount=0
,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{50728127-26F4-5C20-80D7-196623574B35} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\AtpiMAN.plg
MSI (s) (40:68) [20:15:15:218]: Executing op:
ComponentRegister(ComponentId={F71379C9-1E84-5582-90F5-82406BD74479},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\IdsTrafficPipe.dll,State=3,,Disk=1,SharedDllRef
Count=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{F71379C9-1E84-5582-90F5-82406BD74479} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\IdsTrafficPipe.dll
MSI (s) (40:68) [20:15:15:218]: Executing op:
ComponentRegister(ComponentId={A5043C9E-D31A-5F21-8C1D-E03842D411F9},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\tfman.dll,State=3,,Disk=1,SharedDllRefCount=0,B
inaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{A5043C9E-D31A-5F21-8C1D-E03842D411F9} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\tfman.dll
MSI (s) (40:68) [20:15:15:218]: Executing op:
ComponentRegister(ComponentId={3845DA81-1578-5D17-B06C-17CCAA7519BD},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\Tse.dll,State=3,,Disk=1,SharedDllRefCount=0,Bin
aryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{3845DA81-1578-5D17-B06C-17CCAA7519BD} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\Tse.dll
MSI (s) (40:68) [20:15:15:218]: Executing op:
ComponentRegister(ComponentId={57E0C2BD-8643-5683-A031-F7A72DD07465},KeyPath=C\
```

SEP_INST.log

```

Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\RepMgtMan.plg,State=3,,Disk=1,SharedDllRefCount
=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{57E0C2BD-8643-5683-A031-F7A72DD07465} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\RepMgtMan.plg
MSI (s) (40:68) [20:15:15:218]: Executing op:
ComponentRegister(ComponentId={19F8D2BE-761F-559D-8B1E-597266636EB4},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\AvPluginImpl.dll,State=3,,Disk=1,SharedDllRefCo
unt=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{19F8D2BE-761F-559D-8B1E-597266636EB4} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\AvPluginImpl.dll
MSI (s) (40:68) [20:15:15:218]: Executing op:
ComponentRegister(ComponentId={BFE007A7-81ED-4D84-8C4A-1AF2C858F274},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType
=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{BFE007A7-81ED-4D84-8C4A-1AF2C858F274} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\
MSI (s) (40:68) [20:15:15:218]: Executing op:
ComponentRegister(ComponentId={C4759ED5-B783-4B79-9760-A004999041DA},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType
=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{C4759ED5-B783-4B79-9760-A004999041DA} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\
MSI (s) (40:68) [20:15:15:218]: Executing op:
ComponentRegister(ComponentId={B94D5D5C-7C8C-4150-A901-02EBA9A8151B},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType
=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{B94D5D5C-7C8C-4150-A901-02EBA9A8151B} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\
MSI (s) (40:68) [20:15:15:218]: Executing op:
ComponentRegister(ComponentId={92987A9F-C570-4F72-A2CD-0E0E5AA95954},KeyPath=D:\
,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{92987A9F-C570-4F72-A2CD-0E0E5AA95954} 3: D:\
MSI (s) (40:68) [20:15:15:218]: Executing op:
ComponentRegister(ComponentId={256845F8-4269-4308-9706-2428C39F95C4},,State=-7,,
Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{256845F8-4269-4308-9706-2428C39F95C4}
MSI (s) (40:68) [20:15:15:218]: Executing op:
ComponentRegister(ComponentId={999536F5-94AA-4100-87A1-910D508D1FF1},KeyPath=C:\
Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Logs\,State=3,,Disk=1,SharedDllRefCount=0,Bina
ryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{999536F5-94AA-4100-87A1-910D508D1FF1} 3: C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Logs\
MSI (s) (40:68) [20:15:15:234]: Executing op:
ComponentRegister(ComponentId={D5E0DF58-2AC4-4513-B71D-C55EABBE9DC3},KeyPath=C:\
Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\,State=3,,Disk=1,SharedDllRefCount=0,BinaryTyp
e=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{D5E0DF58-2AC4-4513-B71D-C55EABBE9DC3} 3: C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\
MSI (s) (40:68) [20:15:15:234]: Executing op:
ComponentRegister(ComponentId={F640B5B9-6CEE-56A3-B430-7FC3C986A39E},KeyPath=C\

```

SEP_INST.log

Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\IRON\RepuSeed.irn,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {F640B5B9-6CEE-56A3-B430-7FC3C986A39E} 3: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\IRON\RepuSeed.irn
MSI (s) (40:68) [20:15:15:234]: Executing op: ComponentRegister(ComponentId={0EE3E5F2-2E8D-5C9A-B095-B38C46B9E4EF},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\diArkive.dll,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {0EE3E5F2-2E8D-5C9A-B095-B38C46B9E4EF} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\diArkive.dll
MSI (s) (40:68) [20:15:15:234]: Executing op: ComponentRegister(ComponentId={F55C93F3-1537-4E7D-92B4-CAB6FBADB3FF},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {F55C93F3-1537-4E7D-92B4-CAB6FBADB3FF} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\
MSI (s) (40:68) [20:15:15:234]: Executing op: ComponentRegister(ComponentId={9AB6F35E-90F5-4251-ABA4-8DCBF88CA89D},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {9AB6F35E-90F5-4251-ABA4-8DCBF88CA89D} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\
MSI (s) (40:68) [20:15:15:234]: Executing op: ComponentRegister(ComponentId={26B6CC5C-7933-422B-AB3F-80212D1497EA},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {26B6CC5C-7933-422B-AB3F-80212D1497EA} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\
MSI (s) (40:68) [20:15:15:234]: Executing op: ComponentRegister(ComponentId={1B480C33-F7E5-52E4-AAD0-94FAC7EBA8DF},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\Cliproxy.dll,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {1B480C33-F7E5-52E4-AAD0-94FAC7EBA8DF} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\Cliproxy.dll
MSI (s) (40:68) [20:15:15:234]: Executing op: ComponentRegister(ComponentId={7092D2CA-2928-4ADB-8069-1C76DF3F4964},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {7092D2CA-2928-4ADB-8069-1C76DF3F4964} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\
MSI (s) (40:68) [20:15:15:234]: Executing op: ComponentRegister(ComponentId={16D81D20-034D-4623-9F03-B43DFB308C10},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {16D81D20-034D-4623-9F03-B43DFB308C10} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\
MSI (s) (40:68) [20:15:15:234]: Executing op: ComponentRegister(ComponentId={BAE9AD89-04AB-4095-ABAA-19AA922DF451},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)

SEP_INST.log

```

1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{BAE9AD89-04AB-4095-ABAA-19AA922DF451} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\
MSI (s) (40:68) [20:15:15:234]: Executing op:
ComponentRegister(ComponentId={1528C476-DCCB-51C5-9684-FDF59F8C47F8},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\LuAuth.dll,State=3,,Disk=1,SharedDllRefCount=0,
BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{1528C476-DCCB-51C5-9684-FDF59F8C47F8} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\LuAuth.dll
MSI (s) (40:68) [20:15:15:234]: Executing op:
ComponentRegister(ComponentId={CD34CAD5-D4BB-5503-AD30-2BD2452AC392},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\GEDataStore.dll,State=3,,Disk=1,SharedDllRefCou
nt=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{CD34CAD5-D4BB-5503-AD30-2BD2452AC392} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\GEDataStore.dll
MSI (s) (40:68) [20:15:15:234]: Executing op:
ComponentRegister(ComponentId={B84FFA8D-0623-5DD6-B79D-42B1B73218A1},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\HPPProtectionProviderUI.dll,State=3,,Disk=1,Sha
redDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{B84FFA8D-0623-5DD6-B79D-42B1B73218A1} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\HPPProtectionProviderUI.dll
MSI (s) (40:68) [20:15:15:234]: Executing op:
ComponentRegister(ComponentId={9F831FBD-970F-5DF9-9C9A-ADE59678F6B6},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\QsInfo.dll,State=3,,Disk=1,SharedDllRefCount=0,
BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{9F831FBD-970F-5DF9-9C9A-ADE59678F6B6} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\QsInfo.dll
MSI (s) (40:68) [20:15:15:234]: Executing op:
ComponentRegister(ComponentId={1E39B0EB-307A-5387-BA30-AE35E92166C2},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\qscmm32.dll,State=3,,Disk=1,SharedDllRefCount=
0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{1E39B0EB-307A-5387-BA30-AE35E92166C2} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\qscmm32.dll
MSI (s) (40:68) [20:15:15:234]: Executing op:
ComponentRegister(ComponentId={C9ECE724-0C06-5ED0-94C8-C014E4E7256B},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\qspak32.dll,State=3,,Disk=1,SharedDllRefCount=0
,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{C9ECE724-0C06-5ED0-94C8-C014E4E7256B} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\qspak32.dll
MSI (s) (40:68) [20:15:15:234]: Executing op:
ComponentRegister(ComponentId={1F7D971B-44D0-530C-B31B-70BCB0316353},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\IMail.dll,State=3,,Disk=1,SharedDllRefCount=0,B
inaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{1F7D971B-44D0-530C-B31B-70BCB0316353} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\IMail.dll
MSI (s) (40:68) [20:15:15:234]: Executing op:
ComponentRegister(ComponentId={531772E4-22A0-5C7A-8AE5-2B0BDE0E69C5},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\IMailUI.ocx,State=3,,Disk=1,SharedDllRefCount=0
,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{531772E4-22A0-5C7A-8AE5-2B0BDE0E69C5} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\IMailUI.ocx
MSI (s) (40:68) [20:15:15:234]: Executing op:

```


SEP_INST.log

```

ComponentRegister(ComponentId={F8B92D50-0E3A-5BAC-91A2-1844241D28F6},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\SavEmail.dll,State=3,,Disk=1,SharedDllRefCount=
0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{F8B92D50-0E3A-5BAC-91A2-1844241D28F6} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\SavEmail.dll
MSI (s) (40:68) [20:15:15:234]: Executing op:
ComponentRegister(ComponentId={661D76CC-3083-53DB-AA5D-925E195A097B},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\SavEmailSeshlp.dll,State=3,,Disk=1,SharedDllRef
Count=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{661D76CC-3083-53DB-AA5D-925E195A097B} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\SavEmailSeshlp.dll
MSI (s) (40:68) [20:15:15:234]: Executing op:
ComponentRegister(ComponentId={240EB72B-E8FC-5425-8D6C-E25B8C68B874},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\rtvscanPS.dll,State=3,,Disk=1,SharedDllRefCount
=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{240EB72B-E8FC-5425-8D6C-E25B8C68B874} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\rtvscanPS.dll
MSI (s) (40:68) [20:15:15:234]: Executing op:
ComponentRegister(ComponentId={4A7FD85E-3C3A-580D-9C44-76D4E764C375},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\WCSAVNotifier.exe,State=3,,Disk=1,SharedDllRef
Count=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{4A7FD85E-3C3A-580D-9C44-76D4E764C375} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\WCSAVNotifier.exe
MSI (s) (40:68) [20:15:15:234]: Executing op:
ComponentRegister(ComponentId={CE9FF82B-9D6A-5D6F-A89A-6190C3AE767B},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\RtvStart.exe,State=3,,Disk=1,SharedDllRefCount=
0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{CE9FF82B-9D6A-5D6F-A89A-6190C3AE767B} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\RtvStart.exe
MSI (s) (40:68) [20:15:15:234]: Executing op:
ComponentRegister(ComponentId={FCF6813F-9BBE-5859-8C9A-ACFE8D466A19},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\ControlAP.exe,State=3,,Disk=1,SharedDllRefCount
=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{FCF6813F-9BBE-5859-8C9A-ACFE8D466A19} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\ControlAP.exe
MSI (s) (40:68) [20:15:15:234]: Executing op:
ComponentRegister(ComponentId={17D2C7F9-4EC9-51DD-820E-A612FBBF42A0},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\DWHWizrd.exe,State=3,,Disk=1,SharedDllRefCount=
0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{17D2C7F9-4EC9-51DD-820E-A612FBBF42A0} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\DWHWizrd.exe
MSI (s) (40:68) [20:15:15:234]: Executing op:
ComponentRegister(ComponentId={0C3F3B71-0072-503E-853F-1826E6BD0DBF},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\i2ldvp3.dll,State=3,,Disk=1,SharedDllRefCount=0
,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{0C3F3B71-0072-503E-853F-1826E6BD0DBF} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\i2ldvp3.dll
MSI (s) (40:68) [20:15:15:234]: Executing op:
ComponentRegister(ComponentId={1BA0AC10-20E4-5733-9307-B6A2D6A71B5A},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\Luawrap.exe,State=3,,Disk=1,SharedDllRefCount=0
,BinaryType=0)

```

SEP_INST.log

```

1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{1BA0AC10-20E4-5733-9307-B6A2D6A71B5A} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\Luawrap.exe
MSI (s) (40:68) [20:15:15:234]: Executing op:
ComponentRegister(ComponentId={53F27F6C-F6BB-5956-8A3F-05B18FA77B19},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\DoScan.exe,State=3,,Disk=1,SharedDllRefCount=0,
BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{53F27F6C-F6BB-5956-8A3F-05B18FA77B19} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\DoScan.exe
MSI (s) (40:68) [20:15:15:234]: Executing op:
ComponentRegister(ComponentId={05A391B6-C28E-5CBD-92C6-0E6741989948},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\dwLdPntScan.dll,State=3,,Disk=1,SharedDllRefCou
nt=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{05A391B6-C28E-5CBD-92C6-0E6741989948} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\dwLdPntScan.dll
MSI (s) (40:68) [20:15:15:234]: Executing op:
ComponentRegister(ComponentId={0EA44837-B123-56BD-92D4-7420B44C4AA8},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\nlnhook.exe,State=3,,Disk=1,SharedDllRefCount=0
,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{0EA44837-B123-56BD-92D4-7420B44C4AA8} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\nlnhook.exe
MSI (s) (40:68) [20:15:15:234]: Executing op:
ComponentRegister(ComponentId={DB79B0DE-2786-5D91-BBF1-92F41F5317E5},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\nnewdefs.dll,State=3,,Disk=1,SharedDllRefCount=
0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{DB79B0DE-2786-5D91-BBF1-92F41F5317E5} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\nnewdefs.dll
MSI (s) (40:68) [20:15:15:234]: Executing op:
ComponentRegister(ComponentId={0FC64722-E851-5458-A4BE-28C07E15A464},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\SDSNAPSX.dll,State=3,,Disk=1,SharedDllRefCount=
0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{0FC64722-E851-5458-A4BE-28C07E15A464} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\SDSNAPSX.dll
MSI (s) (40:68) [20:15:15:234]: Executing op:
ComponentRegister(ComponentId={73603EED-F9F7-5151-B5F4-4F51903BF74C},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\SDPCK32I.dll,State=3,,Disk=1,SharedDllRefCount=
0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{73603EED-F9F7-5151-B5F4-4F51903BF74C} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\SDPCK32I.dll
MSI (s) (40:68) [20:15:15:234]: Executing op:
ComponentRegister(ComponentId={C6718D34-AD8C-5E92-BE3D-65C33670D875},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\SAVSesHlp.dll,State=3,,Disk=1,SharedDllRefCount
=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{C6718D34-AD8C-5E92-BE3D-65C33670D875} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\SAVSesHlp.dll
MSI (s) (40:68) [20:15:15:234]: Executing op:
ComponentRegister(ComponentId={7937E410-8FAA-58FC-AAD0-16E611691E55},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\SAVStatusFinder.dll,State=3,,Disk=1,SharedDllRe
fCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{7937E410-8FAA-58FC-AAD0-16E611691E55} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\SAVStatusFinder.dll
MSI (s) (40:68) [20:15:15:234]: Executing op:

```

SEP_INST.log

```

ComponentRegister(ComponentId={AEDA2737-9591-5D87-B001-DDD886FA9966},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\CidsTrayStatus.dll,State=3,,Disk=1,SharedDllRef
Count=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{AEDA2737-9591-5D87-B001-DDD886FA9966} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\CidsTrayStatus.dll
MSI (s) (40:68) [20:15:15:234]: Executing op:
ComponentRegister(ComponentId={9454805C-2E58-563F-A818-0C5D7EAEB445},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\FWTrayStatus.dll,State=3,,Disk=1,SharedDllRefCo
unt=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{9454805C-2E58-563F-A818-0C5D7EAEB445} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\FWTrayStatus.dll
MSI (s) (40:68) [20:15:15:234]: Executing op:
ComponentRegister(ComponentId={F05973D1-3198-571B-9F6D-CEE0473D2467},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\PTPTrayStatus.dll,State=3,,Disk=1,SharedDllRefC
ount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{F05973D1-3198-571B-9F6D-CEE0473D2467} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\PTPTrayStatus.dll
MSI (s) (40:68) [20:15:15:234]: Executing op:
ComponentRegister(ComponentId={1661415F-337F-5240-A89D-D0DE8626FD86},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\SAVTrayStatus.dll,State=3,,Disk=1,SharedDllRefC
ount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{1661415F-337F-5240-A89D-D0DE8626FD86} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\SAVTrayStatus.dll
MSI (s) (40:68) [20:15:15:234]: Executing op:
ComponentRegister(ComponentId={FE091DCA-D244-50C7-B3A1-0D4DBBEF36D4},,,State=-7,,
Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{FE091DCA-D244-50C7-B3A1-0D4DBBEF36D4}
MSI (s) (40:68) [20:15:15:234]: Executing op:
ComponentRegister(ComponentId={473C0AA2-9BBC-5863-B82C-00E591AE1093},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\AVHostPlugin.dll,State=3,,Disk=1,SharedDllRefCo
unt=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{473C0AA2-9BBC-5863-B82C-00E591AE1093} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\AVHostPlugin.dll
MSI (s) (40:68) [20:15:15:234]: Executing op:
ComponentRegister(ComponentId={EE53E65A-AABE-5BBD-8EE8-D29BB5016AF0},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\CidsEim.dll,State=3,,Disk=1,SharedDllRefCount=0
,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{EE53E65A-AABE-5BBD-8EE8-D29BB5016AF0} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\CidsEim.dll
MSI (s) (40:68) [20:15:15:234]: Executing op:
ComponentRegister(ComponentId={9D7DB460-9B04-55F8-BA93-8643F7B0511D},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\CidsEimProxy.dll,State=3,,Disk=1,SharedDllRefCo
unt=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{9D7DB460-9B04-55F8-BA93-8643F7B0511D} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\CidsEimProxy.dll
MSI (s) (40:68) [20:15:15:234]: Executing op:
ComponentRegister(ComponentId={3338C210-7C33-501B-8D0A-9E0DA8874DE6},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\BashEim.dll,State=3,,Disk=1,SharedDllRefCount=0
,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{3338C210-7C33-501B-8D0A-9E0DA8874DE6} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\BashEim.dll

```

SEP_INST.log

```

MSI (s) (40:68) [20:15:15:234]: Executing op:
ComponentRegister(ComponentId={AABDFF48-C64A-538F-B633-E05A0F1DCBA6},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\BashEimProxy.dll,State=3,,Disk=1,SharedDllRefCo
unt=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{AABDFF48-C64A-538F-B633-E05A0F1DCBA6} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\BashEimProxy.dll
MSI (s) (40:68) [20:15:15:234]: Executing op:
ComponentRegister(ComponentId={C5E106C5-D395-57A1-8149-EBF7590F3481},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\AtpiEim.dll,State=3,,Disk=1,SharedDllRefCount=0
,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{C5E106C5-D395-57A1-8149-EBF7590F3481} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\AtpiEim.dll
MSI (s) (40:68) [20:15:15:234]: Executing op:
ComponentRegister(ComponentId={3C5187F6-DF3A-5544-816F-2AF5662E04C4},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\AtpiEimProxy.dll,State=3,,Disk=1,SharedDllRefCo
unt=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{3C5187F6-DF3A-5544-816F-2AF5662E04C4} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\AtpiEimProxy.dll
MSI (s) (40:68) [20:15:15:234]: Executing op:
ComponentRegister(ComponentId={20693421-501F-5A2C-87A6-65CAD41C8BBA},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\sysfer.dll,State=3,,Disk=1,SharedDllRefCount=0,
BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{20693421-501F-5A2C-87A6-65CAD41C8BBA} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\sysfer.dll
MSI (s) (40:68) [20:15:15:234]: Executing op:
ComponentRegister(ComponentId={CAE4567E-2350-5006-AC90-16E1312F431A},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\sysferThunk.dll,State=3,,Disk=1,SharedDllRefCou
nt=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{CAE4567E-2350-5006-AC90-16E1312F431A} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\sysferThunk.dll
MSI (s) (40:68) [20:15:15:234]: Executing op:
ComponentRegister(ComponentId={03CFB77B-CC42-43AE-AB23-06DB8F50180B},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType
=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{03CFB77B-CC42-43AE-AB23-06DB8F50180B} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\
MSI (s) (40:68) [20:15:15:234]: Executing op:
ComponentRegister(ComponentId={04E3BE01-5654-4DC1-978D-3DB8E3C3730A},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType
=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{04E3BE01-5654-4DC1-978D-3DB8E3C3730A} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\
MSI (s) (40:68) [20:15:15:234]: Executing op:
ComponentRegister(ComponentId={736670A6-5F07-4891-8E03-AAA3D77DD42C},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType
=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{736670A6-5F07-4891-8E03-AAA3D77DD42C} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\
MSI (s) (40:68) [20:15:15:234]: Executing op:
ComponentRegister(ComponentId={295D516A-9C3E-4A67-9874-0AB6E718BA24},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType

```

```

=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{295D516A-9C3E-4A67-9874-0AB6E718BA24} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\
MSI (s) (40:68) [20:15:15:234]: Executing op:
ComponentRegister(ComponentId={CBB13529-EDDC-4927-87B8-B0344FE2F124},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType
=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{CBB13529-EDDC-4927-87B8-B0344FE2F124} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\
MSI (s) (40:68) [20:15:15:234]: Executing op:
ComponentRegister(ComponentId={A9D4B66A-CFB0-48A4-BDFF-3DC2D04D4A05},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType
=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{A9D4B66A-CFB0-48A4-BDFF-3DC2D04D4A05} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\
MSI (s) (40:68) [20:15:15:234]: Executing op:
ComponentRegister(ComponentId={45B39C77-4DE7-4083-82C2-DC974BFF21E0},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType
=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{45B39C77-4DE7-4083-82C2-DC974BFF21E0} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\
MSI (s) (40:68) [20:15:15:234]: Executing op:
ComponentRegister(ComponentId={49116EE3-4A36-4A66-BC6F-5920926A4CB3},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType
=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{49116EE3-4A36-4A66-BC6F-5920926A4CB3} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\
MSI (s) (40:68) [20:15:15:234]: Executing op:
ComponentRegister(ComponentId={524BA337-A21A-56C7-85B6-B2224BAED1BF},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\SavMainUI.dll,State=3,,Disk=1,SharedDllRefCount
=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{524BA337-A21A-56C7-85B6-B2224BAED1BF} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\SavMainUI.dll
MSI (s) (40:68) [20:15:15:234]: Executing op:
ComponentRegister(ComponentId={D8E725AF-866C-57EB-8F96-96F1D67480FA},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\SavUI.exe,State=3,,Disk=1,SharedDllRefCount=0,B
inaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{D8E725AF-866C-57EB-8F96-96F1D67480FA} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\SavUI.exe
MSI (s) (40:68) [20:15:15:234]: Executing op:
ComponentRegister(ComponentId={BC6AB824-2EF5-53EA-81AC-821296E0F7BE},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\scandlgs.dll,State=3,,Disk=1,SharedDllRefCount=
0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{BC6AB824-2EF5-53EA-81AC-821296E0F7BE} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\scandlgs.dll
MSI (s) (40:68) [20:15:15:234]: Executing op:
ComponentRegister(ComponentId={5FA2E69D-49A6-5C4E-B92A-C45296951278},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\webshe11.dll,State=3,,Disk=1,SharedDllRefCount=
1,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{5FA2E69D-49A6-5C4E-B92A-C45296951278} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\webshe11.dll

```

SEP_INST.log

MSI (s) (40:68) [20:15:15:234]: Executing op:
 ComponentRegister(ComponentId={436AB407-2756-597B-8896-CD216B23A31A},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\FixExtend.exe,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
 1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {436AB407-2756-597B-8896-CD216B23A31A} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\FixExtend.exe
 MSI (s) (40:68) [20:15:15:234]: Executing op:
 ComponentRegister(ComponentId={A2F0EF2D-AE6D-5069-9895-A53C1DC2AF9B},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\MigrateUserScans.exe,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
 1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {A2F0EF2D-AE6D-5069-9895-A53C1DC2AF9B} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\MigrateUserScans.exe
 MSI (s) (40:68) [20:15:15:234]: Executing op:
 ComponentRegister(ComponentId={948B5A80-1F0E-5333-813E-BB9BBB1DF421},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SISCustomActionBash.dll,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
 1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {948B5A80-1F0E-5333-813E-BB9BBB1DF421} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SISCustomActionBash.dll
 MSI (s) (40:68) [20:15:15:250]: Executing op:
 ComponentRegister(ComponentId={08AB2910-0F5A-5C07-9B96-4049D55D127B},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SISCustomActionScanSettings.dll,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
 1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {08AB2910-0F5A-5C07-9B96-4049D55D127B} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SISCustomActionScanSettings.dll
 MSI (s) (40:68) [20:15:15:250]: Executing op:
 ComponentRegister(ComponentId={429E287B-E02A-55DA-B12C-9CB77DFB8BEC},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SubmissionsSISCustomAction.dll,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
 1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {429E287B-E02A-55DA-B12C-9CB77DFB8BEC} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SubmissionsSISCustomAction.dll
 MSI (s) (40:68) [20:15:15:250]: Executing op:
 ComponentRegister(ComponentId={BD4E8009-FED8-5BBF-A533-00FA0D7A9AB2},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SubmissionsSISOptOutCustomAction.dll,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
 1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {BD4E8009-FED8-5BBF-A533-00FA0D7A9AB2} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SubmissionsSISOptOutCustomAction.dll
 MSI (s) (40:68) [20:15:15:250]: Executing op:
 ComponentRegister(ComponentId={CF12AD3B-F07D-5454-B6FF-541D179CC4DD},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SISCustomActionCIDS.dll,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
 1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {CF12AD3B-F07D-5454-B6FF-541D179CC4DD} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SISCustomActionCIDS.dll
 MSI (s) (40:68) [20:15:15:250]: Executing op:
 ComponentRegister(ComponentId={A5009477-1C93-5C58-9376-B7767261EA24},KeyPath=02:\SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\PRODUCTCLASS,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
 1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {A5009477-1C93-5C58-9376-B7767261EA24} 3: 02:\SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\PRODUCTCLASS
 MSI (s) (40:68) [20:15:15:250]: Executing op:
 ComponentRegister(ComponentId={912B5EBB-C55C-4FDA-8C09-C89DF1F31553},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)

=0)

1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
 {912B5EBB-C55C-4FDA-8C09-C89DF1F31553} 3: C:\Program Files\Symantec\Symantec
 Endpoint Protection\12.1.671.4971.105\Bin\
 MSI (s) (40:68) [20:15:15:250]: Executing op:
 ComponentRegister(ComponentId={8C46610D-F42C-4C88-B364-91C8667BF203},KeyPath=C:\
 Program Files\Symantec\Symantec Endpoint
 Protection\12.1.671.4971.105\Bin\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType
 =0)

1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
 {8C46610D-F42C-4C88-B364-91C8667BF203} 3: C:\Program Files\Symantec\Symantec
 Endpoint Protection\12.1.671.4971.105\Bin\
 MSI (s) (40:68) [20:15:15:250]: Executing op:
 ComponentRegister(ComponentId={7418A9E0-79F8-48AE-B090-49F8A9242B6D},KeyPath=C:\
 Program Files\Symantec\Symantec Endpoint
 Protection\12.1.671.4971.105\Bin\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType
 =0)

1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
 {7418A9E0-79F8-48AE-B090-49F8A9242B6D} 3: C:\Program Files\Symantec\Symantec
 Endpoint Protection\12.1.671.4971.105\Bin\
 MSI (s) (40:68) [20:15:15:250]: Executing op:
 ComponentRegister(ComponentId={2CD32118-4FC8-4550-AC7E-D884340AFF79},KeyPath=C:\
 Program Files\Symantec\Symantec Endpoint
 Protection\12.1.671.4971.105\Bin\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType
 =0)

1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
 {2CD32118-4FC8-4550-AC7E-D884340AFF79} 3: C:\Program Files\Symantec\Symantec
 Endpoint Protection\12.1.671.4971.105\Bin\
 MSI (s) (40:68) [20:15:15:250]: Executing op:
 ComponentRegister(ComponentId={D1FB6FCC-5C80-47B4-92D5-99A1BFB3460E},KeyPath=C:\
 Program Files\Symantec\Symantec Endpoint
 Protection\12.1.671.4971.105\Bin\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType
 =0)

1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
 {D1FB6FCC-5C80-47B4-92D5-99A1BFB3460E} 3: C:\Program Files\Symantec\Symantec
 Endpoint Protection\12.1.671.4971.105\Bin\
 MSI (s) (40:68) [20:15:15:250]: Executing op:
 ComponentRegister(ComponentId={2F8E8A0A-ECCE-5C9B-A1C7-EC9EB1BD62DE},KeyPath=C:\
 Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint
 Protection\12.1.671.4971.105\Data\SystemSnapshotRules.bin,State=3,,Disk=1,Shared
 DllRefCount=0,BinaryType=0)

1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
 {2F8E8A0A-ECCE-5C9B-A1C7-EC9EB1BD62DE} 3: C:\Documents and Settings\All
 Users\Application Data\Symantec\Symantec Endpoint
 Protection\12.1.671.4971.105\Data\SystemSnapshotRules.bin
 MSI (s) (40:68) [20:15:15:250]: Executing op:
 ComponentRegister(ComponentId={081AE48A-F35B-5821-B94E-902375118FB8},KeyPath=C:\
 Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint
 Protection\12.1.671.4971.105\Data\Config\COUNTRY.DAT,State=3,,Disk=1,SharedDllRe
 fCount=0,BinaryType=0)

1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
 {081AE48A-F35B-5821-B94E-902375118FB8} 3: C:\Documents and Settings\All
 Users\Application Data\Symantec\Symantec Endpoint
 Protection\12.1.671.4971.105\Data\Config\COUNTRY.DAT
 MSI (s) (40:68) [20:15:15:250]: Executing op:
 ComponentRegister(ComponentId={239A89DC-3A3F-55BF-8717-8C17C5E49168},KeyPath=C:\
 Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint
 Protection\12.1.671.4971.105\Data\Config\PLATFORM.DAT,State=3,,Disk=1,SharedDllR
 efcCount=0,BinaryType=0)

1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
 {239A89DC-3A3F-55BF-8717-8C17C5E49168} 3: C:\Documents and Settings\All
 Users\Application Data\Symantec\Symantec Endpoint
 Protection\12.1.671.4971.105\Data\Config\PLATFORM.DAT
 MSI (s) (40:68) [20:15:15:250]: Executing op:
 ComponentRegister(ComponentId={C9CC0ABC-8AD8-5BFB-BE57-BCF52AC2B7C8},KeyPath=C:\
 Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint
 Protection\12.1.671.4971.105\Data\Config\Scancfg.dat,State=3,,Disk=1,SharedDllRe
 fCount=0,BinaryType=0)

SEP_INST.log

```

1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{C9CC0ABC-8AD8-5BFB-BE57-BCF52AC2B7C8} 3: C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Config\Scancfg.dat
MSI (s) (40:68) [20:15:15:250]: Executing op:
ComponentRegister(ComponentId={BDB1A8C8-056B-5D0E-851E-6684E52E17E8},KeyPath=C:\
Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Config\Dec3.cfg,State=3,,Disk=1,SharedDllRefCo
unt=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{BDB1A8C8-056B-5D0E-851E-6684E52E17E8} 3: C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Config\Dec3.cfg
MSI (s) (40:68) [20:15:15:250]: Executing op:
ComponentRegister(ComponentId={1CD92D30-B2EA-512A-A2A5-C9BDC1B74701},KeyPath=C:\
Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Config\sdi.dat,State=3,,Disk=1,SharedDllRefCou
nt=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{1CD92D30-B2EA-512A-A2A5-C9BDC1B74701} 3: C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Config\sdi.dat
MSI (s) (40:68) [20:15:15:250]: Executing op:
ComponentRegister(ComponentId={9478DFE9-AFAE-5CCC-BF82-F7FA2266E69B},KeyPath=C:\
Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Config\protection.dat,State=3,,Disk=1,SharedDl
lRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{9478DFE9-AFAE-5CCC-BF82-F7FA2266E69B} 3: C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Config\protection.dat
MSI (s) (40:68) [20:15:15:250]: Executing op:
ComponentRegister(ComponentId={9353397B-AF2B-528B-B8C4-667A51C2AEF8},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\SPManifests\scs-sav.grd,State=3,,Disk=1,SharedD
llRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{9353397B-AF2B-528B-B8C4-667A51C2AEF8} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\scs-sav.grd
MSI (s) (40:68) [20:15:15:250]: Executing op:
ComponentRegister(ComponentId={2FE8836C-8875-5A1F-BF08-82FCFDC3D2F0},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\SPManifests\scs-sav.sig,State=3,,Disk=1,SharedD
llRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{2FE8836C-8875-5A1F-BF08-82FCFDC3D2F0} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\scs-sav.sig
MSI (s) (40:68) [20:15:15:250]: Executing op:
ComponentRegister(ComponentId={845BAD90-01F2-5CC2-B177-38F78D8CDD55},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\SPManifests\scs-sav.spm,State=3,,Disk=1,SharedD
llRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{845BAD90-01F2-5CC2-B177-38F78D8CDD55} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\scs-sav.spm
MSI (s) (40:68) [20:15:15:250]: Executing op:
ComponentRegister(ComponentId={79DA02D9-FBCF-507F-8F09-7E88237338E5},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\License.rtf,State=3,,Disk=1,SharedDllRefCount=0,Bin
aryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{79DA02D9-FBCF-507F-8F09-7E88237338E5} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\License.rtf
MSI (s) (40:68) [20:15:15:250]: Executing op:
ComponentRegister(ComponentId={2DF489F3-5893-4071-AD7B-57980A2A0DD9},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType
=0)

```


SEP_INST.log

1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {2DF489F3-5893-4071-AD7B-57980A2A0DD9} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\MSI (s) (40:68) [20:15:15:250]: Executing op: ComponentRegister(ComponentId={EB02F53F-F2DF-48AD-BFC4-E3602732F3DA},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)

1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {EB02F53F-F2DF-48AD-BFC4-E3602732F3DA} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\MSI (s) (40:68) [20:15:15:250]: Executing op: ComponentRegister(ComponentId={7E92A6D0-4C51-5575-A29E-C9848AAD7FD2},KeyPath=02:\SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\CommonClient\PathExpansionMap\DEFINITIONSROOT,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)

1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {7E92A6D0-4C51-5575-A29E-C9848AAD7FD2} 3: 02:\SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\CommonClient\PathExpansionMap\DEFINITIONSROOT MSI (s) (40:68) [20:15:15:250]: Executing op: ComponentRegister(ComponentId={D26F8F27-14D2-4DB0-A414-9E2F07F4AB8B},KeyPath=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Config\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)

1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {D26F8F27-14D2-4DB0-A414-9E2F07F4AB8B} 3: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Config\MSI (s) (40:68) [20:15:15:250]: Executing op: ComponentRegister(ComponentId={1C44B5A0-E4A1-4FC1-843D-10E0C31BAC54},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\IDSAux.dll,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)

1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {1C44B5A0-E4A1-4FC1-843D-10E0C31BAC54} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\IDSAux.dll MSI (s) (40:68) [20:15:15:250]: Executing op: ComponentRegister(ComponentId={3944E255-1C5F-4982-BBF4-4CA0BE5FD5C8},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\IPSFFP1.dll,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)

1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {3944E255-1C5F-4982-BBF4-4CA0BE5FD5C8} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\IPSFFP1.dll MSI (s) (40:68) [20:15:15:250]: Executing op: ComponentRegister(ComponentId={63A6C8CC-762A-4353-BAD9-59D80B83201F},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\IPSPlug.dll,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)

1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {63A6C8CC-762A-4353-BAD9-59D80B83201F} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\IPSPlug.dll MSI (s) (40:68) [20:15:15:250]: Executing op: ComponentRegister(ComponentId={7FE12CB2-BD62-42D3-99CA-335E73BAAFA1},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\IPS\IPSBHO.dll,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)

1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {7FE12CB2-BD62-42D3-99CA-335E73BAAFA1} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\IPS\IPSBHO.dll MSI (s) (40:68) [20:15:15:250]: Executing op: ComponentRegister(ComponentId={6D6B48DC-731F-42A7-8972-8F67AA9A3737},KeyPath=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\IPS\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)

1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:

SEP_INST.log
{6D6B48DC-731F-42A7-8972-8F67AA9A3737} 3: C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\IPS\
MSI (s) (40:68) [20:15:15:250]: Executing op:
ComponentRegister(ComponentId={1DDCE181-9DDF-464B-92BD-70CB6ED830D6},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\SPManifests\cids.grd,State=3,,Disk=1,SharedDllR
efCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{1DDCE181-9DDF-464B-92BD-70CB6ED830D6} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\cids.grd
MSI (s) (40:68) [20:15:15:250]: Executing op:
ComponentRegister(ComponentId={F409DD7F-04C3-4EE1-88EF-4C2695E84F76},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\SPManifests\cids.sig,State=3,,Disk=1,SharedDllR
efCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{F409DD7F-04C3-4EE1-88EF-4C2695E84F76} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\cids.sig
MSI (s) (40:68) [20:15:15:250]: Executing op:
ComponentRegister(ComponentId={9A405693-E438-46E7-8394-762611B8457D},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\SPManifests\cids.spm,State=3,,Disk=1,SharedDllR
efCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{9A405693-E438-46E7-8394-762611B8457D} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\cids.spm
MSI (s) (40:68) [20:15:15:250]: Executing op:
ComponentRegister(ComponentId={1C7BE6B3-FB2C-4419-9B4C-D0909AE881E2},KeyPath=D:\
,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{1C7BE6B3-FB2C-4419-9B4C-D0909AE881E2} 3: D:\
MSI (s) (40:68) [20:15:15:250]: Executing op:
ComponentRegister(ComponentId={85FC1AFA-DB57-4F52-9706-C5D7FD5855D3},KeyPath=D:\
,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{85FC1AFA-DB57-4F52-9706-C5D7FD5855D3} 3: D:\
MSI (s) (40:68) [20:15:15:250]: Executing op:
ComponentRegister(ComponentId={81F45F15-4E52-4562-ACF9-9C369A9720A7},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\ccEmIPxy.dll,State=3,,Disk=1,SharedDllRefCount=0,
BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{81F45F15-4E52-4562-ACF9-9C369A9720A7} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\ccEmIPxy.dll
MSI (s) (40:68) [20:15:15:250]: Executing op:
ComponentRegister(ComponentId={A7204439-97ED-40F1-8D31-4825C2BD9CC3},KeyPath=C:\
Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\CmnCInt\,State=3,,Disk=1,SharedDllRefCount=0,B
inaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{A7204439-97ED-40F1-8D31-4825C2BD9CC3} 3: C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\CmnCInt\
MSI (s) (40:68) [20:15:15:250]: Executing op:
ComponentRegister(ComponentId={CF51FC0D-2E5B-4C8B-912B-A5441F53F23D},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\OEHeur.dll,State=3,,Disk=1,SharedDllRefCount=0,
BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{CF51FC0D-2E5B-4C8B-912B-A5441F53F23D} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\OEHeur.dll
MSI (s) (40:68) [20:15:15:250]: Executing op:
ComponentRegister(ComponentId={3F5D2C12-5CC4-4A3C-8845-F9129BC8C8CF},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Res\19\01\,State=3,,Disk=1,SharedDllRefCount=0,Bina
ryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:

SEP_INST.log

```
{3F5D2C12-5CC4-4A3C-8845-F9129BC8C8CF} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Res\19\01\
MSI (s) (40:68) [20:15:15:250]: Executing op:
ComponentRegister(ComponentId={C7C664F8-6C99-4444-8672-8F5B3663B922},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Res\19\01\,State=3,,Disk=1,SharedDllRefCount=0,Bina
ryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{C7C664F8-6C99-4444-8672-8F5B3663B922} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Res\19\01\
MSI (s) (40:68) [20:15:15:250]: Executing op:
ComponentRegister(ComponentId={48319B54-36AC-4146-A7FA-34AE47B686CF},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Res\19\01\,State=3,,Disk=1,SharedDllRefCount=0,Bina
ryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{48319B54-36AC-4146-A7FA-34AE47B686CF} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Res\19\01\
MSI (s) (40:68) [20:15:15:250]: Executing op:
ComponentRegister(ComponentId={E02CAD35-E281-4AA2-A19D-DBD21CF6AB4E},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Res\19\01\,State=3,,Disk=1,SharedDllRefCount=0,Bina
ryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{E02CAD35-E281-4AA2-A19D-DBD21CF6AB4E} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Res\19\01\
MSI (s) (40:68) [20:15:15:250]: Executing op:
ComponentRegister(ComponentId={0B60CB93-F4BB-51BF-9EE7-006FC7F3B9E2},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\FwsVpn.dll,State=3,,Disk=1,SharedDllRefCount=0,
BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{0B60CB93-F4BB-51BF-9EE7-006FC7F3B9E2} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\FwsVpn.dll
MSI (s) (40:68) [20:15:15:250]: Executing op:
ComponentRegister(ComponentId={8CEE3DD1-5386-5066-AB07-2749A4E67E38},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\CommonMan.plg,State=3,,Disk=1,SharedDllRefCount
=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{8CEE3DD1-5386-5066-AB07-2749A4E67E38} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\CommonMan.plg
MSI (s) (40:68) [20:15:15:250]: Executing op:
ComponentRegister(ComponentId={EC41ED2F-0F44-59C0-943E-BB18B6C4A2FE},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\GUProxy.plg,State=3,,Disk=1,SharedDllRefCount=0
,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{EC41ED2F-0F44-59C0-943E-BB18B6C4A2FE} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\GUProxy.plg
MSI (s) (40:68) [20:15:15:250]: Executing op:
ComponentRegister(ComponentId={AE31B259-E4C4-53F8-AE74-5FC3A0DB21F9},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\ProfileMgrMan.plg,State=3,,Disk=1,SharedDllRefc
ount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{AE31B259-E4C4-53F8-AE74-5FC3A0DB21F9} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\ProfileMgrMan.plg
MSI (s) (40:68) [20:15:15:250]: Executing op:
ComponentRegister(ComponentId={96438127-4F56-57D1-A881-CD155CECF7FE},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\LUMAn.plg,State=3,,Disk=1,SharedDllRefCount=0,B
inaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{96438127-4F56-57D1-A881-CD155CECF7FE} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\LUMAn.plg
MSI (s) (40:68) [20:15:15:250]: Executing op:
ComponentRegister(ComponentId={33849F16-D80F-46D8-A078-88AAAC5BF427},KeyPath=C:\
```

SEP_INST.log

```

Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType
=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{33849F16-D80F-46D8-A078-88AAAC5BF427} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\
MSI (s) (40:68) [20:15:15:250]: Executing op:
ComponentRegister(ComponentId={61E76DCB-3919-5E81-845C-54040DB4B013},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\Netport.dll,State=3,,Disk=1,SharedDllRefCount=0
,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{61E76DCB-3919-5E81-845C-54040DB4B013} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\Netport.dll
MSI (s) (40:68) [20:15:15:250]: Executing op:
ComponentRegister(ComponentId={868A94DE-9832-52D4-A05F-ABE54F1A2FC7},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\PSSensor.dll,State=3,,Disk=1,SharedDllRefCount=
0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{868A94DE-9832-52D4-A05F-ABE54F1A2FC7} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\PSSensor.dll
MSI (s) (40:68) [20:15:15:250]: Executing op:
ComponentRegister(ComponentId={10AC39AA-0B49-5EB2-95AD-75D21936F571},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\ProductRegComPS.dll,State=3,,Disk=1,SharedDllRe
fCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{10AC39AA-0B49-5EB2-95AD-75D21936F571} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\ProductRegComPS.dll
MSI (s) (40:68) [20:15:15:250]: Executing op:
ComponentRegister(ComponentId={EB31F58F-D991-56A9-9CC7-1FD30C48C8A7},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\RebootMgrMan.plg,State=3,,Disk=1,SharedDllRefCo
unt=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{EB31F58F-D991-56A9-9CC7-1FD30C48C8A7} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\RebootMgrMan.plg
MSI (s) (40:68) [20:15:15:250]: Executing op:
ComponentRegister(ComponentId={E5AEB119-36B7-50DC-AF5D-3181E80DE122},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\setaid.dll,State=3,,Disk=1,SharedDllRefCount=0,
BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{E5AEB119-36B7-50DC-AF5D-3181E80DE122} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\setaid.dll
MSI (s) (40:68) [20:15:15:250]: Executing op:
ComponentRegister(ComponentId={21788266-2A52-5683-BA97-7E96B18CFC51},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\sfConfig.dll,State=3,,Disk=1,SharedDllRefCount=
0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{21788266-2A52-5683-BA97-7E96B18CFC51} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\sfConfig.dll
MSI (s) (40:68) [20:15:15:250]: Executing op:
ComponentRegister(ComponentId={C5F97D25-F90C-59AD-84F3-6D03B45D1B82},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\SgHI.dll,State=3,,Disk=1,SharedDllRefCount=0,Bi
naryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{C5F97D25-F90C-59AD-84F3-6D03B45D1B82} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\SgHI.dll
MSI (s) (40:68) [20:15:15:250]: Executing op:
ComponentRegister(ComponentId={49BDF27E-C65A-51ED-9765-09A25B1903C3},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\SmcGui.exe,State=3,,Disk=1,SharedDllRefCount=0,
BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:

```

SEP_INST.log

```
{49BDF27E-C65A-51ED-9765-09A25B1903C3} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\SmcGui.exe
MSI (s) (40:68) [20:15:15:250]: Executing op:
ComponentRegister(ComponentId={CD050D3B-18A5-575A-8FBC-4CED5C3D4351},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\smcinst.exe,State=3,,Disk=1,SharedDllRefCount=0
,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{CD050D3B-18A5-575A-8FBC-4CED5C3D4351} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\smcinst.exe
MSI (s) (40:68) [20:15:15:250]: Executing op:
ComponentRegister(ComponentId={3C4A2469-88D4-525D-AD2C-55C67246F750},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\SpNet.dll,State=3,,Disk=1,SharedDllRefCount=0,B
inaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{3C4A2469-88D4-525D-AD2C-55C67246F750} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\SpNet.dll
MSI (s) (40:68) [20:15:15:250]: Executing op:
ComponentRegister(ComponentId={E73BB129-0C52-584E-B0E3-3727E516AD01},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\SyLog.dll,State=3,,Disk=1,SharedDllRefCount=0,B
inaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{E73BB129-0C52-584E-B0E3-3727E516AD01} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\SyLog.dll
MSI (s) (40:68) [20:15:15:250]: Executing op:
ComponentRegister(ComponentId={1F13FEBC-7D48-5A03-B1AE-D6AF194297EA},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\SymVPN.dll,State=3,,Disk=1,SharedDllRefCount=0,
BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{1F13FEBC-7D48-5A03-B1AE-D6AF194297EA} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\SymVPN.dll
MSI (s) (40:68) [20:15:15:250]: Executing op:
ComponentRegister(ComponentId={4A58BD59-59DA-50D6-ACDD-57249B9ABEAA},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\SymVPNImpl.dll,State=3,,Disk=1,SharedDllRefCoun
t=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{4A58BD59-59DA-50D6-ACDD-57249B9ABEAA} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\SymVPNImpl.dll
MSI (s) (40:68) [20:15:15:250]: Executing op:
ComponentRegister(ComponentId={3B20FB33-263D-506E-A665-84E070FAD3C8},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\Trident.dll,State=3,,Disk=1,SharedDllRefCount=0
,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{3B20FB33-263D-506E-A665-84E070FAD3C8} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\Trident.dll
MSI (s) (40:68) [20:15:15:250]: Executing op:
ComponentRegister(ComponentId={CBC56EC6-FB88-58A8-AE9F-FE2E9F2B69FD},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\tseConfig.dll,State=3,,Disk=1,SharedDllRefCount
=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{CBC56EC6-FB88-58A8-AE9F-FE2E9F2B69FD} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\tseConfig.dll
MSI (s) (40:68) [20:15:15:265]: Executing op:
ComponentRegister(ComponentId={13F0581C-E85F-518A-ADDE-2434227FB983},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\ProfileManagement.dll,State=3,,Disk=1,SharedDll
RefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{13F0581C-E85F-518A-ADDE-2434227FB983} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\ProfileManagement.dll
MSI (s) (40:68) [20:15:15:265]: Executing op:
ComponentRegister(ComponentId={C409FE46-E308-57C0-A49B-927BABA20205},KeyPath=C\
```

SEP_INST.log

Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\snac.exe, State=3, ,Disk=1, SharedDllRefCount=0, BinaryType=0)
 1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {C409FE46-E308-57C0-A49B-927BABA20205} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\snac.exe
 MSI (s) (40:68) [20:15:15:265]: Executing op: ComponentRegister(ComponentId={36A025A6-4FE6-5C1C-8B0C-98E7F0B1E1D4}, KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SubmissionsMan.plg, State=3, ,Disk=1, SharedDllRefCount=0, BinaryType=0)
 1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {36A025A6-4FE6-5C1C-8B0C-98E7F0B1E1D4} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SubmissionsMan.plg
 MSI (s) (40:68) [20:15:15:265]: Executing op: ComponentRegister(ComponentId={1082D734-5567-5D10-A4C3-F49526181135}, KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\Smc.exe, State=3, ,Disk=1, SharedDllRefCount=0, BinaryType=0)
 1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {1082D734-5567-5D10-A4C3-F49526181135} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\Smc.exe
 MSI (s) (40:68) [20:15:15:265]: Executing op: ComponentRegister(ComponentId={E42EFE6E-559C-58D0-9D03-89067522BB78}, KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\dot1xtray.exe, State=3, ,Disk=1, SharedDllRefCount=0, BinaryType=0)
 1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {E42EFE6E-559C-58D0-9D03-89067522BB78} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\dot1xtray.exe
 MSI (s) (40:68) [20:15:15:265]: Executing op: ComponentRegister(ComponentId={3659C3FE-887C-57AA-BFAF-1257266F84AC}, KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\NacManager.plg, State=3, ,Disk=1, SharedDllRefCount=0, BinaryType=0)
 1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {3659C3FE-887C-57AA-BFAF-1257266F84AC} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\NacManager.plg
 MSI (s) (40:68) [20:15:15:265]: Executing op: ComponentRegister(ComponentId={CDF51173-5D3B-5C69-AEE4-529F7AC64867}, KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\snacnp.dll, State=3, ,Disk=1, SharedDllRefCount=0, BinaryType=0)
 1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {CDF51173-5D3B-5C69-AEE4-529F7AC64867} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\snacnp.dll
 MSI (s) (40:68) [20:15:15:265]: Executing op: ComponentRegister(ComponentId={CE734619-6F85-51D7-A3F8-9A98A565ED40}, KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\RasSymEap.dll, State=3, ,Disk=1, SharedDllRefCount=0, BinaryType=0)
 1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {CE734619-6F85-51D7-A3F8-9A98A565ED40} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\RasSymEap.dll
 MSI (s) (40:68) [20:15:15:265]: Executing op: ComponentRegister(ComponentId={68CA9ACD-CFF7-58A9-BD2C-97750CBE4E71}, KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SymNAPSHAgent.dll, State=3, ,Disk=1, SharedDllRefCount=0, BinaryType=0)
 1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {68CA9ACD-CFF7-58A9-BD2C-97750CBE4E71} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SymNAPSHAgent.dll
 MSI (s) (40:68) [20:15:15:265]: Executing op: ComponentRegister(ComponentId={6BB3E811-4FD8-5605-9F0C-F50443EFD4E6}, KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SymRasMan.dll, State=3, ,Disk=1, SharedDllRefCount=0, BinaryType=0)
 1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:

SEP_INST.log

{6BB3E811-4FD8-5605-9F0C-F50443EFD4E6} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SymRasMan.dll

MSI (s) (40:68) [20:15:15:265]: Executing op: ComponentRegister(ComponentId={CC2E9DEC-C207-50CC-BE27-AD8FC42AA0F2},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\WGX.SYS,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)

1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {CC2E9DEC-C207-50CC-BE27-AD8FC42AA0F2} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\WGX.SYS

MSI (s) (40:68) [20:15:15:265]: Executing op: ComponentRegister(ComponentId={78E8627A-9DE5-5AC4-AF2A-841E5508EFDB},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\WGXMAN.DLL,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)

1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {78E8627A-9DE5-5AC4-AF2A-841E5508EFDB} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\WGXMAN.DLL

MSI (s) (40:68) [20:15:15:265]: Executing op: ComponentRegister(ComponentId={4FD8CFE6-7A14-4863-9F2E-B9D47CAE4711},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)

1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {4FD8CFE6-7A14-4863-9F2E-B9D47CAE4711} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\

MSI (s) (40:68) [20:15:15:265]: Executing op: ComponentRegister(ComponentId={B083BDD1-68EA-5047-BFB1-C43CEE9C7004},KeyPath=02:\SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\Common Client\PathExpansionMap\SEPDRIVERDIR,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)

1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {B083BDD1-68EA-5047-BFB1-C43CEE9C7004} 3: 02:\SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\Common Client\PathExpansionMap\SEPDRIVERDIR

MSI (s) (40:68) [20:15:15:265]: Executing op: ComponentRegister(ComponentId={FBAD6319-1F4C-58F0-894D-98AE8C430087},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\ControlAPRes.dll,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)

1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {FBAD6319-1F4C-58F0-894D-98AE8C430087} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\ControlAPRes.dll

MSI (s) (40:68) [20:15:15:265]: Executing op: ComponentRegister(ComponentId={78F19C9B-55DE-50B8-9D5C-74B68D04953E},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\DWHWizrdRes.dll,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)

1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {78F19C9B-55DE-50B8-9D5C-74B68D04953E} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\DWHWizrdRes.dll

MSI (s) (40:68) [20:15:15:265]: Executing op: ComponentRegister(ComponentId={B4EF57E4-6262-5631-9044-BD566EAB5326},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\DoScanRes.dll,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)

1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {B4EF57E4-6262-5631-9044-BD566EAB5326} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\DoScanRes.dll

MSI (s) (40:68) [20:15:15:265]: Executing op: ComponentRegister(ComponentId={DADD5F7A-1896-5598-8B5A-E5377C61A853},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\SAVSesHlpRes.dll,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)

1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {DADD5F7A-1896-5598-8B5A-E5377C61A853} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\SAVSesHlpRes.dll

SEP_INST.log

```

MSI (s) (40:68) [20:15:15:265]: Executing op:
ComponentRegister(ComponentId={EA84CC48-9966-5607-BCD1-E11D53B1A58},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Res\1049\PScanRes.dll,State=3,,Disk=1,SharedDllRefC
ount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{EA84CC48-9966-5607-BCD1-E11D53B1A58} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Res\1049\PScanRes.dll
MSI (s) (40:68) [20:15:15:265]: Executing op:
ComponentRegister(ComponentId={ED11D510-6492-55B6-9CC1-EDFFA122353E},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Res\1049\WSCSAVNotifierRes.dll,State=3,,Disk=1,Shar
edDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{ED11D510-6492-55B6-9CC1-EDFFA122353E} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Res\1049\WSCSAVNotifierRes.dll
MSI (s) (40:68) [20:15:15:265]: Executing op:
ComponentRegister(ComponentId={24B2002F-CECA-554B-9D50-060F92D9CC17},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Res\1049\CIDSemRes.dll,State=3,,Disk=1,SharedDllRe
fCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{24B2002F-CECA-554B-9D50-060F92D9CC17} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Res\1049\CIDSemRes.dll
MSI (s) (40:68) [20:15:15:265]: Executing op:
ComponentRegister(ComponentId={9CDD9F85-2B0B-550D-A919-95B81C3DD39F},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Res\1049\CIDSManRes.dll,State=3,,Disk=1,SharedDllRe
fCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{9CDD9F85-2B0B-550D-A919-95B81C3DD39F} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Res\1049\CIDSManRes.dll
MSI (s) (40:68) [20:15:15:265]: Executing op:
ComponentRegister(ComponentId={FC936066-45AC-553F-92A5-44FE5BCA89BC},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Res\1049\RepMgtTimRes.dll,State=3,,Disk=1,SharedDll
RefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{FC936066-45AC-553F-92A5-44FE5BCA89BC} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Res\1049\RepMgtTimRes.dll
MSI (s) (40:68) [20:15:15:265]: Executing op:
ComponentRegister(ComponentId={A524EBFB-AC48-53C4-842E-5892CEFC33C5},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Res\1049\HPPProtectionProviderUIRes.dll,State=3,,Di
sk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{A524EBFB-AC48-53C4-842E-5892CEFC33C5} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Res\1049\HPPProtectionProviderUIRes.dll
MSI (s) (40:68) [20:15:15:265]: Executing op:
ComponentRegister(ComponentId={FD40172F-4ED1-554F-B926-492FC723423F},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Res\1049\WebShellRes.dll,State=3,,Disk=1,SharedDllR
efCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{FD40172F-4ED1-554F-B926-492FC723423F} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Res\1049\WebShellRes.dll
MSI (s) (40:68) [20:15:15:265]: Executing op:
ComponentRegister(ComponentId={6819B788-920C-5F37-8CD6-7C3CEEA7A4A0},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Res\1049\VpsShellRes.dll,State=3,,Disk=1,SharedDllRe
fCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{6819B788-920C-5F37-8CD6-7C3CEEA7A4A0} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Res\1049\VpsShellRes.dll
MSI (s) (40:68) [20:15:15:265]: Executing op:
ComponentRegister(ComponentId={483EED3F-AFD4-5B5C-AC2C-9A1075A1C1D1},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Res\1049\SymProtectUIRes.dll,State=3,,Disk=1,Shared

```


SEP_INST.log

dllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{483EED3F-AFD4-5B5C-AC2C-9A1075A1C1D1} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Res\1049\SymProtectUIRes.dll
MSI (s) (40:68) [20:15:15:265]: Executing op:
ComponentRegister(ComponentId={0928EE73-9F1D-5E9C-81CC-163E5008FD3A},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Res\1049\ScanDlgsRes.dll,State=3,,Disk=1,SharedDllR
efCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{0928EE73-9F1D-5E9C-81CC-163E5008FD3A} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Res\1049\ScanDlgsRes.dll
MSI (s) (40:68) [20:15:15:265]: Executing op:
ComponentRegister(ComponentId={DF0C0FFD-DD83-5CB5-80FA-71379D989659},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Res\1049\SavMainUIRes.dll,State=3,,Disk=1,SharedDll
RefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{DF0C0FFD-DD83-5CB5-80FA-71379D989659} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Res\1049\SavMainUIRes.dll
MSI (s) (40:68) [20:15:15:265]: Executing op:
ComponentRegister(ComponentId={F5A65423-052F-57D9-910F-CC4B6B2FAFD9},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Res\1049\LDVPUISRes.dll,State=3,,Disk=1,SharedDllRef
Count=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{F5A65423-052F-57D9-910F-CC4B6B2FAFD9} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Res\1049\LDVPUISRes.dll
MSI (s) (40:68) [20:15:15:265]: Executing op:
ComponentRegister(ComponentId={18387F8D-B8C5-5DFA-A2DE-A2BA4040C78A},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Res\1049\LDVPDlgsRes.dll,State=3,,Disk=1,SharedDllR
efCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{18387F8D-B8C5-5DFA-A2DE-A2BA4040C78A} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Res\1049\LDVPDlgsRes.dll
MSI (s) (40:68) [20:15:15:265]: Executing op:
ComponentRegister(ComponentId={FD78F2A5-6899-57E1-BAAC-139CFB022264},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Res\1049\LDVPctlRes.dll,State=3,,Disk=1,SharedDllR
efCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{FD78F2A5-6899-57E1-BAAC-139CFB022264} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Res\1049\LDVPctlRes.dll
MSI (s) (40:68) [20:15:15:265]: Executing op:
ComponentRegister(ComponentId={E7F55531-2DC8-55DC-AEC5-01AB87729D66},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Res\1049\ExchngUIRes.dll,State=3,,Disk=1,SharedDllR
efCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{E7F55531-2DC8-55DC-AEC5-01AB87729D66} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Res\1049\ExchngUIRes.dll
MSI (s) (40:68) [20:15:15:265]: Executing op:
ComponentRegister(ComponentId={58F431B1-69C2-57F7-82DC-E4C58C0DE4BF},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Res\1049\vpmsceRes.dll,State=3,,Disk=1,SharedDllRe
fCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{58F431B1-69C2-57F7-82DC-E4C58C0DE4BF} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Res\1049\vpmsceRes.dll
MSI (s) (40:68) [20:15:15:265]: Executing op:
ComponentRegister(ComponentId={30E4971B-A817-5704-BDB9-8E91A6E3D64D},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Res\1049\LotNtsUIRes.dll,State=3,,Disk=1,SharedDllR
efCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{30E4971B-A817-5704-BDB9-8E91A6E3D64D} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Res\1049\LotNtsUIRes.dll

SEP_INST.log

MSI (s) (40:68) [20:15:15:265]: Executing op:
 ComponentRegister(ComponentId={91438EAF-C459-5B8E-8C35-AAECADCB45E3},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\notesextRes.dll,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
 1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {91438EAF-C459-5B8E-8C35-AAECADCB45E3} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\notesextRes.dll
 MSI (s) (40:68) [20:15:15:265]: Executing op:
 ComponentRegister(ComponentId={87EEECA2-78F5-59A6-9D67-828FC85F5193},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\IMailRes.dll,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
 1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {87EEECA2-78F5-59A6-9D67-828FC85F5193} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\IMailRes.dll
 MSI (s) (40:68) [20:15:15:265]: Executing op:
 ComponentRegister(ComponentId={B9C162E2-8A49-5102-B02E-CE9B8C842EE5},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\IMailUIRes.dll,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
 1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {B9C162E2-8A49-5102-B02E-CE9B8C842EE5} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\IMailUIRes.dll
 MSI (s) (40:68) [20:15:15:265]: Executing op:
 ComponentRegister(ComponentId={C69C4E60-5586-5A32-A77D-B0952CC93674},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\ActaRes.dll,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
 1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {C69C4E60-5586-5A32-A77D-B0952CC93674} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\ActaRes.dll
 MSI (s) (40:68) [20:15:15:265]: Executing op:
 ComponentRegister(ComponentId={C95BFA39-A6B3-592F-8664-4FF262A7CFCF},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\AVManRes.dll,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
 1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {C95BFA39-A6B3-592F-8664-4FF262A7CFCF} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\AVManRes.dll
 MSI (s) (40:68) [20:15:15:265]: Executing op:
 ComponentRegister(ComponentId={E641F544-877A-5A2F-B9D3-810A1BD5A20B},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\DevManRes.dll,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
 1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {E641F544-877A-5A2F-B9D3-810A1BD5A20B} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\DevManRes.dll
 MSI (s) (40:68) [20:15:15:265]: Executing op:
 ComponentRegister(ComponentId={07E868A5-80BF-5113-918C-598C736AF0AC},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\GUProxyRes.dll,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
 1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {07E868A5-80BF-5113-918C-598C736AF0AC} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\GUProxyRes.dll
 MSI (s) (40:68) [20:15:15:265]: Executing op:
 ComponentRegister(ComponentId={0AE6FBF9-AB0D-5332-A0F6-75244E431807},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\LicenseManRes.dll,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
 1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {0AE6FBF9-AB0D-5332-A0F6-75244E431807} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\LicenseManRes.dll
 MSI (s) (40:68) [20:15:15:265]: Executing op:
 ComponentRegister(ComponentId={BE86FAFE-D59E-5FCB-8CB4-C61567BF6601},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\LDDateTmRes.dll,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)

SEP_INST.log

efCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{BE86AFAE-D59E-5FCB-8CB4-C61567BF6601} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Res\1049\LDDateTmRes.dll
MSI (s) (40:68) [20:15:15:265]: Executing op:
ComponentRegister(ComponentId={503B63C9-D93D-56CC-BCF8-7DD6B8597E3F},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Res\1049\LueEimRes.dll,State=3,,Disk=1,SharedDllRef
Count=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{503B63C9-D93D-56CC-BCF8-7DD6B8597E3F} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Res\1049\LueEimRes.dll
MSI (s) (40:68) [20:15:15:265]: Executing op:
ComponentRegister(ComponentId={63F1CC92-771F-54F1-852D-102A3235FE72},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Res\1049\LUManRes.dll,State=3,,Disk=1,SharedDllRefC
ount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{63F1CC92-771F-54F1-852D-102A3235FE72} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Res\1049\LUManRes.dll
MSI (s) (40:68) [20:15:15:265]: Executing op:
ComponentRegister(ComponentId={88476905-0776-58ED-AB92-EA6B23FBF30E},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Res\1049\NacManagerRes.dll,State=3,,Disk=1,SharedDl
lRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{88476905-0776-58ED-AB92-EA6B23FBF30E} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Res\1049\NacManagerRes.dll
MSI (s) (40:68) [20:15:15:265]: Executing op:
ComponentRegister(ComponentId={8B6FDD08-A1A0-5C07-9C7D-69E3EEC97107},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Res\1049\NetportRes.dll,State=3,,Disk=1,SharedDllRe
fCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{8B6FDD08-A1A0-5C07-9C7D-69E3EEC97107} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Res\1049\NetportRes.dll
MSI (s) (40:68) [20:15:15:265]: Executing op:
ComponentRegister(ComponentId={A9076240-68AD-5BA9-8213-733291A58FA9},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Res\1049\SEPSessionPluginRes.dll,State=3,,Disk=1,Sh
aredDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{A9076240-68AD-5BA9-8213-733291A58FA9} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Res\1049\SEPSessionPluginRes.dll
MSI (s) (40:68) [20:15:15:265]: Executing op:
ComponentRegister(ComponentId={CE501085-E9CF-52C4-BA81-B268CC9DC88D},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Res\1049\SfManRes.dll,State=3,,Disk=1,SharedDllRefC
ount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{CE501085-E9CF-52C4-BA81-B268CC9DC88D} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Res\1049\SfManRes.dll
MSI (s) (40:68) [20:15:15:265]: Executing op:
ComponentRegister(ComponentId={251DA186-5349-55EA-A029-5954185351E9},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Res\1049\SgHires.dll,State=3,,Disk=1,SharedDllRefCo
unt=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{251DA186-5349-55EA-A029-5954185351E9} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Res\1049\SgHires.dll
MSI (s) (40:68) [20:15:15:265]: Executing op:
ComponentRegister(ComponentId={FE559823-CB38-5CD1-AD4E-698BECE457B9},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Res\1049\SmcGuiRes.dll,State=3,,Disk=1,SharedDllRef
Count=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{FE559823-CB38-5CD1-AD4E-698BECE457B9} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Res\1049\SmcGuiRes.dll

SEP_INST.log

MSI (s) (40:68) [20:15:15:265]: Executing op:
 ComponentRegister(ComponentId={F38568D5-B697-59AA-996F-3C0D3E8CDB57},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\SmcInstRes.dll,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
 1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {F38568D5-B697-59AA-996F-3C0D3E8CDB57} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\SmcInstRes.dll
 MSI (s) (40:68) [20:15:15:265]: Executing op:
 ComponentRegister(ComponentId={E9CE8EA4-A705-5913-96EB-EECC576AA204},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\SmcRes.dll,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
 1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {E9CE8EA4-A705-5913-96EB-EECC576AA204} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\SmcRes.dll
 MSI (s) (40:68) [20:15:15:265]: Executing op:
 ComponentRegister(ComponentId={FBA88028-A2D5-55AF-A475-EED626C1A756},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\SpNetRes.dll,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
 1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {FBA88028-A2D5-55AF-A475-EED626C1A756} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\SpNetRes.dll
 MSI (s) (40:68) [20:15:15:265]: Executing op:
 ComponentRegister(ComponentId={76FE11DC-F645-500E-8530-4B9600E603F8},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\SubmissionsEimRes.dll,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
 1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {76FE11DC-F645-500E-8530-4B9600E603F8} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\SubmissionsEimRes.dll
 MSI (s) (40:68) [20:15:15:265]: Executing op:
 ComponentRegister(ComponentId={632DCB2A-F2F4-5EDD-9128-AACE429D6EE0},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\SyLinkRes.dll,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
 1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {632DCB2A-F2F4-5EDD-9128-AACE429D6EE0} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\SyLinkRes.dll
 MSI (s) (40:68) [20:15:15:265]: Executing op:
 ComponentRegister(ComponentId={362E0D13-6CD1-569B-9DAC-35933A70CF2A},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\TseConfigRes.dll,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
 1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {362E0D13-6CD1-569B-9DAC-35933A70CF2A} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\TseConfigRes.dll
 MSI (s) (40:68) [20:15:15:265]: Executing op:
 ComponentRegister(ComponentId={4F9DE7DE-010B-5902-8443-CB4D6AEDEF20},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\TseRes.dll,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
 1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {4F9DE7DE-010B-5902-8443-CB4D6AEDEF20} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\TseRes.dll
 MSI (s) (40:68) [20:15:15:265]: Executing op:
 ComponentRegister(ComponentId={07E9654A-7C62-5838-B92B-77D88711F493},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\ProtectionUtilRes.dll,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)
 1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2: {07E9654A-7C62-5838-B92B-77D88711F493} 3: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\ProtectionUtilRes.dll
 MSI (s) (40:68) [20:15:15:265]: Executing op:
 ComponentRegister(ComponentId={A03B0517-3A9D-5216-9B4A-9E7FB6A900F0},KeyPath=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\RebootMgrEimRes.dll,State=3,,Disk=1,Shared

SEP_INST.log

```

DllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{A03B0517-3A9D-5216-9B4A-9E7FB6A900F0} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Res\1049\RebootMgrEimRes.dll
MSI (s) (40:68) [20:15:15:265]: Executing op:
ComponentRegister(ComponentId={29DD44F6-2559-5662-94DC-84029161B462},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Res\1049\SymCorpUIres.dll,State=3,,Disk=1,SharedDll
RefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{29DD44F6-2559-5662-94DC-84029161B462} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Res\1049\SymCorpUIres.dll
MSI (s) (40:68) [20:15:15:281]: Executing op:
ComponentRegister(ComponentId={50ADF719-CC8F-510A-856C-291249234E87},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Res\1049\SavEmailSeshlpRes.dll,State=3,,Disk=1,Shar
edDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{50ADF719-CC8F-510A-856C-291249234E87} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Res\1049\SavEmailSeshlpRes.dll
MSI (s) (40:68) [20:15:15:281]: Executing op:
ComponentRegister(ComponentId={52F4E830-5B71-50AD-9DAD-94C433E57694},KeyPath=C:\
Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Res\1049\SavUIres.dll,State=3,,Disk=1,SharedDllRefC
ount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{52F4E830-5B71-50AD-9DAD-94C433E57694} 3: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Res\1049\SavUIres.dll
MSI (s) (40:68) [20:15:15:281]: Executing op:
ComponentRegister(ComponentId={DBBD18B2-31F6-5901-AF3E-B8799BD39CED},,,State=-7,,
Disk=1,SharedDllRefCount=0,BinaryType=0)
1: {816230FE-84A1-47CC-BF64-C113014BD15B} 2:
{DBBD18B2-31F6-5901-AF3E-B8799BD39CED}
MSI (s) (40:68) [20:15:15:281]: Executing op:
ActionStart(Name=StopServices,Description=Остановка служб,Template=Служба: [1])
Действие 20:15:15: StopServices. Остановка служб
MSI (s) (40:68) [20:15:15:281]: Executing op:
ProgressTotal(Total=1,Type=1,ByteEquivalent=1300000)
MSI (s) (40:68) [20:15:15:281]: Executing op:
ActionStart(Name=DeleteServices,Description=Удаление служб,Template=Служба: [1])
Действие 20:15:15: DeleteServices. Удаление служб
MSI (s) (40:68) [20:15:15:281]: Executing op:
ProgressTotal(Total=1,Type=1,ByteEquivalent=1300000)
MSI (s) (40:68) [20:15:15:281]: Executing op:
ActionStart(Name=CleanInstallDeletesMS_RB,,)
Действие 20:15:15: CleanInstallDeletesMS_RB.
MSI (s) (40:68) [20:15:15:281]: Executing op:
CustomActionSchedule(Action=CleanInstallDeletesMS_RB,ActionType=3329,Source=Binary
Data,Target=DeleteSepMasterService,CustomActionData=SepMasterService)
MSI (s) (40:68) [20:15:15:281]: Executing op:
ActionStart(Name=CleanInstallStopSMS_RB,,)
Действие 20:15:15: CleanInstallStopSMS_RB.
MSI (s) (40:68) [20:15:15:281]: Executing op:
CustomActionSchedule(Action=CleanInstallStopSMS_RB,ActionType=3393,Source=Binary
Data,Target=StopSMS,CustomActionData=SepMasterService)
MSI (s) (40:68) [20:15:15:281]: Executing op:
ActionStart(Name=SymDeleteServices_RB,Description=Восстановление служб,
выбранных для удаления,Template=[1])
Действие 20:15:15: SymDeleteServices_RB. Восстановление служб, выбранных для
удаления
MSI (s) (40:68) [20:15:15:281]: Executing op:
CustomActionSchedule(Action=SymDeleteServices_RB,ActionType=1281,Source=BinaryDa
ta,Target=SymDeleteServices_RB,)
MSI (s) (40:68) [20:15:15:296]: Executing op:
ActionStart(Name=SymDeleteServices,Description=Выбор служб для удаления при
перезагрузке,Template=[1])
Действие 20:15:15: SymDeleteServices. Выбор служб для удаления при перезагрузке
MSI (s) (40:68) [20:15:15:296]: Executing op:

```

SEP_INST.log

CustomActionSchedule(Action=SymDeleteServices, ActionType=3073, Source=BinaryData, Target=SymDeleteServices,)
MSI (s) (40:B4) [20:15:15:328]: Invoking remote custom action. DLL: C:\WINDOWS\Installer\MSI1F.tmp, Entrypoint: SymDeleteServices
MSI (s) (40:78) [20:15:15:328]: Generating random cookie.
MSI (s) (40:78) [20:15:15:328]: Created Custom Action Server with PID 1160 (0x488).
MSI (s) (40:50) [20:15:15:406]: Running as a service.
MSI (s) (40:50) [20:15:15:406]: Hello, I'm your 32bit Elevated custom action server.
SymDeleteServices: Unable to open '': 0
MSI (s) (40:68) [20:15:15:468]: Executing op: ActionStart(Name=RemoveRegistryValues, Description=удаление параметров системного реестра, Template=Раздел: [1], Имя: [2])
Действие 20:15:15: RemoveRegistryValues. Удаление параметров системного реестра
MSI (s) (40:68) [20:15:15:468]: Executing op: ProgressTotal(Total=1, Type=1, ByteEquivalent=13200)
MSI (s) (40:68) [20:15:15:468]: Executing op: RegOpenKey(Root=-2147483646, Key=SOFTWARE\Symantec\Symantec Endpoint Protection\SMC\SYLINK\SyLink, BinaryType=0)
MSI (s) (40:68) [20:15:15:468]: Executing op: RegRemoveValue(Name=ProfileChecksum,)
RemoveRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint Protection\SMC\SYLINK\SyLink, Имя: ProfileChecksum
MSI (s) (40:68) [20:15:15:468]: Note: 1: 1402 2: HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint Protection\SMC\SYLINK\SyLink 3: 2
MSI (s) (40:68) [20:15:15:468]: Executing op: ActionStart(Name=SymRemoveEmptyFolders,,)
Действие 20:15:15: SymRemoveEmptyFolders.
MSI (s) (40:68) [20:15:15:468]: Executing op: CustomActionSchedule(Action=SymRemoveEmptyFolders, ActionType=3329, Source=BinaryData, Target=SymRemoveEmptyFolders, CustomActionData=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\;;C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\;C:\Program Files\Symantec\Symantec Endpoint Protection\;C:\Program Files\Symantec\)
MSI (s) (40:68) [20:15:15:468]: Executing op: ActionStart(Name=SymRemoveRollbackFiles,,)
Действие 20:15:15: SymRemoveRollbackFiles.
MSI (s) (40:68) [20:15:15:468]: Executing op: CustomActionSchedule(Action=SymRemoveRollbackFiles, ActionType=3329, Source=BinaryData, Target=SymRemoveFiles, CustomActionData=C:\DOCUME~1\ADMINI~1\LOCALS~1\Temp\e99351f6-674a-46fe-bbd5-06c95a5a546d\rollbackfiles.xml)
MSI (s) (40:68) [20:15:15:484]: Executing op: ActionStart(Name=SymRemoveFiles_RB,,)
Действие 20:15:15: SymRemoveFiles_RB.
MSI (s) (40:68) [20:15:15:484]: Executing op: CustomActionSchedule(Action=SymRemoveFiles_RB, ActionType=3329, Source=BinaryData, Target=SymRemoveFiles_RB, CustomActionData=C:\DOCUME~1\ADMINI~1\LOCALS~1\Temp\e99351f6-674a-46fe-bbd5-06c95a5a546d\removefiles.xml)
MSI (s) (40:68) [20:15:15:484]: Executing op: ActionStart(Name=SymRemoveFiles, Description=Выбор файлов для удаления при перезагрузке, Template=[1])
Действие 20:15:15: SymRemoveFiles. Выбор файлов для удаления при перезагрузке
MSI (s) (40:68) [20:15:15:484]: Executing op: CustomActionSchedule(Action=SymRemoveFiles, ActionType=3073, Source=BinaryData, Target=SymRemoveFiles, CustomActionData=C:\DOCUME~1\ADMINI~1\LOCALS~1\Temp\e99351f6-674a-46fe-bbd5-06c95a5a546d\removefiles.xml)
MSI (s) (40:48) [20:15:15:484]: Invoking remote custom action. DLL: C:\WINDOWS\Installer\MSI20.tmp, Entrypoint: SymRemoveFiles
SymRemoveFiles: SymRemoveFiles.xmlfilename: C:\DOCUME~1\ADMINI~1\LOCALS~1\Temp\e99351f6-674a-46fe-bbd5-06c95a5a546d\removefiles.xml
SymRemoveFiles: SymRemoveFiles Usecase: uninstall.
MSI (s) (40:68) [20:15:15:578]: Executing op: ActionStart(Name=CreateFolders, Description=Создание папок, Template=Папка: [1])
Действие 20:15:15: CreateFolders. Создание папок
MSI (s) (40:68) [20:15:15:578]: Executing op: FolderCreate(Folder=C:\Documents

SEP_INST.log

[illegible]

SEP_INST.log

```
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Config\
MSI (s) (40:68) [20:15:15:578]: Executing op: FolderCreate(Folder=C:\Documents
and Settings\All Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Config\,Foreign=0,)
CreateFolders: Папка: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Config\
MSI (s) (40:68) [20:15:15:578]: Executing op: FolderCreate(Folder=C:\Documents
and Settings\All Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Config\,Foreign=0,)
CreateFolders: Папка: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Config\
MSI (s) (40:68) [20:15:15:578]: Executing op: FolderCreate(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\,Foreign=0,)
CreateFolders: Папка: C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\
MSI (s) (40:68) [20:15:15:578]: Executing op: FolderCreate(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\,Foreign=0,)
CreateFolders: Папка: C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\
MSI (s) (40:68) [20:15:15:578]: Executing op: FolderCreate(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\,Foreign=0,)
CreateFolders: Папка: C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\
MSI (s) (40:68) [20:15:15:578]: Executing op: FolderCreate(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\,Foreign=0,)
CreateFolders: Папка: C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\
MSI (s) (40:68) [20:15:15:578]: Executing op: FolderCreate(Folder=C:\Documents
and Settings\All Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\,Foreign=0,)
CreateFolders: Папка: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\
MSI (s) (40:68) [20:15:15:578]: Executing op: FolderCreate(Folder=C:\Documents
and Settings\All Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\,Foreign=0,)
CreateFolders: Папка: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\
MSI (s) (40:68) [20:15:15:578]: Executing op: FolderCreate(Folder=C:\Documents
and Settings\All Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\,Foreign=0,)
CreateFolders: Папка: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\
MSI (s) (40:68) [20:15:15:578]: Executing op:
FolderCreate(Folder=D:\,Foreign=0,)
CreateFolders: Папка: D:\
MSI (s) (40:68) [20:15:15:578]: Executing op:
FolderCreate(Folder=D:\,Foreign=0,)
CreateFolders: Папка: D:\
MSI (s) (40:68) [20:15:15:578]: Executing op: FolderCreate(Folder=C:\Documents
and Settings\All Users\Start Menu\Programs\Symantec Endpoint
Protection\,Foreign=0,)
CreateFolders: Папка: C:\Documents and Settings\All Users\Start
Menu\Programs\Symantec Endpoint Protection\
MSI (s) (40:68) [20:15:15:578]: Executing op: FolderCreate(Folder=C:\Documents
and Settings\All Users\Application Data\Symantec\Symantec Endpoint
```


SEP_INST.log

[illegible]

SEP_INST.log

[illegible]

SEP_INST.log

MSI (s) (40:68) [20:15:15:593]: Executing op: FolderCreate(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\,Foreign=0,)
CreateFolders: Папка: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\
MSI (s) (40:68) [20:15:15:593]: Executing op: FolderCreate(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\,Foreign=0,)
CreateFolders: Папка: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\
MSI (s) (40:68) [20:15:15:593]: Executing op: FolderCreate(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\,Foreign=0,)
CreateFolders: Папка: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\
MSI (s) (40:68) [20:15:15:593]: Executing op: FolderCreate(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\Help\,Foreign=0,)
CreateFolders: Папка: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\Help\
MSI (s) (40:68) [20:15:15:593]: Executing op: FolderCreate(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\Help\,Foreign=0,)
CreateFolders: Папка: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\Help\
MSI (s) (40:68) [20:15:15:593]: Executing op: FolderCreate(Folder=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\PersistedData\,Foreign=0,)
CreateFolders: Папка: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\PersistedData\
MSI (s) (40:68) [20:15:15:593]: Executing op: FolderCreate(Folder=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Definitions\,Foreign=0,)
CreateFolders: Папка: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Definitions\
MSI (s) (40:68) [20:15:15:593]: Executing op: FolderCreate(Folder=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Definitions\,Foreign=0,)
CreateFolders: Папка: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Definitions\
MSI (s) (40:68) [20:15:15:593]: Executing op: FolderCreate(Folder=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Definitions\,Foreign=0,)
CreateFolders: Папка: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Definitions\
MSI (s) (40:68) [20:15:15:593]: Executing op: FolderCreate(Folder=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Definitions\,Foreign=0,)
CreateFolders: Папка: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Definitions\
MSI (s) (40:68) [20:15:15:593]: Executing op: FolderCreate(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Scripts\,Foreign=0,)
CreateFolders: Папка: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Scripts\
MSI (s) (40:68) [20:15:15:593]: Executing op: FolderCreate(Folder=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Install\Scripts\,Foreign=0,)
CreateFolders: Папка: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Install\Scripts\
MSI (s) (40:68) [20:15:15:859]: Executing op: FolderCreate(Folder=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint

Install\Script

Страница 156

SEP_INST.log

[illegible]

SEP_INST.log

[illegible]

SEP_INST.log

Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\CmnCInt\
MSI (s) (40:68) [20:15:15:906]: Executing op: FolderCreate(Folder=C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Res\19\01\,Foreign=0,)
CreateFolders: Папка: C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Res\19\01\
MSI (s) (40:68) [20:15:15:906]: Executing op: FolderCreate(Folder=C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Res\19\01\,Foreign=0,)
CreateFolders: Папка: C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Res\19\01\
MSI (s) (40:68) [20:15:15:906]: Executing op: FolderCreate(Folder=C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Res\19\01\,Foreign=0,)
CreateFolders: Папка: C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Res\19\01\
MSI (s) (40:68) [20:15:15:921]: Executing op: FolderCreate(Folder=C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Res\19\01\,Foreign=0,)
CreateFolders: Папка: C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Res\19\01\
MSI (s) (40:68) [20:15:15:921]: Executing op: FolderCreate(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Temp\,Foreign=0,)
CreateFolders: Папка: C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Temp\
MSI (s) (40:68) [20:15:15:921]: Executing op: FolderCreate(Folder=C:\Documents
and Settings\All Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Cached Installs\,Foreign=0,)
CreateFolders: Папка: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\
MSI (s) (40:68) [20:15:15:921]: Executing op: FolderCreate(Folder=C:\Documents
and Settings\All Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\ContentCache\,Foreign=0,)
CreateFolders: Папка: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\ContentCache\
MSI (s) (40:68) [20:15:15:921]: Executing op: FolderCreate(Folder=C:\Documents
and Settings\All Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\State\,Foreign=0,)
CreateFolders: Папка: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\State\
MSI (s) (40:68) [20:15:15:921]: Executing op: FolderCreate(Folder=C:\Documents
and Settings\All Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\FeatureState\,Foreign=0,)
CreateFolders: Папка: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\FeatureState\
MSI (s) (40:68) [20:15:15:937]: Executing op: FolderCreate(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\SmcLu\,Foreign=0,)
CreateFolders: Папка: C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\SmcLu\
MSI (s) (40:68) [20:15:15:937]: Executing op: FolderCreate(Folder=C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Config\,Foreign=0,)
CreateFolders: Папка: C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Config\
MSI (s) (40:68) [20:15:15:937]: Executing op: FolderCreate(Folder=C:\Documents
and Settings\All Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\SPManifests\,Foreign=0,)
CreateFolders: Папка: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\SPManifests\
MSI (s) (40:68) [20:15:15:937]: Executing op: FolderCreate(Folder=C:\Documents
and Settings\All Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Install\,Foreign=0,)
CreateFolders: Папка: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Install\
MSI (s) (40:68) [20:15:15:937]: Executing op: FolderCreate(Folder=C:\Documents
and Settings\All Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Install\Logs\,Foreign=0,)

SEP_INST.log

CreateFolders: Папка: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Install\Logs\
MSI (s) (40:68) [20:15:15:937]: Executing op: FolderCreate(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\CmnClnt\,Foreign=0,)
CreateFolders: Папка: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\CmnClnt\
MSI (s) (40:68) [20:15:15:937]: Executing op: FolderCreate(Folder=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\CmnClnt_lck\,Foreign=0,)
CreateFolders: Папка: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\CmnClnt_lck\
MSI (s) (40:68) [20:15:15:937]: Executing op: FolderCreate(Folder=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\CmnClnt\ccSetMgr\,Foreign=0,)
CreateFolders: Папка: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\CmnClnt\ccSetMgr\
MSI (s) (40:68) [20:15:15:937]: Executing op: FolderCreate(Folder=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\CmnClnt\ccGEvt\,Foreign=0,)
CreateFolders: Папка: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\CmnClnt\ccGEvt\
MSI (s) (40:68) [20:15:15:953]: Executing op: FolderCreate(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\CmnClnt\ccGEvt\Global\,Foreign=0,)
CreateFolders: Папка: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\CmnClnt\ccGEvt\Global\
MSI (s) (40:68) [20:15:15:953]: Executing op: FolderCreate(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\CmnClnt\ccGEvt\,Foreign=0,)
CreateFolders: Папка: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\CmnClnt\ccGEvt\
MSI (s) (40:68) [20:15:15:953]: Executing op: FolderCreate(Folder=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\CmnClnt\ccGEvt\Global\,Foreign=0,)
CreateFolders: Папка: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\CmnClnt\ccGEvt\Global\
MSI (s) (40:68) [20:15:15:953]: Executing op: FolderCreate(Folder=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\CmnClnt\ccGLog\,Foreign=0,)
CreateFolders: Папка: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\CmnClnt\ccGLog\
MSI (s) (40:68) [20:15:15:953]: Executing op: FolderCreate(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\CmnClnt\ccGLog\,Foreign=0,)
CreateFolders: Папка: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\CmnClnt\ccGLog\
MSI (s) (40:68) [20:15:15:953]: Executing op: FolderCreate(Folder=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Logs\,Foreign=0,)
CreateFolders: Папка: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Logs\
MSI (s) (40:68) [20:15:15:953]: Executing op: FolderCreate(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\CmnClnt\ccJobSch\,Foreign=0,)
CreateFolders: Папка: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\CmnClnt\ccJobSch\
MSI (s) (40:68) [20:15:15:953]: Executing op: FolderCreate(Folder=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\CmnClnt\ccJobMgr\,Foreign=0,)
CreateFolders: Папка: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\CmnClnt\ccJobMgr\
MSI (s) (40:68) [20:15:15:984]: Executing op: FolderCreate(Folder=C:\Documents

SEP_INST.log

and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\CmnCInt\ccSubSDK\,Foreign=0,)
CreateFolders: Папка: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\CmnCInt\ccSubSDK\
MSI (s) (40:68) [20:15:15:984]: Executing op: FolderCreate(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\CmnCInt\ccSubSDK\,Foreign=0,)
CreateFolders: Папка: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\CmnCInt\ccSubSDK\
MSI (s) (40:68) [20:15:15:984]: Executing op: FolderCreate(Folder=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Lue\,Foreign=0,)
CreateFolders: Папка: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Lue\
MSI (s) (40:68) [20:15:15:984]: Executing op: FolderCreate(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\LUReg\,Foreign=0,)
CreateFolders: Папка: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\LUReg\
MSI (s) (40:68) [20:15:15:984]: Executing op: FolderCreate(Folder=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\SymDS\,Foreign=0,)
CreateFolders: Папка: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\SymDS\
MSI (s) (40:68) [20:15:15:984]: Executing op: FolderCreate(Folder=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\SymDS\Temp\,Foreign=0,)
CreateFolders: Папка: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\SymDS\Temp\
MSI (s) (40:68) [20:15:16:000]: Executing op: FolderCreate(Folder=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\SRTSP\,Foreign=0,)
CreateFolders: Папка: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\SRTSP\
MSI (s) (40:68) [20:15:16:000]: Executing op: FolderCreate(Folder=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\SRTSP\Quarantine\,Foreign=0,)
CreateFolders: Папка: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\SRTSP\Quarantine\
MSI (s) (40:68) [20:15:16:000]: Executing op: FolderCreate(Folder=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\SRTSP\SrtETmp\,Foreign=0,)
CreateFolders: Папка: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\SRTSP\SrtETmp\
MSI (s) (40:68) [20:15:16:000]: Executing op: FolderCreate(Folder=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Logs\AV\,Foreign=0,)
CreateFolders: Папка: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Logs\AV\
MSI (s) (40:68) [20:15:16:000]: Executing op: FolderCreate(Folder=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\APTemp\,Foreign=0,)
CreateFolders: Папка: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\APTemp\
MSI (s) (40:68) [20:15:16:000]: Executing op: FolderCreate(Folder=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\BadPatts\,Foreign=0,)
CreateFolders: Папка: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\BadPatts\
MSI (s) (40:68) [20:15:16:015]: Executing op: FolderCreate(Folder=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\DB\,Foreign=0,)
CreateFolders: Папка: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\DB\
MSI (s) (40:68) [20:15:16:015]: Executing op: FolderCreate(Folder=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\DecTemp\,Foreign=0,)

SEP_INST.log

```

CreateFolders: Папка: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\DecTemp\
MSI (s) (40:68) [20:15:16:015]: Executing op: FolderCreate(Folder=C:\Documents
and Settings\All Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\I2_LDVP.VDB\,Foreign=0,)
CreateFolders: Папка: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\I2_LDVP.VDB\
MSI (s) (40:68) [20:15:16:015]: Executing op: FolderCreate(Folder=C:\Documents
and Settings\All Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Quarantine\,Foreign=0,)
CreateFolders: Папка: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Quarantine\
MSI (s) (40:68) [20:15:16:015]: Executing op: FolderCreate(Folder=C:\Documents
and Settings\All Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\xfer\,Foreign=0,)
CreateFolders: Папка: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\xfer\
MSI (s) (40:68) [20:15:16:015]: Executing op: FolderCreate(Folder=C:\Documents
and Settings\All Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\xfer_tmp\,Foreign=0,)
CreateFolders: Папка: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\xfer_tmp\
MSI (s) (40:68) [20:15:16:046]: Executing op:
ActionStart(Name=CompressFolders,Description=Сжатие папок,)
Действие 20:15:16: CompressFolders. Сжатие папок
MSI (s) (40:68) [20:15:16:046]: Executing op:
CustomActionSchedule(Action=CompressFolders,ActionType=3073,Source=BinaryData,Ta
rget=CompressFolders,CustomActionData=C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Cached Installs\;0;C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\;0;)
MSI (s) (40:60) [20:15:16:046]: Invoking remote custom action. DLL:
C:\WINDOWS\Installer\MSI21.tmp, Entrypoint: CompressFolders
Clientca: CustomActionData=C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\;0;C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\;0;
Compressed C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\..Compressed C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\..Compressed C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\
Compressed C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\CmnCInt\ccGEvt\Global\..Compressed C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\CmnCInt\ccGEvt\Global\..Compressed C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\CmnCInt\ccGEvt\Global
Compressed C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\CmnCInt\ccGEvt\..Compressed C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\CmnCInt\ccGEvt\..Compressed C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\CmnCInt\ccGEvt\GlobalCompressed C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\CmnCInt\ccGEvt
Compressed C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\CmnCInt\ccGLog\..Compressed C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\CmnCInt\ccGLog\..Compressed C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\CmnCInt\ccGLog
Compressed C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\CmnCInt\ccJobSch\..Compressed C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\CmnCInt\ccJobSch\..Compressed C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\CmnCInt\ccJobSch

```

SEP_INST.log

Compressed C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\CmnClnt\ccSubSDK\..Compressed C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\CmnClnt\ccSubSDK\..Compressed C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\CmnClnt\ccSubSDK
Compressed C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\CmnClnt\..Compressed C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\CmnClnt\..Compressed C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\CmnClnt\ccGEvtCompressed C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\CmnClnt\ccGLogCompressed C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\CmnClnt\ccJobSchCompressed C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\CmnClnt\ccSubSDKCompressed C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\CmnClnt
Compressed C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\Help\..Compressed C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\Help\..Compressed C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\Help
Compressed C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\IPS\..Compressed C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\IPS\..Compressed C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\IPS
Compressed C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\LUReg\..Compressed C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\LUReg\..Compressed C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\LUReg
Compressed C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\SPManifests\..Compressed C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\SPManifests\..Compressed C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests
Compressed C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\TeeferVista\..Compressed C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\TeeferVista\..Compressed C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\TeeferVista
Compressed C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\TeeferXP\..Compressed C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\TeeferXP\..Compressed C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\TeeferXP
Compressed C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\..Compressed C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\..Compressed C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\CmnClntCompressed C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\HelpCompressed
C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\IPSCompressed C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\LURegCompressed C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\SPManifestsCompressed C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\TeeferVistaCompressed C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\TeeferXPCompressed C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\
CompressFoldersCompressing folders

MSI (s) (40:68) [20:15:16:203]: Executing op:

SEP_INST.log

ActionStart(Name=MoveFiles,Description=Перемещение файлов,Template=Файл: [1], Каталог: [9], Размер: [6])
 Действие 20:15:16: MoveFiles. Перемещение файлов
 MSI (s) (40:68) [20:15:16:203]: Executing op: ProgressTotal(Total=1464,Type=0,ByteEquivalent=1)
 MSI (s) (40:68) [20:15:16:203]: Executing op: SetSourceFolder(Folder=E:\SEP\)
 MSI (s) (40:68) [20:15:16:203]: Executing op: SetTargetFolder(Folder=C:\DOCUME~1\ADMINI~1\LOCALS~1\Temp\e99351f6-674a-46fe-bbd5-06c95a5a546d\)
 MSI (s) (40:68) [20:15:16:203]: Executing op: FileCopy(SourceName=SyLink.xml,,DestName=SyLink.xml,Attributes=1,FileSize=614,PerTick=32768,IsCompressed=0,VerifyMedia=0,,,,,,InstallMode=262144,,,,,)
 MSI (s) (40:68) [20:15:16:203]: File: C:\DOCUME~1\ADMINI~1\LOCALS~1\Temp\e99351f6-674a-46fe-bbd5-06c95a5a546d\SyLink.xml; To be installed; won't patch; No existing file
 MSI (s) (40:68) [20:15:16:203]: Source for file 'SyLink.xml' is uncompressed, at 'E:\SEP\'.
 MoveFiles: Файл: SyLink.xml, Каталог: C:\DOCUME~1\ADMINI~1\LOCALS~1\Temp\e99351f6-674a-46fe-bbd5-06c95a5a546d\, Размер: 614
 MSI (s) (40:68) [20:15:16:203]: Note: 1: 2318 2: C:\DOCUME~1\ADMINI~1\LOCALS~1\Temp\e99351f6-674a-46fe-bbd5-06c95a5a546d\SyLink.xml
 MSI (s) (40:68) [20:15:16:203]: Executing op: SetSourceFolder(Folder=E:\SEP\)
 MSI (s) (40:68) [20:15:16:203]: Executing op: SetTargetFolder(Folder=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Config\)
 MSI (s) (40:68) [20:15:16:203]: Executing op: FileCopy(SourceName=sep_NE.slf,,DestName=sep.slf,Attributes=1,FileSize=850,PerTick=32768,IsCompressed=0,VerifyMedia=0,,,,,,InstallMode=262144,,,,,)
 MSI (s) (40:68) [20:15:16:203]: File: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Config\sep.slf; To be installed; won't patch; No existing file
 MSI (s) (40:68) [20:15:16:203]: Source for file 'sep_NE.slf' is uncompressed, at 'E:\SEP\'.
 MoveFiles: Файл: sep.slf, Каталог: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Config\, Размер: 850
 MSI (s) (40:68) [20:15:16:203]: Note: 1: 2318 2: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Config\sep.slf
 MSI (s) (40:68) [20:15:16:203]: Executing op: ActionStart(Name=DestroyInstallCache,,)
 Действие 20:15:16: DestroyInstallCache.
 MSI (s) (40:68) [20:15:16:203]: Executing op: CustomActionSchedule(Action=DestroyInstallCache,ActionType=3329,Source=BinaryData,Target=DestroyInstallCache,CustomActionData=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached Installs\)
 MSI (s) (40:68) [20:15:16:203]: Executing op: ActionStart(Name=CreateInstallCacheFin,Description=Создание кэша установки,)
 Действие 20:15:16: CreateInstallCacheFin. Создание кэша установки
 MSI (s) (40:68) [20:15:16:203]: Executing op: CustomActionSchedule(Action=CreateInstallCacheFin,ActionType=3201,Source=BinaryData,Target=CreateInstallCacheFin,CustomActionData=12.1.671.4971;C:\DOCUME~1\ADMINI~1\LOCALS~1\Temp\e99351f6-674a-46fe-bbd5-06c95a5a546d\2698f8e2-3bfd-4ac1-b8ca-d36cd1349b17\;C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached Installs\)
 MSI (s) (40:68) [20:15:16:218]: Executing op: ActionStart(Name=InstallFiles,Description=Копирование новых файлов,Template=Файл: [1], Каталог: [9], Размер: [6])
 Действие 20:15:16: InstallFiles. Копирование новых файлов
 MSI (s) (40:50) [20:15:16:218]: Invoking remote custom action. DLL: C:\WINDOWS\Installer\MSI22.tmp, Entrypoint: CreateInstallCacheFin
 MSI (s) (40:68) [20:15:16:218]: Executing op: ProgressTotal(Total=69637314,Type=0,ByteEquivalent=1)

SEP_INST.log

MSI (s) (40:68) [20:15:16:218]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\)
MSI (s) (40:68) [20:15:16:218]: Executing op: SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Res\1049\|Program Files\Symantec\Name\Version\Res\1049\)
MSI (s) (40:68) [20:15:16:218]: Executing op: ChangeMedia(MediaVolumeLabel=SEP_12.1,MediaPrompt=Вставьте диск ,BytesPerTick=32768,CopierType=0,,,,,IsFirstPhysicalMedia=1)
MSI (s) (40:68) [20:15:16:218]: Executing op: FileCopy(SourceName=ActaRes.dll,SourceCabKey=actares.dll,DestName=ActaRes.dll,Attributes=512,FileSize=122224,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,,)
MSI (s) (40:68) [20:15:16:218]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\ActaRes.dll; To be installed; Won't patch; No existing file
MSI (s) (40:68) [20:15:16:218]: Source for file 'ActaRes.dll' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Res\1049\'.
InstallFiles: Файл: ActaRes.dll, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\, Размер: 122224
MSI (s) (40:68) [20:15:16:218]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\ActaRes.dll
MSI (s) (40:68) [20:15:16:218]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)
MSI (s) (40:68) [20:15:16:218]: Executing op: SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Bin\|Program Files\Symantec\Name\Version\Bin\)
MSI (s) (40:68) [20:15:16:218]: Executing op: FileCopy(SourceName=op0i3r1f.dll|AgentCore.dll,SourceCabKey=agentcore.dll,DestName=AgentCore.dll,Attributes=512,FileSize=46000,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,,)
MSI (s) (40:68) [20:15:16:218]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\AgentCore.dll; To be installed; Won't patch; No existing file
MSI (s) (40:68) [20:15:16:218]: Source for file 'AgentCore.dll' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: Файл: AgentCore.dll, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 46000
MSI (s) (40:68) [20:15:16:218]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\AgentCore.dll
MSI (s) (40:68) [20:15:16:218]: Executing op: FileCopy(SourceName=atl90.dll,SourceCabKey=atl90.dll,Attributes=512,FileSize=159032,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=9.0.30729.4148,Language=1033,InstallMode=58982400,,,,,,)
MSI (s) (40:68) [20:15:16:218]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\atl90.dll; To be installed; Won't patch; No existing file
MSI (s) (40:68) [20:15:16:218]: Source for file 'atl90.dll' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: Файл: atl90.dll, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 159032
MSI (s) (40:68) [20:15:16:218]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\atl90.dll
MSI (s) (40:68) [20:15:16:218]: Executing op: FileCopy(SourceName=AtpiEim.dll,SourceCabKey=AtpiEim.dll,DestName=AtpiEim.dll,Attributes=512,FileSize=580528,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,,)
MSI (s) (40:68) [20:15:16:218]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\AtpiEim.dll; To be installed; Won't patch; No existing file
MSI (s) (40:68) [20:15:16:218]: Source for file 'AtpiEim.dll' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: Файл: AtpiEim.dll, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 580528
MSI (s) (40:68) [20:15:16:218]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\AtpiEim.dll
MSI (s) (40:68) [20:15:16:218]: Executing op: FileCopy(SourceName=a214yuqa.dll|AtpiEimProxy.dll,SourceCabKey=AtpiEimProxy.dll,

SEP_INST.log

```

DestName=AtpiEimProxy.dll,Attributes=512,FileSize=103344,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,)
MSI (s) (40:68) [20:15:16:218]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\AtpiEimProxy.dll; To be installed; Won't patch; No existing file
MSI (s) (40:68) [20:15:16:218]: Source for file 'AtpiEimProxy.dll' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: Файл: AtpiEimProxy.dll, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 103344
MSI (s) (40:68) [20:15:16:218]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\AtpiEimProxy.dll
MSI (s) (40:68) [20:15:16:218]: Executing op: FileCopy(SourceName=AtpiMan.plg,SourceCabKey=AtpiMan.plg,DestName=AtpiMan.plg,Attributes=512,FileSize=37808,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,)
MSI (s) (40:68) [20:15:16:218]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\AtpiMan.plg; To be installed; Won't patch; No existing file
MSI (s) (40:68) [20:15:16:218]: Source for file 'AtpiMan.plg' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: Файл: AtpiMan.plg, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 37808
MSI (s) (40:68) [20:15:16:234]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\AtpiMan.plg
MSI (s) (40:68) [20:15:16:234]: Executing op: FileCopy(SourceName=px4n_6_d.dll|AVHostPlugin.dll,SourceCabKey=AVHostPlugin.dll,DestName=AVHostPlugin.dll,Attributes=512,FileSize=2079664,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,)
MSI (s) (40:68) [20:15:16:234]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\AVHostPlugin.dll; To be installed; Won't patch; No existing file
MSI (s) (40:68) [20:15:16:234]: Source for file 'AVHostPlugin.dll' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: Файл: AVHostPlugin.dll, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 2079664
MSI (s) (40:68) [20:15:16:234]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\AVHostPlugin.dll
MSI (s) (40:68) [20:15:16:234]: Executing op: FileCopy(SourceName=AVMan.plg,SourceCabKey=AVMan.plg,DestName=AVMan.plg,Attributes=512,FileSize=44976,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,)
MSI (s) (40:68) [20:15:16:234]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\AVMan.plg; To be installed; Won't patch; No existing file
MSI (s) (40:68) [20:15:16:234]: Source for file 'AVMan.plg' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: Файл: AVMan.plg, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 44976
MSI (s) (40:68) [20:15:16:234]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\AVMan.plg
MSI (s) (40:68) [20:15:16:234]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\))
MSI (s) (40:68) [20:15:16:234]: Executing op: SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Res\1049\|Program Files\Symantec\Name\Version\Res\1049\))
MSI (s) (40:68) [20:15:16:234]: Executing op: FileCopy(SourceName=AVManRes.dll,SourceCabKey=AVManRes.dll,DestName=AVManRes.dll,Attributes=512,FileSize=9072,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,)
MSI (s) (40:68) [20:15:16:234]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\AVManRes.dll; To be installed; Won't patch; No existing file

```

SEP_INST.log

MSI (s) (40:68) [20:15:16:234]: Source for file 'AVManRes.dll' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Res\1049\'.
 InstallFiles: Файл: AVManRes.dll, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\, Размер: 9072
 MSI (s) (40:68) [20:15:16:234]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\AVManRes.dll
 MSI (s) (40:68) [20:15:16:265]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)
 MSI (s) (40:68) [20:15:16:265]: Executing op: SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Bin\|Program Files\Symantec\Name\Version\Bin\)
 MSI (s) (40:68) [20:15:16:265]: Executing op: FileCopy(SourceName=a_xvwiaw.dll|AvPluginImpl.dll,SourceCabKey=avpluginimpl.dll, DestName=AvPluginImpl.dll,Attributes=512,FileSize=336304,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,, ,,,)
 MSI (s) (40:68) [20:15:16:265]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\AvPluginImpl.dll; To be installed; Won't patch; No existing file
 MSI (s) (40:68) [20:15:16:265]: Source for file 'AvPluginImpl.dll' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
 InstallFiles: Файл: AvPluginImpl.dll, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 336304
 MSI (s) (40:68) [20:15:16:265]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\AvPluginImpl.dll
 MSI (s) (40:68) [20:15:16:328]: Executing op: FileCopy(SourceName=BHCA.exe,SourceCabKey=BashBinaries32._.BHCA.exe, DestName=BHCA.exe,Attributes=1536,FileSize=375216,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=5.0.0.22,Language=1033,InstallMode=58982400,,,,,,)
 MSI (s) (40:68) [20:15:16:328]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\BHCA.exe; To be installed; Won't patch; No existing file
 MSI (s) (40:68) [20:15:16:328]: Source for file 'BHCA.exe' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
 InstallFiles: Файл: BHCA.exe, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 375216
 MSI (s) (40:68) [20:15:16:328]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\BHCA.exe
 MSI (s) (40:68) [20:15:16:328]: Executing op: FileCopy(SourceName=BHClient.dll,SourceCabKey=BashBinaries32._.BHClient.dll, DestName=BHClient.dll,Attributes=1536,FileSize=147416,PerTick=32768,,VerifyMedia=1,,, ,,,CheckCRC=0,Version=6.2.100.27,Language=1033,InstallMode=58982400,,,,,,)
 MSI (s) (40:68) [20:15:16:328]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\BHClient.dll; To be installed; Won't patch; No existing file
 MSI (s) (40:68) [20:15:16:328]: Source for file 'BHClient.dll' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
 InstallFiles: Файл: BHClient.dll, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 147416
 MSI (s) (40:68) [20:15:16:328]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\BHClient.dll
 MSI (s) (40:68) [20:15:16:328]: Executing op: FileCopy(SourceName=BHSvcPlg.dll,SourceCabKey=BashBinaries32._.BHSvcPlg.dll, DestName=BHSvcPlg.dll,Attributes=1536,FileSize=114648,PerTick=32768,,VerifyMedia=1,,, ,,,CheckCRC=0,Version=6.2.100.27,Language=1033,InstallMode=58982400,,,,,,)
 MSI (s) (40:68) [20:15:16:328]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\BHSvcPlg.dll; To be installed; Won't patch; No existing file
 MSI (s) (40:68) [20:15:16:328]: Source for file 'BHSvcPlg.dll' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
 InstallFiles: Файл: BHSvcPlg.dll, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 114648
 MSI (s) (40:68) [20:15:16:328]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\BHSvcPlg.dll
 MSI (s) (40:68) [20:15:16:343]: Executing op:

SEP_INST.log

```

SetTargetFolder(Folder=C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\BASH\
MSI (s) (40:68) [20:15:16:343]: Executing op:
SetSourceFolder(Folder=1\ComApp\Symc\Name\Version\Data\BASH\|CommonAppData\Symc\
Name\Version\Data\BASH\
MSI (s) (40:68) [20:15:16:343]: Executing op:
FileCopy(SourceName=BASHOpts.bak,SourceCabKey=BashData32_.BASHOpts.bak,DestName
=BASHOpts.bak,Attributes=1536,FileSize=5356,PerTick=32768,,VerifyMedia=1,,,,,Che
ckCRC=0,,,InstallMode=58982400,HashOptions=0,HashPart1=-1032207624,HashPart2=-78
2148179,HashPart3=-1548063729,HashPart4=1860570237,,)
MSI (s) (40:68) [20:15:16:343]: File: C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\BASH\BASHOpts.bak; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:16:343]: Source for file 'BASHOpts.bak' is uncompressed,
at 'E:\SEP\CommonAppData\Symc\Name\Version\Data\BASH\'.
InstallFiles: файл: BASHOpts.bak, Каталог: C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\BASH\, Размер: 5356
MSI (s) (40:68) [20:15:16:343]: Note: 1: 2318 2: C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\BASH\BASHOpts.bak
MSI (s) (40:68) [20:15:16:343]: Executing op:
FileCopy(SourceName=BASHOpts.dat,SourceCabKey=BashData32_.BASHOpts.dat,DestName
=BASHOpts.dat,Attributes=1536,FileSize=5356,PerTick=32768,,VerifyMedia=1,,,,,Che
ckCRC=0,,,InstallMode=58982400,HashOptions=0,HashPart1=-1032207624,HashPart2=-78
2148179,HashPart3=-1548063729,HashPart4=1860570237,,)
MSI (s) (40:68) [20:15:16:343]: File: C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\BASH\BASHOpts.dat; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:16:343]: Source for file 'BASHOpts.dat' is uncompressed,
at 'E:\SEP\CommonAppData\Symc\Name\Version\Data\BASH\'.
InstallFiles: файл: BASHOpts.dat, Каталог: C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\BASH\, Размер: 5356
MSI (s) (40:68) [20:15:16:343]: Note: 1: 2318 2: C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\BASH\BASHOpts.dat
MSI (s) (40:68) [20:15:16:343]: Executing op: SetTargetFolder(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\
MSI (s) (40:68) [20:15:16:343]: Executing op:
SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Bin\|Program
Files\Symantec\Name\Version\Bin\
MSI (s) (40:68) [20:15:16:343]: Executing op:
FileCopy(SourceName=BashEim.dll,SourceCabKey=BashEim.dll,DestName=BashEim.dll,At
tributes=512,FileSize=420272,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version
=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,)
MSI (s) (40:68) [20:15:16:343]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\BashEim.dll; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:16:343]: Source for file 'BashEim.dll' is uncompressed,
at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: файл: BashEim.dll, Каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 420272
MSI (s) (40:68) [20:15:16:343]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\BashEim.dll
MSI (s) (40:68) [20:15:16:343]: Executing op:
FileCopy(SourceName=jick_tqd.dll|BashEimProxy.dll,SourceCabKey=BashEimProxy.dll,
DestName=BashEimProxy.dll,Attributes=512,FileSize=101296,PerTick=32768,,VerifyMe
dia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,
,,,)
MSI (s) (40:68) [20:15:16:343]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\BashEimProxy.dll; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:16:343]: Source for file 'BashEimProxy.dll' is
uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: файл: BashEimProxy.dll, Каталог: C:\Program

```


SEP_INST.log

Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 101296
MSI (s) (40:68) [20:15:16:343]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\BashEimProxy.dll
MSI (s) (40:68) [20:15:16:343]: Executing op: FileCopy(SourceName=BashMan.plg,SourceCabKey=BashMan.plg,DestName=BashMan.plg,Attributes=512,FileSize=65456,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,,)
MSI (s) (40:68) [20:15:16:343]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\BashMan.plg; To be installed; Won't patch; No existing file
MSI (s) (40:68) [20:15:16:343]: Source for file 'BashMan.plg' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: файл: BashMan.plg, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 65456
MSI (s) (40:68) [20:15:16:343]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\BashMan.plg
MSI (s) (40:68) [20:15:16:343]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\)
MSI (s) (40:68) [20:15:16:343]: Executing op: SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Bin\191b4hn8\|Program Files\Symantec\Name\Version\Bin\SPManifests\)
MSI (s) (40:68) [20:15:16:343]: Executing op: FileCopy(SourceName=BASH.grd,SourceCabKey=BashSPManifests_.BASH.grd,DestName=BASH.grd,Attributes=1536,FileSize=230,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,,,InstallMode=58982400,HashOptions=0,HashPart1=1753875803,HashPart2=-457290043,HashPart3=1617295560,HashPart4=-84596025,,)
MSI (s) (40:68) [20:15:16:343]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\BASH.grd; To be installed; Won't patch; No existing file
MSI (s) (40:68) [20:15:16:343]: Source for file 'BASH.grd' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\SPManifests\'.
InstallFiles: файл: BASH.grd, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\, Размер: 230
MSI (s) (40:68) [20:15:16:343]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\BASH.grd
MSI (s) (40:68) [20:15:16:343]: Executing op: FileCopy(SourceName=BASH.sig,SourceCabKey=BashSPManifests_.BASH.sig,DestName=BASH.sig,Attributes=1536,FileSize=2611,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,,,InstallMode=58982400,HashOptions=0,HashPart1=-582747235,HashPart2=-169211706,HashPart3=852557342,HashPart4=1113170751,,)
MSI (s) (40:68) [20:15:16:343]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\BASH.sig; To be installed; Won't patch; No existing file
MSI (s) (40:68) [20:15:16:343]: Source for file 'BASH.sig' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\SPManifests\'.
InstallFiles: файл: BASH.sig, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\, Размер: 2611
MSI (s) (40:68) [20:15:16:343]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\BASH.sig
MSI (s) (40:68) [20:15:16:343]: Executing op: FileCopy(SourceName=BASH.spm,SourceCabKey=BashSPManifests_.BASH.spm,DestName=BASH.spm,Attributes=1536,FileSize=1624,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,,,InstallMode=58982400,HashOptions=0,HashPart1=754606160,HashPart2=-1745607499,HashPart3=-1188249828,HashPart4=1639319490,,)
MSI (s) (40:68) [20:15:16:343]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\BASH.spm; To be installed; Won't patch; No existing file
MSI (s) (40:68) [20:15:16:343]: Source for file 'BASH.spm' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\SPManifests\'.
InstallFiles: файл: BASH.spm, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\, Размер: 1624
MSI (s) (40:68) [20:15:16:343]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\BASH.spm

SEP_INST.log

MSI (s) (40:68) [20:15:16:359]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)

MSI (s) (40:68) [20:15:16:359]: Executing op: SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Bin\|Program Files\Symantec\Name\Version\Bin\)

MSI (s) (40:68) [20:15:16:359]: Executing op: FileCopy(SourceName=ccAlert.dll,SourceCabKey=ccAlert_.ccAlert.dll,DestName=ccAlert.dll,Attributes=1536,FileSize=219520,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=10.1.2.14,Language=1033,InstallMode=58982400,,,,,,)

MSI (s) (40:68) [20:15:16:359]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\ccAlert.dll; To be installed; Won't patch; No existing file

MSI (s) (40:68) [20:15:16:359]: Source for file 'ccAlert.dll' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'. InstallFiles: Файл: ccAlert.dll, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 219520

MSI (s) (40:68) [20:15:16:359]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\ccAlert.dll

MSI (s) (40:68) [20:15:16:359]: Executing op: FileCopy(SourceName=ccEmailPxy.dll,SourceCabKey=ccEmailProxy_.ccEmailPxy.dll,DestName=ccEmailPxy.dll,Attributes=1536,FileSize=208256,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=10.1.2.14,Language=1033,InstallMode=58982400,,,,,,)

MSI (s) (40:68) [20:15:16:359]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\ccEmailPxy.dll; To be installed; Won't patch; No existing file

MSI (s) (40:68) [20:15:16:359]: Source for file 'ccEmailPxy.dll' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'. InstallFiles: Файл: ccEmailPxy.dll, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 208256

MSI (s) (40:68) [20:15:16:359]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\ccEmailPxy.dll

MSI (s) (40:68) [20:15:16:375]: Executing op: SetTargetFolder(Folder=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\CmnClnt\)

MSI (s) (40:68) [20:15:16:375]: Executing op: SetSourceFolder(Folder=1\ComApp\Symc\Name\Version\Data\CmnClnt\|CommonAppData\Symc\Name\Version\Data\CmnClnt\)

MSI (s) (40:68) [20:15:16:375]: Executing op: FileCopy(SourceName=EMPxyOpt.dat,SourceCabKey=ccEmailProxyAppData_.EMPxyOpt.dat,DestName=EMPxyOpt.dat,Attributes=512,FileSize=180,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,,,InstallMode=58982400,HashOptions=0,HashPart1=1454021338,HashPart2=-1736808329,HashPart3=988322750,HashPart4=1005581806,,)

MSI (s) (40:68) [20:15:16:375]: File: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\CmnClnt\EMPxyOpt.dat; To be installed; Won't patch; No existing file

MSI (s) (40:68) [20:15:16:375]: Source for file 'EMPxyOpt.dat' is uncompressed, at 'E:\SEP\CommonAppData\Symc\Name\Version\Data\CmnClnt\'. InstallFiles: Файл: EMPxyOpt.dat, Каталог: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\CmnClnt\, Размер: 180

MSI (s) (40:68) [20:15:16:375]: Note: 1: 2318 2: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\CmnClnt\EMPxyOpt.dat

MSI (s) (40:68) [20:15:16:375]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)

MSI (s) (40:68) [20:15:16:375]: Executing op: SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Bin\|Program Files\Symantec\Name\Version\Bin\)

MSI (s) (40:68) [20:15:16:375]: Executing op: FileCopy(SourceName=ccErrDsp.dll,SourceCabKey=ccErrorHandler_.ccErrDsp.dll,DestName=ccErrDsp.dll,Attributes=1536,FileSize=101760,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=10.1.2.14,Language=1033,InstallMode=58982400,,,,,,)

MSI (s) (40:68) [20:15:16:375]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\ccErrDsp.dll; To be installed; Won't patch; No existing file

MSI (s) (40:68) [20:15:16:375]: Source for file 'ccErrDsp.dll' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.

SEP_INST.log

InstallFiles: Файл: ccErrDsp.dll, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 101760
MSI (s) (40:68) [20:15:16:375]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\ccErrDsp.dll
MSI (s) (40:68) [20:15:16:375]: Executing op:
FileCopy(SourceName=ccGEvt.dll,SourceCabKey=ccGenericEvent_.ccGEvt.dll,DestName=ccGEvt.dll,Attributes=1536,FileSize=291712,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=10.1.2.14,Language=1033,InstallMode=58982400,,,,,,)
MSI (s) (40:68) [20:15:16:375]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\ccGEvt.dll; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:16:375]: Source for file 'ccGEvt.dll' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: Файл: ccGEvt.dll, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 291712
MSI (s) (40:68) [20:15:16:375]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\ccGEvt.dll
MSI (s) (40:68) [20:15:16:375]: Executing op:
FileCopy(SourceName=ccGLog.dll,SourceCabKey=ccGenericLog_.ccGLog.dll,DestName=ccGLog.dll,Attributes=1536,FileSize=199552,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=10.1.2.14,Language=1033,InstallMode=58982400,,,,,,)
MSI (s) (40:68) [20:15:16:375]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\ccGLog.dll; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:16:375]: Source for file 'ccGLog.dll' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: Файл: ccGLog.dll, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 199552
MSI (s) (40:68) [20:15:16:375]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\ccGLog.dll
MSI (s) (40:68) [20:15:16:375]: Executing op:
FileCopy(SourceName=ccIPC.dll,SourceCabKey=ccIPC_.ccIPC.dll,DestName=ccIPC.dll,Attributes=1536,FileSize=161152,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=10.1.2.14,Language=1033,InstallMode=58982400,,,,,,)
MSI (s) (40:68) [20:15:16:375]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\ccIPC.dll; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:16:375]: Source for file 'ccIPC.dll' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: Файл: ccIPC.dll, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 161152
MSI (s) (40:68) [20:15:16:375]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\ccIPC.dll
MSI (s) (40:68) [20:15:16:375]: Executing op:
FileCopy(SourceName=ccJobMgr.dll,SourceCabKey=ccJobMgr_.ccJobMgr.dll,DestName=ccJobMgr.dll,Attributes=1536,FileSize=388480,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=10.1.2.14,Language=1033,InstallMode=58982400,,,,,,)
MSI (s) (40:68) [20:15:16:375]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\ccJobMgr.dll; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:16:375]: Source for file 'ccJobMgr.dll' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: Файл: ccJobMgr.dll, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 388480
MSI (s) (40:68) [20:15:16:375]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\ccJobMgr.dll
MSI (s) (40:68) [20:15:16:375]: Executing op:
FileCopy(SourceName=ccl100U.dll,SourceCabKey=ccLib_.ccl100U.dll,DestName=ccl100U.dll,Attributes=1536,FileSize=675712,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=10.1.2.14,Language=1033,InstallMode=58982400,,,,,,)
MSI (s) (40:68) [20:15:16:375]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\ccl100U.dll; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:16:375]: Source for file 'ccl100U.dll' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: Файл: ccl100U.dll, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 675712
MSI (s) (40:68) [20:15:16:375]: Note: 1: 2318 2: C:\Program

SEP_INST.log

Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\ccL100U.dll
MSI (s) (40:68) [20:15:16:375]: Executing op:
FileCopy(SourceName=OEHeur.dll,SourceCabKey=ccOEH.____OEHeur.dll,DestName=OEHeur.d
ll,Attributes=1536,FileSize=47488,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,ve
rsion=10.1.2.14,Language=1033,InstallMode=58982400,,,,,,)
MSI (s) (40:68) [20:15:16:375]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\OEHeur.dll; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:16:375]: Source for file 'OEHeur.dll' is uncompressed, at
'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: файл: OEHeur.dll, каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 47488
MSI (s) (40:68) [20:15:16:375]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\OEHeur.dll
MSI (s) (40:68) [20:15:16:375]: Executing op:
FileCopy(SourceName=ccScanw.dll,SourceCabKey=ccScanw.____ccScanw.dll,DestName=ccSc
anw.dll,Attributes=1536,FileSize=401792,PerTick=32768,,VerifyMedia=1,,,,,CheckCR
C=0,Version=10.1.2.14,Language=1033,InstallMode=58982400,,,,,,)
MSI (s) (40:68) [20:15:16:375]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\ccScanw.dll; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:16:375]: Source for file 'ccScanw.dll' is uncompressed,
at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: файл: ccScanw.dll, каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 401792
MSI (s) (40:68) [20:15:16:375]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\ccScanw.dll
MSI (s) (40:68) [20:15:16:406]: Executing op:
FileCopy(SourceName=ccSvc.dll,SourceCabKey=ccServiceHost.____ccSvc.dll,DestName=cc
Svc.dll,Attributes=1536,FileSize=142208,PerTick=32768,,VerifyMedia=1,,,,,CheckCR
C=0,Version=10.1.2.14,Language=1033,InstallMode=58982400,,,,,,)
MSI (s) (40:68) [20:15:16:406]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\ccSvc.dll; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:16:406]: Source for file 'ccSvc.dll' is uncompressed, at
'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: файл: ccSvc.dll, каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 142208
MSI (s) (40:68) [20:15:16:406]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\ccSvc.dll
MSI (s) (40:68) [20:15:16:406]: Executing op:
FileCopy(SourceName=ccSvcHst.exe,SourceCabKey=ccServiceHost.____ccSvcHst.exe,DestN
ame=ccSvcHst.exe,Attributes=1536,FileSize=137224,PerTick=32768,,VerifyMedia=1,,,
,,CheckCRC=0,Version=10.1.2.14,Language=1033,InstallMode=58982400,,,,,,)
MSI (s) (40:68) [20:15:16:406]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\ccSvcHst.exe; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:16:406]: Source for file 'ccSvcHst.exe' is uncompressed,
at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: файл: ccSvcHst.exe, каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 137224
MSI (s) (40:68) [20:15:16:406]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\ccSvcHst.exe
MSI (s) (40:68) [20:15:16:406]: Executing op:
FileCopy(SourceName=ccSet.dll,SourceCabKey=ccSettings.____ccSet.dll,DestName=ccSet
.dll,Attributes=1536,FileSize=268672,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0
,Version=10.1.2.14,Language=1033,InstallMode=58982400,,,,,,)
MSI (s) (40:68) [20:15:16:406]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\ccSet.dll; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:16:406]: Source for file 'ccSet.dll' is uncompressed, at
'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: файл: ccSet.dll, каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 268672
MSI (s) (40:68) [20:15:16:406]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\ccSet.dll
MSI (s) (40:68) [20:15:16:406]: Executing op: SetTargetFolder(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\)

SEP_INST.log

MSI (s) (40:68) [20:15:16:406]: Executing op:
SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Bin\191b4hn8\|Program
Files\Symantec\Name\Version\Bin\SPManifests\)
MSI (s) (40:68) [20:15:16:406]: Executing op:
FileCopy(SourceName=ccCommon.grd,SourceCabKey=ccSPManifest._.ccCommon.grd,DestNa
me=ccCommon.grd,Attributes=1536,FileSize=234,PerTick=32768,,VerifyMedia=1,,,,,Ch
eckCRC=0,,,InstallMode=58982400,HashOptions=0,HashPart1=-1632286097,HashPart2=58
372288,HashPart3=-772311675,HashPart4=-2059228955,,)
MSI (s) (40:68) [20:15:16:406]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\ccCommon.grd; To be
installed; won't patch; No existing file
MSI (s) (40:68) [20:15:16:406]: Source for file 'ccCommon.grd' is uncompressed,
at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\SPManifests\'.
InstallFiles: Файл: ccCommon.grd, Каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\, Размер: 234
MSI (s) (40:68) [20:15:16:406]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\SPManifests\ccCommon.grd
MSI (s) (40:68) [20:15:16:406]: Executing op:
FileCopy(SourceName=ccCommon.sig,SourceCabKey=ccSPManifest._.ccCommon.sig,DestNa
me=ccCommon.sig,Attributes=1536,FileSize=2267,PerTick=32768,,VerifyMedia=1,,,,,C
heckCRC=0,,,InstallMode=58982400,HashOptions=0,HashPart1=1335443561,HashPart2=-1
237878372,HashPart3=-940605568,HashPart4=1048425837,,)
MSI (s) (40:68) [20:15:16:406]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\ccCommon.sig; To be
installed; won't patch; No existing file
MSI (s) (40:68) [20:15:16:406]: Source for file 'ccCommon.sig' is uncompressed,
at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\SPManifests\'.
InstallFiles: Файл: ccCommon.sig, Каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\, Размер: 2267
MSI (s) (40:68) [20:15:16:406]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\SPManifests\ccCommon.sig
MSI (s) (40:68) [20:15:16:406]: Executing op:
FileCopy(SourceName=ccCommon.spm,SourceCabKey=ccSPManifest._.ccCommon.spm,DestNa
me=ccCommon.spm,Attributes=1536,FileSize=1456,PerTick=32768,,VerifyMedia=1,,,,,C
heckCRC=0,,,InstallMode=58982400,HashOptions=0,HashPart1=1160626239,HashPart2=86
1572915,HashPart3=-157493781,HashPart4=-1142373987,,)
MSI (s) (40:68) [20:15:16:406]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\ccCommon.spm; To be
installed; won't patch; No existing file
MSI (s) (40:68) [20:15:16:406]: Source for file 'ccCommon.spm' is uncompressed,
at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\SPManifests\'.
InstallFiles: Файл: ccCommon.spm, Каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\, Размер: 1456
MSI (s) (40:68) [20:15:16:406]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\SPManifests\ccCommon.spm
MSI (s) (40:68) [20:15:16:406]: Executing op: SetTargetFolder(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)
MSI (s) (40:68) [20:15:16:406]: Executing op:
SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Bin\|Program
Files\Symantec\Name\Version\Bin\)
MSI (s) (40:68) [20:15:16:406]: Executing op:
FileCopy(SourceName=ccSEBind.dll,SourceCabKey=ccSubEng._.ccSEBind.dll,DestName=c
cSEBind.dll,Attributes=1536,FileSize=656768,PerTick=32768,,VerifyMedia=1,,,,,Che
ckCRC=0,Version=10.1.2.14,Language=1033,InstallMode=58982400,,,,,,)
MSI (s) (40:68) [20:15:16:406]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\ccSEBind.dll; To be installed;
won't patch; No existing file
MSI (s) (40:68) [20:15:16:406]: Source for file 'ccSEBind.dll' is uncompressed,
at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: Файл: ccSEBind.dll, Каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 656768
MSI (s) (40:68) [20:15:16:406]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\ccSEBind.dll
MSI (s) (40:68) [20:15:16:406]: Executing op:
FileCopy(SourceName=ccSubEng.dll,SourceCabKey=ccSubEng._.ccSubEng.dll,DestName=c

SEP_INST.log

```

cSubEng.dll,Attributes=1536,FileSize=280448,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=10.1.2.14,Language=1033,InstallMode=58982400,,,,,)
MSI (s) (40:68) [20:15:16:406]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\ccSubEng.dll; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:16:406]: Source for file 'ccSubEng.dll' is uncompressed,
at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: Файл: ccSubEng.dll, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 280448
MSI (s) (40:68) [20:15:16:421]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\ccSubEng.dll
MSI (s) (40:68) [20:15:16:437]: Executing op:
FileCopy(SourceName=ccVrTrst.dll,SourceCabKey=ccVerifyTrust_.ccVrTrst.dll,DestName=ccVrTrst.dll,Attributes=1536,FileSize=85376,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=10.1.2.14,Language=1033,InstallMode=58982400,,,,,)
MSI (s) (40:68) [20:15:16:437]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\ccVrTrst.dll; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:16:437]: Source for file 'ccVrTrst.dll' is uncompressed,
at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: Файл: ccVrTrst.dll, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 85376
MSI (s) (40:68) [20:15:16:437]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\ccVrTrst.dll
MSI (s) (40:68) [20:15:16:437]: Executing op:
FileCopy(SourceName=Checksum.exe,SourceCabKey=Checksum.exe,DestName=Checksum.exe,Attributes=512,FileSize=37808,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,)
MSI (s) (40:68) [20:15:16:437]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\Checksum.exe; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:16:437]: Source for file 'Checksum.exe' is uncompressed,
at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: Файл: Checksum.exe, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 37808
MSI (s) (40:68) [20:15:16:437]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\Checksum.exe
MSI (s) (40:68) [20:15:16:437]: Executing op:
FileCopy(SourceName=CidSEim.dll,SourceCabKey=CidSEim.dll,DestName=CidSEim.dll,Attributes=512,FileSize=198576,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,)
MSI (s) (40:68) [20:15:16:437]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\CidSEim.dll; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:16:437]: Source for file 'CidSEim.dll' is uncompressed,
at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: Файл: CidSEim.dll, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 198576
MSI (s) (40:68) [20:15:16:437]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\CidSEim.dll
MSI (s) (40:68) [20:15:16:468]: Executing op:
FileCopy(SourceName=oyvg4tdv.dll|CidSEimProxy.dll,SourceCabKey=CidSEimProxy.dll,DestName=CidSEimProxy.dll,Attributes=512,FileSize=81328,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,)
MSI (s) (40:68) [20:15:16:468]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\CidSEimProxy.dll; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:16:468]: Source for file 'CidSEimProxy.dll' is uncompressed,
at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: Файл: CidSEimProxy.dll, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 81328
MSI (s) (40:68) [20:15:16:468]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\CidSEimProxy.dll
MSI (s) (40:68) [20:15:16:468]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\)
```

SEP_INST.log

MSI (s) (40:68) [20:15:16:468]: Executing op:
SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Res\1049\|Program
Files\Symantec\Name\Version\Res\1049\)
MSI (s) (40:68) [20:15:16:468]: Executing op:
FileCopy(SourceName=4zg73aj2.dll|CidsEimRes.dll,SourceCabKey=CidsEimRes.dll,Dest
Name=CidsEimRes.dll,Attributes=512,FileSize=10608,PerTick=32768,,VerifyMedia=1,,
,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,,)
MSI (s) (40:68) [20:15:16:468]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Res\1049\CidsEimRes.dll; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:16:468]: Source for file 'CidsEimRes.dll' is
uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Res\1049\'.
InstallFiles: Файл: CidsEimRes.dll, Каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Res\1049\, Размер: 10608
MSI (s) (40:68) [20:15:16:468]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Res\1049\CidsEimRes.dll
MSI (s) (40:68) [20:15:16:468]: Executing op: SetTargetFolder(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\
MSI (s) (40:68) [20:15:16:468]: Executing op:
SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Bin\|Program
Files\Symantec\Name\Version\Bin\
MSI (s) (40:68) [20:15:16:468]: Executing op:
FileCopy(SourceName=CIDSMan.plg,SourceCabKey=CIDSMan.plg,DestName=CIDSMan.plg,At
tributes=512,FileSize=81328,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=
12.1.671.4971,Language=1033,InstallMode=58982400,,,,,,)
MSI (s) (40:68) [20:15:16:468]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\CIDSMan.plg; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:16:468]: Source for file 'CIDSMan.plg' is uncompressed,
at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: Файл: CIDSMan.plg, Каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 81328
MSI (s) (40:68) [20:15:16:468]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\CIDSMan.plg
MSI (s) (40:68) [20:15:16:468]: Executing op: SetTargetFolder(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\
MSI (s) (40:68) [20:15:16:468]: Executing op:
SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Res\1049\|Program
Files\Symantec\Name\Version\Res\1049\
MSI (s) (40:68) [20:15:16:468]: Executing op:
FileCopy(SourceName=srqwjk7k.dll|CIDSManRes.dll,SourceCabKey=CIDSManRes.dll,Dest
Name=CIDSManRes.dll,Attributes=512,FileSize=13680,PerTick=32768,,VerifyMedia=1,,
,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,,)
MSI (s) (40:68) [20:15:16:468]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Res\1049\CIDSManRes.dll; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:16:468]: Source for file 'CIDSManRes.dll' is
uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Res\1049\'.
InstallFiles: Файл: CIDSManRes.dll, Каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Res\1049\, Размер: 13680
MSI (s) (40:68) [20:15:16:468]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Res\1049\CIDSManRes.dll
MSI (s) (40:68) [20:15:16:484]: Executing op: SetTargetFolder(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\
MSI (s) (40:68) [20:15:16:484]: Executing op:
SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Bin\|Program
Files\Symantec\Name\Version\Bin\
MSI (s) (40:68) [20:15:16:484]: Executing op:
FileCopy(SourceName=0ehbxlv1.dll|CidsTrayStatus.dll,SourceCabKey=CidsTrayStatus.
dll,DestName=CidsTrayStatus.dll,Attributes=512,FileSize=139184,PerTick=32768,,Ve
rifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982
400,,,,,,)
MSI (s) (40:68) [20:15:16:484]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\CidsTrayStatus.dll; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:16:484]: Source for file 'CidsTrayStatus.dll' is

SEP_INST.log

uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: Файл: CidsTrayStatus.dll, Каталог: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер:
139184
MSI (s) (40:68) [20:15:16:484]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\CidsTrayStatus.dll
MSI (s) (40:68) [20:15:16:484]: Executing op: SetTargetFolder(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\Help\)
MSI (s) (40:68) [20:15:16:484]: Executing op:
SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Bin\Help\|Program
Files\Symantec\Name\Version\Bin\Help\)
MSI (s) (40:68) [20:15:16:484]: Executing op:
FileCopy(SourceName=ndpgahds.chm|ClientHelp.chm,SourceCabKey=clienthelp.chm_ee,D
estName=ClientHelp.chm,Attributes=513,FileSize=364439,PerTick=32768,,VerifyMedia
=1,,,,,CheckCRC=0,,,InstallMode=58982400,HashOptions=0,HashPart1=713789621,HashP
art2=-1292936808,HashPart3=-811298535,HashPart4=-305595209,,)
MSI (s) (40:68) [20:15:16:484]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\Help\ClientHelp.chm; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:16:484]: Source for file 'ClientHelp.chm' is
uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\Help\'.
InstallFiles: Файл: ClientHelp.chm, Каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\Help\, Размер: 364439
MSI (s) (40:68) [20:15:16:484]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\Help\ClientHelp.chm
MSI (s) (40:68) [20:15:16:484]: Executing op:
FileCopy(SourceName=exoun51z.chm|ClientHelp_SBE.chm,SourceCabKey=clienthelp.chm_
sbe,DestName=ClientHelp_SBE.chm,Attributes=513,FileSize=292041,PerTick=32768,,Ve
rifyMedia=1,,,,,CheckCRC=0,,,InstallMode=58982400,HashOptions=0,HashPart1=253930
574,HashPart2=555844690,HashPart3=-1616327623,HashPart4=-328667218,,)
MSI (s) (40:68) [20:15:16:484]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\Help\ClientHelp_SBE.chm; To be
installed; Won't patch; No existing file
MSI (s) (40:68) [20:15:16:484]: Source for file 'ClientHelp_SBE.chm' is
uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\Help\'.
InstallFiles: Файл: ClientHelp_SBE.chm, Каталог: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\Help\,
Размер: 292041
MSI (s) (40:68) [20:15:16:484]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\Help\ClientHelp_SBE.chm
MSI (s) (40:68) [20:15:16:484]: Executing op: SetTargetFolder(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)
MSI (s) (40:68) [20:15:16:484]: Executing op:
SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Bin\|Program
Files\Symantec\Name\Version\Bin\)
MSI (s) (40:68) [20:15:16:484]: Executing op:
FileCopy(SourceName=Cliproxy.dll,SourceCabKey=Cliproxy.dll,DestName=Cliproxy.dll
,Attributes=512,FileSize=264624,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Ver
sion=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,,)
MSI (s) (40:68) [20:15:16:484]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\Cliproxy.dll; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:16:484]: Source for file 'Cliproxy.dll' is uncompressed,
at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: Файл: Cliproxy.dll, Каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 264624
MSI (s) (40:68) [20:15:16:484]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\Cliproxy.dll
MSI (s) (40:68) [20:15:16:500]: Executing op:
SetTargetFolder(Folder=C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Config\)
MSI (s) (40:68) [20:15:16:500]: Executing op:
SetSourceFolder(Folder=1\ComApp\Symc\Name\Version\Data\Config\|CommonAppData\Sym
c\Name\Version\Data\Config\)
MSI (s) (40:68) [20:15:16:500]: Executing op:

SEP_INST.log

```
FileCopy(SourceName=cltdef.dat,SourceCabKey=cltdef.dat,DestName=cltdef.dat,Attributes=512,FileSize=52848,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,,,InstallMode=58982400,HashOptions=0,HashPart1=-1159013339,HashPart2=1091658909,HashPart3=2026195923,HashPart4=364141211,,)
MSI (s) (40:68) [20:15:16:500]: File: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Config\cltdef.dat; To be installed; Won't patch; No existing file
MSI (s) (40:68) [20:15:16:500]: Source for file 'cltdef.dat' is uncompressed, at 'E:\SEP\CommonAppData\Symc\Name\Version\Data\Config\'.
InstallFiles: файл: cltdef.dat, каталог: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Config\, Размер: 52848
MSI (s) (40:68) [20:15:16:500]: Note: 1: 2318 2: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Config\cltdef.dat
MSI (s) (40:68) [20:15:16:500]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)
MSI (s) (40:68) [20:15:16:500]: Executing op: SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Bin\|Program Files\Symantec\Name\Version\Bin\)
MSI (s) (40:68) [20:15:16:500]: Executing op: FileCopy(SourceName=psnu5jnk.plg|CommonMan.plg,SourceCabKey=CommonMan.plg,DestName=CommonMan.plg,Attributes=512,FileSize=31152,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,)
MSI (s) (40:68) [20:15:16:500]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\CommonMan.plg; To be installed; Won't patch; No existing file
MSI (s) (40:68) [20:15:16:500]: Source for file 'CommonMan.plg' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: файл: CommonMan.plg, каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 31152
MSI (s) (40:68) [20:15:16:500]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\CommonMan.plg
MSI (s) (40:68) [20:15:16:500]: Executing op: FileCopy(SourceName=w-yooked.dll|Communicator.dll,SourceCabKey=Communicator.dll,DestName=Communicator.dll,Attributes=512,FileSize=394672,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,)
MSI (s) (40:68) [20:15:16:500]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\Communicator.dll; To be installed; Won't patch; No existing file
MSI (s) (40:68) [20:15:16:500]: Source for file 'Communicator.dll' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: файл: Communicator.dll, каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 394672
MSI (s) (40:68) [20:15:16:500]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\Communicator.dll
MSI (s) (40:68) [20:15:16:531]: Executing op: FileCopy(SourceName=lkmv-kqs.exe|ControlAP.exe,SourceCabKey=ControlAP.exe,DestName=ControlAP.exe,Attributes=512,FileSize=286640,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,)
MSI (s) (40:68) [20:15:16:531]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\ControlAP.exe; To be installed; Won't patch; No existing file
MSI (s) (40:68) [20:15:16:531]: Source for file 'ControlAP.exe' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: файл: ControlAP.exe, каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 286640
MSI (s) (40:68) [20:15:16:531]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\ControlAP.exe
MSI (s) (40:68) [20:15:16:546]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\)
MSI (s) (40:68) [20:15:16:546]: Executing op: SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Res\1049\|Program Files\Symantec\Name\Version\Res\1049\)
```

SEP_INST.log

MSI (s) (40:68) [20:15:16:546]: Executing op:
FileCopy(SourceName=yv6fzumi.dll|ControlAPRes.dll,SourceCabKey=ControlAPRes.dll, DestName=ControlAPRes.dll,Attributes=512,FileSize=9072,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,)

MSI (s) (40:68) [20:15:16:546]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\ControlAPRes.dll; To be installed; Won't patch; No existing file

MSI (s) (40:68) [20:15:16:546]: Source for file 'ControlAPRes.dll' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Res\1049\'. InstallFiles: файл: ControlAPRes.dll, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\, Размер: 9072

MSI (s) (40:68) [20:15:16:546]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\ControlAPRes.dll

MSI (s) (40:68) [20:15:16:562]: Executing op:
SetTargetFolder(Folder=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Config\)

MSI (s) (40:68) [20:15:16:562]: Executing op:
SetSourceFolder(Folder=1\ComApp\Symc\Name\Version\Data\Config\|CommonAppData\Symc\Name\Version\Data\Config\)

MSI (s) (40:68) [20:15:16:562]: Executing op:
FileCopy(SourceName=COUNTRY.DAT,SourceCabKey=COUNTRY.DAT, DestName=COUNTRY.DAT,Attributes=512,FileSize=4006,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,,,InstallMode=58982400,HashOptions=0,HashPart1=-455368690,HashPart2=-1902612980,HashPart3=-1021583841,HashPart4=827265217,,)

MSI (s) (40:68) [20:15:16:562]: File: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Config\COUNTRY.DAT; To be installed; Won't patch; No existing file

MSI (s) (40:68) [20:15:16:562]: Source for file 'COUNTRY.DAT' is uncompressed, at 'E:\SEP\CommonAppData\Symc\Name\Version\Data\Config\'. InstallFiles: файл: COUNTRY.DAT, Каталог: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Config\, Размер: 4006

MSI (s) (40:68) [20:15:16:562]: Note: 1: 2318 2: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Config\COUNTRY.DAT

MSI (s) (40:68) [20:15:16:562]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)

MSI (s) (40:68) [20:15:16:562]: Executing op:
SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Bin\|Program Files\Symantec\Name\Version\Bin\)

MSI (s) (40:68) [20:15:16:562]: Executing op:
FileCopy(SourceName=DataMan.dll,SourceCabKey=DataMan.dll, DestName=DataMan.dll,Attributes=512,FileSize=66480,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,)

MSI (s) (40:68) [20:15:16:562]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\DataMan.dll; To be installed; Won't patch; No existing file

MSI (s) (40:68) [20:15:16:562]: Source for file 'DataMan.dll' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'. InstallFiles: файл: DataMan.dll, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 66480

MSI (s) (40:68) [20:15:16:562]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\DataMan.dll

MSI (s) (40:68) [20:15:16:578]: Executing op:
FileCopy(SourceName=dec_abi.dll,SourceCabKey=dec_abi_.dec_abi.dll, DestName=dec_abi.dll,Attributes=1536,FileSize=1901992,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=2.1.2.12,Language=1033,InstallMode=58982400,,,,,)

MSI (s) (40:68) [20:15:16:578]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\dec_abi.dll; To be installed; Won't patch; No existing file

MSI (s) (40:68) [20:15:16:578]: Source for file 'dec_abi.dll' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'. InstallFiles: файл: dec_abi.dll, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 1901992

SEP_INST.log

MSI (s) (40:68) [20:15:16:578]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\dec_abi.dll
MSI (s) (40:68) [20:15:16:593]: Executing op: SetTargetFolder(Folder=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Config\)
MSI (s) (40:68) [20:15:16:593]: Executing op: SetSourceFolder(Folder=1\ComApp\Symc\Name\Version\Data\Config\|CommonAppData\Symc\Name\Version\Data\Config\)
MSI (s) (40:68) [20:15:16:593]: Executing op: FileCopy(SourceName=Dec3.cfg,SourceCabKey=Dec3.cfg,DestName=Dec3.cfg,Attributes=512,FileSize=640,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,,,InstallMode=58982400,HashOptions=0,HashPart1=1228032175,HashPart2=1754653676,HashPart3=911768814,HashPart4=1666724158,,)
MSI (s) (40:68) [20:15:16:593]: File: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Config\Dec3.cfg; To be installed; Won't patch; No existing file
MSI (s) (40:68) [20:15:16:593]: Source for file 'Dec3.cfg' is uncompressed, at 'E:\SEP\CommonAppData\Symc\Name\Version\Data\Config\'.
InstallFiles: Файл: Dec3.cfg, Каталог: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Config\, Размер: 640
MSI (s) (40:68) [20:15:16:593]: Note: 1: 2318 2: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Config\Dec3.cfg
MSI (s) (40:68) [20:15:16:609]: Executing op: FileCopy(SourceName=default.dat,SourceCabKey=default.dat,DestName=default.dat,Attributes=512,FileSize=34176,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,,,InstallMode=58982400,HashOptions=0,HashPart1=190924112,HashPart2=-1366034048,HashPart3=1832534954,HashPart4=728911370,,)
MSI (s) (40:68) [20:15:16:609]: File: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Config\default.dat; To be installed; Won't patch; No existing file
MSI (s) (40:68) [20:15:16:609]: Source for file 'default.dat' is uncompressed, at 'E:\SEP\CommonAppData\Symc\Name\Version\Data\Config\'.
InstallFiles: Файл: default.dat, Каталог: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Config\, Размер: 34176
MSI (s) (40:68) [20:15:16:609]: Note: 1: 2318 2: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Config\default.dat
MSI (s) (40:68) [20:15:16:609]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)
MSI (s) (40:68) [20:15:16:609]: Executing op: SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Bin\|Program Files\Symantec\Name\Version\Bin\)
MSI (s) (40:68) [20:15:16:609]: Executing op: FileCopy(SourceName=DefUtDCD.dll,SourceCabKey=DefUtilsDynamic._.DefUtDCD.dll,DestName=DefUtDCD.dll,Attributes=1536,FileSize=278464,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=4.4.0.60,Language=1033,InstallMode=58982400,,,,,))
MSI (s) (40:68) [20:15:16:609]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\DefUtDCD.dll; To be installed; Won't patch; No existing file
MSI (s) (40:68) [20:15:16:609]: Source for file 'DefUtDCD.dll' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: Файл: DefUtDCD.dll, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 278464
MSI (s) (40:68) [20:15:16:609]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\DefUtDCD.dll
MSI (s) (40:68) [20:15:16:625]: Executing op: FileCopy(SourceName=ducclib.dll,SourceCabKey=DefUtilsDynamic._.ducclib.dll,DestName=ducclib.dll,Attributes=1536,FileSize=28096,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=4.4.0.60,Language=1033,InstallMode=58982400,,,,,))
MSI (s) (40:68) [20:15:16:625]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\ducclib.dll; To be installed; Won't patch; No existing file
MSI (s) (40:68) [20:15:16:625]: Source for file 'ducclib.dll' is uncompressed,

SEP_INST.log

```

at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: Файл: ducclib.dll, Каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 28096
MSI (s) (40:68) [20:15:16:625]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\ducclib.dll
MSI (s) (40:68) [20:15:16:656]: Executing op:
FileCopy(SourceName=DevMan.plg,SourceCabKey=DevMan.plg,DestName=DevMan.plg,Attri
butes=512,FileSize=107440,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12
.1.671.4971,Language=1033,InstallMode=58982400,,,,,,)
MSI (s) (40:68) [20:15:16:656]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\DevMan.plg; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:16:656]: Source for file 'DevMan.plg' is uncompressed, at
'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: Файл: DevMan.plg, Каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 107440
MSI (s) (40:68) [20:15:16:656]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\DevMan.plg
MSI (s) (40:68) [20:15:16:656]: Executing op: SetTargetFolder(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\
MSI (s) (40:68) [20:15:16:656]: Executing op:
SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Res\1049\|Program
Files\Symantec\Name\Version\Res\1049\
MSI (s) (40:68) [20:15:16:656]: Executing op:
FileCopy(SourceName=cayzak9y.dll|DevManRes.dll,SourceCabKey=DevManRes.dll,DestNa
me=DevManRes.dll,Attributes=512,FileSize=11632,PerTick=32768,,VerifyMedia=1,,,,,
CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,,)
MSI (s) (40:68) [20:15:16:656]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Res\1049\DevManRes.dll; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:16:656]: Source for file 'DevManRes.dll' is uncompressed,
at 'E:\SEP\Program Files\Symantec\Name\Version\Res\1049\'.
InstallFiles: Файл: DevManRes.dll, Каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Res\1049\, Размер: 11632
MSI (s) (40:68) [20:15:16:656]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Res\1049\DevManRes.dll
MSI (s) (40:68) [20:15:16:671]: Executing op: SetTargetFolder(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\
MSI (s) (40:68) [20:15:16:671]: Executing op:
SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Bin\|Program
Files\Symantec\Name\Version\Bin\
MSI (s) (40:68) [20:15:16:671]: Executing op:
FileCopy(SourceName=hjx6mpql.exe|DevViewer.exe,SourceCabKey=DevViewer.exe,DestNa
me=DevViewer.exe,Attributes=512,FileSize=380336,PerTick=32768,,VerifyMedia=1,,,,,
CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,,)
MSI (s) (40:68) [20:15:16:671]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\DevViewer.exe; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:16:671]: Source for file 'DevViewer.exe' is uncompressed,
at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: Файл: DevViewer.exe, Каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 380336
MSI (s) (40:68) [20:15:16:671]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\DevViewer.exe
MSI (s) (40:68) [20:15:16:671]: Executing op:
FileCopy(SourceName=diArkive.dll,SourceCabKey=diArkive.dll,DestName=diArkive.dll
,Attributes=512,FileSize=266104,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Vers
ion=6.8.0.66,Language=1033,InstallMode=58982400,,,,,,)
MSI (s) (40:68) [20:15:16:671]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\diArkive.dll; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:16:671]: Source for file 'diArkive.dll' is uncompressed,
at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: Файл: diArkive.dll, Каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 266104
MSI (s) (40:68) [20:15:16:671]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\diArkive.dll

```

SEP_INST.log

MSI (s) (40:68) [20:15:16:703]: Executing op:
FileCopy(SourceName=DoScan.exe,SourceCabKey=DoScan.exe,DestName=DoScan.exe,Attributes=512,FileSize=82352,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,,)
MSI (s) (40:68) [20:15:16:703]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\DoScan.exe; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:16:703]: Source for file 'DoScan.exe' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: Файл: DoScan.exe, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 82352
MSI (s) (40:68) [20:15:16:703]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\DoScan.exe
MSI (s) (40:68) [20:15:16:718]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\)
MSI (s) (40:68) [20:15:16:718]: Executing op:
SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Res\1049\|Program Files\Symantec\Name\Version\Res\1049\)
MSI (s) (40:68) [20:15:16:718]: Executing op:
FileCopy(SourceName=chpsabhd.dll|DoScanRes.dll,SourceCabKey=DoScanRes.dll,DestName=DoScanRes.dll,Attributes=512,FileSize=13680,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,,)
MSI (s) (40:68) [20:15:16:718]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\DoScanRes.dll; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:16:718]: Source for file 'DoScanRes.dll' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Res\1049\'.
InstallFiles: Файл: DoScanRes.dll, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\, Размер: 13680
MSI (s) (40:68) [20:15:16:718]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\DoScanRes.dll
MSI (s) (40:68) [20:15:16:734]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)
MSI (s) (40:68) [20:15:16:734]: Executing op:
SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Bin\|Program Files\Symantec\Name\Version\Bin\)
MSI (s) (40:68) [20:15:16:734]: Executing op:
FileCopy(SourceName=hfck3kg6.exe|dot1xtray.exe,SourceCabKey=dot1xtray.exe,DestName=dot1xtray.exe,Attributes=512,FileSize=58800,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,,)
MSI (s) (40:68) [20:15:16:734]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\dot1xtray.exe; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:16:734]: Source for file 'dot1xtray.exe' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: Файл: dot1xtray.exe, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 58800
MSI (s) (40:68) [20:15:16:734]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\dot1xtray.exe
MSI (s) (40:68) [20:15:16:734]: Executing op:
FileCopy(SourceName=DuLuCbk.dll,SourceCabKey=DuLuCbkFiles_.DuLuCbk.dll,DestName=DuLuCbk.dll,Attributes=1536,FileSize=75168,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=1.3.1.10,Language=1033,InstallMode=58982400,,,,,,)
MSI (s) (40:68) [20:15:16:734]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\DuLuCbk.dll; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:16:734]: Source for file 'DuLuCbk.dll' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: Файл: DuLuCbk.dll, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 75168
MSI (s) (40:68) [20:15:16:734]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\DuLuCbk.dll
MSI (s) (40:68) [20:15:16:750]: Executing op:
FileCopy(SourceName=DWHWizrd.exe,SourceCabKey=DWHWizrd.exe,DestName=DWHWizrd.exe,Attributes=512,FileSize=100784,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,,)
MSI (s) (40:68) [20:15:16:750]: File: C:\Program Files\Symantec\Symantec

SEP_INST.log

Endpoint Protection\12.1.671.4971.105\Bin\DHWizrd.exe; To be installed;
 Won't patch; No existing file
 MSI (s) (40:68) [20:15:16:750]: Source for file 'DHWizrd.exe' is uncompressed,
 at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
 InstallFiles: Файл: DHWizrd.exe, Каталог: C:\Program Files\Symantec\Symantec
 Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 100784
 MSI (s) (40:68) [20:15:16:750]: Note: 1: 2318 2: C:\Program
 Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\DHWizrd.exe
 MSI (s) (40:68) [20:15:16:765]: Executing op: SetTargetFolder(Folder=C:\Program
 Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\)
 MSI (s) (40:68) [20:15:16:765]: Executing op:
 SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Res\1049\|Program
 Files\Symantec\Name\Version\Res\1049\)
 MSI (s) (40:68) [20:15:16:765]: Executing op:
 FileCopy(SourceName=6do_ta5e.dll|DHWizrdRes.dll,SourceCabKey=DHWizrdRes.dll,De
 stName=DHWizrdRes.dll,Attributes=512,FileSize=338288,PerTick=32768,,VerifyMedia
 =1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,
)
 MSI (s) (40:68) [20:15:16:765]: File: C:\Program Files\Symantec\Symantec
 Endpoint Protection\12.1.671.4971.105\Res\1049\DHWizrdRes.dll; To be installed;
 Won't patch; No existing file
 MSI (s) (40:68) [20:15:16:765]: Source for file 'DHWizrdRes.dll' is
 uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Res\1049\'.
 InstallFiles: Файл: DHWizrdRes.dll, Каталог: C:\Program Files\Symantec\Symantec
 Endpoint Protection\12.1.671.4971.105\Res\1049\, Размер: 338288
 MSI (s) (40:68) [20:15:16:765]: Note: 1: 2318 2: C:\Program
 Files\Symantec\Symantec Endpoint
 Protection\12.1.671.4971.105\Res\1049\DHWizrdRes.dll
 MSI (s) (40:68) [20:15:16:781]: Executing op: SetTargetFolder(Folder=C:\Program
 Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)
 MSI (s) (40:68) [20:15:16:781]: Executing op:
 SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Bin\|Program
 Files\Symantec\Name\Version\Bin\)
 MSI (s) (40:68) [20:15:16:781]: Executing op:
 FileCopy(SourceName=tpsyjsgs.dll|dwLdPntScan.dll,SourceCabKey=dwLdPntScan.dll,De
 stName=dwLdPntScan.dll,Attributes=512,FileSize=21424,PerTick=32768,,VerifyMedia=
 1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,
)
 MSI (s) (40:68) [20:15:16:781]: File: C:\Program Files\Symantec\Symantec
 Endpoint Protection\12.1.671.4971.105\Bin\dwLdPntScan.dll; To be installed;
 Won't patch; No existing file
 MSI (s) (40:68) [20:15:16:781]: Source for file 'dwLdPntScan.dll' is
 uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
 InstallFiles: Файл: dwLdPntScan.dll, Каталог: C:\Program Files\Symantec\Symantec
 Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 21424
 MSI (s) (40:68) [20:15:16:781]: Note: 1: 2318 2: C:\Program
 Files\Symantec\Symantec Endpoint
 Protection\12.1.671.4971.105\Bin\dwLdPntScan.dll
 MSI (s) (40:68) [20:15:16:796]: Executing op:
 FileCopy(SourceName=ecmlr32.DLL,SourceCabKey=ecmlr32_.ecmlr32.DLL,DestName=e
 cmlr32.DLL,Attributes=1536,FileSize=58808,PerTick=32768,,VerifyMedia=1,,,,,Chec
 kCRC=0,Version=101.3.0.93,Language=1033,InstallMode=58982400,,,,,,)
 MSI (s) (40:68) [20:15:16:796]: File: C:\Program Files\Symantec\Symantec
 Endpoint Protection\12.1.671.4971.105\Bin\ecmlr32.DLL; To be installed;
 Won't patch; No existing file
 MSI (s) (40:68) [20:15:16:796]: Source for file 'ecmlr32.DLL' is uncompressed,
 at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
 InstallFiles: Файл: ecmlr32.DLL, Каталог: C:\Program Files\Symantec\Symantec
 Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 58808
 MSI (s) (40:68) [20:15:16:796]: Note: 1: 2318 2: C:\Program
 Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\ecmlr32.DLL
 MSI (s) (40:68) [20:15:16:812]: Executing op: SetTargetFolder(Folder=C:\Program
 Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\)
 MSI (s) (40:68) [20:15:16:812]: Executing op:
 SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Bin\191b4hn8\|Program
 Files\Symantec\Name\Version\Bin\SPManifests\)
 MSI (s) (40:68) [20:15:16:812]: Executing op:
 FileCopy(SourceName=SymEFA.grd,SourceCabKey=EFASPManifest_.SymEFA.grd,DestName=

SEP_INST.log

SymEFA.grd,Attributes=1536,FileSize=232,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,,,InstallMode=58982400,HashOptions=0,HashPart1=491831545,HashPart2=-966100499,HashPart3=2106903058,HashPart4=-1220072895,,)

MSI (s) (40:68) [20:15:16:812]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\SymEFA.grd; To be installed; Won't patch; No existing file

MSI (s) (40:68) [20:15:16:812]: Source for file 'SymEFA.grd' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\SPManifests\'.
InstallFiles: Файл: SymEFA.grd, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\, Размер: 232

MSI (s) (40:68) [20:15:16:812]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\SymEFA.grd

MSI (s) (40:68) [20:15:16:812]: Executing op: FileCopy(SourceName=SymEFA.sig,SourceCabKey=EFASPManifest._.SymEFA.sig,DestName=SymEFA.sig,Attributes=1536,FileSize=2267,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,,,InstallMode=58982400,HashOptions=0,HashPart1=1487979106,HashPart2=-1519281039,HashPart3=1137493982,HashPart4=394719692,,)

MSI (s) (40:68) [20:15:16:812]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\SymEFA.sig; To be installed; Won't patch; No existing file

MSI (s) (40:68) [20:15:16:812]: Source for file 'SymEFA.sig' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\SPManifests\'.
InstallFiles: Файл: SymEFA.sig, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\, Размер: 2267

MSI (s) (40:68) [20:15:16:812]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\SymEFA.sig

MSI (s) (40:68) [20:15:16:812]: Executing op: FileCopy(SourceName=SymEFA.spm,SourceCabKey=EFASPManifest._.SymEFA.spm,DestName=SymEFA.spm,Attributes=1536,FileSize=2096,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,,,InstallMode=58982400,HashOptions=0,HashPart1=-1562091832,HashPart2=-1216846392,HashPart3=-542084796,HashPart4=807798529,,)

MSI (s) (40:68) [20:15:16:812]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\SymEFA.spm; To be installed; Won't patch; No existing file

MSI (s) (40:68) [20:15:16:812]: Source for file 'SymEFA.spm' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\SPManifests\'.
InstallFiles: Файл: SymEFA.spm, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\, Размер: 2096

MSI (s) (40:68) [20:15:16:812]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\SymEFA.spm

MSI (s) (40:68) [20:15:16:828]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)

MSI (s) (40:68) [20:15:16:828]: Executing op: SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Bin\|Program Files\Symantec\Name\Version\Bin\)

MSI (s) (40:68) [20:15:16:828]: Executing op: FileCopy(SourceName=fm15nysb.dll|EimLoader.dll,SourceCabKey=EimLoader.dll,DestName=EimLoader.dll,Attributes=512,FileSize=143792,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,,)

MSI (s) (40:68) [20:15:16:828]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\EimLoader.dll; To be installed; Won't patch; No existing file

MSI (s) (40:68) [20:15:16:828]: Source for file 'EimLoader.dll' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: Файл: EimLoader.dll, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 143792

MSI (s) (40:68) [20:15:16:828]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\EimLoader.dll

MSI (s) (40:68) [20:15:16:859]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\)

MSI (s) (40:68) [20:15:16:859]: Executing op: SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Res\1049\|Program Files\Symantec\Name\Version\Res\1049\)

MSI (s) (40:68) [20:15:16:859]: Executing op: FileCopy(SourceName=vqaww9np.dll|ExchngUIRes.dll,SourceCabKey=ExchngUIRes.dll,De

SEP_INST.log

```

stName=ExchngUIRes.dll,Attributes=512,FileSize=16240,PerTick=32768,,VerifyMedia=
1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,,
)
MSI (s) (40:68) [20:15:16:859]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Res\1049\ExchngUIRes.dll; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:16:859]: Source for file 'ExchngUIRes.dll' is
uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Res\1049\'.
InstallFiles: Файл: ExchngUIRes.dll, Каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Res\1049\, Размер: 16240
MSI (s) (40:68) [20:15:16:859]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Res\1049\ExchngUIRes.dll
MSI (s) (40:68) [20:15:16:875]: Executing op: SetTargetFolder(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Scripts\
MSI (s) (40:68) [20:15:16:875]: Executing op:
SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Scripts\|Program
Files\Symantec\Name\Version\Scripts\
MSI (s) (40:68) [20:15:16:875]: Executing op:
FileCopy(SourceName=failure.sis,SourceCabKey=failure.sis,DestName=failure.sis,At
tributes=512,FileSize=596,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,,,InstallM
ode=58982400,HashOptions=0,HashPart1=1875598798,HashPart2=235108084,HashPart3=13
6276911,HashPart4=-41598651,,)
MSI (s) (40:68) [20:15:16:875]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Scripts\failure.sis; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:16:875]: Source for file 'failure.sis' is uncompressed,
at 'E:\SEP\Program Files\Symantec\Name\Version\Scripts\'.
InstallFiles: Файл: failure.sis, Каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Scripts\, Размер: 596
MSI (s) (40:68) [20:15:16:875]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Scripts\failure.sis
MSI (s) (40:68) [20:15:16:890]: Executing op: SetTargetFolder(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\
MSI (s) (40:68) [20:15:16:890]: Executing op:
SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Res\|Program
Files\Symantec\Name\Version\Res\
MSI (s) (40:68) [20:15:16:890]: Executing op:
FileCopy(SourceName=fallback.dat,SourceCabKey=fallback.dat,DestName=fallback.dat
,Attributes=512,FileSize=4,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,,,Install
Mode=58982400,HashOptions=0,HashPart1=131322711,HashPart2=1378974442,HashPart3=1
17133323,HashPart4=1267814621,,)
MSI (s) (40:68) [20:15:16:890]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Res\fallback.dat; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:16:890]: Source for file 'fallback.dat' is uncompressed,
at 'E:\SEP\Program Files\Symantec\Name\Version\Res\'.
InstallFiles: Файл: fallback.dat, Каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Res\, Размер: 4
MSI (s) (40:68) [20:15:16:890]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\fallback.dat
MSI (s) (40:68) [20:15:16:890]: Executing op: SetTargetFolder(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\
MSI (s) (40:68) [20:15:16:890]: Executing op:
SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Bin\|Program
Files\Symantec\Name\Version\Bin\
MSI (s) (40:68) [20:15:16:890]: Executing op:
FileCopy(SourceName=wpjx-10.exe\FixExtend.exe,SourceCabKey=FixExtend.exe,DestNa
me=FixExtend.exe,Attributes=512,FileSize=28592,PerTick=32768,,VerifyMedia=1,,,,,
CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,,)
MSI (s) (40:68) [20:15:16:890]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\FixExtend.exe; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:16:890]: Source for file 'FixExtend.exe' is uncompressed,
at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: Файл: FixExtend.exe, Каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 28592

```


SEP_INST.log

MSI (s) (40:68) [20:15:16:890]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\FixExtend.exe
MSI (s) (40:68) [20:15:16:890]: Executing op:
FileCopy(SourceName=FwsVpn.dll,SourceCabKey=FwsVpn.dll,DestName=FwsVpn.dll,Attributes=512,FileSize=94128,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,,)
MSI (s) (40:68) [20:15:16:890]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\FwsVpn.dll; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:16:890]: Source for file 'FwsVpn.dll' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: Файл: FwsVpn.dll, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 94128
MSI (s) (40:68) [20:15:16:890]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\FwsVpn.dll
MSI (s) (40:68) [20:15:16:921]: Executing op:
FileCopy(SourceName=8dgmuwmm.dll|FWTrayStatus.dll,SourceCabKey=FWTrayStatus.dll,DestName=FWTrayStatus.dll,Attributes=512,FileSize=55216,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,,)
MSI (s) (40:68) [20:15:16:921]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\FWTrayStatus.dll; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:16:921]: Source for file 'FWTrayStatus.dll' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: Файл: FWTrayStatus.dll, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 55216
MSI (s) (40:68) [20:15:16:921]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\FWTrayStatus.dll
MSI (s) (40:68) [20:15:16:921]: Executing op:
FileCopy(SourceName=gdiplus.dll,SourceCabKey=gdiplus.dll,DestName=gdiplus.dll,Attributes=512,FileSize=1748992,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=5.2.6001.22319,Language=1033,InstallMode=58982400,,,,,,)
MSI (s) (40:68) [20:15:16:921]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\gdiplus.dll; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:16:921]: Source for file 'gdiplus.dll' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: Файл: gdiplus.dll, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 1748992
MSI (s) (40:68) [20:15:16:921]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\gdiplus.dll
MSI (s) (40:68) [20:15:16:937]: Executing op:
FileCopy(SourceName=g-3a2su7.dll|GEDataStore.dll,SourceCabKey=GEDataStore.dll,DestName=GEDataStore.dll,Attributes=512,FileSize=244144,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,,)
MSI (s) (40:68) [20:15:16:937]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\GEDataStore.dll; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:16:937]: Source for file 'GEDataStore.dll' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: Файл: GEDataStore.dll, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 244144
MSI (s) (40:68) [20:15:16:937]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\GEDataStore.dll
MSI (s) (40:68) [20:15:16:968]: Executing op:
FileCopy(SourceName=GUProxy.plg,SourceCabKey=GUProxy.plg,DestName=GUProxy.plg,Attributes=512,FileSize=171952,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,,)
MSI (s) (40:68) [20:15:16:968]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\GUProxy.plg; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:16:968]: Source for file 'GUProxy.plg' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.

SEP_INST.log

InstallFiles: Файл: GUProxy.plg, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 171952
MSI (s) (40:68) [20:15:17:015]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\GUProxy.plg
MSI (s) (40:68) [20:15:17:046]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\)
MSI (s) (40:68) [20:15:17:046]: Executing op: SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Res\1049\|Program Files\Symantec\Name\Version\Res\1049\)
MSI (s) (40:68) [20:15:17:046]: Executing op: FileCopy(SourceName=sinelabn.dll|GUProxyRes.dll,SourceCabKey=GUProxyRes.dll,DestName=GUProxyRes.dll,Attributes=512,FileSize=10096,PerTick=32768,,VerifyMedia=1,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,,)
MSI (s) (40:68) [20:15:17:046]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\GUProxyRes.dll; To be installed; Won't patch; No existing file
MSI (s) (40:68) [20:15:17:046]: Source for file 'GUProxyRes.dll' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Res\1049\'.
InstallFiles: Файл: GUProxyRes.dll, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\, Размер: 10096
MSI (s) (40:68) [20:15:17:046]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\GUProxyRes.dll
MSI (s) (40:68) [20:15:17:296]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)
MSI (s) (40:68) [20:15:17:296]: Executing op: SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Bin\|Program Files\Symantec\Name\Version\Bin\)
MSI (s) (40:68) [20:15:17:296]: Executing op: FileCopy(SourceName=q9fj40je.dll|HITrayStatus.dll,SourceCabKey=HITrayStatus.dll,DestName=HITrayStatus.dll,Attributes=512,FileSize=55728,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,,)
MSI (s) (40:68) [20:15:17:296]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\HITrayStatus.dll; To be installed; Won't patch; No existing file
MSI (s) (40:68) [20:15:17:296]: Source for file 'HITrayStatus.dll' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: Файл: HITrayStatus.dll, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 55728
MSI (s) (40:68) [20:15:17:296]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\HITrayStatus.dll
MSI (s) (40:68) [20:15:17:578]: Executing op: FileCopy(SourceName=kkpmxsyt.dll|HPPProtectionProviderUI.dll,SourceCabKey=hppprotectionprovide,DestName=HPPProtectionProviderUI.dll,Attributes=512,FileSize=319920,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,,)
MSI (s) (40:68) [20:15:17:578]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\HPPProtectionProviderUI.dll; To be installed; Won't patch; No existing file
MSI (s) (40:68) [20:15:17:578]: Source for file 'HPPProtectionProviderUI.dll' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: Файл: HPPProtectionProviderUI.dll, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 319920
MSI (s) (40:68) [20:15:17:578]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\HPPProtectionProviderUI.dll
MSI (s) (40:68) [20:15:17:609]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\)
MSI (s) (40:68) [20:15:17:609]: Executing op: SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Res\1049\|Program Files\Symantec\Name\Version\Res\1049\)
MSI (s) (40:68) [20:15:17:609]: Executing op: FileCopy(SourceName=zuvu7sdz.dll|HPPProtectionProviderUIRes.dll,SourceCabKey=HPPProtectionProviderUIRes.dll,DestName=HPPProtectionProviderUIRes.dll,Attributes=5

SEP_INST.log

```

12,FileSize=20336,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4
971,Language=1033,InstallMode=58982400,,,,,,)
MSI (s) (40:68) [20:15:17:609]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Res\1049\HPPProtectionProviderUIRes.dll;
To be installed; Won't patch; No existing file
MSI (s) (40:68) [20:15:17:609]: Source for file 'HPPProtectionProviderUIRes.dll'
is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Res\1049\'.
InstallFiles: Файл: HPPProtectionProviderUIRes.dll, Каталог: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\,
Размер: 20336
MSI (s) (40:68) [20:15:17:609]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Res\1049\HPPProtectionProviderUIRes.dll
MSI (s) (40:68) [20:15:17:640]: Executing op: SetTargetFolder(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\))
MSI (s) (40:68) [20:15:17:640]: Executing op:
SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Bin\|Program
Files\Symantec\Name\Version\Bin\))
MSI (s) (40:68) [20:15:17:640]: Executing op:
FileCopy(SourceName=i2ldvp3.dll,SourceCabKey=i2ldvp3.dll,DestName=i2ldvp3.dll,At
tributes=512,FileSize=68016,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=
12.1.671.4971,Language=1033,InstallMode=58982400,,,,,,)
MSI (s) (40:68) [20:15:17:640]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\i2ldvp3.dll; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:17:640]: Source for file 'i2ldvp3.dll' is uncompressed,
at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: Файл: i2ldvp3.dll, Каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 68016
MSI (s) (40:68) [20:15:17:640]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\i2ldvp3.dll
MSI (s) (40:68) [20:15:17:671]: Executing op: SetTargetFolder(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\IPS\))
MSI (s) (40:68) [20:15:17:671]: Executing op:
SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Bin\IPS\|Program
Files\Symantec\Name\Version\Bin\IPS\))
MSI (s) (40:68) [20:15:17:671]: Executing op:
FileCopy(SourceName=IPSBHO.dll,SourceCabKey=IDS_Bho...IPSBHO.dll,DestName=IPSBHO
.dll,Attributes=1536,FileSize=210872,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0
,Version=9.8.2.11,Language=1033,InstallMode=58982400,,,,,,)
MSI (s) (40:68) [20:15:17:671]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\IPS\IPSBHO.dll; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:17:671]: Source for file 'IPSBHO.dll' is uncompressed, at
'E:\SEP\Program Files\Symantec\Name\Version\Bin\IPS\'.
InstallFiles: Файл: IPSBHO.dll, Каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\IPS\, Размер: 210872
MSI (s) (40:68) [20:15:17:671]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\IPS\IPSBHO.dll

MSI (s) (40:68) [20:15:17:671]: Executing op: SetTargetFolder(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\))
MSI (s) (40:68) [20:15:17:671]: Executing op:
SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Bin\|Program
Files\Symantec\Name\Version\Bin\))
MSI (s) (40:68) [20:15:17:671]: Executing op:
FileCopy(SourceName=IDSAux.dll,SourceCabKey=IDS_Core...IDSAux.dll,DestName=IDSAu
x.dll,Attributes=1536,FileSize=67512,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0
,Version=9.8.2.11,Language=1033,InstallMode=58982400,,,,,,)
MSI (s) (40:68) [20:15:17:671]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\IDSAux.dll; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:17:671]: Source for file 'IDSAux.dll' is uncompressed, at
'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: Файл: IDSAux.dll, Каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 67512
MSI (s) (40:68) [20:15:17:671]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\IDSAux.dll

```

SEP_INST.log

MSI (s) (40:68) [20:15:17:703]: Executing op:
FileCopy(SourceName=IPSFFPl.dll,SourceCabKey=IDS_Core_.IPSFFPl.dll,DestName=IPS
FFPl.dll,Attributes=1536,FileSize=200632,PerTick=32768,,VerifyMedia=1,,,,,CheckC
RC=0,Version=9.8.2.11,Language=1033,InstallMode=58982400,,,,,,)
MSI (s) (40:68) [20:15:17:703]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\IPSFFPl.dll; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:17:703]: Source for file 'IPSFFPl.dll' is uncompressed,
at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: Файл: IPSFFPl.dll, Каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 200632
MSI (s) (40:68) [20:15:17:703]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\IPSFFPl.dll
MSI (s) (40:68) [20:15:17:703]: Executing op:
FileCopy(SourceName=IPSPPlug.dll,SourceCabKey=IDS_Core_.IPSPPlug.dll,DestName=IPS
Plug.dll,Attributes=1536,FileSize=104376,PerTick=32768,,VerifyMedia=1,,,,,CheckC
RC=0,Version=9.8.2.11,Language=1033,InstallMode=58982400,,,,,,)
MSI (s) (40:68) [20:15:17:703]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\IPSPPlug.dll; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:17:703]: Source for file 'IPSPPlug.dll' is uncompressed,
at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: Файл: IPSPPlug.dll, Каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 104376
MSI (s) (40:68) [20:15:17:703]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\IPSPPlug.dll
MSI (s) (40:68) [20:15:17:718]: Executing op:
SetTargetFolder(Folder=C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\IPS\
MSI (s) (40:68) [20:15:17:718]: Executing op:
SetSourceFolder(Folder=1\ComApp\Symc\Name\Version\Data\IPS\|CommonAppData\Symc\N
ame\Version\Data\IPS\
MSI (s) (40:68) [20:15:17:718]: Executing op:
FileCopy(SourceName=IDSSettg.dat,SourceCabKey=IDS_Data_.IDSSettg.dat,DestName=I
DSSettg.dat,Attributes=1536,FileSize=2692,PerTick=32768,,VerifyMedia=1,,,,,Check
CRC=0,,,InstallMode=58982400,HashOptions=0,HashPart1=1657039614,HashPart2=182609
4700,HashPart3=1330016681,HashPart4=817214653,,)
MSI (s) (40:68) [20:15:17:718]: File: C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\IPS\IDSSettg.dat; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:17:718]: Source for file 'IDSSettg.dat' is uncompressed,
at 'E:\SEP\CommonAppData\Symc\Name\Version\Data\IPS\
InstallFiles: Файл: IDSSettg.dat, Каталог: C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\IPS\, Размер: 2692
MSI (s) (40:68) [20:15:17:718]: Note: 1: 2318 2: C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\IPS\IDSSettg.dat
MSI (s) (40:68) [20:15:17:718]: Executing op: SetTargetFolder(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\
MSI (s) (40:68) [20:15:17:718]: Executing op:
SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Bin\191b4hn8\|Program
Files\Symantec\Name\Version\Bin\SPManifests\
MSI (s) (40:68) [20:15:17:718]: Executing op:
FileCopy(SourceName=cids.grd,SourceCabKey=IDS_SymProtect_.cids.grd,DestName=cid
s.grd,Attributes=1536,FileSize=230,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,,
,InstallMode=58982400,HashOptions=0,HashPart1=-1133113060,HashPart2=1174804701,H
ashPart3=228281650,HashPart4=917112989,,)
MSI (s) (40:68) [20:15:17:718]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\cids.grd; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:17:718]: Source for file 'cids.grd' is uncompressed, at
'E:\SEP\Program Files\Symantec\Name\Version\Bin\SPManifests\
InstallFiles: Файл: cids.grd, Каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\, Размер: 230
MSI (s) (40:68) [20:15:17:718]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint

SEP_INST.log

Protection\12.1.671.4971.105\Bin\SPManifests\cids.grd
MSI (s) (40:68) [20:15:17:718]: Executing op:
FileCopy(SourceName=cids.sig,SourceCabKey=IDS_SymProtect.____cids.sig,DestName=cid
s.sig,Attributes=1536,FileSize=2267,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,
,,InstallMode=58982400,HashOptions=0,HashPart1=1218145754,HashPart2=-2032778524,
HashPart3=-1227917053,HashPart4=1138253103,,)
MSI (s) (40:68) [20:15:17:718]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\cids.sig; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:17:718]: Source for file 'cids.sig' is uncompressed, at
'E:\SEP\Program Files\Symantec\Name\Version\Bin\SPManifests\'.
InstallFiles: файл: cids.sig, Каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\, Размер: 2267
MSI (s) (40:68) [20:15:17:734]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\SPManifests\cids.sig
MSI (s) (40:68) [20:15:17:734]: Executing op:
FileCopy(SourceName=cids.spm,SourceCabKey=IDS_SymProtect.____cids.spm,DestName=cid
s.spm,Attributes=1536,FileSize=2824,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,
,,InstallMode=58982400,HashOptions=0,HashPart1=-289216077,HashPart2=-1302615835,
HashPart3=-895180461,HashPart4=842396965,,)
MSI (s) (40:68) [20:15:17:734]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\cids.spm; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:17:734]: Source for file 'cids.spm' is uncompressed, at
'E:\SEP\Program Files\Symantec\Name\Version\Bin\SPManifests\'.
InstallFiles: файл: cids.spm, Каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\, Размер: 2824
MSI (s) (40:68) [20:15:17:734]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\SPManifests\cids.spm
MSI (s) (40:68) [20:15:17:750]: Executing op: SetTargetFolder(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)
MSI (s) (40:68) [20:15:17:750]: Executing op:
SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Bin\|Program
Files\Symantec\Name\Version\Bin\)
MSI (s) (40:68) [20:15:17:750]: Executing op:
FileCopy(SourceName=qg3qvuld.dll|IdsTrafficPipe.dll,SourceCabKey=IdsTrafficPipe.
dll,DestName=IdsTrafficPipe.dll,Attributes=512,FileSize=181168,PerTick=32768,,Ve
rifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982
400,,,,,,)
MSI (s) (40:68) [20:15:17:750]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\IdsTrafficPipe.dll; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:17:750]: Source for file 'IdsTrafficPipe.dll' is
uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: файл: IdsTrafficPipe.dll, Каталог: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер:
181168
MSI (s) (40:68) [20:15:17:750]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\IdsTrafficPipe.dll
MSI (s) (40:68) [20:15:17:765]: Executing op:
FileCopy(SourceName=IMail.dll,SourceCabKey=IMail.dll,DestName=IMail.dll,Attribut
es=512,FileSize=296368,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.
671.4971,Language=1033,InstallMode=58982400,,,,,,)
MSI (s) (40:68) [20:15:17:765]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\IMail.dll; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:17:765]: Source for file 'IMail.dll' is uncompressed, at
'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: файл: IMail.dll, Каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 296368
MSI (s) (40:68) [20:15:17:765]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\IMail.dll
MSI (s) (40:68) [20:15:17:781]: Executing op: SetTargetFolder(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\)
MSI (s) (40:68) [20:15:17:781]: Executing op:

SEP_INST.log

```
SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Res\1049\|Program
Files\Symantec\Name\Version\Res\1049\))
MSI (s) (40:68) [20:15:17:781]: Executing op:
FileCopy(SourceName=IMailRes.dll,SourceCabKey=IMailRes.dll,DestName=IMailRes.dll
,Attributes=512,FileSize=8560,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,)
MSI (s) (40:68) [20:15:17:781]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Res\1049\IMailRes.dll; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:17:781]: Source for file 'IMailRes.dll' is uncompressed,
at 'E:\SEP\Program Files\Symantec\Name\Version\Res\1049\'.
InstallFiles: Файл: IMailRes.dll, Каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Res\1049\, Размер: 8560
MSI (s) (40:68) [20:15:17:781]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Res\1049\IMailRes.dll
MSI (s) (40:68) [20:15:17:781]: Executing op: SetTargetFolder(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\))
MSI (s) (40:68) [20:15:17:781]: Executing op:
SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Bin\|Program
Files\Symantec\Name\Version\Bin\))
MSI (s) (40:68) [20:15:17:781]: Executing op:
FileCopy(SourceName=IMailUI.ocx,SourceCabKey=IMailUI.ocx,DestName=IMailUI.ocx,At
tributes=512,FileSize=105904,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,)
MSI (s) (40:68) [20:15:17:781]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\IMailUI.ocx; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:17:781]: Source for file 'IMailUI.ocx' is uncompressed,
at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: Файл: IMailUI.ocx, Каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 105904
MSI (s) (40:68) [20:15:17:796]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\IMailUI.ocx
MSI (s) (40:68) [20:15:17:812]: Executing op: SetTargetFolder(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\))
MSI (s) (40:68) [20:15:17:812]: Executing op:
SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Res\1049\|Program
Files\Symantec\Name\Version\Res\1049\))
MSI (s) (40:68) [20:15:17:812]: Executing op:
FileCopy(SourceName=8g_e2hsz.dll|IMailUIRes.dll,SourceCabKey=IMailUIRes.dll,Dest
Name=IMailUIRes.dll,Attributes=512,FileSize=19312,PerTick=32768,,VerifyMedia=1,,
,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,)
MSI (s) (40:68) [20:15:17:812]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Res\1049\IMailUIRes.dll; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:17:812]: Source for file 'IMailUIRes.dll' is
uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Res\1049\'.
InstallFiles: Файл: IMailUIRes.dll, Каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Res\1049\, Размер: 19312
MSI (s) (40:68) [20:15:17:812]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Res\1049\IMailUIRes.dll
MSI (s) (40:68) [20:15:17:828]: Executing op: SetTargetFolder(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\))
MSI (s) (40:68) [20:15:17:828]: Executing op:
SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Bin\|Program
Files\Symantec\Name\Version\Bin\))
MSI (s) (40:68) [20:15:17:828]: Executing op:
FileCopy(SourceName=bnjjh7ux.exe|installTeefer.exe,SourceCabKey=installTeefer.ex
e,DestName=installTeefer.exe,Attributes=512,FileSize=363440,PerTick=32768,,Verif
yMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400
,,,,,)
MSI (s) (40:68) [20:15:17:828]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\installTeefer.exe; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:17:828]: Source for file 'installTeefer.exe' is
uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.

```

SEP_INST.log

InstallFiles: файл: installTeefer.exe, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 363440
MSI (s) (40:68) [20:15:17:828]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\installTeefer.exe
MSI (s) (40:68) [20:15:17:843]: Executing op: FileCopy(SourceName=Iron.dll,SourceCabKey=IRON_CORE_..Iron.dll,DestName=Iron.dll,Attributes=1536,FileSize=454552,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=1.6.1.22,Language=1033,InstallMode=58982400,,,,,)
MSI (s) (40:68) [20:15:17:843]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\Iron.dll; To be installed; Won't patch; No existing file
MSI (s) (40:68) [20:15:17:843]: Source for file 'Iron.dll' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: файл: Iron.dll, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 454552
MSI (s) (40:68) [20:15:17:843]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\Iron.dll
MSI (s) (40:68) [20:15:17:859]: Executing op: SetTargetFolder(Folder=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\IRON\)
MSI (s) (40:68) [20:15:17:859]: Executing op: SetSourceFolder(Folder=1\ComApp\Symc\Name\Version\Data\IRON\|CommonAppData\Symc\Name\Version\Data\IRON\)
MSI (s) (40:68) [20:15:17:859]: Executing op: FileCopy(SourceName=SymWhite.irn,SourceCabKey=IRON_Data_..SymWhite.irn,DestName=SymWhite.irn,Attributes=1536,FileSize=3205120,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,,,InstallMode=58982400,HashOptions=0,HashPart1=-1462551617,HashPart2=779641247,HashPart3=-1750774164,HashPart4=1283237627,,)
MSI (s) (40:68) [20:15:17:859]: File: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\IRON\SymWhite.irn; To be installed; Won't patch; No existing file
MSI (s) (40:68) [20:15:17:859]: Source for file 'SymWhite.irn' is uncompressed, at 'E:\SEP\CommonAppData\Symc\Name\Version\Data\IRON\'.
InstallFiles: файл: SymWhite.irn, Каталог: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\IRON\, Размер: 3205120
MSI (s) (40:68) [20:15:17:859]: Note: 1: 2318 2: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\IRON\SymWhite.irn
MSI (s) (40:68) [20:15:17:859]: Executing op: FileCopy(SourceName=SymWht5.irn,SourceCabKey=IRON_Data_..SymWht5.irn,DestName=SymWht5.irn,Attributes=1536,FileSize=20480,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,,,InstallMode=58982400,HashOptions=0,HashPart1=-402960255,HashPart2=-136308125,HashPart3=1961298467,HashPart4=1541605730,,)
MSI (s) (40:68) [20:15:17:859]: File: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\IRON\SymWht5.irn; To be installed; Won't patch; No existing file
MSI (s) (40:68) [20:15:17:859]: Source for file 'SymWht5.irn' is uncompressed, at 'E:\SEP\CommonAppData\Symc\Name\Version\Data\IRON\'.
InstallFiles: файл: SymWht5.irn, Каталог: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\IRON\, Размер: 20480
MSI (s) (40:68) [20:15:17:859]: Note: 1: 2318 2: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\IRON\SymWht5.irn
MSI (s) (40:68) [20:15:17:859]: Executing op: SetTargetFolder(Folder=C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\)
MSI (s) (40:68) [20:15:17:859]: Executing op: SetSourceFolder(Folder=1\System32\Drivers\Name\Version\BuildNum\x86\)
MSI (s) (40:68) [20:15:17:859]: Executing op: FileCopy(SourceName=iron.cat,SourceCabKey=Iron_Drivers_..iron.cat,DestName=iron.cat,Attributes=1536,FileSize=7492,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,,,InstallMode=58982400,HashOptions=0,HashPart1=2015411310,HashPart2=-75185267,HashPart3=-309735321,HashPart4=-1421981228,,)

SEP_INST.log

MSI (s) (40:68) [20:15:17:859]: File:
C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\iron.cat; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:17:859]: Source for file 'iron.cat' is uncompressed, at
'E:\SEP\System32\Drivers\Name\Version\BuildNum\x86\'.
InstallFiles: файл: iron.cat, Каталог:
C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\, Размер: 7492
MSI (s) (40:68) [20:15:17:859]: Note: 1: 2318 2:
C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\iron.cat
MSI (s) (40:68) [20:15:17:875]: Executing op:
FileCopy(SourceName=Iron.inf,SourceCabKey=Iron_Drivers_.Iron.inf,DestName=Iron.
inf,Attributes=1536,FileSize=743,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,,,I
nstallMode=58982400,HashOptions=0,HashPart1=-1209197867,HashPart2=-1608806708,Ha
shPart3=-1732100232,HashPart4=-987248909,,)
MSI (s) (40:68) [20:15:17:875]: File:
C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\Iron.inf; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:17:875]: Source for file 'Iron.inf' is uncompressed, at
'E:\SEP\System32\Drivers\Name\Version\BuildNum\x86\'.
InstallFiles: файл: Iron.inf, Каталог:
C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\, Размер: 743
MSI (s) (40:68) [20:15:17:875]: Note: 1: 2318 2:
C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\Iron.inf
MSI (s) (40:68) [20:15:17:875]: Executing op:
FileCopy(SourceName=Ironx86.sys,SourceCabKey=Iron_Drivers_.Ironx86.sys,DestName
=Ironx86.sys,Attributes=1536,FileSize=136312,PerTick=32768,,VerifyMedia=1,,,,,Ch
eckCRC=0,Version=1.6.1.17,Language=1033,InstallMode=58982400,,,,,,)
MSI (s) (40:68) [20:15:17:875]: File:
C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\Ironx86.sys; To be
installed; Won't patch; No existing file
MSI (s) (40:68) [20:15:17:875]: Source for file 'Ironx86.sys' is uncompressed,
at 'E:\SEP\System32\Drivers\Name\Version\BuildNum\x86\'.
InstallFiles: файл: Ironx86.sys, Каталог:
C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\, Размер: 136312
MSI (s) (40:68) [20:15:17:875]: Note: 1: 2318 2:
C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\Ironx86.sys
MSI (s) (40:68) [20:15:17:890]: Executing op: SetTargetFolder(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\)
MSI (s) (40:68) [20:15:17:890]: Executing op:
SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Bin\191b4hn8\|Program
Files\Symantec\Name\Version\Bin\SPManifests\)
MSI (s) (40:68) [20:15:17:890]: Executing op:
FileCopy(SourceName=iron.grd,SourceCabKey=IRON_SymProtect_.iron.grd,DestName=ir
on.grd,Attributes=1536,FileSize=230,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,
,,InstallMode=58982400,HashOptions=0,HashPart1=495027110,HashPart2=2041262969,Ha
shPart3=-1426669958,HashPart4=-175112078,,)
MSI (s) (40:68) [20:15:17:890]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\iron.grd; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:17:890]: Source for file 'iron.grd' is uncompressed, at
'E:\SEP\Program Files\Symantec\Name\Version\Bin\SPManifests\'.
InstallFiles: файл: iron.grd, Каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\, Размер: 230
MSI (s) (40:68) [20:15:17:890]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\SPManifests\iron.grd
MSI (s) (40:68) [20:15:17:890]: Executing op:
FileCopy(SourceName=iron.sig,SourceCabKey=IRON_SymProtect_.iron.sig,DestName=ir
on.sig,Attributes=1536,FileSize=2267,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0
,,InstallMode=58982400,HashOptions=0,HashPart1=-1185526555,HashPart2=1501892432
,HashPart3=-1439625406,HashPart4=1988824270,,)
MSI (s) (40:68) [20:15:17:890]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\iron.sig; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:17:890]: Source for file 'iron.sig' is uncompressed, at
'E:\SEP\Program Files\Symantec\Name\Version\Bin\SPManifests\'.
InstallFiles: файл: iron.sig, Каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\, Размер: 2267

SEP_INST.log

MSI (s) (40:68) [20:15:17:890]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\iron.sig
MSI (s) (40:68) [20:15:17:890]: Executing op: FileCopy(SourceName=iron.spm,SourceCabKey=IRON_SymProtect.iron.spm,DestName=iron.spm,Attributes=1536,FileSize=1056,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,,,InstallMode=58982400,HashOptions=0,HashPart1=-818399514,HashPart2=-1231241590,HashPart3=282631430,HashPart4=1710143162,,)
MSI (s) (40:68) [20:15:17:890]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\iron.spm; To be installed; Won't patch; No existing file
MSI (s) (40:68) [20:15:17:890]: Source for file 'iron.spm' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\SPManifests\'.
InstallFiles: файл: iron.spm, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 1056
MSI (s) (40:68) [20:15:17:890]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\iron.spm
MSI (s) (40:68) [20:15:17:906]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)
MSI (s) (40:68) [20:15:17:906]: Executing op: SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Bin\|Program Files\Symantec\Name\Version\Bin\)
MSI (s) (40:68) [20:15:17:906]: Executing op: FileCopy(SourceName=TrstZone.dll,SourceCabKey=IRON_TrstZone.TrstZone.dll,DestName=TrstZone.dll,Attributes=1536,FileSize=41368,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=1.6.1.22,Language=1033,InstallMode=58982400,,,,,,)
MSI (s) (40:68) [20:15:17:906]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\TrstZone.dll; To be installed; Won't patch; No existing file
MSI (s) (40:68) [20:15:17:906]: Source for file 'TrstZone.dll' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: файл: TrstZone.dll, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 41368
MSI (s) (40:68) [20:15:17:906]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\TrstZone.dll
MSI (s) (40:68) [20:15:17:921]: Executing op: SetTargetFolder(Folder=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\IRON\)
MSI (s) (40:68) [20:15:17:921]: Executing op: SetSourceFolder(Folder=1\ComApp\Symc\Name\Version\Data\IRON\|CommonAppData\Symc\Name\Version\Data\IRON\)
MSI (s) (40:68) [20:15:17:921]: Executing op: FileCopy(SourceName=Iron.db,SourceCabKey=IRONDB.Iron.db,DestName=Iron.db,Attributes=512,FileSize=18432,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,,,InstallMode=58982400,HashOptions=0,HashPart1=850511785,HashPart2=654069472,HashPart3=-73236505,HashPart4=1276903172,,)
MSI (s) (40:68) [20:15:17:921]: File: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\IRON\Iron.db; To be installed; Won't patch; No existing file
MSI (s) (40:68) [20:15:17:921]: Source for file 'Iron.db' is uncompressed, at 'E:\SEP\CommonAppData\Symc\Name\Version\Data\IRON\'.
InstallFiles: файл: Iron.db, Каталог: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\IRON\, Размер: 18432
MSI (s) (40:68) [20:15:17:921]: Note: 1: 2318 2: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\IRON\Iron.db
MSI (s) (40:68) [20:15:17:921]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)
MSI (s) (40:68) [20:15:17:921]: Executing op: SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Bin\|Program Files\Symantec\Name\Version\Bin\)
MSI (s) (40:68) [20:15:17:921]: Executing op: FileCopy(SourceName=LDDateTm.ocx,SourceCabKey=lddatetm.ocx,DestName=LDDateTm.ocx,Attributes=512,FileSize=105904,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,,)

SEP_INST.log

MSI (s) (40:68) [20:15:17:921]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\LDDateTm.ocx; To be installed; Won't patch; No existing file

MSI (s) (40:68) [20:15:17:921]: Source for file 'LDDateTm.ocx' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: Файл: LDDateTm.ocx, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 105904

MSI (s) (40:68) [20:15:17:921]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\LDDateTm.ocx

MSI (s) (40:68) [20:15:17:937]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\)

MSI (s) (40:68) [20:15:17:937]: Executing op: SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Res\1049\|Program Files\Symantec\Name\Version\Res\1049\)

MSI (s) (40:68) [20:15:17:937]: Executing op: FileCopy(SourceName=zgnihsfq.dll|LDDateTmRes.dll,SourceCabKey=LDDateTmRes.dll, DestName=LDDateTmRes.dll,Attributes=512,FileSize=13168,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,,)

MSI (s) (40:68) [20:15:17:937]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\LDDateTmRes.dll; To be installed; Won't patch; No existing file

MSI (s) (40:68) [20:15:17:937]: Source for file 'LDDateTmRes.dll' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Res\1049\'.
InstallFiles: Файл: LDDateTmRes.dll, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\, Размер: 13168

MSI (s) (40:68) [20:15:17:937]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\LDDateTmRes.dll

MSI (s) (40:68) [20:15:17:953]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)

MSI (s) (40:68) [20:15:17:953]: Executing op: SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Bin\|Program Files\Symantec\Name\Version\Bin\)

MSI (s) (40:68) [20:15:17:953]: Executing op: FileCopy(SourceName=LDVPcTls.ocx,SourceCabKey=ldvpctls.ocx, DestName=LDVPcTls.ocx,Attributes=512,FileSize=360880,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,,)

MSI (s) (40:68) [20:15:17:953]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\LDVPcTls.ocx; To be installed; Won't patch; No existing file

MSI (s) (40:68) [20:15:17:953]: Source for file 'LDVPcTls.ocx' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: Файл: LDVPcTls.ocx, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 360880

MSI (s) (40:68) [20:15:17:953]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\LDVPcTls.ocx

MSI (s) (40:68) [20:15:17:953]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\)

MSI (s) (40:68) [20:15:17:953]: Executing op: SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Res\1049\|Program Files\Symantec\Name\Version\Res\1049\)

MSI (s) (40:68) [20:15:17:953]: Executing op: FileCopy(SourceName=bapzodrd.dll|LDVPcTlsRes.dll,SourceCabKey=LDVPcTlsRes.dll, DestName=LDVPcTlsRes.dll,Attributes=512,FileSize=292208,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,,)

MSI (s) (40:68) [20:15:17:953]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\LDVPcTlsRes.dll; To be installed; Won't patch; No existing file

MSI (s) (40:68) [20:15:17:953]: Source for file 'LDVPcTlsRes.dll' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Res\1049\'.
InstallFiles: Файл: LDVPcTlsRes.dll, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\, Размер: 292208

MSI (s) (40:68) [20:15:17:953]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\LDVPcTlsRes.dll

MSI (s) (40:68) [20:15:17:984]: Executing op: SetTargetFolder(Folder=C:\Program

```

SEP_INST.log
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\
MSI (s) (40:68) [20:15:17:984]: Executing op:
SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Bin\|Program
Files\Symantec\Name\Version\Bin\
MSI (s) (40:68) [20:15:17:984]: Executing op:
FileCopy(SourceName=LDVPDlgs.ocx,SourceCabKey=ldvpdlgs.ocx,DestName=LDVPDlgs.ocx
,Attributes=512,FileSize=311216,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,)
MSI (s) (40:68) [20:15:17:984]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\LDVPDlgs.ocx; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:17:984]: Source for file 'LDVPDlgs.ocx' is uncompressed,
at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: Файл: LDVPDlgs.ocx, Каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 311216
MSI (s) (40:68) [20:15:18:000]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\LDVPDlgs.ocx
MSI (s) (40:68) [20:15:18:046]: Executing op: SetTargetFolder(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\
MSI (s) (40:68) [20:15:18:046]: Executing op:
SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Res\1049\|Program
Files\Symantec\Name\Version\Res\1049\
MSI (s) (40:68) [20:15:18:046]: Executing op:
FileCopy(SourceName=ouerjmat.dll|LDVPDlgsRes.dll,SourceCabKey=LDVPDlgsRes.dll,De
stName=LDVPDlgsRes.dll,Attributes=512,FileSize=634224,PerTick=32768,,VerifyMedia
=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,
,)
MSI (s) (40:68) [20:15:18:046]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Res\1049\LDVPDlgsRes.dll; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:18:046]: Source for file 'LDVPDlgsRes.dll' is
uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Res\1049\'.
InstallFiles: Файл: LDVPDlgsRes.dll, Каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Res\1049\, Размер: 634224
MSI (s) (40:68) [20:15:18:046]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Res\1049\LDVPDlgsRes.dll
MSI (s) (40:68) [20:15:18:062]: Executing op: SetTargetFolder(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\
MSI (s) (40:68) [20:15:18:062]: Executing op:
SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Bin\|Program
Files\Symantec\Name\Version\Bin\
MSI (s) (40:68) [20:15:18:062]: Executing op:
FileCopy(SourceName=ldvpui.ocx,SourceCabKey=ldvpui.ocx,DestName=ldvpui.ocx,Attri
butes=512,FileSize=197552,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12
.1.671.4971,Language=1033,InstallMode=58982400,,,,,)
MSI (s) (40:68) [20:15:18:062]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\ldvpui.ocx; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:18:062]: Source for file 'ldvpui.ocx' is uncompressed, at
'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: Файл: ldvpui.ocx, Каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 197552
MSI (s) (40:68) [20:15:18:062]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\ldvpui.ocx
MSI (s) (40:68) [20:15:18:078]: Executing op: SetTargetFolder(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\
MSI (s) (40:68) [20:15:18:078]: Executing op:
SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Res\1049\|Program
Files\Symantec\Name\Version\Res\1049\
MSI (s) (40:68) [20:15:18:078]: Executing op:
FileCopy(SourceName=-goj09zo.dll|LDVPURes.dll,SourceCabKey=LDVPURes.dll,DestNa
me=LDVPURes.dll,Attributes=512,FileSize=56176,PerTick=32768,,VerifyMedia=1,,,,,
CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,)
MSI (s) (40:68) [20:15:18:078]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Res\1049\LDVPURes.dll; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:18:078]: Source for file 'LDVPURes.dll' is uncompressed,

```

SEP_INST.log

at 'E:\SEP\Program Files\Symantec\Name\Version\Res\1049\'.
 InstallFiles: Файл: LDVPURes.dll, Каталог: C:\Program Files\Symantec\Symantec
 Endpoint Protection\12.1.671.4971.105\Res\1049\, Размер: 56176
 MSI (s) (40:68) [20:15:18:078]: Note: 1: 2318 2: C:\Program
 Files\Symantec\Symantec Endpoint
 Protection\12.1.671.4971.105\Res\1049\LDVPURes.dll
 MSI (s) (40:68) [20:15:18:078]: Executing op: SetTargetFolder(Folder=C:\Program
 Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\)
 MSI (s) (40:68) [20:15:18:078]: Executing op:
 SetSourceFolder(Folder=1\Program\Symantec\Name\Version\|Program
 Files\Symantec\Name\Version\)
 MSI (s) (40:68) [20:15:18:078]: Executing op:
 FileCopy(SourceName=License.rtf,SourceCabKey=License.rtf,DestName=License.rtf,At
 tributes=512,FileSize=196541,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,,,Insta
 llMode=58982400,HashOptions=0,HashPart1=1444529207,HashPart2=438706048,HashPart3
 =-934860379,HashPart4=-2131739965,,)
 MSI (s) (40:68) [20:15:18:078]: File: C:\Program Files\Symantec\Symantec
 Endpoint Protection\12.1.671.4971.105\License.rtf; To be installed;
 Won't patch; No existing file
 MSI (s) (40:68) [20:15:18:078]: Source for file 'License.rtf' is uncompressed,
 at 'E:\SEP\Program Files\Symantec\Name\Version\'.
 InstallFiles: Файл: License.rtf, Каталог: C:\Program Files\Symantec\Symantec
 Endpoint Protection\12.1.671.4971.105\, Размер: 196541
 MSI (s) (40:68) [20:15:18:078]: Note: 1: 2318 2: C:\Program
 Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\License.rtf
 MSI (s) (40:68) [20:15:18:093]: Executing op: SetTargetFolder(Folder=C:\Program
 Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)
 MSI (s) (40:68) [20:15:18:093]: Executing op:
 SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Bin\|Program
 Files\Symantec\Name\Version\Bin\)
 MSI (s) (40:68) [20:15:18:093]: Executing op:
 FileCopy(SourceName=nihzjmyd.dll|LicenseMan.dll,SourceCabKey=LicenseMan.dll,Dest
 Name=LicenseMan.dll,Attributes=512,FileSize=1434544,PerTick=32768,,VerifyMedia=1
 ,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,
 MSI (s) (40:68) [20:15:18:093]: File: C:\Program Files\Symantec\Symantec
 Endpoint Protection\12.1.671.4971.105\Bin\LicenseMan.dll; To be installed;
 Won't patch; No existing file
 MSI (s) (40:68) [20:15:18:093]: Source for file 'LicenseMan.dll' is
 uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
 InstallFiles: Файл: LicenseMan.dll, Каталог: C:\Program Files\Symantec\Symantec
 Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 1434544
 MSI (s) (40:68) [20:15:18:093]: Note: 1: 2318 2: C:\Program
 Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\LicenseMan.dll
 MSI (s) (40:68) [20:15:18:109]: Executing op: SetTargetFolder(Folder=C:\Program
 Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\)
 MSI (s) (40:68) [20:15:18:109]: Executing op:
 SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Res\1049\|Program
 Files\Symantec\Name\Version\Res\1049\)
 MSI (s) (40:68) [20:15:18:109]: Executing op:
 FileCopy(SourceName=f8qemat5.dll|LicenseManRes.dll,SourceCabKey=LicenseManRes.dl
 l,DestName=LicenseManRes.dll,Attributes=512,FileSize=8560,PerTick=32768,,VerifyM
 edia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,
 ,,,,,)
 MSI (s) (40:68) [20:15:18:109]: File: C:\Program Files\Symantec\Symantec
 Endpoint Protection\12.1.671.4971.105\Res\1049\LicenseManRes.dll; To be
 installed; Won't patch; No existing file
 MSI (s) (40:68) [20:15:18:109]: Source for file 'LicenseManRes.dll' is
 uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Res\1049\'.
 InstallFiles: Файл: LicenseManRes.dll, Каталог: C:\Program
 Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\,
 Размер: 8560
 MSI (s) (40:68) [20:15:18:109]: Note: 1: 2318 2: C:\Program
 Files\Symantec\Symantec Endpoint
 Protection\12.1.671.4971.105\Res\1049\LicenseManRes.dll
 MSI (s) (40:68) [20:15:18:125]: Executing op: SetTargetFolder(Folder=C:\Program
 Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)
 MSI (s) (40:68) [20:15:18:125]: Executing op:

SEP_INST.log

```

SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Bin\|Program
Files\Symantec\Name\Version\Bin\)
MSI (s) (40:68) [20:15:18:125]: Executing op:
FileCopy(SourceName=LocalRep.plg,SourceCabKey=LocalRep.plg,DestName=LocalRep.plg
,Attributes=512,FileSize=30128,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,)
MSI (s) (40:68) [20:15:18:125]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\LocalRep.plg; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:18:125]: Source for file 'LocalRep.plg' is uncompressed,
at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'
InstallFiles: Файл: LocalRep.plg, Каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 30128
MSI (s) (40:68) [20:15:18:125]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\LocalRep.plg
MSI (s) (40:68) [20:15:18:125]: Executing op: SetTargetFolder(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\)
MSI (s) (40:68) [20:15:18:125]: Executing op:
SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Res\1049\|Program
Files\Symantec\Name\Version\Res\1049\)
MSI (s) (40:68) [20:15:18:125]: Executing op:
FileCopy(SourceName=bduiuxi1.dll|LotNtsUIRes.dll,SourceCabKey=LotNtsUIRes.dll,De
stName=LotNtsUIRes.dll,Attributes=512,FileSize=16240,PerTick=32768,,VerifyMedia=
1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,)
MSI (s) (40:68) [20:15:18:125]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Res\1049\LotNtsUIRes.dll; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:18:125]: Source for file 'LotNtsUIRes.dll' is
uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Res\1049\'
InstallFiles: Файл: LotNtsUIRes.dll, Каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Res\1049\, Размер: 16240
MSI (s) (40:68) [20:15:18:125]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Res\1049\LotNtsUIRes.dll
MSI (s) (40:68) [20:15:18:125]: Executing op: SetTargetFolder(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)
MSI (s) (40:68) [20:15:18:125]: Executing op:
SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Bin\|Program
Files\Symantec\Name\Version\Bin\)
MSI (s) (40:68) [20:15:18:125]: Executing op:
FileCopy(SourceName=LuAuth.dll,SourceCabKey=LuAuth.dll,DestName=LuAuth.dll,Attri
butes=512,FileSize=17328,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.
1.671.4971,Language=1033,InstallMode=58982400,,,,,)
MSI (s) (40:68) [20:15:18:125]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\LuAuth.dll; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:18:125]: Source for file 'LuAuth.dll' is uncompressed, at
'E:\SEP\Program Files\Symantec\Name\Version\Bin\'
InstallFiles: Файл: LuAuth.dll, Каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 17328
MSI (s) (40:68) [20:15:18:125]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\LuAuth.dll
MSI (s) (40:68) [20:15:18:140]: Executing op:
FileCopy(SourceName=Luawrap.exe,SourceCabKey=Luawrap.exe,DestName=Luawrap.exe,At
tributes=512,FileSize=16816,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=
12.1.671.4971,Language=1033,InstallMode=58982400,,,,,)
MSI (s) (40:68) [20:15:18:140]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\Luawrap.exe; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:18:140]: Source for file 'Luawrap.exe' is uncompressed,
at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'
InstallFiles: Файл: Luawrap.exe, Каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 16816
MSI (s) (40:68) [20:15:18:140]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\Luawrap.exe
MSI (s) (40:68) [20:15:18:140]: Executing op:
FileCopy(SourceName=LueEim.dll,SourceCabKey=LueEim.dll,DestName=LueEim.dll,Attri

```

SEP_INST.log

butes=512,FileSize=453552,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,,)

MSI (s) (40:68) [20:15:18:140]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\LueEim.dll; To be installed; Won't patch; No existing file

MSI (s) (40:68) [20:15:18:140]: Source for file 'LueEim.dll' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: Файл: LueEim.dll, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 453552

MSI (s) (40:68) [20:15:18:140]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\LueEim.dll

MSI (s) (40:68) [20:15:18:140]: Executing op: FileCopy(SourceName=nepr8c9p.dll|LueEimProxy.dll,SourceCabKey=LueEimProxy.dll,DestName=LueEimProxy.dll,Attributes=512,FileSize=108976,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,,)

MSI (s) (40:68) [20:15:18:140]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\LueEimProxy.dll; To be installed; Won't patch; No existing file

MSI (s) (40:68) [20:15:18:140]: Source for file 'LueEimProxy.dll' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: Файл: LueEimProxy.dll, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 108976

MSI (s) (40:68) [20:15:18:140]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\LueEimProxy.dll

MSI (s) (40:68) [20:15:18:171]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\)

MSI (s) (40:68) [20:15:18:171]: Executing op: SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Res\1049\|Program Files\Symantec\Name\Version\Res\1049\)

MSI (s) (40:68) [20:15:18:171]: Executing op: FileCopy(SourceName=76bbgaf5.dll|LueEimRes.dll,SourceCabKey=LueEimRes.dll,DestName=LueEimRes.dll,Attributes=512,FileSize=560496,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,,)

MSI (s) (40:68) [20:15:18:171]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\LueEimRes.dll; To be installed; Won't patch; No existing file

MSI (s) (40:68) [20:15:18:171]: Source for file 'LueEimRes.dll' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Res\1049\'.
InstallFiles: Файл: LueEimRes.dll, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\, Размер: 560496

MSI (s) (40:68) [20:15:18:171]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\LueEimRes.dll

MSI (s) (40:68) [20:15:18:187]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)

MSI (s) (40:68) [20:15:18:187]: Executing op: SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Bin\|Program Files\Symantec\Name\Version\Bin\)

MSI (s) (40:68) [20:15:18:187]: Executing op: FileCopy(SourceName=LUCtl.dll,SourceCabKey=LueFiles_.LUCtl.dll,DestName=LUCtl.dll,Attributes=1536,FileSize=47520,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=2.0.0.311,Language=1033,InstallMode=58982400,,,,,,)

MSI (s) (40:68) [20:15:18:187]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\LUCtl.dll; To be installed; Won't patch; No existing file

MSI (s) (40:68) [20:15:18:187]: Source for file 'LUCtl.dll' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: Файл: LUCtl.dll, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 47520

MSI (s) (40:68) [20:15:18:187]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\LUCtl.dll

MSI (s) (40:68) [20:15:18:203]: Executing op: FileCopy(SourceName=LUEng.dll,SourceCabKey=LueFiles_.LUEng.dll,DestName=LUEng.dll,Attributes=1536,FileSize=974240,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=2.0.0.311,Language=1033,InstallMode=58982400,,,,,,)

MSI (s) (40:68) [20:15:18:203]: File: C:\Program Files\Symantec\Symantec

```

SEP_INST.log
Endpoint Protection\12.1.671.4971.105\Bin\LUEng.dll;    To be installed;
Won't patch;    No existing file
MSI (s) (40:68) [20:15:18:203]: Source for file 'LUEng.dll' is uncompressed, at
'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: Файл: LUEng.dll, Каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 974240
MSI (s) (40:68) [20:15:18:203]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\LUEng.dll
MSI (s) (40:68) [20:15:18:234]: Executing op:
FileCopy(SourceName=LUSub.dll,SourceCabKey=LueFiles._.LUSub.dll,DestName=LUSub.d
ll,Attributes=1536,FileSize=64928,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,ve
rsion=2.0.0.311,Language=1033,InstallMode=58982400,,,,,,)
MSI (s) (40:68) [20:15:18:234]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\LUSub.dll;    To be installed;
Won't patch;    No existing file
MSI (s) (40:68) [20:15:18:234]: Source for file 'LUSub.dll' is uncompressed, at
'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: Файл: LUSub.dll, Каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 64928
MSI (s) (40:68) [20:15:18:234]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\LUSub.dll
MSI (s) (40:68) [20:15:18:265]: Executing op:
FileCopy(SourceName=LUSvc.dll,SourceCabKey=LueFiles._.LUSvc.dll,DestName=LUSvc.d
ll,Attributes=1536,FileSize=53664,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,ve
rsion=2.0.0.311,Language=1033,InstallMode=58982400,,,,,,)
MSI (s) (40:68) [20:15:18:265]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\LUSvc.dll;    To be installed;
Won't patch;    No existing file
MSI (s) (40:68) [20:15:18:265]: Source for file 'LUSvc.dll' is uncompressed, at
'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: Файл: LUSvc.dll, Каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 53664
MSI (s) (40:68) [20:15:18:265]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\LUSvc.dll
MSI (s) (40:68) [20:15:18:265]: Executing op:
FileCopy(SourceName=LUMAN.plg,SourceCabKey=LUMAN.plg,DestName=LUMAN.plg,Attribut
es=512,FileSize=406448,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.
671.4971,Language=1033,InstallMode=58982400,,,,,,)
MSI (s) (40:68) [20:15:18:265]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\LUMAN.plg;    To be installed;
Won't patch;    No existing file
MSI (s) (40:68) [20:15:18:265]: Source for file 'LUMAN.plg' is uncompressed, at
'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: Файл: LUMAN.plg, Каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 406448
MSI (s) (40:68) [20:15:18:265]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\LUMAN.plg
MSI (s) (40:68) [20:15:18:265]: Executing op: SetTargetFolder(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\))
MSI (s) (40:68) [20:15:18:265]: Executing op:
SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Res\1049\|Program
Files\Symantec\Name\Version\Res\1049\))
MSI (s) (40:68) [20:15:18:265]: Executing op:
FileCopy(SourceName=LUMANRes.dll,SourceCabKey=LUMANRes.dll,DestName=LUMANRes.dll
,Attributes=512,FileSize=9584,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,versio
n=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,,)
MSI (s) (40:68) [20:15:18:265]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Res\1049\LUMANRes.dll;    To be installed;
Won't patch;    No existing file
MSI (s) (40:68) [20:15:18:265]: Source for file 'LUMANRes.dll' is uncompressed,
at 'E:\SEP\Program Files\Symantec\Name\Version\Res\1049\'.
InstallFiles: Файл: LUMANRes.dll, Каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Res\1049\, Размер: 9584
MSI (s) (40:68) [20:15:18:265]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Res\1049\LUMANRes.dll
MSI (s) (40:68) [20:15:18:281]: Executing op: SetTargetFolder(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\))

```

SEP_INST.log

MSI (s) (40:68) [20:15:18:281]: Executing op:
SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Res\|Program
Files\Symantec\Name\Version\Res\)
MSI (s) (40:68) [20:15:18:281]: Executing op:
FileCopy(SourceName=maplngid.dat,SourceCabKey=maplngid.dat,DestName=maplngid.dat
,Attributes=512,FileSize=9,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,,,Install
Mode=58982400,HashOptions=0,HashPart1=1020235725,HashPart2=1673499652,HashPart3=
-1459503603,HashPart4=-86786369,,)
MSI (s) (40:68) [20:15:18:281]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Res\maplngid.dat; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:18:281]: Source for file 'maplngid.dat' is uncompressed,
at 'E:\SEP\Program Files\Symantec\Name\Version\Res\'.
InstallFiles: Файл: maplngid.dat, Каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Res\, Размер: 9
MSI (s) (40:68) [20:15:18:281]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\maplngid.dat
MSI (s) (40:68) [20:15:18:281]: Executing op: SetTargetFolder(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)
MSI (s) (40:68) [20:15:18:281]: Executing op:
SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Bin\|Program
Files\Symantec\Name\Version\Bin\)
MSI (s) (40:68) [20:15:18:281]: Executing op:
FileCopy(SourceName=mfc90.dll,SourceCabKey=mfc90.dll,DestName=mfc90.dll,Attribut
es=512,FileSize=3765048,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=9.0.
30729.4148,Language=1033,InstallMode=58982400,,,,,)
MSI (s) (40:68) [20:15:18:281]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\mfc90.dll; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:18:281]: Source for file 'mfc90.dll' is uncompressed, at
'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: Файл: mfc90.dll, Каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 3765048
MSI (s) (40:68) [20:15:18:296]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\mfc90.dll
MSI (s) (40:68) [20:15:18:296]: Executing op:
FileCopy(SourceName=vbv9urwr.con|mfc90dll.1.config,SourceCabKey=mfc90dll.1.conf
ig,DestName=mfc90dll.1.config,Attributes=512,FileSize=632,PerTick=32768,,VerifyMe
dia=1,,,,,CheckCRC=0,,,InstallMode=58982400,HashOptions=0,HashPart1=-1533139816,
HashPart2=-213292020,HashPart3=425630978,HashPart4=-1318747476,,)
MSI (s) (40:68) [20:15:18:296]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\mfc90dll.1.config; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:18:296]: Source for file 'mfc90dll.1.config' is
uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: Файл: mfc90dll.1.config, Каталог: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 632
MSI (s) (40:68) [20:15:18:296]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\mfc90dll.1.config
MSI (s) (40:68) [20:15:18:312]: Executing op:
FileCopy(SourceName=mfc90u.dll,SourceCabKey=mfc90u.dll,DestName=mfc90u.dll,Attri
butes=512,FileSize=3780424,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=9
.0.30729.4148,Language=1033,InstallMode=58982400,,,,,)
MSI (s) (40:68) [20:15:18:312]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\mfc90u.dll; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:18:312]: Source for file 'mfc90u.dll' is uncompressed, at
'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: Файл: mfc90u.dll, Каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 3780424
MSI (s) (40:68) [20:15:18:312]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\mfc90u.dll
MSI (s) (40:68) [20:15:18:312]: Executing op:
FileCopy(SourceName=mfc90.dll,SourceCabKey=mfc90.dll,DestName=mfc90.dll,Attri
butes=512,FileSize=59904,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=9.0
.30729.4148,Language=1033,InstallMode=58982400,,,,,)
MSI (s) (40:68) [20:15:18:312]: File: C:\Program Files\Symantec\Symantec

SEP_INST.log

Endpoint Protection\12.1.671.4971.105\Bin\mfcm90.dll; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:18:312]: Source for file 'mfcm90.dll' is uncompressed, at
'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: файл: mfcm90.dll, Каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 59904
MSI (s) (40:68) [20:15:18:312]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\mfcm90.dll
MSI (s) (40:68) [20:15:18:328]: Executing op:
FileCopy(SourceName=mfcm90u.dll,SourceCabKey=mfcm90u.dll,DestName=mfcm90u.dll,At
tributes=512,FileSize=59904,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=
9.0.30729.4148,Language=1033,InstallMode=58982400,,,,,,)
MSI (s) (40:68) [20:15:18:328]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\mfcm90u.dll; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:18:328]: Source for file 'mfcm90u.dll' is uncompressed,
at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: файл: mfcm90u.dll, Каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 59904
MSI (s) (40:68) [20:15:18:328]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\mfcm90u.dll
MSI (s) (40:68) [20:15:18:343]: Executing op:
FileCopy(SourceName=patch25d.dll,SourceCabKey=MicroDefsDynamic.__.patch25d.dll,De
stName=patch25d.dll,Attributes=1536,FileSize=75208,PerTick=32768,,VerifyMedia=1,
,,,CheckCRC=0,Version=3.2.0.24,Language=1033,InstallMode=58982400,,,,,,)
MSI (s) (40:68) [20:15:18:343]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\patch25d.dll; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:18:343]: Source for file 'patch25d.dll' is uncompressed,
at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: файл: patch25d.dll, Каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 75208
MSI (s) (40:68) [20:15:18:359]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\patch25d.dll
MSI (s) (40:68) [20:15:18:359]: Executing op:
FileCopy(SourceName=SymDltCl.dll,SourceCabKey=MicroDefsDynamic.__.SymDltCl.dll,De
stName=SymDltCl.dll,Attributes=1536,FileSize=131016,PerTick=32768,,VerifyMedia=1
,,,,,CheckCRC=0,Version=3.2.0.24,Language=1033,InstallMode=58982400,,,,,,)
MSI (s) (40:68) [20:15:18:359]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\SymDltCl.dll; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:18:359]: Source for file 'SymDltCl.dll' is uncompressed,
at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: файл: SymDltCl.dll, Каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 131016
MSI (s) (40:68) [20:15:18:359]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SymDltCl.dll
MSI (s) (40:68) [20:15:18:375]: Executing op:
FileCopy(SourceName=mpzerb-d.man\Microsoft.VC90.ATL.manifest,SourceCabKey=micros
oft.vc90.atl.manifest,DestName=Microsoft.VC90.ATL.manifest,Attributes=512,FileSi
ze=856,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,,,InstallMode=58982400,HashOp
tions=0,HashPart1=-166492065,HashPart2=-850531288,HashPart3=1739212081,HashPart4
=1318267935,,)
MSI (s) (40:68) [20:15:18:375]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\Microsoft.VC90.ATL.manifest; To be
installed; Won't patch; No existing file
MSI (s) (40:68) [20:15:18:375]: Source for file 'Microsoft.VC90.ATL.manifest' is
uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: файл: Microsoft.VC90.ATL.manifest, Каталог: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 856
MSI (s) (40:68) [20:15:18:375]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\Microsoft.VC90.ATL.manifest
MSI (s) (40:68) [20:15:18:406]: Executing op:
FileCopy(SourceName=nh5e9bnm.man\Microsoft.VC90.CRT.manifest,SourceCabKey=micros
oft.vc90.crt.manifest,DestName=Microsoft.VC90.CRT.manifest,Attributes=512,FileSi
ze=1860,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,,,InstallMode=58982400,HashO
ptions=0,HashPart1=-935386797,HashPart2=1863175106,HashPart3=-1116943753,HashPar

SEP_INST.log

t4=754122560,,)
MSI (s) (40:68) [20:15:18:406]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\Microsoft.VC90.CRT.manifest; To be installed; Won't patch; No existing file
MSI (s) (40:68) [20:15:18:406]: Source for file 'Microsoft.VC90.CRT.manifest' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: файл: Microsoft.VC90.CRT.manifest, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 1860
MSI (s) (40:68) [20:15:18:406]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\Microsoft.VC90.CRT.manifest
MSI (s) (40:68) [20:15:18:421]: Executing op: FileCopy(SourceName=yufxm0cl.man|Microsoft.VC90.MFC.manifest,SourceCabKey=microsoft.vc90.mfc.manifest,DestName=Microsoft.VC90.MFC.manifest,Attributes=512,FileSize=2357,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,,,InstallMode=58982400,HashOptions=0,HashPart1=212804355,HashPart2=-2058524354,HashPart3=1524959845,HashPart4=-1276150110,,)
MSI (s) (40:68) [20:15:18:421]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\Microsoft.VC90.MFC.manifest; To be installed; Won't patch; No existing file
MSI (s) (40:68) [20:15:18:421]: Source for file 'Microsoft.VC90.MFC.manifest' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: файл: Microsoft.VC90.MFC.manifest, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 2357
MSI (s) (40:68) [20:15:18:421]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\Microsoft.VC90.MFC.manifest
MSI (s) (40:68) [20:15:18:437]: Executing op: FileCopy(SourceName=_mrwo-ke.exe|MigrateUserScans.exe,SourceCabKey=MigrateUserScans.exe,DestName=MigrateUserScans.exe,Attributes=512,FileSize=77744,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,,)
MSI (s) (40:68) [20:15:18:437]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\MigrateUserScans.exe; To be installed; Won't patch; No existing file
MSI (s) (40:68) [20:15:18:437]: Source for file 'MigrateUserScans.exe' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: файл: MigrateUserScans.exe, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 77744
MSI (s) (40:68) [20:15:18:437]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\MigrateUserScans.exe
MSI (s) (40:68) [20:15:18:468]: Executing op: FileCopy(SourceName=msl.dll,SourceCabKey=MSLDDL_.msl.dll,DestName=msl.dll,Attributes=1536,FileSize=271744,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=10.1.2.14,Language=1033,InstallMode=58982400,,,,,,)
MSI (s) (40:68) [20:15:18:468]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\msl.dll; To be installed; Won't patch; No existing file
MSI (s) (40:68) [20:15:18:468]: Source for file 'msl.dll' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: файл: msl.dll, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 271744
MSI (s) (40:68) [20:15:18:468]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\msl.dll
MSI (s) (40:68) [20:15:18:484]: Executing op: FileCopy(SourceName=msvc90.dll,SourceCabKey=msvc90.dll,DestName=msvc90.dll,Attributes=512,FileSize=225280,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=9.0.30729.4148,Language=1033,InstallMode=58982400,,,,,,)
MSI (s) (40:68) [20:15:18:484]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\msvc90.dll; To be installed; Won't patch; No existing file
MSI (s) (40:68) [20:15:18:484]: Source for file 'msvc90.dll' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: файл: msvc90.dll, Каталог: C:\Program Files\Symantec\Symantec

SEP_INST.log

Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 225280
MSI (s) (40:68) [20:15:18:484]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\msvc90.dll
MSI (s) (40:68) [20:15:18:515]: Executing op:
FileCopy(SourceName=msvc90.dll,SourceCabKey=msvc90.dll,DestName=msvc90.dll,At
tributes=512,FileSize=569664,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version
=9.0.30729.4148,Language=1033,InstallMode=58982400,,,,,,)
MSI (s) (40:68) [20:15:18:515]: File: C:\Program Files\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\msvc90.dll; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:18:515]: Source for file 'msvc90.dll' is uncompressed,
at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: Файл: msvc90.dll, Каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 569664
MSI (s) (40:68) [20:15:18:515]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\msvc90.dll
MSI (s) (40:68) [20:15:18:531]: Executing op:
FileCopy(SourceName=msvcr90.dll,SourceCabKey=msvcr90.dll,DestName=msvcr90.dll,At
tributes=512,FileSize=653120,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version
=9.0.30729.4148,Language=1033,InstallMode=58982400,,,,,,)
MSI (s) (40:68) [20:15:18:531]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\msvcr90.dll; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:18:531]: Source for file 'msvcr90.dll' is uncompressed,
at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: Файл: msvcr90.dll, Каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 653120
MSI (s) (40:68) [20:15:18:531]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\msvcr90.dll
MSI (s) (40:68) [20:15:18:578]: Executing op: SetTargetFolder(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\19\01\)
MSI (s) (40:68) [20:15:18:578]: Executing op:
SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Res\19\01\|Program
Files\Symantec\Name\Version\Res\19\01\)
MSI (s) (40:68) [20:15:18:578]: Executing op:
FileCopy(SourceName=rcAlert.dll,SourceCabKey=MUI._.rcAlert.dll,DestName=rcAlert.
dll,Attributes=1536,FileSize=53104,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,V
ersion=10.1.2.14,Language=1033,InstallMode=58982400,,,,,,)
MSI (s) (40:68) [20:15:18:578]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Res\19\01\rcAlert.dll; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:18:578]: Source for file 'rcAlert.dll' is uncompressed,
at 'E:\SEP\Program Files\Symantec\Name\Version\Res\19\01\'.
InstallFiles: Файл: rcAlert.dll, Каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Res\19\01\, Размер: 53104
MSI (s) (40:68) [20:15:18:578]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Res\19\01\rcAlert.dll
MSI (s) (40:68) [20:15:18:640]: Executing op:
FileCopy(SourceName=rcEmIPxy.dll,SourceCabKey=MUI._.rcEmIPxy.dll,DestName=rcEmIP
xy.dll,Attributes=1536,FileSize=13680,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=
0,Version=10.1.2.14,Language=1033,InstallMode=58982400,,,,,,)
MSI (s) (40:68) [20:15:18:640]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Res\19\01\rcEmIPxy.dll; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:18:640]: Source for file 'rcEmIPxy.dll' is uncompressed,
at 'E:\SEP\Program Files\Symantec\Name\Version\Res\19\01\'.
InstallFiles: Файл: rcEmIPxy.dll, Каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Res\19\01\, Размер: 13680
MSI (s) (40:68) [20:15:18:640]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Res\19\01\rcEmIPxy.dll
MSI (s) (40:68) [20:15:18:656]: Executing op:
FileCopy(SourceName=rcErrDsp.dll,SourceCabKey=MUI._.rcErrDsp.dll,DestName=rcErrD
sp.dll,Attributes=1536,FileSize=22896,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=
0,Version=10.1.2.14,Language=1033,InstallMode=58982400,,,,,,)
MSI (s) (40:68) [20:15:18:656]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Res\19\01\rcErrDsp.dll; To be installed;

SEP_INST.log

Won't patch; No existing file
MSI (s) (40:68) [20:15:18:656]: Source for file 'rcErrDsp.dll' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Res\19\01\'.
InstallFiles: файл: rcErrDsp.dll, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\19\01\, Размер: 22896
MSI (s) (40:68) [20:15:18:656]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\19\01\rcErrDsp.dll
MSI (s) (40:68) [20:15:18:703]: Executing op: FileCopy(SourceName=rcSvcHst.dll,SourceCabKey=MUI._rcSvcHst.dll,DestName=rcSvcHst.dll,Attributes=1536,FileSize=8560,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,,Version=10.1.2.14,Language=1033,InstallMode=58982400,,,,,,)
MSI (s) (40:68) [20:15:18:703]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\19\01\rcSvcHst.dll; To be installed; Won't patch; No existing file
MSI (s) (40:68) [20:15:18:703]: Source for file 'rcSvcHst.dll' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Res\19\01\'.
InstallFiles: файл: rcSvcHst.dll, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\19\01\, Размер: 8560
MSI (s) (40:68) [20:15:18:703]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\19\01\rcSvcHst.dll
MSI (s) (40:68) [20:15:18:750]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)
MSI (s) (40:68) [20:15:18:750]: Executing op: SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Bin\|Program Files\Symantec\Name\Version\Bin\)
MSI (s) (40:68) [20:15:18:750]: Executing op: FileCopy(SourceName=ard3kh1b.plg|NacManager.plg,SourceCabKey=NacManager.plg,DestName=NacManager.plg,Attributes=512,FileSize=63408,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,,)
MSI (s) (40:68) [20:15:18:750]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\NacManager.plg; To be installed; Won't patch; No existing file
MSI (s) (40:68) [20:15:18:750]: Source for file 'NacManager.plg' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: файл: NacManager.plg, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 63408
MSI (s) (40:68) [20:15:18:750]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\NacManager.plg
MSI (s) (40:68) [20:15:18:921]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\)
MSI (s) (40:68) [20:15:18:921]: Executing op: SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Res\1049\|Program Files\Symantec\Name\Version\Res\1049\)
MSI (s) (40:68) [20:15:18:921]: Executing op: FileCopy(SourceName=un12q6z_.dll|NacManagerRes.dll,SourceCabKey=NacManagerRes.dll,DestName=NacManagerRes.dll,Attributes=512,FileSize=9072,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,,)
MSI (s) (40:68) [20:15:18:921]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\NacManagerRes.dll; To be installed; Won't patch; No existing file
MSI (s) (40:68) [20:15:18:921]: Source for file 'NacManagerRes.dll' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Res\1049\'.
InstallFiles: файл: NacManagerRes.dll, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\, Размер: 9072
MSI (s) (40:68) [20:15:18:921]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\NacManagerRes.dll
MSI (s) (40:68) [20:15:18:937]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)
MSI (s) (40:68) [20:15:18:937]: Executing op: SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Bin\|Program Files\Symantec\Name\Version\Bin\)
MSI (s) (40:68) [20:15:18:937]: Executing op:

SEP_INST.log

```
FileCopy(SourceName=NavNTutl.dll,SourceCabKey=NavNTutl.dll,DestName=NavNTutl.dll
,Attributes=512,FileSize=21424,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,)
MSI (s) (40:68) [20:15:18:937]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\NavNTutl.dll; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:18:937]: Source for file 'NavNTutl.dll' is uncompressed,
at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: Файл: NavNTutl.dll, Каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 21424
MSI (s) (40:68) [20:15:18:937]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\NavNTutl.dll
MSI (s) (40:68) [20:15:18:984]: Executing op:
FileCopy(SourceName=Netport.dll,SourceCabKey=Netport.dll,DestName=Netport.dll,At
tributes=512,FileSize=79792,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=
12.1.671.4971,Language=1033,InstallMode=58982400,,,,,)
MSI (s) (40:68) [20:15:18:984]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\Netport.dll; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:18:984]: Source for file 'Netport.dll' is uncompressed,
at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: Файл: Netport.dll, Каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 79792
MSI (s) (40:68) [20:15:18:984]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\Netport.dll
MSI (s) (40:68) [20:15:18:984]: Executing op: SetTargetFolder(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\
MSI (s) (40:68) [20:15:18:984]: Executing op:
SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Res\1049\|Program
Files\Symantec\Name\Version\Res\1049\
MSI (s) (40:68) [20:15:18:984]: Executing op:
FileCopy(SourceName=5apzhhna.dll|NetportRes.dll,SourceCabKey=NetportRes.dll,Dest
Name=NetportRes.dll,Attributes=512,FileSize=8560,PerTick=32768,,VerifyMedia=1,,
,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,)
MSI (s) (40:68) [20:15:18:984]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Res\1049\NetportRes.dll; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:18:984]: Source for file 'NetportRes.dll' is
uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Res\1049\'.
InstallFiles: Файл: NetportRes.dll, Каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Res\1049\, Размер: 8560
MSI (s) (40:68) [20:15:18:984]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Res\1049\NetportRes.dll
MSI (s) (40:68) [20:15:18:984]: Executing op: SetTargetFolder(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\
MSI (s) (40:68) [20:15:18:984]: Executing op:
SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Bin\|Program
Files\Symantec\Name\Version\Bin\
MSI (s) (40:68) [20:15:18:984]: Executing op:
FileCopy(SourceName=nlhook.exe,SourceCabKey=nlhook.exe,DestName=nlhook.exe,At
tributes=512,FileSize=16816,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=
12.1.671.4971,Language=1033,InstallMode=58982400,,,,,)
MSI (s) (40:68) [20:15:18:984]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\nlhook.exe; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:18:984]: Source for file 'nlhook.exe' is uncompressed,
at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: Файл: nlhook.exe, Каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 16816
MSI (s) (40:68) [20:15:18:984]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\nlhook.exe
MSI (s) (40:68) [20:15:19:000]: Executing op:
FileCopy(SourceName=nnewdefs.dll,SourceCabKey=nnewdefs.dll,DestName=nnewdefs.dll
,Attributes=512,FileSize=35248,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,)
MSI (s) (40:68) [20:15:19:000]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\nnewdefs.dll; To be installed;
```

SEP_INST.log

Won't patch; No existing file
MSI (s) (40:68) [20:15:19:000]: Source for file 'nnewdefs.dll' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: файл: nnewdefs.dll, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 35248
MSI (s) (40:68) [20:15:19:000]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\nnewdefs.dll
MSI (s) (40:68) [20:15:19:015]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\)
MSI (s) (40:68) [20:15:19:015]: Executing op: SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Res\1049\|Program Files\Symantec\Name\Version\Res\1049\)
MSI (s) (40:68) [20:15:19:015]: Executing op: FileCopy(SourceName=-s5yd7g4.dll|notesextRes.dll,SourceCabKey=notesextRes.dll,DestName=notesextRes.dll,Attributes=512,FileSize=8560,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,,)
MSI (s) (40:68) [20:15:19:015]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\notesextRes.dll; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:19:015]: Source for file 'notesextRes.dll' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Res\1049\'.
InstallFiles: файл: notesextRes.dll, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\, Размер: 8560
MSI (s) (40:68) [20:15:19:015]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\notesextRes.dll
MSI (s) (40:68) [20:15:19:031]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)
MSI (s) (40:68) [20:15:19:031]: Executing op: SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Bin\|Program Files\Symantec\Name\Version\Bin\)
MSI (s) (40:68) [20:15:19:031]: Executing op: FileCopy(SourceName=c8rc19qg.exe|Patchwrap.exe,SourceCabKey=Patchwrap.exe,DestName=Patchwrap.exe,Attributes=512,FileSize=33712,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,,)
MSI (s) (40:68) [20:15:19:031]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\Patchwrap.exe; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:19:031]: Source for file 'Patchwrap.exe' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: файл: Patchwrap.exe, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 33712
MSI (s) (40:68) [20:15:19:031]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\Patchwrap.exe
MSI (s) (40:68) [20:15:19:031]: Executing op: FileCopy(SourceName=_onspbhv.dll|PatchwrapPS.dll,SourceCabKey=PatchwrapPS.dll,DestName=PatchwrapPS.dll,Attributes=512,FileSize=16304,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,,)
MSI (s) (40:68) [20:15:19:031]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\PatchwrapPS.dll; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:19:031]: Source for file 'PatchwrapPS.dll' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: файл: PatchwrapPS.dll, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 16304
MSI (s) (40:68) [20:15:19:031]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\PatchwrapPS.dll
MSI (s) (40:68) [20:15:19:062]: Executing op: SetTargetFolder(Folder=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Config\)
MSI (s) (40:68) [20:15:19:062]: Executing op: SetSourceFolder(Folder=1\ComApp\Symc\Name\Version\Data\Config\|CommonAppData\Symc\Name\Version\Data\Config\)
MSI (s) (40:68) [20:15:19:062]: Executing op: FileCopy(SourceName=PLATFORM.DAT,SourceCabKey=PLATFORM.DAT,DestName=PLATFORM.DAT,Attributes=512,FileSize=103,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,,,Insta

SEP_INST.log

```

11Mode=58982400,HashOptions=0,HashPart1=2139773819,HashPart2=-309529276,HashPart
3=1409902534,HashPart4=-449301161,,)
MSI (s) (40:68) [20:15:19:062]: File: C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Config\PLATFORM.DAT; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:19:062]: Source for file 'PLATFORM.DAT' is uncompressed,
at 'E:\SEP\CommonAppData\Symc\Name\Version\Data\Config\'.
InstallFiles: файл: PLATFORM.DAT, Каталог: C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Config\, Размер: 103
MSI (s) (40:68) [20:15:19:062]: Note: 1: 2318 2: C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Config\PLATFORM.DAT
MSI (s) (40:68) [20:15:19:062]: Executing op: SetTargetFolder(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\
MSI (s) (40:68) [20:15:19:062]: Executing op:
SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Bin\|Program
Files\Symantec\Name\Version\Bin\
MSI (s) (40:68) [20:15:19:062]: Executing op:
FileCopy(SourceName=ux9721de.dll|ProductRegCompPS.dll,SourceCabKey=ProductRegComp
S.dll,DestName=ProductRegCompPS.dll,Attributes=512,FileSize=18864,PerTick=32768,,
VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=589
82400,,,,,)
MSI (s) (40:68) [20:15:19:062]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\ProductRegCompPS.dll; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:19:062]: Source for file 'ProductRegCompPS.dll' is
uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: файл: ProductRegCompPS.dll, Каталог: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер:
18864
MSI (s) (40:68) [20:15:19:062]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\ProductRegCompPS.dll
MSI (s) (40:68) [20:15:19:078]: Executing op:
FileCopy(SourceName=f_xmn72j.dll|ProfileManagement.dll,SourceCabKey=ProfileManag
ement.dll,DestName=ProfileManagement.dll,Attributes=512,FileSize=149936,PerTick=
32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallM
ode=58982400,,,,,)
MSI (s) (40:68) [20:15:19:078]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\ProfileManagement.dll; To be
installed; won't patch; No existing file
MSI (s) (40:68) [20:15:19:078]: Source for file 'ProfileManagement.dll' is
uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: файл: ProfileManagement.dll, Каталог: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер:
149936
MSI (s) (40:68) [20:15:19:078]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\ProfileManagement.dll
MSI (s) (40:68) [20:15:19:078]: Executing op:
FileCopy(SourceName=vn5hr86e.dll|ProfileManagementClient.dll,SourceCabKey=Profil
eManagementClient.dll,DestName=ProfileManagementClient.dll,Attributes=512,FileSi
ze=73648,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Langu
age=1033,InstallMode=58982400,,,,,)
MSI (s) (40:68) [20:15:19:078]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\ProfileManagementClient.dll; To be
installed; won't patch; No existing file
MSI (s) (40:68) [20:15:19:078]: Source for file 'ProfileManagementClient.dll' is
uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: файл: ProfileManagementClient.dll, Каталог: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер:
73648
MSI (s) (40:68) [20:15:19:078]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\ProfileManagementClient.dll
MSI (s) (40:68) [20:15:19:093]: Executing op:

```

SEP_INST.log

```
FileCopy(SourceName=zpmqv-7.plg|ProfileMgrMan.plg,SourceCabKey=ProfileMgrMan.plg,
DestName=ProfileMgrMan.plg,Attributes=512,FileSize=43952,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,
,,,,,)
MSI (s) (40:68) [20:15:19:093]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\ProfileMgrMan.plg; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:19:093]: Source for file 'ProfileMgrMan.plg' is
uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: файл: ProfileMgrMan.plg, Каталог: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер:
43952
MSI (s) (40:68) [20:15:19:093]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\ProfileMgrMan.plg
MSI (s) (40:68) [20:15:19:093]: Executing op:
SetTargetFolder(Folder=C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Config\))
MSI (s) (40:68) [20:15:19:093]: Executing op:
SetSourceFolder(Folder=1\ComApp\Symc\Name\Version\Data\Config\|CommonAppData\Sym
c\Name\Version\Data\Config\))
MSI (s) (40:68) [20:15:19:093]: Executing op:
FileCopy(SourceName=85nhaarv.dat|protection.dat,SourceCabKey=protection.dat,Dest
Name=protection.dat,Attributes=512,FileSize=21216,PerTick=32768,,VerifyMedia=1,,
,,CheckCRC=0,,,InstallMode=58982400,HashOptions=0,HashPart1=-1991454965,HashPar
t2=-286788957,HashPart3=-1866630466,HashPart4=1452335774,,)
MSI (s) (40:68) [20:15:19:093]: File: C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Config\protection.dat; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:19:093]: Source for file 'protection.dat' is
uncompressed, at 'E:\SEP\CommonAppData\Symc\Name\Version\Data\Config\'.
InstallFiles: файл: protection.dat, Каталог: C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Config\, Размер: 21216
MSI (s) (40:68) [20:15:19:093]: Note: 1: 2318 2: C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Config\protection.dat
MSI (s) (40:68) [20:15:19:109]: Executing op: SetTargetFolder(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\))
MSI (s) (40:68) [20:15:19:109]: Executing op:
SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Bin\|Program
Files\Symantec\Name\Version\Bin\))
MSI (s) (40:68) [20:15:19:109]: Executing op:
FileCopy(SourceName=ruskkcmt.dll|ProtectionProviderPS.dll,SourceCabKey=Protectio
nProviderPS.dll,DestName=ProtectionProviderPS.dll,Attributes=512,FileSize=39856,
PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,
InstallMode=58982400,,,,,)
MSI (s) (40:68) [20:15:19:109]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\ProtectionProviderPS.dll; To be
installed; Won't patch; No existing file
MSI (s) (40:68) [20:15:19:109]: Source for file 'ProtectionProviderPS.dll' is
uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: файл: ProtectionProviderPS.dll, Каталог: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер:
39856
MSI (s) (40:68) [20:15:19:109]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\ProtectionProviderPS.dll
MSI (s) (40:68) [20:15:19:125]: Executing op:
FileCopy(SourceName=afunxby.dll|ProtectionUtil.dll,SourceCabKey=ProtectionUtil.
dll,DestName=ProtectionUtil.dll,Attributes=512,FileSize=215984,PerTick=32768,,Ve
rifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982
400,,,,,)
MSI (s) (40:68) [20:15:19:125]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\ProtectionUtil.dll; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:19:125]: Source for file 'ProtectionUtil.dll' is
```


SEP_INST.log

uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
 InstallFiles: файл: ProtectionUtil.dll, Каталог: C:\Program
 Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер:
 215984
 MSI (s) (40:68) [20:15:19:125]: Note: 1: 2318 2: C:\Program
 Files\Symantec\Symantec Endpoint
 Protection\12.1.671.4971.105\Bin\ProtectionUtil.dll
 MSI (s) (40:68) [20:15:19:125]: Executing op: SetTargetFolder(Folder=C:\Program
 Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\
 MSI (s) (40:68) [20:15:19:125]: Executing op:
 SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Res\1049\|Program
 Files\Symantec\Name\Version\Res\1049\
 MSI (s) (40:68) [20:15:19:125]: Executing op:
 FileCopy(SourceName=zxfa6pp.dll|ProtectionUtilRes.dll,SourceCabKey=ProtectionUt
 ilRes.dll,DestName=ProtectionUtilRes.dll,Attributes=512,FileSize=30064,PerTick=3
 2768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMo
 de=58982400,,,,,,)
 MSI (s) (40:68) [20:15:19:125]: File: C:\Program Files\Symantec\Symantec
 Endpoint Protection\12.1.671.4971.105\Res\1049\ProtectionUtilRes.dll; To be
 installed; won't patch; No existing file
 MSI (s) (40:68) [20:15:19:125]: Source for file 'ProtectionUtilRes.dll' is
 uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Res\1049\'.
 InstallFiles: файл: ProtectionUtilRes.dll, Каталог: C:\Program
 Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\
 Размер: 30064
 MSI (s) (40:68) [20:15:19:125]: Note: 1: 2318 2: C:\Program
 Files\Symantec\Symantec Endpoint
 Protection\12.1.671.4971.105\Res\1049\ProtectionUtilRes.dll
 MSI (s) (40:68) [20:15:19:140]: Executing op: SetTargetFolder(Folder=C:\Program
 Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\
 MSI (s) (40:68) [20:15:19:140]: Executing op:
 SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Bin\|Program
 Files\Symantec\Name\Version\Bin\
 MSI (s) (40:68) [20:15:19:140]: Executing op:
 FileCopy(SourceName=ir73xqgv.exe|ProtectionUtilSurrogate.exe,SourceCabKey=Protec
 tionUtilSurrogate.exe,DestName=ProtectionUtilSurrogate.exe,Attributes=512,FileSi
 ze=50096,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Langu
 age=1033,InstallMode=58982400,,,,,,)
 MSI (s) (40:68) [20:15:19:140]: File: C:\Program Files\Symantec\Symantec
 Endpoint Protection\12.1.671.4971.105\Bin\ProtectionUtilSurrogate.exe; To be
 installed; won't patch; No existing file
 MSI (s) (40:68) [20:15:19:140]: Source for file 'ProtectionUtilSurrogate.exe' is
 uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
 InstallFiles: файл: ProtectionUtilSurrogate.exe, Каталог: C:\Program
 Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер:
 50096
 MSI (s) (40:68) [20:15:19:140]: Note: 1: 2318 2: C:\Program
 Files\Symantec\Symantec Endpoint
 Protection\12.1.671.4971.105\Bin\ProtectionUtilSurrogate.exe
 MSI (s) (40:68) [20:15:19:171]: Executing op: SetTargetFolder(Folder=C:\Program
 Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\
 MSI (s) (40:68) [20:15:19:171]: Executing op:
 SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Res\1049\|Program
 Files\Symantec\Name\Version\Res\1049\
 MSI (s) (40:68) [20:15:19:171]: Executing op:
 FileCopy(SourceName=PScanRes.dll,SourceCabKey=PScanRes.dll,DestName=PScanRes.dll
 ,Attributes=512,FileSize=12656,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Ver
 sion=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,,)
 MSI (s) (40:68) [20:15:19:171]: File: C:\Program Files\Symantec\Symantec
 Endpoint Protection\12.1.671.4971.105\Res\1049\PScanRes.dll; To be installed;
 won't patch; No existing file
 MSI (s) (40:68) [20:15:19:171]: Source for file 'PScanRes.dll' is uncompressed,
 at 'E:\SEP\Program Files\Symantec\Name\Version\Res\1049\'.
 InstallFiles: файл: PScanRes.dll, Каталог: C:\Program Files\Symantec\Symantec
 Endpoint Protection\12.1.671.4971.105\Res\1049\, Размер: 12656
 MSI (s) (40:68) [20:15:19:171]: Note: 1: 2318 2: C:\Program
 Files\Symantec\Symantec Endpoint
 Protection\12.1.671.4971.105\Res\1049\PScanRes.dll

SEP_INST.log

MSI (s) (40:68) [20:15:19:187]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)

MSI (s) (40:68) [20:15:19:187]: Executing op: SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Bin\|Program Files\Symantec\Name\Version\Bin\)

MSI (s) (40:68) [20:15:19:187]: Executing op: FileCopy(SourceName=PSSensor.dll,SourceCabKey=PSSensor.dll,DestName=PSSensor.dll,Attributes=512,FileSize=28080,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,,)

MSI (s) (40:68) [20:15:19:187]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\PSSensor.dll; To be installed; Won't patch; No existing file

MSI (s) (40:68) [20:15:19:187]: Source for file 'PSSensor.dll' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: файл: PSSensor.dll, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 28080

MSI (s) (40:68) [20:15:19:187]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\PSSensor.dll

MSI (s) (40:68) [20:15:19:187]: Executing op: FileCopy(SourceName=9aqwyte8.dll|PTPTrayStatus.dll,SourceCabKey=PTPTrayStatus.dll,DestName=PTPTrayStatus.dll,Attributes=512,FileSize=20400,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,,)

MSI (s) (40:68) [20:15:19:187]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\PTPTrayStatus.dll; To be installed; Won't patch; No existing file

MSI (s) (40:68) [20:15:19:187]: Source for file 'PTPTrayStatus.dll' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: файл: PTPTrayStatus.dll, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 20400

MSI (s) (40:68) [20:15:19:187]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\PTPTrayStatus.dll

MSI (s) (40:68) [20:15:19:218]: Executing op: FileCopy(SourceName=qscomm32.dll,SourceCabKey=qscomm32.dll,DestName=qscomm32.dll,Attributes=512,FileSize=153008,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=11.0.6970.480,Language=1033,InstallMode=58982400,,,,,,)

MSI (s) (40:68) [20:15:19:218]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\qscomm32.dll; To be installed; Won't patch; No existing file

MSI (s) (40:68) [20:15:19:218]: Source for file 'qscomm32.dll' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: файл: qscomm32.dll, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 153008

MSI (s) (40:68) [20:15:19:218]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\qscomm32.dll

MSI (s) (40:68) [20:15:19:234]: Executing op: FileCopy(SourceName=QsInfo.dll,SourceCabKey=QsInfo.dll,DestName=QsInfo.dll,Attributes=512,FileSize=68016,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=11.0.6970.480,Language=1033,InstallMode=58982400,,,,,,)

MSI (s) (40:68) [20:15:19:234]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\QsInfo.dll; To be installed; Won't patch; No existing file

MSI (s) (40:68) [20:15:19:234]: Source for file 'QsInfo.dll' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: файл: QsInfo.dll, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 68016

MSI (s) (40:68) [20:15:19:234]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\QsInfo.dll

MSI (s) (40:68) [20:15:19:265]: Executing op: FileCopy(SourceName=qspak32.dll,SourceCabKey=qspak32.dll,DestName=qspak32.dll,Attributes=512,FileSize=177584,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=11.0.6970.480,Language=1033,InstallMode=58982400,,,,,,)

MSI (s) (40:68) [20:15:19:265]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\qspak32.dll; To be installed; Won't patch; No existing file

MSI (s) (40:68) [20:15:19:265]: Source for file 'qspak32.dll' is uncompressed,

SEP_INST.log

at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: файл: qspak32.dll, Каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 177584
MSI (s) (40:68) [20:15:19:265]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\qspak32.dll
MSI (s) (40:68) [20:15:19:265]: Executing op:
FileCopy(SourceName=wIngyufr.dll|RassSymEap.dll,SourceCabKey=RassSymEap.dll,DestNa
me=RassSymEap.dll,Attributes=512,FileSize=73136,PerTick=32768,,VerifyMedia=1,,,,,
CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,,)
MSI (s) (40:68) [20:15:19:265]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\RassSymEap.dll; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:19:265]: Source for file 'RassSymEap.dll' is uncompressed,
at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: файл: RassSymEap.dll, Каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 73136
MSI (s) (40:68) [20:15:19:265]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\RassSymEap.dll
MSI (s) (40:68) [20:15:19:296]: Executing op: SetTargetFolder(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\)
MSI (s) (40:68) [20:15:19:296]: Executing op:
SetSourceFolder(Folder=1\Program\Symantec\Name\Version\|Program
Files\Symantec\Name\Version\)
MSI (s) (40:68) [20:15:19:296]: Executing op:
FileCopy(SourceName=Readme.txt,SourceCabKey=Readme.txt,DestName=Readme.txt,Attri
butes=512,FileSize=64,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,,,InstallMode=
58982400,HashOptions=0,HashPart1=-1260823527,HashPart2=1633158455,HashPart3=2131
461160,HashPart4=-1124833377,,)
MSI (s) (40:68) [20:15:19:296]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Readme.txt; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:19:296]: Source for file 'Readme.txt' is uncompressed, at
'E:\SEP\Program Files\Symantec\Name\Version\'.
InstallFiles: файл: Readme.txt, Каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\, Размер: 64
MSI (s) (40:68) [20:15:19:296]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Readme.txt
MSI (s) (40:68) [20:15:19:296]: Executing op: SetTargetFolder(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)
MSI (s) (40:68) [20:15:19:296]: Executing op:
SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Bin\|Program
Files\Symantec\Name\Version\Bin\)
MSI (s) (40:68) [20:15:19:296]: Executing op:
FileCopy(SourceName=wtbmqug4.dll|RebootMgrEim.dll,SourceCabKey=RebootMgrEim.dll,
DestName=RebootMgrEim.dll,Attributes=512,FileSize=237488,PerTick=32768,,VerifyMe
dia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,
,,,))
MSI (s) (40:68) [20:15:19:296]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\RebootMgrEim.dll; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:19:312]: Source for file 'RebootMgrEim.dll' is
uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: файл: RebootMgrEim.dll, Каталог: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер:
237488
MSI (s) (40:68) [20:15:19:312]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\RebootMgrEim.dll
MSI (s) (40:68) [20:15:19:328]: Executing op:
FileCopy(SourceName=_dsfoi6.dll|RebootMgrEimProxy.dll,SourceCabKey=RebootMgrEim
Proxy.dll,DestName=RebootMgrEimProxy.dll,Attributes=512,FileSize=87472,PerTick=3
2768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMo
de=58982400,,,,,,)
MSI (s) (40:68) [20:15:19:328]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\RebootMgrEimProxy.dll; To be
installed; Won't patch; No existing file
MSI (s) (40:68) [20:15:19:328]: Source for file 'RebootMgrEimProxy.dll' is
uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.

SEP_INST.log

```

InstallFiles: файл: RebootMgrEimProxy.dll, Каталог: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер:
87472
MSI (s) (40:68) [20:15:19:328]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\RebootMgrEimProxy.dll
MSI (s) (40:68) [20:15:19:328]: Executing op: SetTargetFolder(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\
MSI (s) (40:68) [20:15:19:328]: Executing op:
SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Res\1049\|Program
Files\Symantec\Name\Version\Res\1049\
MSI (s) (40:68) [20:15:19:328]: Executing op:
FileCopy(SourceName=kqsla4_u.dll|RebootMgrEimRes.dll,SourceCabKey=RebootMgrEimRe
s.dll,DestName=RebootMgrEimRes.dll,Attributes=512,FileSize=19824,PerTick=32768,,
VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=589
82400,,,,,)
MSI (s) (40:68) [20:15:19:328]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Res\1049\RebootMgrEimRes.dll; To be
installed; Won't patch; No existing file
MSI (s) (40:68) [20:15:19:328]: Source for file 'RebootMgrEimRes.dll' is
uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Res\1049\'.
InstallFiles: файл: RebootMgrEimRes.dll, Каталог: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\,
Размер: 19824
MSI (s) (40:68) [20:15:19:328]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Res\1049\RebootMgrEimRes.dll
MSI (s) (40:68) [20:15:19:343]: Executing op: SetTargetFolder(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\
MSI (s) (40:68) [20:15:19:343]: Executing op:
SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Bin\|Program
Files\Symantec\Name\Version\Bin\
MSI (s) (40:68) [20:15:19:343]: Executing op:
FileCopy(SourceName=aa4tvy2f.plg|RebootMgrMan.plg,SourceCabKey=RebootMgrMan.plg,
DestName=RebootMgrMan.plg,Attributes=512,FileSize=44976,PerTick=32768,,VerifyMed
ia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,
,,,
MSI (s) (40:68) [20:15:19:343]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\RebootMgrMan.plg; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:19:343]: Source for file 'RebootMgrMan.plg' is
uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: файл: RebootMgrMan.plg, Каталог: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер:
44976
MSI (s) (40:68) [20:15:19:343]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\RebootMgrMan.plg
MSI (s) (40:68) [20:15:19:343]: Executing op:
FileCopy(SourceName=0n4s0b2t.dll|RepMgtEimProxy.dll,SourceCabKey=RepMgtEimProxy.
dll,DestName=RepMgtEimProxy.dll,Attributes=512,FileSize=47536,PerTick=32768,,Ver
ifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=589824
00,,,,,)
MSI (s) (40:68) [20:15:19:343]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\RepMgtEimProxy.dll; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:19:343]: Source for file 'RepMgtEimProxy.dll' is
uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: файл: RepMgtEimProxy.dll, Каталог: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер:
47536
MSI (s) (40:68) [20:15:19:343]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\RepMgtEimProxy.dll
MSI (s) (40:68) [20:15:19:359]: Executing op:
FileCopy(SourceName=5xbnajh1.plg|RepMgtMan.plg,SourceCabKey=RepMgtMan.plg,DestNa
me=RepMgtMan.plg,Attributes=512,FileSize=37296,PerTick=32768,,VerifyMedia=1,,,,,
CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,)

```

SEP_INST.log

MSI (s) (40:68) [20:15:19:359]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\RepMgtMan.plg; To be installed; Won't patch; No existing file

MSI (s) (40:68) [20:15:19:375]: Source for file 'RepMgtMan.plg' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: Файл: RepMgtMan.plg, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 37296

MSI (s) (40:68) [20:15:19:375]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\RepMgtMan.plg

MSI (s) (40:68) [20:15:19:375]: Executing op: FileCopy(SourceName=fwddjrou.dll|RepMgtTim.dll,SourceCabKey=RepMgtTim.dll,DestName=RepMgtTim.dll,Attributes=512,FileSize=580016,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,,)

MSI (s) (40:68) [20:15:19:375]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\RepMgtTim.dll; To be installed; Won't patch; No existing file

MSI (s) (40:68) [20:15:19:375]: Source for file 'RepMgtTim.dll' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: Файл: RepMgtTim.dll, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 580016

MSI (s) (40:68) [20:15:19:375]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\RepMgtTim.dll

MSI (s) (40:68) [20:15:19:390]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\)

MSI (s) (40:68) [20:15:19:390]: Executing op: SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Res\1049\|Program Files\Symantec\Name\Version\Res\1049\)

MSI (s) (40:68) [20:15:19:390]: Executing op: FileCopy(SourceName=3atc9beg.dll|RepMgtTimRes.dll,SourceCabKey=RepMgtTimRes.dll,DestName=RepMgtTimRes.dll,Attributes=512,FileSize=9584,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,,)

MSI (s) (40:68) [20:15:19:390]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\RepMgtTimRes.dll; To be installed; Won't patch; No existing file

MSI (s) (40:68) [20:15:19:390]: Source for file 'RepMgtTimRes.dll' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Res\1049\'.
InstallFiles: Файл: RepMgtTimRes.dll, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\, Размер: 9584

MSI (s) (40:68) [20:15:19:390]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\RepMgtTimRes.dll

MSI (s) (40:68) [20:15:19:406]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)

MSI (s) (40:68) [20:15:19:406]: Executing op: SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Bin\|Program Files\Symantec\Name\Version\Bin\)

MSI (s) (40:68) [20:15:19:406]: Executing op: FileCopy(SourceName=gsydbqxa.dll|ReportSubmission.dll,SourceCabKey=ReportSubmission.dll,DestName=ReportSubmission.dll,Attributes=512,FileSize=547248,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,,)

MSI (s) (40:68) [20:15:19:406]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\ReportSubmission.dll; To be installed; Won't patch; No existing file

MSI (s) (40:68) [20:15:19:406]: Source for file 'ReportSubmission.dll' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: Файл: ReportSubmission.dll, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 547248

MSI (s) (40:68) [20:15:19:406]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\ReportSubmission.dll

MSI (s) (40:68) [20:15:19:421]: Executing op: SetTargetFolder(Folder=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\IRON\)

MSI (s) (40:68) [20:15:19:421]: Executing op:

SEP_INST.log

```
SetSourceFolder(Folder=1\ComApp\Symc\Name\Version\Data\IRON\|CommonAppData\Symc\
Name\Version\Data\IRON\))
MSI (s) (40:68) [20:15:19:421]: Executing op:
FileCopy(SourceName=RepuSeed.irn,SourceCabKey=RepuSeed.irn,DestName=RepuSeed.irn
,Attributes=1536,FileSize=2560000,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,,,
InstallMode=58982400,HashOptions=0,HashPart1=-2141509220,HashPart2=-730292181,Ha
shPart3=-720963582,HashPart4=407458306,,)
MSI (s) (40:68) [20:15:19:421]: File: C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\IRON\RepuSeed.irn; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:19:421]: Source for file 'RepuSeed.irn' is uncompressed,
at 'E:\SEP\CommonAppData\Symc\Name\Version\Data\IRON\'.
InstallFiles: Файл: RepuSeed.irn, Каталог: C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\IRON\, Размер: 2560000
MSI (s) (40:68) [20:15:19:421]: Note: 1: 2318 2: C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\IRON\RepuSeed.irn
MSI (s) (40:68) [20:15:19:421]: Executing op: SetTargetFolder(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\))
MSI (s) (40:68) [20:15:19:421]: Executing op:
SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Bin\|Program
Files\Symantec\Name\Version\Bin\))
MSI (s) (40:68) [20:15:19:421]: Executing op:
FileCopy(SourceName=ctufryzc.dll|rtvscanPS.dll,SourceCabKey=rtvscanPS.dll,DestNa
me=rtvscanPS.dll,Attributes=512,FileSize=62384,PerTick=32768,,VerifyMedia=1,,,,,
CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,,)
MSI (s) (40:68) [20:15:19:421]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\rtvscanPS.dll; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:19:421]: Source for file 'rtvscanPS.dll' is uncompressed,
at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: Файл: rtvscanPS.dll, Каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 62384
MSI (s) (40:68) [20:15:19:421]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\rtvscanPS.dll
MSI (s) (40:68) [20:15:19:437]: Executing op:
FileCopy(SourceName=RtvStart.exe,SourceCabKey=RtvStart.exe,DestName=RtvStart.exe
,Attributes=512,FileSize=15792,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Veri
on=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,,)
MSI (s) (40:68) [20:15:19:437]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\RtvStart.exe; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:19:437]: Source for file 'RtvStart.exe' is uncompressed,
at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: Файл: RtvStart.exe, Каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 15792
MSI (s) (40:68) [20:15:19:437]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\RtvStart.exe
MSI (s) (40:68) [20:15:19:437]: Executing op:
FileCopy(SourceName=uhqmdsg.dll|RunOnceSessionPlugin.dll,SourceCabKey=RunOnceSe
ssionPlugin.dll,DestName=RunOnceSessionPlugin.dll,Attributes=512,FileSize=40880,
PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,
InstallMode=58982400,,,,,,)
MSI (s) (40:68) [20:15:19:437]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\RunOnceSessionPlugin.dll; To be
installed; Won't patch; No existing file
MSI (s) (40:68) [20:15:19:437]: Source for file 'RunOnceSessionPlugin.dll' is
uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: Файл: RunOnceSessionPlugin.dll, Каталог: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер:
40880
MSI (s) (40:68) [20:15:19:437]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\RunOnceSessionPlugin.dll
MSI (s) (40:68) [20:15:19:468]: Executing op:
FileCopy(SourceName=SavEmail.dll,SourceCabKey=SavEmail.dll,DestName=SavEmail.dll
```

SEP_INST.log

,Attributes=512,FileSize=40880,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,,)
MSI (s) (40:68) [20:15:19:468]: File: C:\Program Files\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SavEmail.dll; To be installed; Won't patch; No existing file
MSI (s) (40:68) [20:15:19:468]: Source for file 'SavEmail.dll' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: Файл: SavEmail.dll, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 40880
MSI (s) (40:68) [20:15:19:468]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SavEmail.dll
MSI (s) (40:68) [20:15:19:468]: Executing op: FileCopy(SourceName=qe12gi66.dll|SavEmailSesHlp.dll,SourceCabKey=SavEmailSesHlp.dll,DestName=SavEmailSesHlp.dll,Attributes=512,FileSize=83888,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,,)
MSI (s) (40:68) [20:15:19:468]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SavEmailSesHlp.dll; To be installed; Won't patch; No existing file
MSI (s) (40:68) [20:15:19:468]: Source for file 'SavEmailSesHlp.dll' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: Файл: SavEmailSesHlp.dll, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 83888
MSI (s) (40:68) [20:15:19:468]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SavEmailSesHlp.dll
MSI (s) (40:68) [20:15:19:468]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\)
MSI (s) (40:68) [20:15:19:468]: Executing op: SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Res\1049\|Program Files\Symantec\Name\Version\Res\1049\)
MSI (s) (40:68) [20:15:19:468]: Executing op: FileCopy(SourceName=4hxcrwve.dll|SavEmailSesHlpRes.dll,SourceCabKey=SavEmailSesHlpRes.dll,DestName=SavEmailSesHlpRes.dll,Attributes=512,FileSize=75632,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,,)
MSI (s) (40:68) [20:15:19:468]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\SavEmailSesHlpRes.dll; To be installed; Won't patch; No existing file
MSI (s) (40:68) [20:15:19:468]: Source for file 'SavEmailSesHlpRes.dll' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Res\1049\'.
InstallFiles: Файл: SavEmailSesHlpRes.dll, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\, Размер: 75632
MSI (s) (40:68) [20:15:19:468]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\SavEmailSesHlpRes.dll
MSI (s) (40:68) [20:15:19:484]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)
MSI (s) (40:68) [20:15:19:484]: Executing op: SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Bin\|Program Files\Symantec\Name\Version\Bin\)
MSI (s) (40:68) [20:15:19:484]: Executing op: FileCopy(SourceName=gdoakqlq.dll|SavMainUI.dll,SourceCabKey=savmainui.dll,DestName=SavMainUI.dll,Attributes=512,FileSize=667568,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,,)
MSI (s) (40:68) [20:15:19:484]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SavMainUI.dll; To be installed; Won't patch; No existing file
MSI (s) (40:68) [20:15:19:484]: Source for file 'SavMainUI.dll' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: Файл: SavMainUI.dll, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 667568
MSI (s) (40:68) [20:15:19:484]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SavMainUI.dll
MSI (s) (40:68) [20:15:19:515]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\)

SEP_INST.log

```

MSI (s) (40:68) [20:15:19:515]: Executing op:
SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Res\1049\|Program
Files\Symantec\Name\Version\Res\1049\
MSI (s) (40:68) [20:15:19:515]: Executing op:
FileCopy(SourceName=j9exbjp6.dll|SavMainUIRes.dll,SourceCabKey=SavMainUIRes.dll,
DestName=SavMainUIRes.dll,Attributes=512,FileSize=443248,PerTick=32768,,VerifyMe
dia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,
,,,
MSI (s) (40:68) [20:15:19:515]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Res\1049\SavMainUIRes.dll; To be
installed; won't patch; No existing file
MSI (s) (40:68) [20:15:19:515]: Source for file 'SavMainUIRes.dll' is
uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Res\1049\'.
InstallFiles: Файл: SavMainUIRes.dll, Каталог: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\,
Размер: 443248
MSI (s) (40:68) [20:15:19:515]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Res\1049\SavMainUIRes.dll
MSI (s) (40:68) [20:15:19:593]: Executing op: SetTargetFolder(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\
MSI (s) (40:68) [20:15:19:593]: Executing op:
SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Bin\|Program
Files\Symantec\Name\Version\Bin\
MSI (s) (40:68) [20:15:19:593]: Executing op:
FileCopy(SourceName=tdxzyhpe.dll|SAVSesHlp.dll,SourceCabKey=SAVSesHlp.dll,DestNa
me=SAVSesHlp.dll,Attributes=512,FileSize=78768,PerTick=32768,,VerifyMedia=1,,,,,
CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,,)
MSI (s) (40:68) [20:15:19:593]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\SAVSesHlp.dll; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:19:593]: Source for file 'SAVSesHlp.dll' is uncompressed,
at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: Файл: SAVSesHlp.dll, Каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 78768
MSI (s) (40:68) [20:15:19:593]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SAVSesHlp.dll
MSI (s) (40:68) [20:15:19:703]: Executing op: SetTargetFolder(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\
MSI (s) (40:68) [20:15:19:703]: Executing op:
SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Res\1049\|Program
Files\Symantec\Name\Version\Res\1049\
MSI (s) (40:68) [20:15:19:703]: Executing op:
FileCopy(SourceName=fnzcvpaa.dll|SAVSesHlpRes.dll,SourceCabKey=SAVSesHlpRes.dll,
DestName=SAVSesHlpRes.dll,Attributes=512,FileSize=11632,PerTick=32768,,VerifyMed
ia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,
,,,
MSI (s) (40:68) [20:15:19:703]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Res\1049\SAVSesHlpRes.dll; To be
installed; won't patch; No existing file
MSI (s) (40:68) [20:15:19:703]: Source for file 'SAVSesHlpRes.dll' is
uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Res\1049\'.
InstallFiles: Файл: SAVSesHlpRes.dll, Каталог: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\,
Размер: 11632
MSI (s) (40:68) [20:15:19:703]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Res\1049\SAVSesHlpRes.dll
MSI (s) (40:68) [20:15:19:734]: Executing op: SetTargetFolder(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\
MSI (s) (40:68) [20:15:19:734]: Executing op:
SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Bin\|Program
Files\Symantec\Name\Version\Bin\
MSI (s) (40:68) [20:15:19:734]: Executing op:
FileCopy(SourceName=itz7nfkf.dll|SAVStatusFinder.dll,SourceCabKey=SAVStatusFinde
r.dll,DestName=SAVStatusFinder.dll,Attributes=512,FileSize=33712,PerTick=32768,,
VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=589
82400,,,,,,)

```


SEP_INST.log

MSI (s) (40:68) [20:15:19:734]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SAVStatusFinder.dll; To be installed; Won't patch; No existing file

MSI (s) (40:68) [20:15:19:734]: Source for file 'SAVStatusFinder.dll' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: файл: SAVStatusFinder.dll, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 33712

MSI (s) (40:68) [20:15:19:734]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SAVStatusFinder.dll

MSI (s) (40:68) [20:15:19:734]: Executing op: FileCopy(SourceName=z8t97sku.dll|SAVTrayStatus.dll,SourceCabKey=SAVTrayStatus.dll, DestName=SAVTrayStatus.dll, Attributes=512, FileSize=20400, PerTick=32768, , VerifyMedia=1, , , , , CheckCRC=0, Version=12.1.671.4971, Language=1033, InstallMode=58982400, , , , ,)

MSI (s) (40:68) [20:15:19:734]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SAVTrayStatus.dll; To be installed; Won't patch; No existing file

MSI (s) (40:68) [20:15:19:734]: Source for file 'SAVTrayStatus.dll' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: файл: SAVTrayStatus.dll, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 20400

MSI (s) (40:68) [20:15:19:734]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SAVTrayStatus.dll

MSI (s) (40:68) [20:15:19:750]: Executing op: FileCopy(SourceName=SavUI.exe, SourceCabKey=savui.exe, DestName=SavUI.exe, Attributes=0, FileSize=198576, PerTick=32768, , VerifyMedia=1, , , , , CheckCRC=0, Version=12.1.671.4971, Language=1033, InstallMode=58982400, , , , ,)

MSI (s) (40:68) [20:15:19:750]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SavUI.exe; To be installed; Won't patch; No existing file

MSI (s) (40:68) [20:15:19:750]: Source for file 'SavUI.exe' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: файл: SavUI.exe, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 198576

MSI (s) (40:68) [20:15:19:750]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SavUI.exe

MSI (s) (40:68) [20:15:19:750]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\)

MSI (s) (40:68) [20:15:19:750]: Executing op: SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Res\1049\|Program Files\Symantec\Name\Version\Res\1049\)

MSI (s) (40:68) [20:15:19:750]: Executing op: FileCopy(SourceName=SavUIRes.dll, SourceCabKey=SavUIRes.dll, DestName=SavUIRes.dll, Attributes=0, FileSize=9072, PerTick=32768, , VerifyMedia=1, , , , , CheckCRC=0, Version=12.1.671.4971, Language=1033, InstallMode=58982400, , , , ,)

MSI (s) (40:68) [20:15:19:750]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\SavUIRes.dll; To be installed; Won't patch; No existing file

MSI (s) (40:68) [20:15:19:750]: Source for file 'SavUIRes.dll' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Res\1049\'.
InstallFiles: файл: SavUIRes.dll, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\, Размер: 9072

MSI (s) (40:68) [20:15:19:750]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\SavUIRes.dll

MSI (s) (40:68) [20:15:19:765]: Executing op: SetTargetFolder(Folder=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Config\)

MSI (s) (40:68) [20:15:19:765]: Executing op: SetSourceFolder(Folder=1\ComApp\Symc\Name\Version\Data\Config\|CommonAppData\Symc\Name\Version\Data\Config\)

MSI (s) (40:68) [20:15:19:765]: Executing op: FileCopy(SourceName=Scancfg.dat, SourceCabKey=Scancfg.dat, DestName=Scancfg.dat, Attributes=512, FileSize=492, PerTick=32768, , VerifyMedia=1, , , , , CheckCRC=0, , , , , InstallM

```

SEP_INST.log
ode=58982400,HashOptions=0,HashPart1=809358592,HashPart2=1968410883,HashPart3=12
77251057,HashPart4=1308947763,,)
MSI (s) (40:68) [20:15:19:765]: File: C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Config\Scancfg.dat; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:19:765]: Source for file 'Scancfg.dat' is uncompressed,
at 'E:\SEP\CommonAppData\Symc\Name\Version\Data\Config\'.
InstallFiles: Файл: Scancfg.dat, Каталог: C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Config\, Размер: 492
MSI (s) (40:68) [20:15:19:781]: Note: 1: 2318 2: C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Config\Scancfg.dat
MSI (s) (40:68) [20:15:19:781]: Executing op: SetTargetFolder(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\
MSI (s) (40:68) [20:15:19:781]: Executing op:
SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Bin\|Program
Files\Symantec\Name\Version\Bin\
MSI (s) (40:68) [20:15:19:781]: Executing op:
FileCopy(SourceName=scandlgs.dll,SourceCabKey=scandlgs.dll,DestName=scandlgs.dll
,Attributes=0,FileSize=363440,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,)
MSI (s) (40:68) [20:15:19:781]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\scandlgs.dll; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:19:781]: Source for file 'scandlgs.dll' is uncompressed,
at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: Файл: scandlgs.dll, Каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 363440
MSI (s) (40:68) [20:15:19:781]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\scandlgs.dll
MSI (s) (40:68) [20:15:19:796]: Executing op: SetTargetFolder(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\
MSI (s) (40:68) [20:15:19:796]: Executing op:
SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Res\1049\|Program
Files\Symantec\Name\Version\Res\1049\
MSI (s) (40:68) [20:15:19:796]: Executing op:
FileCopy(SourceName=sttco3fg.dll|ScanDlgsRes.dll,SourceCabKey=ScanDlgsRes.dll,De
stName=ScanDlgsRes.dll,Attributes=512,FileSize=302448,PerTick=32768,,VerifyMedia
=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,
)
MSI (s) (40:68) [20:15:19:796]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Res\1049\ScanDlgsRes.dll; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:19:796]: Source for file 'ScanDlgsRes.dll' is
uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Res\1049\'.
InstallFiles: Файл: ScanDlgsRes.dll, Каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Res\1049\, Размер: 302448
MSI (s) (40:68) [20:15:19:796]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Res\1049\ScanDlgsRes.dll
MSI (s) (40:68) [20:15:19:796]: Executing op: SetTargetFolder(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\
MSI (s) (40:68) [20:15:19:796]: Executing op:
SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Bin\191b4hn8\|Program
Files\Symantec\Name\Version\Bin\SPManifests\
MSI (s) (40:68) [20:15:19:796]: Executing op:
FileCopy(SourceName=scs-sav.grd,SourceCabKey=scssav.grd,DestName=scs-sav.grd,Att
ributes=512,FileSize=233,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,,,InstallMo
de=58982400,HashOptions=0,HashPart1=-1745700374,HashPart2=102980314,HashPart3=-3
79022650,HashPart4=2125458715,,)
MSI (s) (40:68) [20:15:19:796]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\scs-sav.grd; To be
installed; won't patch; No existing file
MSI (s) (40:68) [20:15:19:796]: Source for file 'scs-sav.grd' is uncompressed,
at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\SPManifests\'.
InstallFiles: Файл: scs-sav.grd, Каталог: C:\Program Files\Symantec\Symantec

```

SEP_INST.log

Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\, Размер: 233
MSI (s) (40:68) [20:15:19:796]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\SPManifests\scs-sav.grd
MSI (s) (40:68) [20:15:19:796]: Executing op:
FileCopy(SourceName=scs-sav.sig,SourceCabKey=scssav.sig,DestName=scs-sav.sig,Att
ributes=512,FileSize=2273,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,,,InstallM
ode=58982400,HashOptions=0,HashPart1=-691719282,HashPart2=-761713839,HashPart3=-
867880464,HashPart4=369741797,,)
MSI (s) (40:68) [20:15:19:796]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\scs-sav.sig; To be
installed; Won't patch; No existing file
MSI (s) (40:68) [20:15:19:796]: Source for file 'scs-sav.sig' is uncompressed,
at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\SPManifests\'.
InstallFiles: файл: scs-sav.sig, Каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\, Размер: 2273
MSI (s) (40:68) [20:15:19:796]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\SPManifests\scs-sav.sig
MSI (s) (40:68) [20:15:19:812]: Executing op:
FileCopy(SourceName=scs-sav.spm,SourceCabKey=scssav.spm,DestName=scs-sav.spm,Att
ributes=512,FileSize=29136,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,,,Install
Mode=58982400,HashOptions=0,HashPart1=-930074931,HashPart2=973789135,HashPart3=2
67518217,HashPart4=-1478506086,,)
MSI (s) (40:68) [20:15:19:812]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\scs-sav.spm; To be
installed; Won't patch; No existing file
MSI (s) (40:68) [20:15:19:812]: Source for file 'scs-sav.spm' is uncompressed,
at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\SPManifests\'.
InstallFiles: файл: scs-sav.spm, Каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\, Размер: 29136
MSI (s) (40:68) [20:15:19:812]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\SPManifests\scs-sav.spm
1: CreateInstallCacheFin 2: 0
MSI (s) (40:68) [20:15:19:828]: Executing op:
SetTargetFolder(Folder=C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Config\)
MSI (s) (40:68) [20:15:19:828]: Executing op:
SetSourceFolder(Folder=1\ComApp\Symc\Name\Version\Data\Config\|CommonAppData\Sym
c\Name\Version\Data\Config\)
MSI (s) (40:68) [20:15:19:828]: Executing op:
FileCopy(SourceName=sdi.dat,SourceCabKey=sdi.dat,DestName=sdi.dat,Attributes=512
,FileSize=320,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,,,InstallMode=58982400
,HashOptions=0,HashPart1=1586441976,HashPart2=-1801699101,HashPart3=1575977109,H
ashPart4=1893143188,,)
MSI (s) (40:68) [20:15:19:828]: File: C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Config\sdi.dat; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:19:828]: Source for file 'sdi.dat' is uncompressed, at
'E:\SEP\CommonAppData\Symc\Name\Version\Data\Config\'.
InstallFiles: файл: sdi.dat, Каталог: C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Config\, Размер: 320
MSI (s) (40:68) [20:15:19:828]: Note: 1: 2318 2: C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Config\sdi.dat
MSI (s) (40:68) [20:15:19:828]: Executing op: SetTargetFolder(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)
MSI (s) (40:68) [20:15:19:828]: Executing op:
SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Bin\|Program
Files\Symantec\Name\Version\Bin\)
MSI (s) (40:68) [20:15:19:828]: Executing op:
FileCopy(SourceName=SDPCK32I.dll,SourceCabKey=SDPCK32I.dll,DestName=SDPCK32I.dll
,Attributes=512,FileSize=192432,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Vers
ion=2005.15.0.14,Language=1033,InstallMode=58982400,,,,,)
MSI (s) (40:68) [20:15:19:828]: File: C:\Program Files\Symantec\Symantec

SEP_INST.log

Endpoint Protection\12.1.671.4971.105\Bin\SDPCK32I.dll; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:19:828]: Source for file 'SDPCK32I.dll' is uncompressed,
at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: Файл: SDPCK32I.dll, Каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 192432
MSI (s) (40:68) [20:15:19:828]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SDPCK32I.dll
MSI (s) (40:68) [20:15:19:828]: Executing op:
FileCopy(SourceName=SDSNAPSX.dll,SourceCabKey=SDSNAPSX.dll,DestName=SDSNAPSX.dll
,Attributes=512,FileSize=283056,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Vers
ion=2005.15.0.14,Language=1033,InstallMode=58982400,,,,,,)
MSI (s) (40:68) [20:15:19:828]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\SDSNAPSX.dll; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:19:828]: Source for file 'SDSNAPSX.dll' is uncompressed,
at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: Файл: SDSNAPSX.dll, Каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 283056
MSI (s) (40:68) [20:15:19:828]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SDSNAPSX.dll
MSI (s) (40:68) [20:15:19:828]: Executing op: SetTargetFolder(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\)
MSI (s) (40:68) [20:15:19:828]: Executing op:
SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Bin\191b4hn8\|Program
Files\Symantec\Name\Version\Bin\SPManifests\)
MSI (s) (40:68) [20:15:19:828]: Executing op:
FileCopy(SourceName=symevnt.grd,SourceCabKey=SE_SPMft_.symevnt.grd,DestName=sym
evnt.grd,Attributes=1536,FileSize=233,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=
0,,,InstallMode=58982400,HashOptions=0,HashPart1=511861692,HashPart2=-995700589,
HashPart3=-2058611843,HashPart4=-984861259,,)
MSI (s) (40:68) [20:15:19:828]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\symevnt.grd; To be
installed; Won't patch; No existing file
MSI (s) (40:68) [20:15:19:828]: Source for file 'symevnt.grd' is uncompressed,
at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\SPManifests\'.
InstallFiles: Файл: symevnt.grd, Каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\, Размер: 233
MSI (s) (40:68) [20:15:19:828]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\SPManifests\symevnt.grd
MSI (s) (40:68) [20:15:19:843]: Executing op:
FileCopy(SourceName=symevnt.sig,SourceCabKey=SE_SPMft_.symevnt.sig,DestName=sym
evnt.sig,Attributes=1536,FileSize=2273,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC
=0,,,InstallMode=58982400,HashOptions=0,HashPart1=171976281,HashPart2=-21550176,
HashPart3=-807401601,HashPart4=-1037646324,,)
MSI (s) (40:68) [20:15:19:843]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\symevnt.sig; To be
installed; Won't patch; No existing file
MSI (s) (40:68) [20:15:19:843]: Source for file 'symevnt.sig' is uncompressed,
at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\SPManifests\'.
InstallFiles: Файл: symevnt.sig, Каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\, Размер: 2273
MSI (s) (40:68) [20:15:19:843]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\SPManifests\symevnt.sig
MSI (s) (40:68) [20:15:19:843]: Executing op:
FileCopy(SourceName=symevnt.spm,SourceCabKey=SE_SPMft_.symevnt.spm,DestName=sym
evnt.spm,Attributes=1536,FileSize=3856,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC
=0,,,InstallMode=58982400,HashOptions=0,HashPart1=-428152062,HashPart2=-17586732
76,HashPart3=1427182551,HashPart4=416531756,,)
MSI (s) (40:68) [20:15:19:843]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\symevnt.spm; To be
installed; Won't patch; No existing file
MSI (s) (40:68) [20:15:19:843]: Source for file 'symevnt.spm' is uncompressed,
at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\SPManifests\'.
InstallFiles: Файл: symevnt.spm, Каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\, Размер: 3856

SEP_INST.log

MSI (s) (40:68) [20:15:19:843]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\symevnt.spm

MSI (s) (40:68) [20:15:19:843]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)

MSI (s) (40:68) [20:15:19:843]: Executing op: SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Bin\|Program Files\Symantec\Name\Version\Bin\)

MSI (s) (40:68) [20:15:19:843]: Executing op: FileCopy(SourceName=eg92hmvd.dll|sepduhandler.dll,SourceCabKey=sepduhandler.dll, DestName=sepduhandler.dll,Attributes=512,FileSize=92592,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,)

MSI (s) (40:68) [20:15:19:843]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\sepduhandler.dll; To be installed; Won't patch; No existing file

MSI (s) (40:68) [20:15:19:843]: Source for file 'sepduhandler.dll' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: Файл: sepduhandler.dll, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 92592

MSI (s) (40:68) [20:15:19:843]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\sepduhandler.dll

MSI (s) (40:68) [20:15:19:843]: Executing op: FileCopy(SourceName=pkhe3rh2.exe|SepLiveUpdate.exe,SourceCabKey=SepLiveUpdate.exe, DestName=SepLiveUpdate.exe,Attributes=512,FileSize=26032,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,)

MSI (s) (40:68) [20:15:19:843]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SepLiveUpdate.exe; To be installed; Won't patch; No existing file

MSI (s) (40:68) [20:15:19:843]: Source for file 'SepLiveUpdate.exe' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: Файл: SepLiveUpdate.exe, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 26032

MSI (s) (40:68) [20:15:19:843]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SepLiveUpdate.exe

MSI (s) (40:68) [20:15:19:843]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\)

MSI (s) (40:68) [20:15:19:843]: Executing op: SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Bin\191b4hn8\|Program Files\Symantec\Name\Version\Bin\SPManifests\)

MSI (s) (40:68) [20:15:19:843]: Executing op: FileCopy(SourceName=sep-msi.grd,SourceCabKey=sepmsi.grd, DestName=sep-msi.grd,Attributes=512,FileSize=233,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,,,InstallMode=58982400,HashOptions=0,HashPart1=-1874165188,HashPart2=1461904082,HashPart3=-1256032583,HashPart4=380609224,,)

MSI (s) (40:68) [20:15:19:843]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\sep-msi.grd; To be installed; won't patch; No existing file

MSI (s) (40:68) [20:15:19:843]: Source for file 'sep-msi.grd' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\SPManifests\'.
InstallFiles: Файл: sep-msi.grd, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\, Размер: 233

MSI (s) (40:68) [20:15:19:843]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\sep-msi.grd

MSI (s) (40:68) [20:15:19:843]: Executing op: FileCopy(SourceName=sep-msi.sig,SourceCabKey=sepmsi.sig, DestName=sep-msi.sig,Attributes=512,FileSize=2267,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,,,InstallMode=58982400,HashOptions=0,HashPart1=-425040481,HashPart2=-1521265687,HashPart3=-1293308562,HashPart4=1733710994,,)

MSI (s) (40:68) [20:15:19:843]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\sep-msi.sig; To be installed; won't patch; No existing file

SEP_INST.log

MSI (s) (40:68) [20:15:19:843]: Source for file 'sep-msi.sig' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\SPManifests\'.
InstallFiles: файл: sep-msi.sig, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\, Размер: 2267
MSI (s) (40:68) [20:15:19:843]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\sep-msi.sig
MSI (s) (40:68) [20:15:19:843]: Executing op: FileCopy(SourceName=sep-msi.spm,SourceCabKey=sepmsi.spm,DestName=sep-msi.spm,Attributes=512,FileSize=640,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,,,InstallMode=58982400,HashOptions=0,HashPart1=-1748018815,HashPart2=598826930,HashPart3=-829325307,HashPart4=1794234016,,)
MSI (s) (40:68) [20:15:19:843]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\sep-msi.spm; To be installed; Won't patch; No existing file
MSI (s) (40:68) [20:15:19:843]: Source for file 'sep-msi.spm' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\SPManifests\'.
InstallFiles: файл: sep-msi.spm, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\, Размер: 640
MSI (s) (40:68) [20:15:19:843]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\sep-msi.spm
MSI (s) (40:68) [20:15:19:843]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)
MSI (s) (40:68) [20:15:19:843]: Executing op: SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Bin\|Program Files\Symantec\Name\Version\Bin\)
MSI (s) (40:68) [20:15:19:843]: Executing op: FileCopy(SourceName=goqfdbqo.dll|SEPSessionPlugin.dll,SourceCabKey=SEPSessionPlugin.dll,DestName=SEPSessionPlugin.dll,Attributes=512,FileSize=258480,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,,)
MSI (s) (40:68) [20:15:19:843]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SEPSessionPlugin.dll; To be installed; Won't patch; No existing file
MSI (s) (40:68) [20:15:19:843]: Source for file 'SEPSessionPlugin.dll' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: файл: SEPSessionPlugin.dll, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 258480
MSI (s) (40:68) [20:15:19:843]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SEPSessionPlugin.dll
MSI (s) (40:68) [20:15:19:859]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\)
MSI (s) (40:68) [20:15:19:859]: Executing op: SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Res\1049\|Program Files\Symantec\Name\Version\Res\1049\)
MSI (s) (40:68) [20:15:19:859]: Executing op: FileCopy(SourceName=vb6ftun3.dll|SEPSessionPluginRes.dll,SourceCabKey=SEPSessionPluginRes.dll,DestName=SEPSessionPluginRes.dll,Attributes=512,FileSize=49520,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,,)
MSI (s) (40:68) [20:15:19:859]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\SEPSessionPluginRes.dll; To be installed; Won't patch; No existing file
MSI (s) (40:68) [20:15:19:859]: Source for file 'SEPSessionPluginRes.dll' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Res\1049\'.
InstallFiles: файл: SEPSessionPluginRes.dll, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\, Размер: 49520
MSI (s) (40:68) [20:15:19:859]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\SEPSessionPluginRes.dll
MSI (s) (40:68) [20:15:19:859]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)
MSI (s) (40:68) [20:15:19:859]: Executing op: SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Bin\|Program

SEP_INST.log

Files\Symantec\Name\Version\Bin\
MSI (s) (40:68) [20:15:19:859]: Executing op:
FileCopy(SourceName=SepStub.exe,SourceCabKey=SepStub.exe,DestName=SepStub.exe,At
tributes=512,FileSize=249776,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version
=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,,)
MSI (s) (40:68) [20:15:19:859]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\SepStub.exe; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:19:859]: Source for file 'SepStub.exe' is uncompressed,
at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\
InstallFiles: файл: SepStub.exe, Каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 249776
MSI (s) (40:68) [20:15:19:859]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SepStub.exe
MSI (s) (40:68) [20:15:19:859]: Executing op:
SetTargetFolder(Folder=C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Config\
MSI (s) (40:68) [20:15:19:859]: Executing op:
SetSourceFolder(Folder=1\ComApp\Symc\Name\Version\Data\Config\|CommonAppData\Sym
c\Name\Version\Data\Config\
MSI (s) (40:68) [20:15:19:859]: Executing op:
FileCopy(SourceName=serdef.dat,SourceCabKey=serdef.dat,DestName=serdef.dat,Attri
butes=512,FileSize=33264,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,,,InstallMo
de=58982400,HashOptions=0,HashPart1=743806375,HashPart2=1217109428,HashPart3=-17
58199394,HashPart4=177605343,,)
MSI (s) (40:68) [20:15:19:859]: File: C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Config\serdef.dat; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:19:859]: Source for file 'serdef.dat' is uncompressed, at
'E:\SEP\CommonAppData\Symc\Name\Version\Data\Config\
InstallFiles: файл: serdef.dat, Каталог: C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Config\, Размер: 33264
MSI (s) (40:68) [20:15:19:859]: Note: 1: 2318 2: C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Config\serdef.dat
MSI (s) (40:68) [20:15:19:875]: Executing op: SetTargetFolder(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\
MSI (s) (40:68) [20:15:19:875]: Executing op:
SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Bin\|Program
Files\Symantec\Name\Version\Bin\
MSI (s) (40:68) [20:15:19:875]: Executing op:
FileCopy(SourceName=kex428ph.dll|SessionShutdown.dll,SourceCabKey=SessionShutdow
n.dll,DestName=SessionShutdown.dll,Attributes=512,FileSize=20912,PerTick=32768,,
VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=589
82400,,,,,,)
MSI (s) (40:68) [20:15:19:875]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\SessionShutdown.dll; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:19:875]: Source for file 'SessionShutdown.dll' is
uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\
InstallFiles: файл: SessionShutdown.dll, Каталог: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер:
20912
MSI (s) (40:68) [20:15:19:875]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\SessionShutdown.dll
MSI (s) (40:68) [20:15:19:875]: Executing op:
FileCopy(SourceName=setaid.dll,SourceCabKey=setaid.dll,DestName=setaid.dll,Attri
butes=512,FileSize=23984,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=1.0
.0.1,Language=1033,InstallMode=58982400,,,,,,)
MSI (s) (40:68) [20:15:19:875]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\setaid.dll; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:19:875]: Source for file 'setaid.dll' is uncompressed, at
'E:\SEP\Program Files\Symantec\Name\Version\Bin\
InstallFiles: файл: setaid.dll, Каталог: C:\Program Files\Symantec\Symantec

SEP_INST.log

Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 23984
MSI (s) (40:68) [20:15:19:875]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\setaid.dll
MSI (s) (40:68) [20:15:19:875]: Executing op:
FileCopy(SourceName=Sevinst.exe,SourceCabKey=Sevinst._.Sevinst.exe,DestName=Sevinst.exe,Attributes=1536,FileSize=824776,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.9.0.22,Language=1033,InstallMode=58982400,,,,,,)
MSI (s) (40:68) [20:15:19:875]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\Sevinst.exe; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:19:875]: Source for file 'Sevinst.exe' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: Файл: Sevinst.exe, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 824776
MSI (s) (40:68) [20:15:19:875]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\Sevinst.exe
MSI (s) (40:68) [20:15:19:875]: Executing op:
FileCopy(SourceName=sfConfig.dll,SourceCabKey=sfConfig.dll,DestName=sfConfig.dll,Attributes=512,FileSize=200112,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,,)
MSI (s) (40:68) [20:15:19:875]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\sfConfig.dll; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:19:875]: Source for file 'sfConfig.dll' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: Файл: sfConfig.dll, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 200112
MSI (s) (40:68) [20:15:19:875]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\sfConfig.dll
MSI (s) (40:68) [20:15:19:875]: Executing op:
FileCopy(SourceName=SfMan.plg,SourceCabKey=SfMan.plg,DestName=SfMan.plg,Attributes=512,FileSize=212912,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,,)
MSI (s) (40:68) [20:15:19:875]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SfMan.plg; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:19:875]: Source for file 'SfMan.plg' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: Файл: SfMan.plg, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 212912
MSI (s) (40:68) [20:15:19:875]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SfMan.plg
MSI (s) (40:68) [20:15:19:875]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\)
MSI (s) (40:68) [20:15:19:875]: Executing op:
SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Res\1049\|Program Files\Symantec\Name\Version\Res\1049\)
MSI (s) (40:68) [20:15:19:875]: Executing op:
FileCopy(SourceName=SfManRes.dll,SourceCabKey=SfManRes.dll,DestName=SfManRes.dll,Attributes=512,FileSize=13168,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,,)
MSI (s) (40:68) [20:15:19:875]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\SfManRes.dll; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:19:875]: Source for file 'SfManRes.dll' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Res\1049\'.
InstallFiles: Файл: SfManRes.dll, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\, Размер: 13168
MSI (s) (40:68) [20:15:19:875]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\SfManRes.dll
MSI (s) (40:68) [20:15:19:890]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)
MSI (s) (40:68) [20:15:19:890]: Executing op:
SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Bin\|Program Files\Symantec\Name\Version\Bin\)
MSI (s) (40:68) [20:15:19:890]: Executing op:
FileCopy(SourceName=SgHI.dll,SourceCabKey=SgHI.dll,DestName=SgHI.dll,Attributes=

SEP_INST.log

512,FileSize=433072,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,,)

MSI (s) (40:68) [20:15:19:890]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SgHI.dll; To be installed; Won't patch; No existing file

MSI (s) (40:68) [20:15:19:890]: Source for file 'SgHI.dll' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: Файл: SgHI.dll, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 433072

MSI (s) (40:68) [20:15:19:890]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SgHI.dll

MSI (s) (40:68) [20:15:19:890]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\)

MSI (s) (40:68) [20:15:19:890]: Executing op: SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Res\1049\|Program Files\Symantec\Name\Version\Res\1049\)

MSI (s) (40:68) [20:15:19:890]: Executing op: FileCopy(SourceName=SgHires.dll,SourceCabKey=SgHires.dll,DestName=SgHires.dll,Attributes=512,FileSize=12144,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,,)

MSI (s) (40:68) [20:15:19:890]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\SgHires.dll; To be installed; Won't patch; No existing file

MSI (s) (40:68) [20:15:19:890]: Source for file 'SgHires.dll' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Res\1049\'.
InstallFiles: Файл: SgHires.dll, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\, Размер: 12144

MSI (s) (40:68) [20:15:19:890]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\SgHires.dll

MSI (s) (40:68) [20:15:19:890]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)

MSI (s) (40:68) [20:15:19:890]: Executing op: SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Bin\|Program Files\Symantec\Name\Version\Bin\)

MSI (s) (40:68) [20:15:19:890]: Executing op: FileCopy(SourceName=sis.dll,SourceCabKey=sis.dll,DestName=sis.dll,Attributes=512,FileSize=762800,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,,)

MSI (s) (40:68) [20:15:19:890]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\sis.dll; To be installed; Won't patch; No existing file

MSI (s) (40:68) [20:15:19:890]: Source for file 'sis.dll' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: Файл: sis.dll, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 762800

MSI (s) (40:68) [20:15:19:890]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\sis.dll

MSI (s) (40:68) [20:15:19:890]: Executing op: FileCopy(SourceName=mygpdsea.dll|SISCustomActionBash.dll,SourceCabKey=SISCustomActionBash.dll,DestName=SISCustomActionBash.dll,Attributes=512,FileSize=56240,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,,)

MSI (s) (40:68) [20:15:19:890]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SISCustomActionBash.dll; To be installed; Won't patch; No existing file

MSI (s) (40:68) [20:15:19:890]: Source for file 'SISCustomActionBash.dll' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: Файл: SISCustomActionBash.dll, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 56240

MSI (s) (40:68) [20:15:19:890]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SISCustomActionBash.dll

MSI (s) (40:68) [20:15:19:890]: Executing op: FileCopy(SourceName=_4p4ivb5.dll|SISCustomActionCIDS.dll,SourceCabKey=SISCustomActionCIDS.dll,DestName=SISCustomActionCIDS.dll,Attributes=512,FileSize=122800,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,,)

SEP_INST.log

```

stallMode=58982400,,,,,)
MSI (s) (40:68) [20:15:19:890]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\SISCustomActionCIDS.dll; To be
installed; won't patch; No existing file
MSI (s) (40:68) [20:15:19:890]: Source for file 'SISCustomActionCIDS.dll' is
uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: Файл: SISCustomActionCIDS.dll, Каталог: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер:
122800
MSI (s) (40:68) [20:15:19:890]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\SISCustomActionCIDS.dll
MSI (s) (40:68) [20:15:19:890]: Executing op:
FileCopy(SourceName=loygfrg5.dll|SISCustomActionLUE.dll,SourceCabKey=SISCustomAc
tionLUE.dll,DestName=SISCustomActionLUE.dll,Attributes=512,FileSize=180656,PerTi
ck=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,Insta
llMode=58982400,,,,,)
MSI (s) (40:68) [20:15:19:890]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\SISCustomActionLUE.dll; To be
installed; won't patch; No existing file
MSI (s) (40:68) [20:15:19:890]: Source for file 'SISCustomActionLUE.dll' is
uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: Файл: SISCustomActionLUE.dll, Каталог: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер:
180656
MSI (s) (40:68) [20:15:19:890]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\SISCustomActionLUE.dll
MSI (s) (40:68) [20:15:19:890]: Executing op:
FileCopy(SourceName=ksbse8ed.dll|SISCustomActionScanSettings.dll,SourceCabKey=SI
SCustomActionScanSettings.dll,DestName=SISCustomActionScanSettings.dll,Attribute
s=512,FileSize=40880,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.67
1.4971,Language=1033,InstallMode=58982400,,,,,)
MSI (s) (40:68) [20:15:19:890]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\SISCustomActionScanSettings.dll;
To be installed; won't patch; No existing file
MSI (s) (40:68) [20:15:19:890]: Source for file
'SISCustomActionScanSettings.dll' is uncompressed, at 'E:\SEP\Program
Files\Symantec\Name\Version\Bin\'.
InstallFiles: Файл: SISCustomActionScanSettings.dll, Каталог: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер:
40880
MSI (s) (40:68) [20:15:19:906]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\SISCustomActionScanSettings.dll
MSI (s) (40:68) [20:15:19:906]: Executing op:
FileCopy(SourceName=phdf2k4u.dll|SISCustomActionSMC.dll,SourceCabKey=SISCustomAc
tionSMC.dll,DestName=SISCustomActionSMC.dll,Attributes=512,FileSize=32176,PerTi
ck=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,Insta
llMode=58982400,,,,,)
MSI (s) (40:68) [20:15:19:906]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\SISCustomActionSMC.dll; To be
installed; won't patch; No existing file
MSI (s) (40:68) [20:15:19:906]: Source for file 'SISCustomActionSMC.dll' is
uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: Файл: SISCustomActionSMC.dll, Каталог: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер:
32176
MSI (s) (40:68) [20:15:19:906]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\SISCustomActionSMC.dll
MSI (s) (40:68) [20:15:19:906]: Executing op:
FileCopy(SourceName=sisnat.exe,SourceCabKey=sisnat.exe,DestName=sisnat.exe,Attri
butes=512,FileSize=231344,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12
.1.671.4971,Language=1033,InstallMode=58982400,,,,,)
MSI (s) (40:68) [20:15:19:906]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\sisnat.exe; To be installed;
won't patch; No existing file

```

SEP_INST.log

MSI (s) (40:68) [20:15:19:906]: Source for file 'sisnat.exe' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
 InstallFiles: Файл: sisnat.exe, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 231344
 MSI (s) (40:68) [20:15:19:906]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\sisnat.exe
 MSI (s) (40:68) [20:15:19:906]: Executing op: FileCopy(SourceName=Smc.exe,SourceCabKey=smc.exe,DestName=Smc.exe,Attributes=512,FileSize=1664744,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,,)
 MSI (s) (40:68) [20:15:19:906]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\Smc.exe; To be installed; Won't patch; No existing file
 MSI (s) (40:68) [20:15:19:906]: Source for file 'Smc.exe' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
 InstallFiles: Файл: Smc.exe, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 1664744
 MSI (s) (40:68) [20:15:19:921]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\Smc.exe
 MSI (s) (40:68) [20:15:19:921]: Executing op: FileCopy(SourceName=SmcGui.exe,SourceCabKey=SmcGui.exe,DestName=SmcGui.exe,Attributes=512,FileSize=877488,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,,)
 MSI (s) (40:68) [20:15:19:921]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SmcGui.exe; To be installed; Won't patch; No existing file
 MSI (s) (40:68) [20:15:19:921]: Source for file 'SmcGui.exe' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
 InstallFiles: Файл: SmcGui.exe, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 877488
 MSI (s) (40:68) [20:15:19:921]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SmcGui.exe
 MSI (s) (40:68) [20:15:19:921]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\)
 MSI (s) (40:68) [20:15:19:921]: Executing op: SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Res\1049\|Program Files\Symantec\Name\Version\Res\1049\)
 MSI (s) (40:68) [20:15:19:921]: Executing op: FileCopy(SourceName=a_xqdef1.dll|SmcGuiRes.dll,SourceCabKey=SmcGuiRes.dll,DestName=SmcGuiRes.dll,Attributes=512,FileSize=379760,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,,)
 MSI (s) (40:68) [20:15:19:921]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\SmcGuiRes.dll; To be installed; Won't patch; No existing file
 MSI (s) (40:68) [20:15:19:921]: Source for file 'SmcGuiRes.dll' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Res\1049\'.
 InstallFiles: Файл: SmcGuiRes.dll, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\, Размер: 379760
 MSI (s) (40:68) [20:15:19:921]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\SmcGuiRes.dll
 MSI (s) (40:68) [20:15:19:921]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)
 MSI (s) (40:68) [20:15:19:921]: Executing op: SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Bin\|Program Files\Symantec\Name\Version\Bin\)
 MSI (s) (40:68) [20:15:19:921]: Executing op: FileCopy(SourceName=smcinst.exe,SourceCabKey=smcinst.exe,DestName=smcinst.exe,Attributes=512,FileSize=476080,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,,)
 MSI (s) (40:68) [20:15:19:921]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\smcinst.exe; To be installed; Won't patch; No existing file
 MSI (s) (40:68) [20:15:19:921]: Source for file 'smcinst.exe' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
 InstallFiles: Файл: smcinst.exe, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 476080
 MSI (s) (40:68) [20:15:19:921]: Note: 1: 2318 2: C:\Program

SEP_INST.log

Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\smcinst.exe
MSI (s) (40:68) [20:15:19:921]: Executing op: SetTargetFolder(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\)
MSI (s) (40:68) [20:15:19:921]: Executing op:
SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Res\1049\|Program
Files\Symantec\Name\Version\Res\1049\)
MSI (s) (40:68) [20:15:19:921]: Executing op:
FileCopy(SourceName=suqtv5qa.dll|SmcInstRes.dll,SourceCabKey=SmcInstRes.dll,Dest
Name=SmcInstRes.dll,Attributes=512,FileSize=11632,PerTick=32768,,VerifyMedia=1,,
,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,,)
MSI (s) (40:68) [20:15:19:921]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Res\1049\SmcInstRes.dll; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:19:921]: Source for file 'SmcInstRes.dll' is
uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Res\1049\'.
InstallFiles: Файл: SmcInstRes.dll, Каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Res\1049\, Размер: 11632
MSI (s) (40:68) [20:15:19:921]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Res\1049\SmcInstRes.dll
MSI (s) (40:68) [20:15:19:953]: Executing op:
FileCopy(SourceName=SmcRes.dll,SourceCabKey=SmcRes.dll,DestName=SmcRes.dll,Attri
butes=512,FileSize=139120,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12
.1.671.4971,Language=1033,InstallMode=58982400,,,,,,)
MSI (s) (40:68) [20:15:19:953]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Res\1049\SmcRes.dll; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:19:953]: Source for file 'SmcRes.dll' is uncompressed, at
'E:\SEP\Program Files\Symantec\Name\Version\Res\1049\'.
InstallFiles: Файл: SmcRes.dll, Каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Res\1049\, Размер: 139120
MSI (s) (40:68) [20:15:19:953]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Res\1049\SmcRes.dll
MSI (s) (40:68) [20:15:19:953]: Executing op: SetTargetFolder(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)
MSI (s) (40:68) [20:15:19:953]: Executing op:
SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Bin\|Program
Files\Symantec\Name\Version\Bin\)
MSI (s) (40:68) [20:15:19:953]: Executing op:
FileCopy(SourceName=pesujnzz.dll|SMCTrayStatus.dll,SourceCabKey=SMCTrayStatus.dl
l,DestName=SMCTrayStatus.dll,Attributes=512,FileSize=68528,PerTick=32768,,Verify
Media=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,
,,,,,,)
MSI (s) (40:68) [20:15:19:953]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\SMCTrayStatus.dll; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:19:953]: Source for file 'SMCTrayStatus.dll' is
uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: Файл: SMCTrayStatus.dll, Каталог: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер:
68528
MSI (s) (40:68) [20:15:19:953]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\SMCTrayStatus.dll
MSI (s) (40:68) [20:15:19:953]: Executing op:
FileCopy(SourceName=sms.dll,SourceCabKey=sms.dll,DestName=sms.dll,Attributes=512
,FileSize=167344,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.49
71,Language=1033,InstallMode=58982400,,,,,,)
MSI (s) (40:68) [20:15:19:953]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\sms.dll; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:19:953]: Source for file 'sms.dll' is uncompressed, at
'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: Файл: sms.dll, Каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 167344
MSI (s) (40:68) [20:15:19:953]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\sms.dll

SEP_INST.log

MSI (s) (40:68) [20:15:19:953]: Executing op:
FileCopy(SourceName=snac.exe,SourceCabKey=snac.exe,DestName=snac.exe,Attributes=512,FileSize=280496,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,,)
MSI (s) (40:68) [20:15:19:953]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\snac.exe; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:19:953]: Source for file 'snac.exe' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: Файл: snac.exe, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 280496
MSI (s) (40:68) [20:15:19:953]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\snac.exe
MSI (s) (40:68) [20:15:19:953]: Executing op:
FileCopy(SourceName=snacnp.dll,SourceCabKey=snacnp.dll,DestName=snacnp.dll,Attributes=512,FileSize=58288,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,,)
MSI (s) (40:68) [20:15:19:953]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\snacnp.dll; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:19:953]: Source for file 'snacnp.dll' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: Файл: snacnp.dll, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 58288
MSI (s) (40:68) [20:15:19:953]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\snacnp.dll
MSI (s) (40:68) [20:15:19:953]: Executing op:
FileCopy(SourceName=dtm9s668.dll|SNACTrayStatus.dll,SourceCabKey=SNACTrayStatus.dll,DestName=SNACTrayStatus.dll,Attributes=512,FileSize=55216,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,,)
MSI (s) (40:68) [20:15:19:953]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SNACTrayStatus.dll; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:19:953]: Source for file 'SNACTrayStatus.dll' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: Файл: SNACTrayStatus.dll, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 55216
MSI (s) (40:68) [20:15:19:953]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SNACTrayStatus.dll
MSI (s) (40:68) [20:15:19:953]: Executing op:
FileCopy(SourceName=SNDSvc.dll,SourceCabKey=SNDCore_.SNDSvc.dll,DestName=SNDSvc.dll,Attributes=1536,FileSize=342992,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=11.1.2.6,Language=1033,InstallMode=58982400,,,,,,)
MSI (s) (40:68) [20:15:19:953]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SNDSvc.dll; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:19:953]: Source for file 'SNDSvc.dll' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: Файл: SNDSvc.dll, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 342992
MSI (s) (40:68) [20:15:19:953]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SNDSvc.dll
MSI (s) (40:68) [20:15:19:953]: Executing op:
FileCopy(SourceName=SymNeti.dll,SourceCabKey=SNDCore_.SymNeti.dll,DestName=SymNeti.dll,Attributes=1536,FileSize=223696,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=11.1.2.6,Language=1033,InstallMode=58982400,,,,,,)
MSI (s) (40:68) [20:15:19:953]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SymNeti.dll; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:19:953]: Source for file 'SymNeti.dll' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: Файл: SymNeti.dll, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 223696
MSI (s) (40:68) [20:15:19:953]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SymNeti.dll

SEP_INST.log

```

MSI (s) (40:68) [20:15:19:968]: Executing op:
FileCopy(SourceName=SymRdrSv.dll,SourceCabKey=SNDCore_...SymRdrSv.dll,DestName=SymRdrSv.dll,Attributes=1536,FileSize=49616,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=11.1.2.6,Language=1033,InstallMode=58982400,,,,,)
MSI (s) (40:68) [20:15:19:968]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SymRdrSv.dll; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:19:968]: Source for file 'SymRdrSv.dll' is uncompressed,
at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: Файл: SymRdrSv.dll, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 49616
MSI (s) (40:68) [20:15:19:968]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SymRdrSv.dll
MSI (s) (40:68) [20:15:19:968]: Executing op:
FileCopy(SourceName=SymRedir.dll,SourceCabKey=SNDCore_...SymRedir.dll,DestName=SymRedir.dll,Attributes=1536,FileSize=63440,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=11.1.2.6,Language=1033,InstallMode=58982400,,,,,)
MSI (s) (40:68) [20:15:19:968]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SymRedir.dll; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:19:968]: Source for file 'SymRedir.dll' is uncompressed,
at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: Файл: SymRedir.dll, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 63440
MSI (s) (40:68) [20:15:19:968]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SymRedir.dll
MSI (s) (40:68) [20:15:19:968]: Executing op:
FileCopy(SourceName=WFPUnins.exe,SourceCabKey=SNDCore_...WFPUnins.exe,DestName=WFPUnins.exe,Attributes=1536,FileSize=192976,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=11.1.2.6,Language=1033,InstallMode=58982400,,,,,)
MSI (s) (40:68) [20:15:19:968]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\WFPUnins.exe; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:19:968]: Source for file 'WFPUnins.exe' is uncompressed,
at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: Файл: WFPUnins.exe, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 192976
MSI (s) (40:68) [20:15:19:968]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\WFPUnins.exe
MSI (s) (40:68) [20:15:19:968]: Executing op:
SetTargetFolder(Folder=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\symnetdrv\)
MSI (s) (40:68) [20:15:19:968]: Executing op:
SetSourceFolder(Folder=1\ComApp\Symc\Name\Version\Data\m82h-9ir\|CommonAppData\Symc\Name\Version\Data\symnetdrv\)
MSI (s) (40:68) [20:15:19:968]: Executing op:
FileCopy(SourceName=RULE_ORG.dat,SourceCabKey=SNDCore_...RULE_ORG.dat,DestName=RULE_ORG.dat,Attributes=1536,FileSize=5316,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,,,InstallMode=58982400,HashOptions=0,HashPart1=1508200999,HashPart2=1517452392,HashPart3=-792760589,HashPart4=-1380101828,,)
MSI (s) (40:68) [20:15:19:968]: File: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\symnetdrv\RULE_ORG.dat; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:19:968]: Source for file 'RULE_ORG.dat' is uncompressed,
at 'E:\SEP\CommonAppData\Symc\Name\Version\Data\symnetdrv\'.
InstallFiles: Файл: RULE_ORG.dat, Каталог: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\symnetdrv\, Размер: 5316
MSI (s) (40:68) [20:15:19:968]: Note: 1: 2318 2: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\symnetdrv\RULE_ORG.dat
MSI (s) (40:68) [20:15:19:984]: Executing op:
FileCopy(SourceName=SET_ORG.dat,SourceCabKey=SNDCore_...SET_ORG.dat,DestName=SET_ORG.dat,Attributes=1536,FileSize=3020,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,,,InstallMode=58982400,HashOptions=0,HashPart1=-1515415600,HashPart2=1767385074,HashPart3=906470064,HashPart4=-1387822427,,)
MSI (s) (40:68) [20:15:19:984]: File: C:\Documents and Settings\All

```

SEP_INST.log

Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\symnetdrv\SET_ORG.dat; To be installed; Won't patch; No existing file
MSI (s) (40:68) [20:15:19:984]: Source for file 'SET_ORG.dat' is uncompressed, at 'E:\SEP\CommonAppData\Symc\Name\Version\Data\symnetdrv\'.
InstallFiles: файл: SET_ORG.dat, Каталог: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\symnetdrv\, Размер: 3020
MSI (s) (40:68) [20:15:19:984]: Note: 1: 2318 2: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\symnetdrv\SET_ORG.dat
MSI (s) (40:68) [20:15:19:984]: Executing op: SetTargetFolder(Folder=C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\)
MSI (s) (40:68) [20:15:19:984]: Executing op: SetSourceFolder(Folder=1\System32\Drivers\Name\Version\BuildNum\x86\)
MSI (s) (40:68) [20:15:19:984]: Executing op: FileCopy(SourceName=symnetv.cat,SourceCabKey=SNL_DTMV_.symnetv.cat,DestName=symnetv.cat,Attributes=1536,FileSize=7877,PerTick=32768,,VerifyMedia=1,,,,CheckCRC=0,,,InstallMode=58982400,HashOptions=0,HashPart1=809832598,HashPart2=43984622,HashPart3=-2063296334,HashPart4=1035257983,,)
MSI (s) (40:68) [20:15:19:984]: File: C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\symnetv.cat; To be installed; Won't patch; No existing file
MSI (s) (40:68) [20:15:19:984]: Source for file 'symnetv.cat' is uncompressed, at 'E:\SEP\System32\Drivers\Name\Version\BuildNum\x86\'.
InstallFiles: файл: symnetv.cat, Каталог: C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\, Размер: 7877
MSI (s) (40:68) [20:15:19:984]: Note: 1: 2318 2: C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\symnetv.cat
MSI (s) (40:68) [20:15:19:984]: Executing op: FileCopy(SourceName=SymNetV.inf,SourceCabKey=SNL_DTMV_.SymNetV.inf,DestName=SymNetV.inf,Attributes=1536,FileSize=1473,PerTick=32768,,VerifyMedia=1,,,,CheckCRC=0,,,InstallMode=58982400,HashOptions=0,HashPart1=-975773975,HashPart2=1016780534,HashPart3=-866614234,HashPart4=-1491954321,,)
MSI (s) (40:68) [20:15:19:984]: File: C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\SymNetV.inf; To be installed; Won't patch; No existing file
MSI (s) (40:68) [20:15:19:984]: Source for file 'SymNetV.inf' is uncompressed, at 'E:\SEP\System32\Drivers\Name\Version\BuildNum\x86\'.
InstallFiles: файл: SymNetV.inf, Каталог: C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\, Размер: 1473
MSI (s) (40:68) [20:15:19:984]: Note: 1: 2318 2: C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\SymNetV.inf
MSI (s) (40:68) [20:15:19:984]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\)
MSI (s) (40:68) [20:15:19:984]: Executing op: SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Bin\191b4hn8\|Program Files\Symantec\Name\Version\Bin\SPManifests\)
MSI (s) (40:68) [20:15:19:984]: Executing op: FileCopy(SourceName=snd.grd,SourceCabKey=SNL_SymProtect_.snd.grd,DestName=snd.grd,Attributes=1536,FileSize=229,PerTick=32768,,VerifyMedia=1,,,,CheckCRC=0,,,InstallMode=58982400,HashOptions=0,HashPart1=-1246691097,HashPart2=-1714185137,HashPart3=-1160218124,HashPart4=1396171702,,)
MSI (s) (40:68) [20:15:19:984]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\snd.grd; To be installed; Won't patch; No existing file
MSI (s) (40:68) [20:15:19:984]: Source for file 'snd.grd' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\SPManifests\'.
InstallFiles: файл: snd.grd, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\, Размер: 229
MSI (s) (40:68) [20:15:19:984]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\snd.grd
MSI (s) (40:68) [20:15:19:984]: Executing op: FileCopy(SourceName=snd.sig,SourceCabKey=SNL_SymProtect_.snd.sig,DestName=snd.sig,Attributes=1536,FileSize=2267,PerTick=32768,,VerifyMedia=1,,,,CheckCRC=0,,,InstallMode=58982400,HashOptions=0,HashPart1=-593035791,HashPart2=-1272059658,HashPart3=-1616638822,HashPart4=-349892681,,)

SEP_INST.log

MSI (s) (40:68) [20:15:19:984]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\snd.sig; To be installed; Won't patch; No existing file

MSI (s) (40:68) [20:15:19:984]: Source for file 'snd.sig' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\SPManifests\'.
InstallFiles: файл: snd.sig, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\, Размер: 2267

MSI (s) (40:68) [20:15:19:984]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\snd.sig

MSI (s) (40:68) [20:15:19:984]: Executing op: FileCopy(SourceName=snd.spm,SourceCabKey=SPNET_SymProtect.1.snd.spm, DestName=snd.spm,Attributes=1536,FileSize=2472,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,,,InstallMode=58982400,HashOptions=0,HashPart1=1217782583,HashPart2=1305519572,HashPart3=1898783661,HashPart4=-1874316114,,)

MSI (s) (40:68) [20:15:19:984]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\snd.spm; To be installed; Won't patch; No existing file

MSI (s) (40:68) [20:15:19:984]: Source for file 'snd.spm' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\SPManifests\'.
InstallFiles: файл: snd.spm, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\, Размер: 2472

MSI (s) (40:68) [20:15:19:984]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\snd.spm

MSI (s) (40:68) [20:15:19:984]: Executing op: SetTargetFolder(Folder=C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\)

MSI (s) (40:68) [20:15:19:984]: Executing op: SetSourceFolder(Folder=1\System32\Drivers\Name\Version\BuildNum\x86\)

MSI (s) (40:68) [20:15:19:984]: Executing op: FileCopy(SourceName=symtdi.sys,SourceCabKey=SPNET_XP_Drivers.1.symtdi.sys, DestName=symtdi.sys,Attributes=1536,FileSize=369784,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=11.1.2.5,Language=1033,InstallMode=58982400,,,,,,)

MSI (s) (40:68) [20:15:19:984]: File: C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\symtdi.sys; To be installed; Won't patch; No existing file

MSI (s) (40:68) [20:15:19:984]: Source for file 'symtdi.sys' is uncompressed, at 'E:\SEP\System32\Drivers\Name\Version\BuildNum\x86\'.
InstallFiles: файл: symtdi.sys, Каталог: C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\, Размер: 369784

MSI (s) (40:68) [20:15:19:984]: Note: 1: 2318 2: C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\symtdi.sys

MSI (s) (40:68) [20:15:19:984]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)

MSI (s) (40:68) [20:15:19:984]: Executing op: SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Bin\|Program Files\Symantec\Name\Version\Bin\)

MSI (s) (40:68) [20:15:19:984]: Executing op: FileCopy(SourceName=SpNet.dll,SourceCabKey=SpNet.dll, DestName=SpNet.dll,Attributes=512,FileSize=399792,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,,)

MSI (s) (40:68) [20:15:19:984]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SpNet.dll; To be installed; Won't patch; No existing file

MSI (s) (40:68) [20:15:19:984]: Source for file 'SpNet.dll' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: файл: SpNet.dll, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 399792

MSI (s) (40:68) [20:15:19:984]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SpNet.dll

MSI (s) (40:68) [20:15:20:015]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\)

MSI (s) (40:68) [20:15:20:015]: Executing op: SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Res\1049\|Program Files\Symantec\Name\Version\Res\1049\)

MSI (s) (40:68) [20:15:20:015]: Executing op: FileCopy(SourceName=SpNetRes.dll,SourceCabKey=SpNetRes.dll, DestName=SpNetRes.dll,Attributes=512,FileSize=158064,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,,)

SEP_INST.log

```

ion=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,)
MSI (s) (40:68) [20:15:20:015]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Res\1049\SpNetRes.dll; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:20:015]: Source for file 'SpNetRes.dll' is uncompressed,
at 'E:\SEP\Program Files\Symantec\Name\Version\Res\1049\'.
InstallFiles: Файл: SpNetRes.dll, Каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Res\1049\, Размер: 158064
MSI (s) (40:68) [20:15:20:015]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Res\1049\SpNetRes.dll
MSI (s) (40:68) [20:15:20:015]: Executing op:
SetTargetFolder(Folder=C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\))
MSI (s) (40:68) [20:15:20:015]: Executing op:
SetSourceFolder(Folder=1\System32\Drivers\Name\Version\BuildNum\x86\))
MSI (s) (40:68) [20:15:20:015]: Executing op:
FileCopy(SourceName=srtsp.cat,SourceCabKey=SRTSPk32_.srtsp.cat,DestName=srtsp.c
at,Attributes=1536,FileSize=7492,PerTick=32768,,VerifyMedia=1,,,,CheckCRC=0,,,I
nstallMode=58982400,HashOptions=0,HashPart1=-1044888930,HashPart2=-1855444407,Ha
shPart3=-686170813,HashPart4=-169223836,,)
MSI (s) (40:68) [20:15:20:015]: File:
C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\srtsp.cat; To be
installed; Won't patch; No existing file
MSI (s) (40:68) [20:15:20:015]: Source for file 'srtsp.cat' is uncompressed, at
'E:\SEP\System32\Drivers\Name\Version\BuildNum\x86\'.
InstallFiles: Файл: srtsp.cat, Каталог:
C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\, Размер: 7492
MSI (s) (40:68) [20:15:20:015]: Note: 1: 2318 2:
C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\srtsp.cat
MSI (s) (40:68) [20:15:20:015]: Executing op:
FileCopy(SourceName=srtsp.inf,SourceCabKey=SRTSPk32_.srtsp.inf,DestName=srtsp.i
nf,Attributes=1536,FileSize=1383,PerTick=32768,,VerifyMedia=1,,,,CheckCRC=0,,,I
nstallMode=58982400,HashOptions=0,HashPart1=-325970712,HashPart2=-1210358568,Has
hPart3=-1020978712,HashPart4=146142120,,)
MSI (s) (40:68) [20:15:20:015]: File:
C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\srtsp.inf; To be
installed; Won't patch; No existing file
MSI (s) (40:68) [20:15:20:015]: Source for file 'srtsp.inf' is uncompressed, at
'E:\SEP\System32\Drivers\Name\Version\BuildNum\x86\'.
InstallFiles: Файл: srtsp.inf, Каталог:
C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\, Размер: 1383
MSI (s) (40:68) [20:15:20:015]: Note: 1: 2318 2:
C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\srtsp.inf
MSI (s) (40:68) [20:15:20:015]: Executing op:
FileCopy(SourceName=srtsp.sys,SourceCabKey=SRTSPk32_.srtsp.sys,DestName=srtsp.s
ys,Attributes=1536,FileSize=516216,PerTick=32768,,VerifyMedia=1,,,,CheckCRC=0,V
ersion=12.3.2.11,Language=1033,InstallMode=58982400,,,,,)
MSI (s) (40:68) [20:15:20:015]: File:
C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\srtsp.sys; To be
installed; Won't patch; No existing file
MSI (s) (40:68) [20:15:20:015]: Source for file 'srtsp.sys' is uncompressed, at
'E:\SEP\System32\Drivers\Name\Version\BuildNum\x86\'.
InstallFiles: Файл: srtsp.sys, Каталог:
C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\, Размер: 516216
MSI (s) (40:68) [20:15:20:015]: Note: 1: 2318 2:
C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\srtsp.sys
MSI (s) (40:68) [20:15:20:015]: Executing op:
FileCopy(SourceName=srtsp.x.cat,SourceCabKey=SRTSPk32_.srtsp.x.cat,DestName=srtsp
x.cat,Attributes=1536,FileSize=7496,PerTick=32768,,VerifyMedia=1,,,,CheckCRC=0,
,,InstallMode=58982400,HashOptions=0,HashPart1=848531931,HashPart2=-1916480251,H
ashPart3=231271292,HashPart4=-1754195312,,)
MSI (s) (40:68) [20:15:20:015]: File:
C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\srtsp.x.cat; To be
installed; Won't patch; No existing file
MSI (s) (40:68) [20:15:20:015]: Source for file 'srtsp.x.cat' is uncompressed, at
'E:\SEP\System32\Drivers\Name\Version\BuildNum\x86\'.
InstallFiles: Файл: srtsp.x.cat, Каталог:
C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\, Размер: 7496

```

SEP_INST.log

MSI (s) (40:68) [20:15:20:015]: Note: 1: 2318 2:
C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\srtspcx.cat
MSI (s) (40:68) [20:15:20:015]: Executing op:
FileCopy(SourceName=srtspcx.inf,SourceCabKey=SRTSPk32.____.srtspcx.inf,DestName=srtspcx.inf,Attributes=1536,FileSize=1389,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,,InstallMode=58982400,HashOptions=0,HashPart1=-1060130335,HashPart2=-1436176884,HashPart3=-2050817777,HashPart4=867055609,,)
MSI (s) (40:68) [20:15:20:015]: File:
C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\srtspcx.inf; To be installed; won't patch; No existing file
MSI (s) (40:68) [20:15:20:015]: Source for file 'srtspcx.inf' is uncompressed, at 'E:\SEP\System32\Drivers\Name\Version\BuildNum\x86\'.
InstallFiles: Файл: srtspcx.inf, Каталог: C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\, Размер: 1389
MSI (s) (40:68) [20:15:20:015]: Note: 1: 2318 2:
C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\srtspcx.inf
MSI (s) (40:68) [20:15:20:015]: Executing op:
FileCopy(SourceName=srtspcx.sys,SourceCabKey=SRTSPk32.____.srtspcx.sys,DestName=srtspcx.sys,Attributes=1536,FileSize=50168,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.3.2.11,Language=1033,InstallMode=58982400,,,,,,)
MSI (s) (40:68) [20:15:20:015]: File:
C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\srtspcx.sys; To be installed; won't patch; No existing file
MSI (s) (40:68) [20:15:20:015]: Source for file 'srtspcx.sys' is uncompressed, at 'E:\SEP\System32\Drivers\Name\Version\BuildNum\x86\'.
InstallFiles: Файл: srtspcx.sys, Каталог: C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\, Размер: 50168
MSI (s) (40:68) [20:15:20:015]: Note: 1: 2318 2:
C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\srtspcx.sys
MSI (s) (40:68) [20:15:20:015]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\)
MSI (s) (40:68) [20:15:20:015]: Executing op:
SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Bin\191b4hn8\|Program Files\Symantec\Name\Version\Bin\SPManifests\)
MSI (s) (40:68) [20:15:20:015]: Executing op:
FileCopy(SourceName=srt.grd,SourceCabKey=SRTSPMft.____.srt.grd,DestName=srt.grd,Attributes=1536,FileSize=229,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,,,InstallMode=58982400,HashOptions=0,HashPart1=-1111027570,HashPart2=-1223957196,HashPart3=-1588482161,HashPart4=1203355854,,)
MSI (s) (40:68) [20:15:20:015]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\srt.grd; To be installed; won't patch; No existing file
MSI (s) (40:68) [20:15:20:015]: Source for file 'srt.grd' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\SPManifests\'.
InstallFiles: Файл: srt.grd, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\, Размер: 229
MSI (s) (40:68) [20:15:20:015]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\srt.grd
MSI (s) (40:68) [20:15:20:031]: Executing op:
FileCopy(SourceName=srt.sig,SourceCabKey=SRTSPMft.____.srt.sig,DestName=srt.sig,Attributes=1536,FileSize=2604,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,,,InstallMode=58982400,HashOptions=0,HashPart1=638330652,HashPart2=1789066924,HashPart3=405703598,HashPart4=-550197373,,)
MSI (s) (40:68) [20:15:20:031]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\srt.sig; To be installed; won't patch; No existing file
MSI (s) (40:68) [20:15:20:031]: Source for file 'srt.sig' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\SPManifests\'.
InstallFiles: Файл: srt.sig, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\, Размер: 2604
MSI (s) (40:68) [20:15:20:031]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\srt.sig
MSI (s) (40:68) [20:15:20:031]: Executing op:
FileCopy(SourceName=srt.spm,SourceCabKey=SRTSPMft.____.srt.spm,DestName=srt.spm,Attributes=1536,FileSize=3000,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,,,InstallMode=58982400,HashOptions=0,HashPart1=1726552222,HashPart2=1053709714,HashPart3=

SEP_INST.log

```

1473105210,HashPart4=-902950009,,)
MSI (s) (40:68) [20:15:20:031]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\srt.spm; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:20:031]: Source for file 'srt.spm' is uncompressed, at
'E:\SEP\Program Files\Symantec\Name\Version\Bin\SPManifests\'.
InstallFiles: файл: srt.spm, Каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\, Размер: 3000
MSI (s) (40:68) [20:15:20:031]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\SPManifests\srt.spm
MSI (s) (40:68) [20:15:20:031]: Executing op:
SetTargetFolder(Folder=C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\SRTPSP\))
MSI (s) (40:68) [20:15:20:031]: Executing op:
SetSourceFolder(Folder=1\ComApp\Symc\Name\Version\Data\SRTPSP\|CommonAppData\Symc
\Name\Version\Data\SRTPSP\))
MSI (s) (40:68) [20:15:20:031]: Executing op:
FileCopy(SourceName=SRTPSPSE.DAT,SourceCabKey=SRTPSPOptions_Dynamic_.SRTPSPSE.DAT,
DestName=SRTPSPSE.DAT,Attributes=512,FileSize=284,PerTick=32768,,VerifyMedia=1,,
,,CheckCRC=0,,,InstallMode=58982400,HashOptions=0,HashPart1=-542099361,HashPart2
=463868741,HashPart3=-1382064235,HashPart4=1685530955,,)
MSI (s) (40:68) [20:15:20:031]: File: C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\SRTPSP\SRTPSPSE.DAT; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:20:031]: Source for file 'SRTPSPSE.DAT' is uncompressed,
at 'E:\SEP\CommonAppData\Symc\Name\Version\Data\SRTPSP\'.
InstallFiles: файл: SRTPSPSE.DAT, Каталог: C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\SRTPSP\, Размер: 284
MSI (s) (40:68) [20:15:20:031]: Note: 1: 2318 2: C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\SRTPSP\SRTPSPSE.DAT
MSI (s) (40:68) [20:15:20:031]: Executing op:
FileCopy(SourceName=SrtspSet.dat,SourceCabKey=SRTPSPOptions_Dynamic_.SrtspSet.da
t,DestName=SrtspSet.dat,Attributes=512,FileSize=3004,PerTick=32768,,VerifyMedia=
1,,,,,CheckCRC=0,,,InstallMode=58982400,HashOptions=0,HashPart1=-257017537,HashP
art2=-1456394223,HashPart3=-1269267250,HashPart4=-1201498294,,)
MSI (s) (40:68) [20:15:20:031]: File: C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\SRTPSP\SrtspSet.dat; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:20:031]: Source for file 'SrtspSet.dat' is uncompressed,
at 'E:\SEP\CommonAppData\Symc\Name\Version\Data\SRTPSP\'.
InstallFiles: файл: SrtspSet.dat, Каталог: C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\SRTPSP\, Размер: 3004
MSI (s) (40:68) [20:15:20:031]: Note: 1: 2318 2: C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\SRTPSP\SrtspSet.dat
MSI (s) (40:68) [20:15:20:031]: Executing op:
FileCopy(SourceName=SRTPSPSO.DAT,SourceCabKey=SRTPSPOptions_Dynamic_.SRTPSPSO.DAT,
DestName=SRTPSPSO.DAT,Attributes=512,FileSize=2292,PerTick=32768,,VerifyMedia=1,,
,,CheckCRC=0,,,InstallMode=58982400,HashOptions=0,HashPart1=-1072338525,HashPar
t2=1255885858,HashPart3=1272125001,HashPart4=1563572847,,)
MSI (s) (40:68) [20:15:20:031]: File: C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\SRTPSP\SRTPSPSO.DAT; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:20:031]: Source for file 'SRTPSPSO.DAT' is uncompressed,
at 'E:\SEP\CommonAppData\Symc\Name\Version\Data\SRTPSP\'.
InstallFiles: файл: SRTPSPSO.DAT, Каталог: C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\SRTPSP\, Размер: 2292
MSI (s) (40:68) [20:15:20:031]: Note: 1: 2318 2: C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\SRTPSP\SRTPSPSO.DAT

```

SEP_INST.log

MSI (s) (40:68) [20:15:20:031]: Executing op:
FileCopy(SourceName=SRTSPSP.DAT,SourceCabKey=SRTSPOptions_Dynamic_.SRTSPSP.DAT, DestName=SRTSPSP.DAT,Attributes=512,FileSize=524,PerTick=32768,,VerifyMedia=1,,, ,CheckCRC=0,,,InstallMode=58982400,HashOptions=0,HashPart1=-1755587399,HashPart 2=1726346612,HashPart3=1073652480,HashPart4=-1259318492,,)
MSI (s) (40:68) [20:15:20:031]: File: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\SRTSP\SRTSPSP.DAT; To be installed; Won't patch; No existing file
MSI (s) (40:68) [20:15:20:031]: Source for file 'SRTSPSP.DAT' is uncompressed, at 'E:\SEP\CommonAppData\Symc\Name\Version\Data\SRTSP\'.
InstallFiles: файл: SRTSPSP.DAT, Каталог: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\SRTSP\, Размер: 524
MSI (s) (40:68) [20:15:20:031]: Note: 1: 2318 2: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\SRTSP\SRTSPSP.DAT
MSI (s) (40:68) [20:15:20:031]: Executing op:
FileCopy(SourceName=SRTSP.dat,SourceCabKey=SRTSPOptions_Static_.SRTSP.dat, DestName=SRTSP.dat,Attributes=1536,FileSize=11868,PerTick=32768,,VerifyMedia=1,,, ,CheckCRC=0,,,InstallMode=58982400,HashOptions=0,HashPart1=1723881287,HashPart2=-1219604099,HashPart3=74165090,HashPart4=1146276525,,)
MSI (s) (40:68) [20:15:20:031]: File: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\SRTSP\SRTSP.dat; To be installed; Won't patch; No existing file
MSI (s) (40:68) [20:15:20:031]: Source for file 'SRTSP.dat' is uncompressed, at 'E:\SEP\CommonAppData\Symc\Name\Version\Data\SRTSP\'.
InstallFiles: файл: SRTSP.dat, Каталог: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\SRTSP\, Размер: 11868
MSI (s) (40:68) [20:15:20:031]: Note: 1: 2318 2: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\SRTSP\SRTSP.dat
MSI (s) (40:68) [20:15:20:031]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)
MSI (s) (40:68) [20:15:20:031]: Executing op: SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Bin\|Program Files\Symantec\Name\Version\Bin\)
MSI (s) (40:68) [20:15:20:031]: Executing op:
FileCopy(SourceName=SavRT32.dll,SourceCabKey=SRTSPu32_.SavRT32.dll, DestName=Sav RT32.dll,Attributes=1536,FileSize=32696,PerTick=32768,,VerifyMedia=1,,,,,CheckCR C=0,Version=12.3.2.12,Language=1033,InstallMode=58982400,,,,,,)
MSI (s) (40:68) [20:15:20:031]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SavRT32.dll; To be installed; Won't patch; No existing file
MSI (s) (40:68) [20:15:20:031]: Source for file 'SavRT32.dll' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: файл: SavRT32.dll, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 32696
MSI (s) (40:68) [20:15:20:031]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SavRT32.dll
MSI (s) (40:68) [20:15:20:062]: Executing op:
FileCopy(SourceName=SRTSP_CA.exe,SourceCabKey=SRTSPu32_.SRTSP_CA.exe, DestName=S RTSP_CA.exe,Attributes=1536,FileSize=102840,PerTick=32768,,VerifyMedia=1,,,,,Che ckCRC=0,Version=12.3.2.12,Language=1033,InstallMode=58982400,,,,,,)
MSI (s) (40:68) [20:15:20:062]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SRTSP_CA.exe; To be installed; Won't patch; No existing file
MSI (s) (40:68) [20:15:20:062]: Source for file 'SRTSP_CA.exe' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: файл: SRTSP_CA.exe, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 102840
MSI (s) (40:68) [20:15:20:062]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SRTSP_CA.exe
MSI (s) (40:68) [20:15:20:062]: Executing op:
FileCopy(SourceName=Srtsp32.dll,SourceCabKey=SRTSPu32_.Srtsp32.dll, DestName=Srt sp32.dll,Attributes=1536,FileSize=387512,PerTick=32768,,VerifyMedia=1,,,,,CheckC

SEP_INST.log

```

RC=0,Version=12.3.2.12,Language=1033,InstallMode=58982400,,,,,)
MSI (s) (40:68) [20:15:20:062]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\Srtsp32.dll; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:20:062]: Source for file 'Srtsp32.dll' is uncompressed,
at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: Файл: Srtsp32.dll, Каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 387512
MSI (s) (40:68) [20:15:20:062]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\Srtsp32.dll
MSI (s) (40:68) [20:15:20:062]: Executing op:
FileCopy(SourceName=SRTSPP.dat,SourceCabKey=SRTSPu32. SRTSPP.dat,DestName=SRTSP
P.dat,Attributes=1536,FileSize=11868,PerTick=32768,,VerifyMedia=1,,,,CheckCRC=0
,,,InstallMode=58982400,HashOptions=0,HashPart1=1723881287,HashPart2=-1219604099
,HashPart3=74165090,HashPart4=1146276525,,)
MSI (s) (40:68) [20:15:20:062]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\SRTSPP.dat; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:20:062]: Source for file 'SRTSPP.dat' is uncompressed, at
'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: Файл: SRTSPP.dat, Каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 11868
MSI (s) (40:68) [20:15:20:062]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SRTSPP.dat
MSI (s) (40:68) [20:15:20:062]: Executing op: SetTargetFolder(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Scripts\
MSI (s) (40:68) [20:15:20:062]: Executing op:
SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Scripts\|Program
Files\Symantec\Name\Version\Scripts\
MSI (s) (40:68) [20:15:20:062]: Executing op:
FileCopy(SourceName=2wx7bena.sis|startrollback.sis,SourceCabKey=startrollback.si
s,DestName=startrollback.sis,Attributes=512,FileSize=262,PerTick=32768,,VerifyMe
dia=1,,,,CheckCRC=0,,,InstallMode=58982400,HashOptions=0,HashPart1=-1921649474,
HashPart2=-1624498370,HashPart3=916630498,HashPart4=-268432102,,)
MSI (s) (40:68) [20:15:20:062]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Scripts\startrollback.sis; To be
installed; Won't patch; No existing file
MSI (s) (40:68) [20:15:20:062]: Source for file 'startrollback.sis' is
uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Scripts\'.
InstallFiles: Файл: startrollback.sis, Каталог: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Scripts\, Размер:
262
MSI (s) (40:68) [20:15:20:062]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Scripts\startrollback.sis
MSI (s) (40:68) [20:15:20:062]: Executing op:
FileCopy(SourceName=startup.sis,SourceCabKey=startup.sis,DestName=startup.sis,At
tributes=512,FileSize=600,PerTick=32768,,VerifyMedia=1,,,,CheckCRC=0,,,InstallM
ode=58982400,HashOptions=0,HashPart1=1888539964,HashPart2=-2010606102,HashPart3=
-1742805358,HashPart4=1254387905,,)
MSI (s) (40:68) [20:15:20:062]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Scripts\startup.sis; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:20:062]: Source for file 'startup.sis' is uncompressed,
at 'E:\SEP\Program Files\Symantec\Name\Version\Scripts\'.
InstallFiles: Файл: startup.sis, Каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Scripts\, Размер: 600
MSI (s) (40:68) [20:15:20:062]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Scripts\startup.sis
MSI (s) (40:68) [20:15:20:062]: Executing op:
SetTargetFolder(Folder=C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Config\
MSI (s) (40:68) [20:15:20:062]: Executing op:
SetSourceFolder(Folder=1\ComApp\Symc\Name\Version\Data\Config\|CommonAppData\Sym
c\Name\Version\Data\Config\
MSI (s) (40:68) [20:15:20:062]: Executing op:
FileCopy(SourceName=stddef.dat,SourceCabKey=stddef.dat,DestName=stddef.dat,Attri

```

SEP_INST.log

```

butes=512,FileSize=34176,PerTick=32768,,VerifyMedia=1,,,,CheckCRC=0,,,InstallMo
de=58982400,HashOptions=0,HashPart1=190924112,HashPart2=-1366034048,HashPart3=18
32534954,HashPart4=728911370,,)
MSI (s) (40:68) [20:15:20:062]: File: C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Config\stddef.dat; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:20:062]: Source for file 'stddef.dat' is uncompressed, at
'E:\SEP\CommonAppData\Symc\Name\Version\Data\Config\'.
InstallFiles: файл: stddef.dat, Каталог: C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Config\, Размер: 34176
MSI (s) (40:68) [20:15:20:062]: Note: 1: 2318 2: C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpnt
Protection\12.1.671.4971.105\Data\Config\stddef.dat
MSI (s) (40:68) [20:15:20:062]: Executing op: SetTargetFolder(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\))
MSI (s) (40:68) [20:15:20:062]: Executing op:
SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Bin\|Program
Files\Symantec\Name\Version\Bin\))
MSI (s) (40:68) [20:15:20:062]: Executing op:
FileCopy(SourceName=cv-yymxa.dll|SubmissionsEim.dll,SourceCabKey=SubmissionsEim.
dll,DestName=SubmissionsEim.dll,Attributes=512,FileSize=535984,PerTick=32768,,Ve
rifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982
400,,,,,)
MSI (s) (40:68) [20:15:20:062]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\SubmissionsEim.dll; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:20:062]: Source for file 'SubmissionsEim.dll' is
uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: файл: SubmissionsEim.dll, Каталог: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер:
535984
MSI (s) (40:68) [20:15:20:062]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\SubmissionsEim.dll
MSI (s) (40:68) [20:15:20:062]: Executing op:
FileCopy(SourceName=2hu0zbyn.dll|SubmissionsEimProxy.dll,SourceCabKey=Submission
sEimProxy.dll,DestName=SubmissionsEimProxy.dll,Attributes=512,FileSize=75696,Per
Tick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,Ins
tallMode=58982400,,,,,)
MSI (s) (40:68) [20:15:20:062]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\SubmissionsEimProxy.dll; To be
installed; Won't patch; No existing file
MSI (s) (40:68) [20:15:20:062]: Source for file 'SubmissionsEimProxy.dll' is
uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: файл: SubmissionsEimProxy.dll, Каталог: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер:
75696
MSI (s) (40:68) [20:15:20:062]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\SubmissionsEimProxy.dll
MSI (s) (40:68) [20:15:20:078]: Executing op: SetTargetFolder(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\))
MSI (s) (40:68) [20:15:20:078]: Executing op:
SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Res\1049\|Program
Files\Symantec\Name\Version\Res\1049\))
MSI (s) (40:68) [20:15:20:078]: Executing op:
FileCopy(SourceName=8-wsoi8s.dll|SubmissionsEimRes.dll,SourceCabKey=SubmissionsE
imRes.dll,DestName=SubmissionsEimRes.dll,Attributes=512,FileSize=10096,PerTick=3
2768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMo
de=58982400,,,,,)
MSI (s) (40:68) [20:15:20:078]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Res\1049\SubmissionsEimRes.dll; To be
installed; Won't patch; No existing file
MSI (s) (40:68) [20:15:20:078]: Source for file 'SubmissionsEimRes.dll' is
uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Res\1049\'.
InstallFiles: файл: SubmissionsEimRes.dll, Каталог: C:\Program

```

SEP_INST.log

Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\,
Размер: 10096
MSI (s) (40:68) [20:15:20:078]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Res\1049\SubmissionsEimRes.dll
MSI (s) (40:68) [20:15:20:078]: Executing op: SetTargetFolder(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\
MSI (s) (40:68) [20:15:20:078]: Executing op:
SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Bin\|Program
Files\Symantec\Name\Version\Bin\
MSI (s) (40:68) [20:15:20:078]: Executing op:
FileCopy(SourceName=hsodm4uw.plg|SubmissionsMan.plg,SourceCabKey=SubmissionsMan.
plg,DestName=SubmissionsMan.plg,Attributes=512,FileSize=49584,PerTick=32768,,Ver
ifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=589824
00,,,,,,)
MSI (s) (40:68) [20:15:20:078]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\SubmissionsMan.plg; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:20:078]: Source for file 'SubmissionsMan.plg' is
uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\
InstallFiles: файл: SubmissionsMan.plg, Каталог: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер:
49584
MSI (s) (40:68) [20:15:20:078]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\SubmissionsMan.plg
MSI (s) (40:68) [20:15:20:078]: Executing op:
FileCopy(SourceName=qkli6bwm.dll|SubmissionsSISCustomAction.dll,SourceCabKey=Sub
missionsSISCustomAction.dll,DestName=SubmissionsSISCustomAction.dll,Attributes=5
12,FileSize=43440,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4
971,Language=1033,InstallMode=58982400,,,,,,)
MSI (s) (40:68) [20:15:20:078]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\SubmissionsSISCustomAction.dll;
To be installed; won't patch; No existing file
MSI (s) (40:68) [20:15:20:078]: Source for file 'SubmissionsSISCustomAction.dll'
is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\
InstallFiles: файл: SubmissionsSISCustomAction.dll, Каталог: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер:
43440
MSI (s) (40:68) [20:15:20:078]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\SubmissionsSISCustomAction.dll
MSI (s) (40:68) [20:15:20:078]: Executing op:
FileCopy(SourceName=se5jakbz.dll|SubmissionsSISOptOutCustomAction.dll,SourceCabK
ey=SubmissionsSISOptOutCustomAction.dll,DestName=SubmissionsSISOptOutCustomActio
n.dll,Attributes=512,FileSize=41904,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,
Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,,)
MSI (s) (40:68) [20:15:20:078]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\SubmissionsSISOptOutCustomAction.dll;
To be installed; won't patch; No existing file
MSI (s) (40:68) [20:15:20:078]: Source for file
'SubmissionsSISOptOutCustomAction.dll' is uncompressed, at 'E:\SEP\Program
Files\Symantec\Name\Version\Bin\
InstallFiles: файл: SubmissionsSISOptOutCustomAction.dll, Каталог: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер:
41904
MSI (s) (40:68) [20:15:20:078]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\SubmissionsSISOptOutCustomAction.dll
MSI (s) (40:68) [20:15:20:093]: Executing op:
FileCopy(SourceName=7qqlylzn.sys|SyDvCtrl32.sys,SourceCabKey=sydvctrl32.sys,Dest
Name=SyDvCtrl32.sys,Attributes=512,FileSize=23984,PerTick=32768,,VerifyMedia=1,,
,,CheckCRC=0,Version=1.0.0.0,Language=1033,InstallMode=58982400,,,,,,)
MSI (s) (40:68) [20:15:20:093]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\SyDvCtrl32.sys; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:20:093]: Source for file 'SyDvCtrl32.sys' is
uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\

SEP_INST.log

InstallFiles: Файл: SyDvCtrl32.sys, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 23984
 MSI (s) (40:68) [20:15:20:093]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SyDvCtrl32.sys

MSI (s) (40:68) [20:15:20:093]: Executing op: FileCopy(SourceName=SyLink.dll,SourceCabKey=SyLink.dll,DestName=SyLink.dll,Attributes=512,FileSize=1166768,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,,)

MSI (s) (40:68) [20:15:20:093]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SyLink.dll; To be installed;

Won't patch; No existing file

MSI (s) (40:68) [20:15:20:093]: Source for file 'SyLink.dll' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
 InstallFiles: Файл: SyLink.dll, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 1166768

MSI (s) (40:68) [20:15:20:093]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SyLink.dll

MSI (s) (40:68) [20:15:20:093]: Executing op: SetTargetFolder(Folder=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Config\)

MSI (s) (40:68) [20:15:20:093]: Executing op: SetSourceFolder(Folder=1\ComApp\Symc\Name\Version\Data\Config\|CommonAppData\Symc\Name\Version\Data\Config\)

MSI (s) (40:68) [20:15:20:093]: Executing op: FileCopy(SourceName=SyLink.xml,SourceCabKey=SyLink.xml,DestName=SyLink.xml,Attributes=512,FileSize=614,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,,,InstallMode=58982400,HashOptions=0,HashPart1=-458363185,HashPart2=1931484879,HashPart3=-752480339,HashPart4=285602371,,)

MSI (s) (40:68) [20:15:20:093]: File: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Config\SyLink.xml; To be installed;

Won't patch; No existing file

MSI (s) (40:68) [20:15:20:093]: Source for file 'SyLink.xml' is uncompressed, at 'E:\SEP\CommonAppData\Symc\Name\Version\Data\Config\'.
 InstallFiles: Файл: SyLink.xml, Каталог: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Config\, Размер: 614

MSI (s) (40:68) [20:15:20:093]: Note: 1: 2318 2: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Config\SyLink.xml

MSI (s) (40:68) [20:15:20:093]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)

MSI (s) (40:68) [20:15:20:093]: Executing op: SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Bin\|Program Files\Symantec\Name\Version\Bin\)

MSI (s) (40:68) [20:15:20:093]: Executing op: FileCopy(SourceName=cuj1bhb.exe|SyLinkDrop.exe,SourceCabKey=SyLinkDrop.exe,DestName=SyLinkDrop.exe,Attributes=512,FileSize=75184,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,,)

MSI (s) (40:68) [20:15:20:093]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SyLinkDrop.exe; To be installed;

Won't patch; No existing file

MSI (s) (40:68) [20:15:20:093]: Source for file 'SyLinkDrop.exe' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
 InstallFiles: Файл: SyLinkDrop.exe, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 75184

MSI (s) (40:68) [20:15:20:093]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SyLinkDrop.exe

MSI (s) (40:68) [20:15:20:093]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\)

MSI (s) (40:68) [20:15:20:093]: Executing op: SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Res\1049\|Program Files\Symantec\Name\Version\Res\1049\)

MSI (s) (40:68) [20:15:20:093]: Executing op: FileCopy(SourceName=gl1d2uuo.dll|SyLinkRes.dll,SourceCabKey=SyLinkRes.dll,DestName=SyLinkRes.dll,Attributes=512,FileSize=14704,PerTick=32768,,VerifyMedia=1,,,,,


```

SEP_INST.log
CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,)
MSI (s) (40:68) [20:15:20:093]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Res\1049\SyLinkRes.dll; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:20:093]: Source for file 'SyLinkRes.dll' is uncompressed,
at 'E:\SEP\Program Files\Symantec\Name\Version\Res\1049\'.
InstallFiles: файл: SyLinkRes.dll, Каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Res\1049\, Размер: 14704
MSI (s) (40:68) [20:15:20:093]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Res\1049\SyLinkRes.dll
MSI (s) (40:68) [20:15:20:093]: Executing op: SetTargetFolder(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\
MSI (s) (40:68) [20:15:20:093]: Executing op:
SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Bin\|Program
Files\Symantec\Name\Version\Bin\
MSI (s) (40:68) [20:15:20:093]: Executing op:
FileCopy(SourceName=ynaivcq8.dll|SyLinkSymInterfaceProxy.dll,SourceCabKey=SyLink
SymInterfaceProxy.dll,DestName=SyLinkSymInterfaceProxy.dll,Attributes=512,FileSi
ze=25008,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Langu
age=1033,InstallMode=58982400,,,,,)
MSI (s) (40:68) [20:15:20:093]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\SyLinkSymInterfaceProxy.dll; To be
installed; Won't patch; No existing file
MSI (s) (40:68) [20:15:20:093]: Source for file 'SyLinkSymInterfaceProxy.dll' is
uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: файл: SyLinkSymInterfaceProxy.dll, Каталог: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер:
25008
MSI (s) (40:68) [20:15:20:093]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\SyLinkSymInterfaceProxy.dll
MSI (s) (40:68) [20:15:20:093]: Executing op:
FileCopy(SourceName=SyLog.dll,SourceCabKey=SyLog.dll,DestName=SyLog.dll,Attribut
es=512,FileSize=101296,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.
671.4971,Language=1033,InstallMode=58982400,,,,,)
MSI (s) (40:68) [20:15:20:093]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\SyLog.dll; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:20:093]: Source for file 'SyLog.dll' is uncompressed, at
'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: файл: SyLog.dll, Каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 101296
MSI (s) (40:68) [20:15:20:093]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SyLog.dll
MSI (s) (40:68) [20:15:20:093]: Executing op:
FileCopy(SourceName=of7z2jaf.exe|SymCorpUI.exe,SourceCabKey=SymCorpUI.exe,DestNa
me=SymCorpUI.exe,Attributes=512,FileSize=770480,PerTick=32768,,VerifyMedia=1,,,,
,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,)
MSI (s) (40:68) [20:15:20:093]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\SymCorpUI.exe; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:20:093]: Source for file 'SymCorpUI.exe' is uncompressed,
at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: файл: SymCorpUI.exe, Каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 770480
MSI (s) (40:68) [20:15:20:093]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SymCorpUI.exe
MSI (s) (40:68) [20:15:20:156]: Executing op: SetTargetFolder(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\
MSI (s) (40:68) [20:15:20:156]: Executing op:
SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Res\1049\|Program
Files\Symantec\Name\Version\Res\1049\
MSI (s) (40:68) [20:15:20:156]: Executing op:
FileCopy(SourceName=gxqdcopf.dll|SymCorpUIres.dll,SourceCabKey=SymCorpUIres.dll,
DestName=SymCorpUIres.dll,Attributes=512,FileSize=1530224,PerTick=32768,,VerifyM
edia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,
,,,,)

```

SEP_INST.log

MSI (s) (40:68) [20:15:20:156]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\SymCorpUIres.dll; To be installed; won't patch; No existing file

MSI (s) (40:68) [20:15:20:156]: Source for file 'SymCorpUIres.dll' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Res\1049\'. InstallFiles: файл: SymCorpUIres.dll, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\, Размер: 1530224

MSI (s) (40:68) [20:15:20:218]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\SymCorpUIres.dll

MSI (s) (40:68) [20:15:20:296]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)

MSI (s) (40:68) [20:15:20:296]: Executing op: SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Bin\|Program Files\Symantec\Name\Version\Bin\)

MSI (s) (40:68) [20:15:20:296]: Executing op: FileCopy(SourceName=uo7lou-c.dll|SymDeltaDll.dll,SourceCabKey=SymDeltaDll.dll, DestName=SymDeltaDll.dll,Attributes=512,FileSize=244144,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,,)

MSI (s) (40:68) [20:15:20:296]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SymDeltaDll.dll; To be installed; Won't patch; No existing file

MSI (s) (40:68) [20:15:20:296]: Source for file 'SymDeltaDll.dll' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'. InstallFiles: файл: SymDeltaDll.dll, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 244144

MSI (s) (40:68) [20:15:20:296]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SymDeltaDll.dll

MSI (s) (40:68) [20:15:20:296]: Executing op: FileCopy(SourceName=DSCLI.dll,SourceCabKey=SYMDS_.DSCLI.dll, DestName=DSCLI.dll,Attributes=1536,FileSize=309160,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=1.2.1.6,Language=1033,InstallMode=58982400,,,,,,)

MSI (s) (40:68) [20:15:20:296]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\DSCLI.dll; To be installed; Won't patch; No existing file

MSI (s) (40:68) [20:15:20:296]: Source for file 'DSCLI.dll' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'. InstallFiles: файл: DSCLI.dll, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 309160

MSI (s) (40:68) [20:15:20:296]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\DSCLI.dll

MSI (s) (40:68) [20:15:20:296]: Executing op: SetTargetFolder(Folder=C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\)

MSI (s) (40:68) [20:15:20:296]: Executing op: SetSourceFolder(Folder=1\System32\Drivers\Name\Version\BuildNum\x86\)

MSI (s) (40:68) [20:15:20:296]: Executing op: FileCopy(SourceName=SymDS.cat,SourceCabKey=SymDSDriver_.SymDS.cat, DestName=SymDS.cat,Attributes=1536,FileSize=7450,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,,InstallMode=58982400,HashOptions=0,HashPart1=1878353057,HashPart2=-1464118816,HashPart3=90479021,HashPart4=1781973017,,)

MSI (s) (40:68) [20:15:20:296]: File: C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\SymDS.cat; To be installed; won't patch; No existing file

MSI (s) (40:68) [20:15:20:296]: Source for file 'SymDS.cat' is uncompressed, at 'E:\SEP\System32\Drivers\Name\Version\BuildNum\x86\'. InstallFiles: файл: SymDS.cat, Каталог: C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\, Размер: 7450

MSI (s) (40:68) [20:15:20:296]: Note: 1: 2318 2: C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\SymDS.cat

MSI (s) (40:68) [20:15:20:328]: Executing op: FileCopy(SourceName=SymDS.inf,SourceCabKey=SymDSDriver_.SymDS.inf, DestName=SymDS.inf,Attributes=1536,FileSize=2791,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,,InstallMode=58982400,HashOptions=0,HashPart1=-998024475,HashPart2=1399136312,HashPart3=1679659488,HashPart4=-1410704609,,)

MSI (s) (40:68) [20:15:20:328]: File:

SEP_INST.log

C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\SymDS.inf; To be installed; won't patch; No existing file

MSI (s) (40:68) [20:15:20:328]: Source for file 'SymDS.inf' is uncompressed, at 'E:\SEP\System32\Drivers\Name\Version\BuildNum\x86\'.
 InstallFiles: файл: SymDS.inf, каталог: C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\, Размер: 2791

MSI (s) (40:68) [20:15:20:359]: Note: 1: 2318 2: C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\SymDS.inf

MSI (s) (40:68) [20:15:20:359]: Executing op: FileCopy(SourceName=SymDS.sys,SourceCabKey=SymDSDriver.__.SymDS.sys,DestName=SymDS.sys,Attributes=1536,FileSize=340088,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=1.2.1.5,Language=1033,InstallMode=58982400,,,,,,)

MSI (s) (40:68) [20:15:20:359]: File: C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\SymDS.sys; To be installed; won't patch; No existing file

MSI (s) (40:68) [20:15:20:359]: Source for file 'SymDS.sys' is uncompressed, at 'E:\SEP\System32\Drivers\Name\Version\BuildNum\x86\'.
 InstallFiles: файл: SymDS.sys, каталог: C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\, Размер: 340088

MSI (s) (40:68) [20:15:20:359]: Note: 1: 2318 2: C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\SymDS.sys

MSI (s) (40:68) [20:15:20:359]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\)

MSI (s) (40:68) [20:15:20:359]: Executing op: SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Bin\191b4hn8\|Program Files\Symantec\Name\Version\Bin\SPManifests\)

MSI (s) (40:68) [20:15:20:359]: Executing op: FileCopy(SourceName=SymDS.grd,SourceCabKey=SymDSSPManifest.__.SymDS.grd,DestName=SymDS.grd,Attributes=1536,FileSize=231,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,,,InstallMode=58982400,HashOptions=0,HashPart1=1314024212,HashPart2=-1648645956,HashPart3=-8654752,HashPart4=1001885530,,)

MSI (s) (40:68) [20:15:20:359]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\SymDS.grd; To be installed; won't patch; No existing file

MSI (s) (40:68) [20:15:20:359]: Source for file 'SymDS.grd' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\SPManifests\'.
 InstallFiles: файл: SymDS.grd, каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\, Размер: 231

MSI (s) (40:68) [20:15:20:359]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\SymDS.grd

MSI (s) (40:68) [20:15:20:359]: Executing op: FileCopy(SourceName=SymDS.sig,SourceCabKey=SymDSSPManifest.__.SymDS.sig,DestName=SymDS.sig,Attributes=1536,FileSize=2274,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,,,InstallMode=58982400,HashOptions=0,HashPart1=617851442,HashPart2=-1315566135,HashPart3=675340421,HashPart4=1019998924,,)

MSI (s) (40:68) [20:15:20:359]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\SymDS.sig; To be installed; won't patch; No existing file

MSI (s) (40:68) [20:15:20:359]: Source for file 'SymDS.sig' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\SPManifests\'.
 InstallFiles: файл: SymDS.sig, каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\, Размер: 2274

MSI (s) (40:68) [20:15:20:359]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\SymDS.sig

MSI (s) (40:68) [20:15:20:375]: Executing op: FileCopy(SourceName=SymDS.spm,SourceCabKey=SymDSSPManifest.__.SymDS.spm,DestName=SymDS.spm,Attributes=1536,FileSize=1560,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,,,InstallMode=58982400,HashOptions=0,HashPart1=-1731023964,HashPart2=172435217,HashPart3=892245857,HashPart4=-1984819674,,)

MSI (s) (40:68) [20:15:20:375]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\SymDS.spm; To be installed; won't patch; No existing file

MSI (s) (40:68) [20:15:20:375]: Source for file 'SymDS.spm' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\SPManifests\'.
 InstallFiles: файл: SymDS.spm, каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\, Размер: 1560

SEP_INST.log

MSI (s) (40:68) [20:15:20:375]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\SymDS.spm

MSI (s) (40:68) [20:15:20:375]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)

MSI (s) (40:68) [20:15:20:375]: Executing op: SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Bin\|Program Files\Symantec\Name\Version\Bin\)

MSI (s) (40:68) [20:15:20:375]: Executing op: FileCopy(SourceName=EFACli.dll,SourceCabKey=SYMEFA.____EFACli.dll,DestName=EFACli.dll,Attributes=1536,FileSize=64936,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=2.2.0.69,Language=1033,InstallMode=58982400,,,,,,)

MSI (s) (40:68) [20:15:20:375]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\EFACli.dll; To be installed; Won't patch; No existing file

MSI (s) (40:68) [20:15:20:375]: Source for file 'EFACli.dll' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'. InstallFiles: Файл: EFACli.dll, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 64936

MSI (s) (40:68) [20:15:20:375]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\EFACli.dll

MSI (s) (40:68) [20:15:20:609]: Executing op: FileCopy(SourceName=EFAInst.exe,SourceCabKey=SYMEFA.____EFAInst.exe,DestName=EFAInst.exe,Attributes=1536,FileSize=64424,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=2.2.0.69,Language=1033,InstallMode=58982400,,,,,,)

MSI (s) (40:68) [20:15:20:609]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\EFAInst.exe; To be installed; Won't patch; No existing file

MSI (s) (40:68) [20:15:20:609]: Source for file 'EFAInst.exe' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'. InstallFiles: Файл: EFAInst.exe, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 64424

MSI (s) (40:68) [20:15:20:609]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\EFAInst.exe

MSI (s) (40:68) [20:15:20:609]: Executing op: SetTargetFolder(Folder=C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\)

MSI (s) (40:68) [20:15:20:609]: Executing op: SetSourceFolder(Folder=1\System32\Drivers\Name\Version\BuildNum\x86\)

MSI (s) (40:68) [20:15:20:609]: Executing op: FileCopy(SourceName=SymEFA.cat,SourceCabKey=SymEFADriver.____SymEFA.cat,DestName=SymEFA.cat,Attributes=1536,FileSize=7498,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,,InstallMode=58982400,HashOptions=0,HashPart1=157795433,HashPart2=1232073562,HashPart3=1692157262,HashPart4=-2077275484,,)

MSI (s) (40:68) [20:15:20:609]: File: C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\SymEFA.cat; To be installed; Won't patch; No existing file

MSI (s) (40:68) [20:15:20:609]: Source for file 'SymEFA.cat' is uncompressed, at 'E:\SEP\System32\Drivers\Name\Version\BuildNum\x86\'. InstallFiles: Файл: SymEFA.cat, Каталог: C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\, Размер: 7498

MSI (s) (40:68) [20:15:20:609]: Note: 1: 2318 2: C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\SymEFA.cat

MSI (s) (40:68) [20:15:20:609]: Executing op: FileCopy(SourceName=SymEFA.inf,SourceCabKey=SymEFADriver.____SymEFA.inf,DestName=SymEFA.inf,Attributes=1536,FileSize=3434,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,,InstallMode=58982400,HashOptions=0,HashPart1=94932515,HashPart2=1804612653,HashPart3=-1738588948,HashPart4=637184631,,)

MSI (s) (40:68) [20:15:20:609]: File: C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\SymEFA.inf; To be installed; Won't patch; No existing file

MSI (s) (40:68) [20:15:20:609]: Source for file 'SymEFA.inf' is uncompressed, at 'E:\SEP\System32\Drivers\Name\Version\BuildNum\x86\'. InstallFiles: Файл: SymEFA.inf, Каталог: C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\, Размер: 3434

MSI (s) (40:68) [20:15:20:609]: Note: 1: 2318 2: C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\SymEFA.inf

MSI (s) (40:68) [20:15:20:609]: Executing op: FileCopy(SourceName=SymEFA.sys,SourceCabKey=SymEFADriver.____SymEFA.sys,DestName=S

SEP_INST.log

```

ymEFA.sys,Attributes=1536,FileSize=756856,PerTick=32768,,VerifyMedia=1,,,,,Check
CRC=0,Version=2.2.0.69,Language=1033,InstallMode=58982400,,,,,,)
MSI (s) (40:68) [20:15:20:609]: File:
C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\SymEFA.sys;          To be
installed;          Won't patch;          No existing file
MSI (s) (40:68) [20:15:20:609]: Source for file 'SymEFA.sys' is uncompressed, at
'E:\SEP\System32\Drivers\Name\Version\BuildNum\x86\'.
InstallFiles: Файл: SymEFA.sys, Каталог:
C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\,  Размер: 756856
MSI (s) (40:68) [20:15:20:609]: Note: 1: 2318 2:
C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\SymEFA.sys
MSI (s) (40:68) [20:15:20:609]: Executing op: SetTargetFolder(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)
MSI (s) (40:68) [20:15:20:609]: Executing op:
SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Bin\|Program
Files\Symantec\Name\Version\Bin\)
MSI (s) (40:68) [20:15:20:609]: Executing op:
FileCopy(SourceName=etfrcmr.v.dll|SymNAPSHAgent.dll,SourceCabKey=SymNAPSHAgent.dl
l, DestName=SymNAPSHAgent.dll,Attributes=512,FileSize=76656,PerTick=32768,,Verify
Media=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,
,,,,,)
MSI (s) (40:68) [20:15:20:609]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\SymNAPSHAgent.dll;          To be installed;
Won't patch;          No existing file
MSI (s) (40:68) [20:15:20:609]: Source for file 'SymNAPSHAgent.dll' is
uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: Файл: SymNAPSHAgent.dll, Каталог: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\,  Размер:
76656
MSI (s) (40:68) [20:15:20:609]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\SymNAPSHAgent.dll
MSI (s) (40:68) [20:15:20:609]: Executing op:
FileCopy(SourceName=SymPP.dll,SourceCabKey=SymPP.dll, DestName=SymPP.dll,Attribut
es=512,FileSize=87984,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.6
71.4971,Language=1033,InstallMode=58982400,,,,,,)
MSI (s) (40:68) [20:15:20:609]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\SymPP.dll;          To be installed;
Won't patch;          No existing file
MSI (s) (40:68) [20:15:20:609]: Source for file 'SymPP.dll' is uncompressed, at
'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: Файл: SymPP.dll, Каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\,  Размер: 87984
MSI (s) (40:68) [20:15:20:609]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SymPP.dll
MSI (s) (40:68) [20:15:20:609]: Executing op:
SetTargetFolder(Folder=C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\)
MSI (s) (40:68) [20:15:20:609]: Executing op:
SetSourceFolder(Folder=1\ComApp\Symc\Name\Version\Data\|CommonAppData\Symc\Name\
Version\Data\)
MSI (s) (40:68) [20:15:20:609]: Executing op:
FileCopy(SourceName=SymPP.inf,SourceCabKey=SymPP.inf, DestName=SymPP.inf,Attribut
es=512,FileSize=743,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,,,InstallMode=58
982400,HashOptions=0,HashPart1=-1632117381,HashPart2=710954149,HashPart3=-782016
765,HashPart4=1008661135,,)
MSI (s) (40:68) [20:15:20:609]: File: C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\SymPP.inf;          To be installed;          won't
patch;          No existing file
MSI (s) (40:68) [20:15:20:609]: Source for file 'SymPP.inf' is uncompressed, at
'E:\SEP\CommonAppData\Symc\Name\Version\Data\'.
InstallFiles: Файл: SymPP.inf, Каталог: C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\,  Размер: 743
MSI (s) (40:68) [20:15:20:609]: Note: 1: 2318 2: C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\SymPP.inf

```

SEP_INST.log

MSI (s) (40:68) [20:15:20:609]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\)
MSI (s) (40:68) [20:15:20:609]: Executing op: SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Res\1049\|Program Files\Symantec\Name\Version\Res\1049\)
MSI (s) (40:68) [20:15:20:609]: Executing op: FileCopy(SourceName=qdoq_h2g.dll|SymProtectUIRes.dll,SourceCabKey=SymProtectUIRes.dll, DestName=SymProtectUIRes.dll, Attributes=512, FileSize=46448, PerTick=32768, , VerifyMedia=1, , , , CheckCRC=0, Version=12.1.671.4971, Language=1033, InstallMode=58982400, , , , ,)
MSI (s) (40:68) [20:15:20:609]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\SymProtectUIRes.dll; To be installed; Won't patch; No existing file
MSI (s) (40:68) [20:15:20:609]: Source for file 'SymProtectUIRes.dll' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Res\1049\'.
InstallFiles: файл: SymProtectUIRes.dll, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\, Размер: 46448
MSI (s) (40:68) [20:15:20:609]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\SymProtectUIRes.dll
MSI (s) (40:68) [20:15:20:625]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)
MSI (s) (40:68) [20:15:20:625]: Executing op: SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Bin\|Program Files\Symantec\Name\Version\Bin\)
MSI (s) (40:68) [20:15:20:625]: Executing op: FileCopy(SourceName=umjiui0g.dll|SymRasMan.dll,SourceCabKey=SymRasMan.dll, DestName=SymRasMan.dll, Attributes=512, FileSize=279984, PerTick=32768, , VerifyMedia=1, , , , CheckCRC=0, Version=12.1.671.4971, Language=1033, InstallMode=58982400, , , , ,)
MSI (s) (40:68) [20:15:20:625]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SymRasMan.dll; To be installed; Won't patch; No existing file
MSI (s) (40:68) [20:15:20:625]: Source for file 'SymRasMan.dll' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: файл: SymRasMan.dll, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 279984
MSI (s) (40:68) [20:15:20:625]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SymRasMan.dll
MSI (s) (40:68) [20:15:20:625]: Executing op: FileCopy(SourceName=SymVPN.dll,SourceCabKey=SymVPN.dll, DestName=SymVPN.dll, Attributes=512, FileSize=240048, PerTick=32768, , VerifyMedia=1, , , , CheckCRC=0, Version=12.1.671.4971, Language=1033, InstallMode=58982400, , , , ,)
MSI (s) (40:68) [20:15:20:625]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SymVPN.dll; To be installed; Won't patch; No existing file
MSI (s) (40:68) [20:15:20:625]: Source for file 'SymVPN.dll' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: файл: SymVPN.dll, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 240048
MSI (s) (40:68) [20:15:20:625]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SymVPN.dll
MSI (s) (40:68) [20:15:20:640]: Executing op: FileCopy(SourceName=060lqvlp.dll|SymVPNImpl.dll,SourceCabKey=SymVPNImpl.dll, DestName=SymVPNImpl.dll, Attributes=512, FileSize=385456, PerTick=32768, , VerifyMedia=1, , , , CheckCRC=0, Version=12.1.671.4971, Language=1033, InstallMode=58982400, , , , ,)
MSI (s) (40:68) [20:15:20:640]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SymVPNImpl.dll; To be installed; Won't patch; No existing file
MSI (s) (40:68) [20:15:20:640]: Source for file 'SymVPNImpl.dll' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: файл: SymVPNImpl.dll, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 385456
MSI (s) (40:68) [20:15:20:640]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SymVPNImpl.dll
MSI (s) (40:68) [20:15:20:640]: Executing op: FileCopy(SourceName=sysfer.dll,SourceCabKey=sysfer.dll, DestName=sysfer.dll, Attributes=512, FileSize=385456, PerTick=32768, , VerifyMedia=1, , , , CheckCRC=0, Version=12.1.671.4971, Language=1033, InstallMode=58982400, , , , ,)

SEP_INST.log

```

butes=512,FileSize=374704,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12
.1.671.4971,Language=1033,InstallMode=58982400,,,,,)
MSI (s) (40:68) [20:15:20:640]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\sysfer.dll; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:20:640]: Source for file 'sysfer.dll' is uncompressed, at
'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: Файл: sysfer.dll, Каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 374704
MSI (s) (40:68) [20:15:20:640]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\sysfer.dll
MSI (s) (40:68) [20:15:20:640]: Executing op:
FileCopy(SourceName=luykcwcx.dll|sysferThunk.dll,SourceCabKey=sysferThunk.dll,De
stName=sysferThunk.dll,Attributes=512,FileSize=10672,PerTick=32768,,VerifyMedia=
1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,
)
MSI (s) (40:68) [20:15:20:640]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\sysferThunk.dll; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:20:640]: Source for file 'sysferThunk.dll' is
uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: Файл: sysferThunk.dll, Каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 10672
MSI (s) (40:68) [20:15:20:640]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\sysferThunk.dll
MSI (s) (40:68) [20:15:20:640]: Executing op:
FileCopy(SourceName=SysPlant.inf,SourceCabKey=SysPlant.inf,DestName=SysPlant.inf
,Attributes=512,FileSize=1001,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,,,Inst
allMode=58982400,HashOptions=0,HashPart1=-1433874703,HashPart2=791086798,HashPar
t3=-1383747889,HashPart4=1153608807,,)
MSI (s) (40:68) [20:15:20:640]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\SysPlant.inf; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:20:640]: Source for file 'SysPlant.inf' is uncompressed,
at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: Файл: SysPlant.inf, Каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 1001
MSI (s) (40:68) [20:15:20:640]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SysPlant.inf
MSI (s) (40:68) [20:15:20:640]: Executing op:
FileCopy(SourceName=SysPlant.sys,SourceCabKey=sysplant.sys,DestName=SysPlant.sys
,Attributes=512,FileSize=92080,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Versi
on=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,)
MSI (s) (40:68) [20:15:20:640]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\SysPlant.sys; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:20:640]: Source for file 'SysPlant.sys' is uncompressed,
at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: Файл: SysPlant.sys, Каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 92080
MSI (s) (40:68) [20:15:20:640]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SysPlant.sys
MSI (s) (40:68) [20:15:20:640]: Executing op:
SetTargetFolder(Folder=C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\
)
MSI (s) (40:68) [20:15:20:640]: Executing op:
SetSourceFolder(Folder=1\ComApp\Symc\Name\Version\Data\|CommonAppData\Symc\Name\
Version\Data\
)
MSI (s) (40:68) [20:15:20:640]: Executing op:
FileCopy(SourceName=yup5wv02.bin|SystemSnapshotRules.bin,SourceCabKey=SystemSnap
shotRules.bin,DestName=SystemSnapshotRules.bin,Attributes=512,FileSize=7664,PerT
ick=32768,,VerifyMedia=1,,,,,CheckCRC=0,,,InstallMode=58982400,HashOptions=0,Has
hPart1=220871609,HashPart2=-1262219445,HashPart3=1832608065,HashPart4=2013835938
,,)
MSI (s) (40:68) [20:15:20:640]: File: C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\SystemSnapshotRules.bin; To be installed;

```

SEP_INST.log

Won't patch; No existing file
MSI (s) (40:68) [20:15:20:640]: Source for file 'SystemSnapshotRules.bin' is uncompressed, at 'E:\SEP\CommonAppData\Symc\Name\Version\Data\'.
InstallFiles: Файл: SystemSnapshotRules.bin, Каталог: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\, Размер: 7664
MSI (s) (40:68) [20:15:20:640]: Note: 1: 2318 2: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\SystemSnapshotRules.bin
MSI (s) (40:68) [20:15:20:640]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\TeeferVista\)
MSI (s) (40:68) [20:15:20:640]: Executing op: SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Bin\witycamd\|Program Files\Symantec\Name\Version\Bin\TeeferVista\)
MSI (s) (40:68) [20:15:20:640]: Executing op: FileCopy(SourceName=teefer.cat,SourceCabKey=teefer.cat.Vista,DestName=teefer.cat,Attributes=512,FileSize=7612,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,,,InstallMode=58982400,HashOptions=0,HashPart1=-1375466492,HashPart2=-1316309543,HashPart3=-1562878738,HashPart4=184822547,,)
MSI (s) (40:68) [20:15:20:640]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\TeeferVista\teefer.cat; To be installed; Won't patch; No existing file
MSI (s) (40:68) [20:15:20:640]: Source for file 'teefer.cat' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\TeeferVista\'.
InstallFiles: Файл: teefer.cat, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\TeeferVista\, Размер: 7612
MSI (s) (40:68) [20:15:20:640]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\TeeferVista\teefer.cat
MSI (s) (40:68) [20:15:20:671]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\TeeferXP\)
MSI (s) (40:68) [20:15:20:671]: Executing op: SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Bin\TeeferXP\|Program Files\Symantec\Name\Version\Bin\TeeferXP\)
MSI (s) (40:68) [20:15:20:671]: Executing op: FileCopy(SourceName=teefer.cat,SourceCabKey=teefer.cat.XP,DestName=teefer.cat,Attributes=512,FileSize=7628,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,,,InstallMode=58982400,HashOptions=0,HashPart1=1426158100,HashPart2=-1025458800,HashPart3=-639552505,HashPart4=1559852948,,)
MSI (s) (40:68) [20:15:20:671]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\TeeferXP\teefer.cat; To be installed; Won't patch; No existing file
MSI (s) (40:68) [20:15:20:671]: Source for file 'teefer.cat' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\TeeferXP\'.
InstallFiles: Файл: teefer.cat, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\TeeferXP\, Размер: 7628
MSI (s) (40:68) [20:15:20:671]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\TeeferXP\teefer.cat
MSI (s) (40:68) [20:15:20:671]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\TeeferVista\)
MSI (s) (40:68) [20:15:20:671]: Executing op: SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Bin\witycamd\|Program Files\Symantec\Name\Version\Bin\TeeferVista\)
MSI (s) (40:68) [20:15:20:671]: Executing op: FileCopy(SourceName=teefer.inf,SourceCabKey=teefer.inf.Vista,DestName=teefer.inf,Attributes=512,FileSize=2964,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,,,InstallMode=58982400,HashOptions=0,HashPart1=2016830901,HashPart2=888226900,HashPart3=867898605,HashPart4=-183545353,,)
MSI (s) (40:68) [20:15:20:671]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\TeeferVista\teefer.inf; To be installed; Won't patch; No existing file
MSI (s) (40:68) [20:15:20:671]: Source for file 'teefer.inf' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\TeeferVista\'.
InstallFiles: Файл: teefer.inf, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\TeeferVista\, Размер: 2964
MSI (s) (40:68) [20:15:20:671]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint

SEP_INST.log

```

Protection\12.1.671.4971.105\Bin\TeeferVista\teefer.inf
MSI (s) (40:68) [20:15:20:671]: Executing op: SetTargetFolder(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\TeeferXP\
MSI (s) (40:68) [20:15:20:671]: Executing op:
SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Bin\TeeferXP\|Program
Files\Symantec\Name\Version\Bin\TeeferXP\
MSI (s) (40:68) [20:15:20:671]: Executing op:
FileCopy(SourceName=teefer.inf,SourceCabKey=teefer.inf.XP,DestName=teefer.inf,At
tributes=512,FileSize=2955,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,,,Install
Mode=58982400,HashOptions=0,HashPart1=489334501,HashPart2=1273031279,HashPart3=1
131663206,HashPart4=41255044,,)
MSI (s) (40:68) [20:15:20:671]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\TeeferXP\teefer.inf; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:20:671]: Source for file 'teefer.inf' is uncompressed, at
'E:\SEP\Program Files\Symantec\Name\Version\Bin\TeeferXP\'.
InstallFiles: Файл: teefer.inf, Каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\TeeferXP\, Размер: 2955
MSI (s) (40:68) [20:15:20:671]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\TeeferXP\teefer.inf
MSI (s) (40:68) [20:15:20:671]: Executing op: SetTargetFolder(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\TeeferVista\
MSI (s) (40:68) [20:15:20:671]: Executing op:
SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Bin\witycamd\|Program
Files\Symantec\Name\Version\Bin\TeeferVista\
MSI (s) (40:68) [20:15:20:671]: Executing op:
FileCopy(SourceName=teefer.sys,SourceCabKey=teefer.sys.Vista,DestName=teefer.sys
,Attributes=512,FileSize=50096,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Veri
on=12.1.655.731,Language=1033,InstallMode=58982400,,,,,)
MSI (s) (40:68) [20:15:20:671]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\TeeferVista\teefer.sys; To be
installed; Won't patch; No existing file
MSI (s) (40:68) [20:15:20:671]: Source for file 'teefer.sys' is uncompressed, at
'E:\SEP\Program Files\Symantec\Name\Version\Bin\TeeferVista\'.
InstallFiles: Файл: teefer.sys, Каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\TeeferVista\, Размер: 50096
MSI (s) (40:68) [20:15:20:671]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\TeeferVista\teefer.sys
MSI (s) (40:68) [20:15:20:671]: Executing op: SetTargetFolder(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\TeeferXP\
MSI (s) (40:68) [20:15:20:671]: Executing op:
SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Bin\TeeferXP\|Program
Files\Symantec\Name\Version\Bin\TeeferXP\
MSI (s) (40:68) [20:15:20:671]: Executing op:
FileCopy(SourceName=teefer.sys,SourceCabKey=teefer.sys.XP,DestName=teefer.sys,At
tributes=512,FileSize=118960,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version
=12.1.655.731,Language=1033,InstallMode=58982400,,,,,)
MSI (s) (40:68) [20:15:20:671]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\TeeferXP\teefer.sys; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:20:671]: Source for file 'teefer.sys' is uncompressed, at
'E:\SEP\Program Files\Symantec\Name\Version\Bin\TeeferXP\'.
InstallFiles: Файл: teefer.sys, Каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\TeeferXP\, Размер: 118960
MSI (s) (40:68) [20:15:20:671]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\TeeferXP\teefer.sys
MSI (s) (40:68) [20:15:20:671]: Executing op:
FileCopy(SourceName=teefer_m.inf,SourceCabKey=teefer_m.inf.XP,DestName=teefer_m.
inf,Attributes=512,FileSize=1465,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,,,I
nstallMode=58982400,HashOptions=0,HashPart1=-94942171,HashPart2=-184644794,HashP
art3=384514225,HashPart4=1238983838,,)
MSI (s) (40:68) [20:15:20:671]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\TeeferXP\teefer_m.inf; To be
installed; Won't patch; No existing file
MSI (s) (40:68) [20:15:20:671]: Source for file 'teefer_m.inf' is uncompressed,

```

SEP_INST.log

at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\TeeferXP\'.
InstallFiles: Файл: teefer_m.inf, Каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\TeeferXP\, Размер: 1465
MSI (s) (40:68) [20:15:20:671]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\TeeferXP\teefer_m.inf
MSI (s) (40:68) [20:15:20:671]: Executing op:
FileCopy(SourceName=teeferm.cat,SourceCabKey=teeferm.cat.XP,DestName=teeferm.cat
,Attributes=512,FileSize=7197,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,,,Inst
allMode=58982400,HashOptions=0,HashPart1=-1554640982,HashPart2=1801949974,HashPa
rt3=1182201169,HashPart4=-1360769782,,)
MSI (s) (40:68) [20:15:20:671]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\TeeferXP\teeferm.cat; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:20:671]: Source for file 'teeferm.cat' is uncompressed,
at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\TeeferXP\'.
InstallFiles: Файл: teeferm.cat, Каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\TeeferXP\, Размер: 7197
MSI (s) (40:68) [20:15:20:671]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\TeeferXP\teeferm.cat
MSI (s) (40:68) [20:15:20:687]: Executing op: SetTargetFolder(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\
MSI (s) (40:68) [20:15:20:687]: Executing op:
SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Bin\|Program
Files\Symantec\Name\Version\Bin\
MSI (s) (40:68) [20:15:20:687]: Executing op:
FileCopy(SourceName=tfman.dll,SourceCabKey=tfman.dll,DestName=tfman.dll,Attribut
es=512,FileSize=87472,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.6
71.4971,Language=1033,InstallMode=58982400,,,,,,)
MSI (s) (40:68) [20:15:20:687]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\tfman.dll; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:20:687]: Source for file 'tfman.dll' is uncompressed, at
'E:\SEP\Program Files\Symantec\Name\Version\Bin\
InstallFiles: Файл: tfman.dll, Каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 87472
MSI (s) (40:68) [20:15:20:687]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\tfman.dll
MSI (s) (40:68) [20:15:20:687]: Executing op:
FileCopy(SourceName=Trident.dll,SourceCabKey=Trident.dll,DestName=Trident.dll,At
tributes=512,FileSize=704944,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version
=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,,)
MSI (s) (40:68) [20:15:20:687]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\Trident.dll; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:20:687]: Source for file 'Trident.dll' is uncompressed,
at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\
InstallFiles: Файл: Trident.dll, Каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 704944
MSI (s) (40:68) [20:15:20:687]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\Trident.dll
MSI (s) (40:68) [20:15:20:687]: Executing op:
FileCopy(SourceName=Tse.dll,SourceCabKey=Tse.dll,DestName=Tse.dll,Attributes=512
,FileSize=555952,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.49
71,Language=1033,InstallMode=58982400,,,,,,)
MSI (s) (40:68) [20:15:20:687]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\Tse.dll; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:20:687]: Source for file 'Tse.dll' is uncompressed, at
'E:\SEP\Program Files\Symantec\Name\Version\Bin\
InstallFiles: Файл: Tse.dll, Каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 555952
MSI (s) (40:68) [20:15:20:687]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\Tse.dll
MSI (s) (40:68) [20:15:20:703]: Executing op:
FileCopy(SourceName=jnwkbcbq.dll|tseConfig.dll,SourceCabKey=tseConfig.dll,DestNa
me=tseConfig.dll,Attributes=512,FileSize=437680,PerTick=32768,,VerifyMedia=1,,,,

```

SEP_INST.log
,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,)
MSI (s) (40:68) [20:15:20:703]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\tseConfig.dll; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:20:703]: Source for file 'tseConfig.dll' is uncompressed,
at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
InstallFiles: файл: tseConfig.dll, Каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 437680
MSI (s) (40:68) [20:15:20:703]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\tseConfig.dll
MSI (s) (40:68) [20:15:20:703]: Executing op: SetTargetFolder(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\
MSI (s) (40:68) [20:15:20:703]: Executing op:
SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Res\1049\|Program
Files\Symantec\Name\Version\Res\1049\
MSI (s) (40:68) [20:15:20:703]: Executing op:
FileCopy(SourceName=76juqlsy.dll|TseConfigRes.dll,SourceCabKey=TseConfigRes.dll,
DestName=TseConfigRes.dll,Attributes=512,FileSize=12144,PerTick=32768,,VerifyMed
ia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,
,,,
MSI (s) (40:68) [20:15:20:703]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Res\1049\TseConfigRes.dll; To be
installed; Won't patch; No existing file
MSI (s) (40:68) [20:15:20:703]: Source for file 'TseConfigRes.dll' is
uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Res\1049\'.
InstallFiles: файл: TseConfigRes.dll, Каталог: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\,
Размер: 12144
MSI (s) (40:68) [20:15:20:703]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Res\1049\TseConfigRes.dll
MSI (s) (40:68) [20:15:20:703]: Executing op:
FileCopy(SourceName=TseRes.dll,SourceCabKey=TseRes.dll,DestName=TseRes.dll,Attri
butes=512,FileSize=13680,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.
1.671.4971,Language=1033,InstallMode=58982400,,,,,)
MSI (s) (40:68) [20:15:20:703]: File: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Res\1049\TseRes.dll; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:20:703]: Source for file 'TseRes.dll' is uncompressed, at
'E:\SEP\Program Files\Symantec\Name\Version\Res\1049\'.
InstallFiles: файл: TseRes.dll, Каталог: C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Res\1049\, Размер: 13680
MSI (s) (40:68) [20:15:20:703]: Note: 1: 2318 2: C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Res\1049\TseRes.dll
MSI (s) (40:68) [20:15:20:703]: Executing op:
SetTargetFolder(Folder=C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Config\
MSI (s) (40:68) [20:15:20:703]: Executing op:
SetSourceFolder(Folder=1\ComApp\Symc\Name\Version\Data\Config\|CommonAppData\Sym
c\Name\Version\Data\Config\
MSI (s) (40:68) [20:15:20:703]: Executing op:
FileCopy(SourceName=TSysConf.xml,SourceCabKey=TSysConf.xml,DestName=TSysConf.xml
,Attributes=512,FileSize=182,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,,,Insta
llMode=58982400,HashOptions=0,HashPart1=1489118514,HashPart2=397919157,HashPart3
=-1882783667,HashPart4=-2054665697,,)
MSI (s) (40:68) [20:15:20:703]: File: C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Config\TSysConf.xml; To be installed;
Won't patch; No existing file
MSI (s) (40:68) [20:15:20:703]: Source for file 'TSysConf.xml' is uncompressed,
at 'E:\SEP\CommonAppData\Symc\Name\Version\Data\Config\'.
InstallFiles: файл: TSysConf.xml, Каталог: C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Config\, Размер: 182
MSI (s) (40:68) [20:15:20:703]: Note: 1: 2318 2: C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Config\TSysConf.xml

```

SEP_INST.log

MSI (s) (40:68) [20:15:20:703]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\)
MSI (s) (40:68) [20:15:20:703]: Executing op: SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Res\1049\|Program Files\Symantec\Name\Version\Res\1049\)
MSI (s) (40:68) [20:15:20:703]: Executing op: FileCopy(SourceName=6yjxrpam.dll|vpmseceRes.dll,SourceCabKey=vpmseceRes.dll,DestName=vpmseceRes.dll,Attributes=512,FileSize=8560,PerTick=32768,,VerifyMedia=1,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,))
MSI (s) (40:68) [20:15:20:703]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\vpmseceRes.dll; To be installed; Won't patch; No existing file
MSI (s) (40:68) [20:15:20:703]: Source for file 'vpmseceRes.dll' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Res\1049\'. InstallFiles: файл: vpmseceRes.dll, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\, Размер: 8560
MSI (s) (40:68) [20:15:20:703]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\vpmseceRes.dll
MSI (s) (40:68) [20:15:20:718]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)
MSI (s) (40:68) [20:15:20:718]: Executing op: SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Bin\|Program Files\Symantec\Name\Version\Bin\)
MSI (s) (40:68) [20:15:20:718]: Executing op: FileCopy(SourceName=vpshell2.dll,SourceCabKey=vpshell2.dll,DestName=vpshell2.dll,Attributes=0,FileSize=72112,PerTick=32768,,VerifyMedia=1,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,))
MSI (s) (40:68) [20:15:20:718]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\vpshell2.dll; To be installed; Won't patch; No existing file
MSI (s) (40:68) [20:15:20:718]: Source for file 'vpshell2.dll' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'. InstallFiles: файл: vpshell2.dll, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 72112
MSI (s) (40:68) [20:15:20:718]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\vpshell2.dll
MSI (s) (40:68) [20:15:20:718]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\)
MSI (s) (40:68) [20:15:20:718]: Executing op: SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Res\1049\|Program Files\Symantec\Name\Version\Res\1049\)
MSI (s) (40:68) [20:15:20:718]: Executing op: FileCopy(SourceName=pv1cdp38.dll|VpshellRes.dll,SourceCabKey=VpshellRes.dll,DestName=VpshellRes.dll,Attributes=512,FileSize=9072,PerTick=32768,,VerifyMedia=1,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,))
MSI (s) (40:68) [20:15:20:718]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\VpshellRes.dll; To be installed; Won't patch; No existing file
MSI (s) (40:68) [20:15:20:718]: Source for file 'VpshellRes.dll' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Res\1049\'. InstallFiles: файл: VpshellRes.dll, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\, Размер: 9072
MSI (s) (40:68) [20:15:20:718]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\VpshellRes.dll
MSI (s) (40:68) [20:15:20:718]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)
MSI (s) (40:68) [20:15:20:718]: Executing op: SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Bin\|Program Files\Symantec\Name\Version\Bin\)
MSI (s) (40:68) [20:15:20:718]: Executing op: FileCopy(SourceName=webshell.dll,SourceCabKey=webshell.dll,DestName=webshell.dll,Attributes=0,FileSize=133552,PerTick=32768,,VerifyMedia=1,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,))
MSI (s) (40:68) [20:15:20:718]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\webshell.dll; To be installed; Won't patch; No existing file

SEP_INST.log

MSI (s) (40:68) [20:15:20:718]: Source for file 'webshell.dll' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
 InstallFiles: файл: webshell.dll, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 133552
 MSI (s) (40:68) [20:15:20:718]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\webshell.dll
 MSI (s) (40:68) [20:15:20:718]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\)
 MSI (s) (40:68) [20:15:20:718]: Executing op: SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Res\1049\|Program Files\Symantec\Name\Version\Res\1049\)
 MSI (s) (40:68) [20:15:20:718]: Executing op: FileCopy(SourceName=noefwqqk.dll|webShellRes.dll,SourceCabKey=webShellRes.dll, DestName=webShellRes.dll,Attributes=512,FileSize=12144,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,)
 MSI (s) (40:68) [20:15:20:718]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\webShellRes.dll; To be installed; Won't patch; No existing file
 MSI (s) (40:68) [20:15:20:718]: Source for file 'webShellRes.dll' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Res\1049\'.
 InstallFiles: файл: webShellRes.dll, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\, Размер: 12144
 MSI (s) (40:68) [20:15:20:718]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\webShellRes.dll
 MSI (s) (40:68) [20:15:20:718]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)
 MSI (s) (40:68) [20:15:20:718]: Executing op: SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Bin\|Program Files\Symantec\Name\Version\Bin\)
 MSI (s) (40:68) [20:15:20:718]: Executing op: FileCopy(SourceName=WXG.SYS,SourceCabKey=WXG.SYS, DestName=WXG.SYS,Attributes=512,FileSize=32208,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,)
 MSI (s) (40:68) [20:15:20:718]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\WXG.SYS; To be installed; Won't patch; No existing file
 MSI (s) (40:68) [20:15:20:718]: Source for file 'WXG.SYS' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
 InstallFiles: файл: WXG.SYS, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 32208
 MSI (s) (40:68) [20:15:20:718]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\WXG.SYS
 MSI (s) (40:68) [20:15:20:718]: Executing op: FileCopy(SourceName=WXGMAN.DLL,SourceCabKey=WXGMAN.DLL, DestName=WXGMAN.DLL,Attributes=512,FileSize=42928,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,)
 MSI (s) (40:68) [20:15:20:718]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\WXGMAN.DLL; To be installed; Won't patch; No existing file
 MSI (s) (40:68) [20:15:20:718]: Source for file 'WXGMAN.DLL' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
 InstallFiles: файл: WXGMAN.DLL, Каталог: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 42928
 MSI (s) (40:68) [20:15:20:718]: Note: 1: 2318 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\WXGMAN.DLL
 MSI (s) (40:68) [20:15:20:718]: Executing op: FileCopy(SourceName=75byatgg.exe|WSCSAVNotifier.exe,SourceCabKey=WSCSAVNotifier.exe, DestName=WSCSAVNotifier.exe,Attributes=512,FileSize=45488,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,)
 MSI (s) (40:68) [20:15:20:718]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\WSCSAVNotifier.exe; To be installed; Won't patch; No existing file
 MSI (s) (40:68) [20:15:20:718]: Source for file 'WSCSAVNotifier.exe' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Bin\'.
 InstallFiles: файл: WSCSAVNotifier.exe, Каталог: C:\Program

SEP_INST.log

Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\, Размер: 45488

MSI (s) (40:68) [20:15:20:718]: Note: 1: 2318 2: C:\Program

Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\WSCSAVNotifier.exe

MSI (s) (40:68) [20:15:20:734]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\)

MSI (s) (40:68) [20:15:20:734]: Executing op: SetSourceFolder(Folder=1\Program\Symantec\Name\Version\Res\1049\|Program Files\Symantec\Name\Version\Res\1049\)

MSI (s) (40:68) [20:15:20:734]: Executing op:

FileCopy(SourceName=bkak00ah.dll|WSCSAVNotifierRes.dll,SourceCabKey=WSCSAVNotifierRes.dll,DestName=WSCSAVNotifierRes.dll,Attributes=512,FileSize=37232,PerTick=32768,,VerifyMedia=1,,,,,CheckCRC=0,Version=12.1.671.4971,Language=1033,InstallMode=58982400,,,,,,)

MSI (s) (40:68) [20:15:20:734]: File: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\WSCSAVNotifierRes.dll; To be installed; won't patch; No existing file

MSI (s) (40:68) [20:15:20:734]: Source for file 'WSCSAVNotifierRes.dll' is uncompressed, at 'E:\SEP\Program Files\Symantec\Name\Version\Res\1049\'. InstallFiles: файл: WSCSAVNotifierRes.dll, Каталог: C:\Program

Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\, Размер: 37232

MSI (s) (40:68) [20:15:20:734]: Note: 1: 2318 2: C:\Program

Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\WSCSAVNotifierRes.dll

MSI (s) (40:68) [20:15:20:750]: Executing op: CacheSizeFlush(,)

MSI (s) (40:68) [20:15:20:750]: Executing op: InstallProtectedFiles(AllowUI=1)

MSI (s) (40:68) [20:15:20:750]: Executing op:

ActionStart(Name=CreateInstallDataXML_RB,,)

Действие 20:15:20: CreateInstallDataXML_RB.

MSI (s) (40:68) [20:15:20:750]: Executing op:

CustomActionSchedule(Action=CreateInstallDataXML_RB,ActionType=3329,Source=BinaryData,Target=DeleteInstallDataXML,CustomActionData=C:\Program

Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\;C:\Program

Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Scripts\installscript.sis)

MSI (s) (40:68) [20:15:20:750]: Executing op:

ActionStart(Name=CreateInstallDataXML,Description=Создание параметров установки,Template=[1])

Действие 20:15:20: CreateInstallDataXML. Создание параметров установки

MSI (s) (40:68) [20:15:20:750]: Executing op:

CustomActionSchedule(Action=CreateInstallDataXML,ActionType=3073,Source=BinaryData,Target=CreateInstallDataXML,CustomActionData=422da26385d21a1193f356433fbc6ad6fc7916d28119fb7a69f16291894e78e1;C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Scripts\startup.sis;C:\Program

Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Scripts\startrollback.sis;C:\Program

Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Scripts\failure.sis;C:\DOCUMENT~1\ADMINI~1\LOCALS~1\Temp\e99351f6-674a-46fe-bbd5-06c95a5a546d\installscript.sis;C:\Program

Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Scripts\installscript.sis;C:\Program

Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\;C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint

Protection\12.1.671.4971.105\Data\Install\Logs\1;,,,)

MSI (s) (40:A4) [20:15:20:765]: Invoking remote custom action. DLL:

C:\WINDOWS\Installer\MSI23.tmp, Entrypoint: CreateInstallDataXML

InstallDataXml: Created C:\Program Files\Symantec\Symantec Endpoint

Protection\12.1.671.4971.105\Bin\installdata.xml successfully

MSI (s) (40:68) [20:15:20:937]: Executing op:

ActionStart(Name=CreateMetadataFile_RB,,)

Действие 20:15:20: CreateMetadataFile_RB.

MSI (s) (40:68) [20:15:20:937]: Executing op:

CustomActionSchedule(Action=CreateMetadataFile_RB,ActionType=3329,Source=BinaryData,Target=CreateMetadataFile_RB,CustomActionData=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint

Protection\12.1.671.4971.105\Data\Definitions\)

SEP_INST.log

MSI (s) (40:68) [20:15:20:937]: Executing op:
 ActionStart(Name=CreateMetadataFile,,)
 Действие 20:15:20: CreateMetadataFile.
 MSI (s) (40:68) [20:15:20:937]: Executing op:
 CustomActionSchedule(Action=CreateMetadataFile,ActionType=3073,Source=BinaryData
 ,Target=CreateMetadataFile,CustomActionData=C:\Documents and Settings\All
 Users\Application Data\Symantec\Symantec Endpoint
 Protection\12.1.671.4971.105\Data\Definitions\;VirusDefs;0;101208036;ccSubSDK_SC
 D_Defs;0;0;BASHDefs;1;110501001;IronSettingsDefs;0;0;IronRevocationDefs;0;0;Iron
 WhitelistDefs;0;0;IPSDefs;1;100507001;IPSDefs;1;100507001;IPSDefs;1;100507001)
 MSI (s) (40:B8) [20:15:20:937]: Invoking remote custom action. DLL:
 C:\WINDOWS\Installer\MSI24.tmp, Entrypoint: CreateMetadataFile
 MSI (s) (40:68) [20:15:21:078]: Executing op:
 ActionStart(Name=CreateSepMasterService_RB,,)
 Действие 20:15:21: CreateSepMasterService_RB.
 MSI (s) (40:68) [20:15:21:078]: Executing op:
 CustomActionSchedule(Action=CreateSepMasterService_RB,ActionType=3329,Source=Bin
 aryData,Target=DeleteSepMasterService,CustomActionData=SepMasterService)
 MSI (s) (40:68) [20:15:21:078]: Executing op:
 ActionStart(Name=CreateSepMasterService,Description=Настройка
 служб,Template=[1])
 Действие 20:15:21: CreateSepMasterService. Настройка служб
 MSI (s) (40:68) [20:15:21:078]: Executing op:
 CustomActionSchedule(Action=CreateSepMasterService,ActionType=3073,Source=Binary
 Data,Target=CreateSepMasterService,CustomActionData=SepMasterService;Symantec
 Endpoint Protection;Обеспечивает защиту от вредоносного программного обеспечения
 и угроз для Symantec Endpoint Protection;C:\Program Files\Symantec\Symantec
 Endpoint Protection\12.1.671.4971.105\Bin\;C:\Program Files\Symantec\Symantec
 Endpoint Protection\12.1.671.4971.105\Bin\sms.dll)
 MSI (s) (40:C0) [20:15:21:078]: Invoking remote custom action. DLL:
 C:\WINDOWS\Installer\MSI25.tmp, Entrypoint: CreateSepMasterService
 createSMS: Created 'SepMasterService' service successfully
 MSI (s) (40:68) [20:15:21:734]: Executing op:
 ActionStart(Name=LinkAllExecutables,,)
 Действие 20:15:21: LinkAllExecutables.
 MSI (s) (40:68) [20:15:21:734]: Executing op:
 CustomActionSchedule(Action=LinkAllExecutables,ActionType=3201,Source=BinaryData
 ,Target=LinkAllExecutables,CustomActionData=C:\Documents and Settings\All
 Users\Application Data\Symantec\Symantec Endpoint
 Protection\12.1.671.4971.105\Data\Cached Installs\;C:\Program
 Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\;C:\Documents
 and Settings\All Users\Application Data\Symantec\Symantec Endpoint
 Protection\12.1.671.4971.105\Data\Cached Installs\Program
 Files\Symantec\Name\Version\Bin\)
 MSI (s) (40:68) [20:15:21:750]: Executing op:
 ActionStart(Name=WriteRegistryValues,Description=Запись параметров системного
 реестра,Template=Раздел: [1], имя: [2], значение: [3])
 Действие 20:15:21: WriteRegistryValues. Запись параметров системного реестра
 MSI (s) (40:68) [20:15:21:750]: Executing op:
 ProgressTotal(Total=223,Type=1,ByteEquivalent=13200)
 MSI (s) (40:D0) [20:15:21:750]: Invoking remote custom action. DLL:
 C:\WINDOWS\Installer\MSI26.tmp, Entrypoint: LinkAllExecutables
 MSI (s) (40:68) [20:15:21:750]: Executing op:
 RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
 Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\Common
 Client\WorkingSetGarbageCollector\SmcService,,BinaryType=0)
 MSI (s) (40:68) [20:15:21:750]: Executing op:
 RegAddValue(Name=workingSetThreshold,Value=#8388608,)
 WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
 Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\Common
 Client\WorkingSetGarbageCollector\SmcService, имя: workingSetThreshold,
 Значение: #8388608
 MSI (s) (40:68) [20:15:21:750]: Executing op:
 RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
 Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\Common
 Client\WorkingSetGarbageCollector\SmcGui,,BinaryType=0)
 MSI (s) (40:68) [20:15:21:750]: Executing op:
 RegAddValue(Name=workingSetThreshold,Value=#7340032,)

SEP_INST.log

WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\Common Client\WorkingSetGarbageCollector\SmcGui, имя: WorkingSetThreshold, значение: #7340032

MSI (s) (40:68) [20:15:21:765]: Executing op: RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\Common Client\PathExpansionMap,,BinaryType=0)

MSI (s) (40:68) [20:15:21:765]: Executing op: RegAddValue(Name=BASEDIR,Value=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105,)

WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\Common Client\PathExpansionMap, имя: BASEDIR, значение: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105

MSI (s) (40:68) [20:15:21:765]: Executing op: RegAddValue(Name=SEPINSTALLSCRIPTSDIR,Value=%BASEDIR%\Scripts,)

WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\Common Client\PathExpansionMap, имя: SEPINSTALLSCRIPTSDIR, значение: %BASEDIR%\Scripts

MSI (s) (40:68) [20:15:21:765]: Executing op: RegAddValue(Name=APPDATAINSTALLSCRIPTS,Value=%APPDATA%\Install\Scripts,)

WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\Common Client\PathExpansionMap, имя: APPDATAINSTALLSCRIPTS, значение: %APPDATA%\Install\Scripts

MSI (s) (40:68) [20:15:21:765]: Executing op: RegAddValue(Name=DEFINITIONSROOT,Value=%APPDATA%,)

WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\Common Client\PathExpansionMap, имя: DEFINITIONSROOT, значение: %APPDATA%

MSI (s) (40:68) [20:15:21:765]: Executing op: RegAddValue(Name=SEPDRIVERDIR,Value=C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86,)

WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\Common Client\PathExpansionMap, имя: SEPDRIVERDIR, значение: C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86

MSI (s) (40:68) [20:15:21:765]: Executing op: RegAddValue(Name=APPDATA,Value=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data,)

WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\Common Client\PathExpansionMap, имя: APPDATA, значение: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data

MSI (s) (40:68) [20:15:21:765]: Executing op: RegAddValue(Name=CCROOT,Value=%INSTALLDIR%,)

WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\Common Client\PathExpansionMap, имя: CCROOT, значение: %INSTALLDIR%

MSI (s) (40:68) [20:15:21:765]: Executing op: RegAddValue(Name=INSTALLDIR,Value=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin,)

WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\Common Client\PathExpansionMap, имя: INSTALLDIR, значение: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin

MSI (s) (40:68) [20:15:21:765]: Executing op: RegAddValue(Name=SEPCONFIGDIR,Value=%APPDATA%\Config,)

WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\Common Client\PathExpansionMap, имя: SEPCONFIGDIR, значение: %APPDATA%\Config

MSI (s) (40:68) [20:15:21:765]: Executing op: RegAddValue(Name=SEPINSTALLDIR,Value=%INSTALLDIR%,)

WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\Common Client\PathExpansionMap, имя: SEPINSTALLDIR, значение: %INSTALLDIR%

SEP_INST.log

MSI (s) (40:68) [20:15:21:765]: Executing op:
 RegAddValue(Name=SEPLOGDIR,Value=%APPDATA%\Logs,)
 WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\Common Client\PathExpansionMap, Имя: SEPLOGDIR, Значение: %APPDATA%\Logs
 MSI (s) (40:68) [20:15:21:765]: Executing op:
 RegAddValue(Name=SEPRESDLLDIR,Value=%BASEDIR%\Res,)
 WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\Common Client\PathExpansionMap, Имя: SEPRESDLLDIR, Значение: %BASEDIR%\Res
 MSI (s) (40:68) [20:15:21:765]: Executing op:
 RegAddValue(Name=SEPSTATEDIR,Value=%APPDATA%\State,)
 WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\Common Client\PathExpansionMap, Имя: SEPSTATEDIR, Значение: %APPDATA%\State
 MSI (s) (40:68) [20:15:21:765]: Executing op:
 RegAddValue(Name=APPDATABASE,Value=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105,)
 WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\Common Client\PathExpansionMap, Имя: APPDATABASE, Значение: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105
 MSI (s) (40:68) [20:15:21:765]: Executing op:
 RegAddValue(Name=COMMON_SILO_DATA,Value=%CSIDL_COMMON_APPDATA%\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\,)
 WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\Common Client\PathExpansionMap, Имя: COMMON_SILO_DATA, Значение: %CSIDL_COMMON_APPDATA%\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\
 MSI (s) (40:68) [20:15:21:765]: Executing op:
 RegAddValue(Name=LOCAL_SILO_DATA,Value=%CSIDL_LOCAL_APPDATA%\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\,)
 WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\Common Client\PathExpansionMap, Имя: LOCAL_SILO_DATA, Значение: %CSIDL_LOCAL_APPDATA%\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\
 MSI (s) (40:68) [20:15:21:765]: Executing op:
 RegAddValue(Name=SEPFEATURESTATEDIR,Value=%APPDATA%\FeatureState,)
 WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\Common Client\PathExpansionMap, Имя: SEPFEATURESTATEDIR, Значение: %APPDATA%\FeatureState
 MSI (s) (40:68) [20:15:21:765]: Executing op: RegCreateKey()
 WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\Common Client\PathExpansionMap, Имя: , Значение:
 MSI (s) (40:68) [20:15:21:765]: Executing op:
 RegAddValue(Name=SETEMPDIR,Value=%BASEDIR%\Temp,)
 WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\Common Client\PathExpansionMap, Имя: SETEMPDIR, Значение: %BASEDIR%\Temp
 MSI (s) (40:68) [20:15:21:765]: Executing op: RegCreateKey()
 WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\Common Client\PathExpansionMap, Имя: , Значение:
 MSI (s) (40:68) [20:15:21:765]: Executing op:
 RegAddValue(Name=SEPINSTALLDATADIR,Value=%APPDATA%\Install,)
 WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\Common Client\PathExpansionMap, Имя: SEPINSTALLDATADIR, Значение: %APPDATA%\Install
 MSI (s) (40:68) [20:15:21:765]: Executing op:
 RegAddValue(Name=SEPINSTALLLOGDIR,Value=%APPDATA%\Install\Logs,)
 WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint

SEP_INST.log

Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\Common
Client\PathExpansionMap, Имя: SEPINSTALLLOGDIR, Значение: %APPDATA%\Install\Logs
MSI (s) (40:68) [20:15:21:765]: Executing op: RegCreateKey()
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\Common
Client\PathExpansionMap, Имя: , Значение:
MSI (s) (40:68) [20:15:21:765]: Executing op: RegCreateKey()
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\Common
Client\PathExpansionMap, Имя: , Значение:
MSI (s) (40:68) [20:15:21:765]: Executing op:
RegAddValue(Name=SYMDRIVERS,Value=C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.
105\x86,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\Common
Client\PathExpansionMap, Имя: SYMDRIVERS, Значение:
C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86
MSI (s) (40:68) [20:15:21:765]: Executing op: RegCreateKey()
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\Common
Client\PathExpansionMap, Имя: , Значение:
MSI (s) (40:68) [20:15:21:765]: Executing op:
RegAddValue(Name=MUIDIR,Value=C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Res\,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\Common
Client\PathExpansionMap, Имя: MUIDIR, Значение: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\
MSI (s) (40:68) [20:15:21:765]: Executing op: RegCreateKey()
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\Common
Client\PathExpansionMap, Имя: , Значение:
MSI (s) (40:68) [20:15:21:765]: Executing op:
RegAddValue(Name=SAVAPTEMPDIR,Value=%APPDATA%\APTemp,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\Common
Client\PathExpansionMap, Имя: SAVAPTEMPDIR, Значение: %APPDATA%\APTemp
MSI (s) (40:68) [20:15:21:781]: Executing op:
RegAddValue(Name=SAVDECOMPOSERTEMPDIR,Value=%APPDATA%\DecTemp,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\Common
Client\PathExpansionMap, Имя: SAVDECOMPOSERTEMPDIR, Значение: %APPDATA%\DecTemp
MSI (s) (40:68) [20:15:21:781]: Executing op:
RegAddValue(Name=SAVDEFDIR,Value=%APPDATA%\Definitions\VirusDefs,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\Common
Client\PathExpansionMap, Имя: SAVDEFDIR, Значение:
%APPDATA%\Definitions\VirusDefs
MSI (s) (40:68) [20:15:21:781]: Executing op:
RegAddValue(Name=SAVLOGDIR,Value=%APPDATA%\Logs\AV,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\Common
Client\PathExpansionMap, Имя: SAVLOGDIR, Значение: %APPDATA%\Logs\AV
MSI (s) (40:68) [20:15:21:781]: Executing op:
RegAddValue(Name=SAVQUARANTINEDIR,Value=%APPDATA%\Quarantine,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\Common
Client\PathExpansionMap, Имя: SAVQUARANTINEDIR, Значение: %APPDATA%\Quarantine
MSI (s) (40:68) [20:15:21:781]: Executing op:
RegAddValue(Name=SAVUSERLOGDIR,Value=%CSIDL_LOCAL_APPDATA%\Symantec\Symantec
Endpoint Protection\Logs,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\Common
Client\PathExpansionMap, Имя: SAVUSERLOGDIR, Значение:
%CSIDL_LOCAL_APPDATA%\Symantec\Symantec Endpoint Protection\Logs
MSI (s) (40:68) [20:15:21:781]: Executing op: RegCreateKey()
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\Common

SEP_INST.log

Client\PathExpansionMap, Имя: , Значение:
MSI (s) (40:68) [20:15:21:781]: Executing op: RegCreateKey()
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\Common
Client\PathExpansionMap, Имя: , Значение:
MSI (s) (40:68) [20:15:21:781]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\SharedDefs,,BinaryType=0)
MSI (s) (40:68) [20:15:21:781]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{871176ae-b470-4628-ac18-98710e9df0cb},,BinaryType=0)
MSI (s) (40:68) [20:15:21:781]: Executing op:
RegAddValue(Name=InProc32,Value=%INSTALLDIR%\sis.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{871176ae-b470-4628-ac18-98710e9df0cb}, Имя: InProc32, Значение: %INSTALLDIR%\sis.dll
MSI (s) (40:68) [20:15:21:781]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{5a763e5f-0ed5-42c3-a168-f580eef67038},,BinaryType=0)
MSI (s) (40:68) [20:15:21:781]: Executing op:
RegAddValue(Name=InProc32,Value=%INSTALLDIR%\sms.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{5a763e5f-0ed5-42c3-a168-f580eef67038}, Имя: InProc32, Значение: %INSTALLDIR%\sms.dll
MSI (s) (40:68) [20:15:21:781]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{C425C175-E1AC-47cc-A4F7-342D2FB55EC5},,BinaryType=0)
MSI (s) (40:68) [20:15:21:781]: Executing op:
RegAddValue(Name=InProc32,Value=%INSTALLDIR%\sms.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{C425C175-E1AC-47cc-A4F7-342D2FB55EC5}, Имя: InProc32, Значение: %INSTALLDIR%\sms.dll
MSI (s) (40:68) [20:15:21:781]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876},,BinaryType=0)
MSI (s) (40:68) [20:15:21:781]: Executing op: RegCreateKey()
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}, Имя: , Значение:
MSI (s) (40:68) [20:15:21:781]: Executing op: RegCreateKey()
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}, Имя: , Значение:
MSI (s) (40:68) [20:15:21:781]: Executing op:
RegAddValue(Name=PRODUCTCLASS,Value=#9,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}, Имя: PRODUCTCLASS, Значение: #9
MSI (s) (40:68) [20:15:21:781]: Executing op:
RegAddValue(Name=SERVICENAME,Value=SepMasterService,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}, Имя: SERVICENAME, Значение: SepMasterService
MSI (s) (40:68) [20:15:21:781]: Executing op:
RegAddValue(Name=PRODUCTID,Value=SEP,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}, Имя: PRODUCTID, Значение: SEP
MSI (s) (40:68) [20:15:21:781]: Executing op:
RegAddValue(Name=PRODUCTNAME,Value=Symantec Endpoint Protection,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}, Имя: PRODUCTNAME, Значение: Symantec Endpoint Protection
MSI (s) (40:68) [20:15:21:781]: Executing op:
RegAddValue(Name=PRODUCTVERSION,Value=12.1.671.4971,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}, Имя: PRODUCTVERSION, Значение: 12.1.671.4971

SEP_INST.log

MSI (s) (40:68) [20:15:21:781]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{f5049120-a459-480d-bb2f-
-432351ff6236},,BinaryType=0)
MSI (s) (40:68) [20:15:21:781]: Executing op:
RegAddValue(Name=InProc32,Value=%INSTALLDIR%\sms.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{f5049120-a459-480d-bb2f-
-432351ff6236}, Имя: InProc32, Значение: %INSTALLDIR%\sms.dll
MSI (s) (40:68) [20:15:21:781]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{a16f58cc-3b1c-4abe-ab09-
-3701d1fa7a18},,BinaryType=0)
MSI (s) (40:68) [20:15:21:781]: Executing op:
RegAddValue(Name=InProc32,Value=%INSTALLDIR%\sms.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{a16f58cc-3b1c-4abe-ab09-
-3701d1fa7a18}, Имя: InProc32, Значение: %INSTALLDIR%\sms.dll
MSI (s) (40:68) [20:15:21:781]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{DD607EDE-E669-44B3-9A23-
-D0EAB41A2F57},,BinaryType=0)
MSI (s) (40:68) [20:15:21:781]: Executing op:
RegAddValue(Name=InProc32,Value=%INSTALLDIR%\ccIPC.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{DD607EDE-E669-44B3-9A23-
-D0EAB41A2F57}, Имя: InProc32, Значение: %INSTALLDIR%\ccIPC.dll
MSI (s) (40:68) [20:15:21:781]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{A812EC7A-E9A8-4A82-9857-
-3E8810A4F5C5},,BinaryType=0)
MSI (s) (40:68) [20:15:21:781]: Executing op:
RegAddValue(Name=InProc32,Value=%INSTALLDIR%\ccSvc.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{A812EC7A-E9A8-4A82-9857-
-3E8810A4F5C5}, Имя: InProc32, Значение: %INSTALLDIR%\ccSvc.dll
MSI (s) (40:68) [20:15:21:781]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\Common Client,,BinaryType=0)
MSI (s) (40:68) [20:15:21:781]: Executing op:
RegAddValue(Name=CCROOT,Value=C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\bin,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\Common Client, Имя: CCROOT,
Значение: C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\bin
MSI (s) (40:68) [20:15:21:781]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{D5DCAEB1-D306-4416-A63D-
-44A15F7E9CC7},,BinaryType=0)
MSI (s) (40:68) [20:15:21:781]: Executing op:
RegAddValue(Name=InProc32,Value=%INSTALLDIR%\SepDuHandler.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{D5DCAEB1-D306-4416-A63D-
-44A15F7E9CC7}, Имя: InProc32, Значение: %INSTALLDIR%\SepDuHandler.dll
MSI (s) (40:68) [20:15:21:781]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\LanguageConfig,,BinaryType=0)
MSI (s) (40:68) [20:15:21:781]: Executing op: RegAddValue(Name=Default
Language,Value=0419,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\LanguageConfig, Имя: Default
Language, Значение: 0419
MSI (s) (40:68) [20:15:21:781]: Executing op: RegCreateKey()
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\LanguageConfig, Имя: ,
Значение:
MSI (s) (40:68) [20:15:21:781]: Executing op:

SEP_INST.log

RegOpenKey(Root=-2147483646,Key=Software\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\Common Client\ccIPC,,BinaryType=0)
MSI (s) (40:68) [20:15:21:781]: Executing op: RegCreateKey()
WriteRegistryValues: Раздел: \Software\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\Common Client\ccIPC, Имя: , Значение:
MSI (s) (40:68) [20:15:21:781]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{C779530C-65CE-4bbb-8854-A2F20EB1E9CD},,BinaryType=0)
MSI (s) (40:68) [20:15:21:781]: Executing op:
RegAddValue(Name=InProc32,Value=%SEPINSTALLDIR%\diArkive.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{C779530C-65CE-4bbb-8854-A2F20EB1E9CD}, Имя: InProc32, Значение: %SEPINSTALLDIR%\diArkive.dll
MSI (s) (40:68) [20:15:21:781]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\SMC\RunOnceUserFixups,,BinaryType=0)
MSI (s) (40:68) [20:15:21:781]: Executing op:
RegAddValue(Name=FixExtend.exe,Value=#0,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\SMC\RunOnceUserFixups, Имя: FixExtend.exe, Значение: #0
MSI (s) (40:68) [20:15:21:781]: Executing op: RegCreateKey()
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\SMC\RunOnceUserFixups, Имя: , Значение:
MSI (s) (40:68) [20:15:21:781]: Executing op:
RegAddValue(Name=MigrateUserScans.exe,Value=#0,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\SMC\RunOnceUserFixups, Имя: MigrateUserScans.exe, Значение: #0
MSI (s) (40:68) [20:15:21:781]: Executing op: RegCreateKey()
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\SMC\RunOnceUserFixups, Имя: , Значение:
MSI (s) (40:68) [20:15:21:781]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\IDS,,BinaryType=0)
MSI (s) (40:68) [20:15:21:781]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint Protection\SMC\SYLINK\SyLink,,BinaryType=0)
MSI (s) (40:68) [20:15:21:781]: Executing op: RegCreateKey()
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint Protection\SMC\SYLINK\SyLink, Имя: , Значение:
MSI (s) (40:68) [20:15:21:781]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{9DE6B07B-5408-4949-A3A6-A0F946725DD7},,BinaryType=0)
MSI (s) (40:68) [20:15:21:781]: Executing op:
RegAddValue(Name=Inproc32,Value=%INSTALLDIR%\RebootMgrEim.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{9DE6B07B-5408-4949-A3A6-A0F946725DD7}, Имя: Inproc32, Значение: %INSTALLDIR%\RebootMgrEim.dll
MSI (s) (40:68) [20:15:21:781]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{EB837D11-B1CD-4d5b-8016-3115C430B66A},,BinaryType=0)
MSI (s) (40:68) [20:15:21:781]: Executing op:
RegAddValue(Name=Inproc32,Value=%INSTALLDIR%\RebootMgrEim.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{EB837D11-B1CD-4d5b-8016-3115C430B66A}, Имя: Inproc32, Значение: %INSTALLDIR%\RebootMgrEim.dll
MSI (s) (40:68) [20:15:21:781]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{13570565-352C-4778-AC71-E6D812439D4F},,BinaryType=0)

SEP_INST.log

MSI (s) (40:68) [20:15:21:781]: Executing op:
RegAddValue(Name=Inproc32,Value=%INSTALLDIR%\RebootMgrEim.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{13570565-352C-4778-AC71
-E6D812439D4F}, имя: Inproc32, значение: %INSTALLDIR%\RebootMgrEim.dll
MSI (s) (40:68) [20:15:21:781]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{15873CFC-7579-4f1d-A91E
-79D36B5A6DCE},,BinaryType=0)
MSI (s) (40:68) [20:15:21:781]: Executing op:
RegAddValue(Name=Inproc32,Value=%INSTALLDIR%\RebootMgrEimProxy.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{15873CFC-7579-4f1d-A91E
-79D36B5A6DCE}, имя: Inproc32, значение: %INSTALLDIR%\RebootMgrEimProxy.dll
MSI (s) (40:68) [20:15:21:781]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{D39FB2E0-DC77-4e78-8377
-A594B5DF3BD7},,BinaryType=0)
MSI (s) (40:68) [20:15:21:781]: Executing op:
RegAddValue(Name=Inproc32,Value=%INSTALLDIR%\RebootMgrEimProxy.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{D39FB2E0-DC77-4e78-8377
-A594B5DF3BD7}, имя: Inproc32, значение: %INSTALLDIR%\RebootMgrEimProxy.dll
MSI (s) (40:68) [20:15:21:781]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{13A33B86-1D6F-4aae-A463
-68F6B27175AD},,BinaryType=0)
MSI (s) (40:68) [20:15:21:781]: Executing op:
RegAddValue(Name=Inproc32,Value=%INSTALLDIR%\RebootMgrEimProxy.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{13A33B86-1D6F-4aae-A463
-68F6B27175AD}, имя: Inproc32, значение: %INSTALLDIR%\RebootMgrEimProxy.dll
MSI (s) (40:68) [20:15:21:781]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{14D49665-DDE7-4ce0-9718
-1E137FBCFFDF},,BinaryType=0)
MSI (s) (40:68) [20:15:21:781]: Executing op:
RegAddValue(Name=Inproc32,Value=%INSTALLDIR%\RebootMgrEimProxy.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{14D49665-DDE7-4ce0-9718
-1E137FBCFFDF}, имя: Inproc32, значение: %INSTALLDIR%\RebootMgrEimProxy.dll
MSI (s) (40:68) [20:15:21:781]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{6AC5E13F-65FD-4916-BBEA
-A630148C2B48},,BinaryType=0)
MSI (s) (40:68) [20:15:21:781]: Executing op:
RegAddValue(Name=Inproc32,Value=%INSTALLDIR%\RebootMgrEimProxy.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{6AC5E13F-65FD-4916-BBEA
-A630148C2B48}, имя: Inproc32, значение: %INSTALLDIR%\RebootMgrEimProxy.dll
MSI (s) (40:68) [20:15:21:781]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{C4294B55-00D2-442a-8161
-D9D0CF9C3226},,BinaryType=0)
MSI (s) (40:68) [20:15:21:781]: Executing op:
RegAddValue(Name=Inproc32,Value=%INSTALLDIR%\RebootMgrEimProxy.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{C4294B55-00D2-442a-8161
-D9D0CF9C3226}, имя: Inproc32, значение: %INSTALLDIR%\RebootMgrEimProxy.dll
MSI (s) (40:68) [20:15:21:781]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{08074E0F-B581-4dfe-A109
-12E3728006E5},,BinaryType=0)
MSI (s) (40:68) [20:15:21:781]: Executing op:
RegAddValue(Name=Inproc32,Value=%INSTALLDIR%\RebootMgrEimProxy.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{08074E0F-B581-4dfe-A109
-12E3728006E5}, имя: Inproc32, значение: %INSTALLDIR%\RebootMgrEimProxy.dll

SEP_INST.log

MSI (s) (40:68) [20:15:21:781]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{96039211-B435-4966-862C
-F030F7C0100D},,BinaryType=0)
MSI (s) (40:68) [20:15:21:781]: Executing op:
RegAddValue(Name=Inproc32,Value=%INSTALLDIR%\Communicator.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{96039211-B435-4966-862C
-F030F7C0100D}, Имя: Inproc32, Значение: %INSTALLDIR%\Communicator.dll
MSI (s) (40:68) [20:15:21:781]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{9E6B6EC2-F443-4725-AA63
-8FF91FCFD977},,BinaryType=0)
MSI (s) (40:68) [20:15:21:781]: Executing op:
RegAddValue(Name=Inproc32,Value=%INSTALLDIR%\SISCustomActionSMC.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{9E6B6EC2-F443-4725-AA63
-8FF91FCFD977}, Имя: Inproc32, Значение: %INSTALLDIR%\SISCustomActionSMC.dll
MSI (s) (40:68) [20:15:21:781]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{78B23800-59FF-44cd-8945
-1A57441E8349},,BinaryType=0)
MSI (s) (40:68) [20:15:21:781]: Executing op:
RegAddValue(Name=Inproc32,Value=%INSTALLDIR%\SyLink.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{78B23800-59FF-44cd-8945
-1A57441E8349}, Имя: Inproc32, Значение: %INSTALLDIR%\SyLink.dll
MSI (s) (40:68) [20:15:21:781]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{4D59722E-1E7A-42cd-AD98
-3B4AF501268F},,BinaryType=0)
MSI (s) (40:68) [20:15:21:781]: Executing op:
RegAddValue(Name=Inproc32,Value=%INSTALLDIR%\SyLinkSymInterfaceProxy.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{4D59722E-1E7A-42cd-AD98
-3B4AF501268F}, Имя: Inproc32, Значение:
%INSTALLDIR%\SyLinkSymInterfaceProxy.dll
MSI (s) (40:68) [20:15:21:781]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{13205E98-C606-4272-B4FA
-38F5719B981E},,BinaryType=0)
MSI (s) (40:68) [20:15:21:781]: Executing op:
RegAddValue(Name=Inproc32,Value=%INSTALLDIR%\AgentCore.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{13205E98-C606-4272-B4FA
-38F5719B981E}, Имя: Inproc32, Значение: %INSTALLDIR%\AgentCore.dll
MSI (s) (40:68) [20:15:21:781]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{36FC6E31-45BE-4df4-BA05
-66DBE0CB8B1A},,BinaryType=0)
MSI (s) (40:68) [20:15:21:781]: Executing op:
RegAddValue(Name=Inproc32,Value=%INSTALLDIR%\AgentCore.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{36FC6E31-45BE-4df4-BA05
-66DBE0CB8B1A}, Имя: Inproc32, Значение: %INSTALLDIR%\AgentCore.dll
MSI (s) (40:68) [20:15:21:781]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{41B97458-0E2B-4a74-BADF
-23B42C1E7FF2},,BinaryType=0)
MSI (s) (40:68) [20:15:21:781]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\HITrayStatus.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{41B97458-0E2B-4a74-BADF
-23B42C1E7FF2}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\HITrayStatus.dll
MSI (s) (40:68) [20:15:21:781]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{EBEED400-3BB8-4315-94F7
-2F150F813511},,BinaryType=0)

SEP_INST.log

MSI (s) (40:68) [20:15:21:781]: Executing op:
RegAddValue(Name=Inproc32,Value=%INSTALLDIR%\LicenseMan.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{EBEED400-3BB8-4315-94F7-2F150F813511}, Имя: Inproc32, Значение: %INSTALLDIR%\LicenseMan.dll
MSI (s) (40:68) [20:15:21:781]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{3228E931-7AD0-4f42-A0D1-4B6C6287DEFA},,BinaryType=0)
MSI (s) (40:68) [20:15:21:781]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\SMCTrayStatus.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{3228E931-7AD0-4f42-A0D1-4B6C6287DEFA}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\SMCTrayStatus.dll
MSI (s) (40:68) [20:15:21:781]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{7E00897A-F799-477c-B0FC-DEBBC59DE349},,BinaryType=0)
MSI (s) (40:68) [20:15:21:781]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\SNACTrayStatus.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{7E00897A-F799-477c-B0FC-DEBBC59DE349}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\SNACTrayStatus.dll
MSI (s) (40:68) [20:15:21:781]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{D80C931B-8394-4bd2-BA74-8980CFA1A805},,BinaryType=0)
MSI (s) (40:68) [20:15:21:781]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\LueEim.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{D80C931B-8394-4bd2-BA74-8980CFA1A805}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\LueEim.dll
MSI (s) (40:68) [20:15:21:781]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{17806376-E804-42a9-A134-4E835553C3B1},,BinaryType=0)
MSI (s) (40:68) [20:15:21:781]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\LueEim.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{17806376-E804-42a9-A134-4E835553C3B1}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\LueEim.dll
MSI (s) (40:68) [20:15:21:781]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{A74BEF3A-A853-4069-B8E5-E99A201ED645},,BinaryType=0)
MSI (s) (40:68) [20:15:21:781]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\LueEim.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{A74BEF3A-A853-4069-B8E5-E99A201ED645}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\LueEim.dll
MSI (s) (40:68) [20:15:21:781]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{9A46F1F2-FA26-4d39-BA79-291B19293FE5},,BinaryType=0)
MSI (s) (40:68) [20:15:21:781]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\LueEim.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{9A46F1F2-FA26-4d39-BA79-291B19293FE5}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\LueEim.dll
MSI (s) (40:68) [20:15:21:781]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{D8AD8A5F-6885-4459-8F31-69BB22EE0D1C},,BinaryType=0)
MSI (s) (40:68) [20:15:21:781]: Executing op:
RegAddValue(Name=Inproc32,Value=%INSTALLDIR%\SISCustomActionLUE.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{D8AD8A5F-6885-4459-8F31-69BB22EE0D1C}, Имя: Inproc32, Значение: %INSTALLDIR%\SISCustomActionLUE.dll

SEP_INST.log

```

MSI (s) (40:68) [20:15:21:781]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{02E23EEB-3ADA-407b-BB05
-F2ACC9616C07},,BinaryType=0)
MSI (s) (40:68) [20:15:21:781]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\LueEimProxy.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{02E23EEB-3ADA-407b-BB05
-F2ACC9616C07}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\LueEimProxy.dll
MSI (s) (40:68) [20:15:21:781]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{B4A5D91A-59D3-4ec7-9EFF
-C8F7CB4972AD},,BinaryType=0)
MSI (s) (40:68) [20:15:21:781]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\LueEimProxy.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{B4A5D91A-59D3-4ec7-9EFF
-C8F7CB4972AD}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\LueEimProxy.dll
MSI (s) (40:68) [20:15:21:781]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{5E9940A5-2661-422f-8C01
-5279F1FBF58D},,BinaryType=0)
MSI (s) (40:68) [20:15:21:781]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\LueEimProxy.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{5E9940A5-2661-422f-8C01
-5279F1FBF58D}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\LueEimProxy.dll
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{64C08495-E618-4757-94B0
-B10A2BC70FA4},,BinaryType=0)
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\LueEimProxy.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{64C08495-E618-4757-94B0
-B10A2BC70FA4}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\LueEimProxy.dll
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{63ADD4EE-F005-4525-A7F9
-4324BB2EFAA5},,BinaryType=0)
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\LueEimProxy.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{63ADD4EE-F005-4525-A7F9
-4324BB2EFAA5}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\LueEimProxy.dll
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{1E6718B7-F84B-40f5-9736
-493B805846FE},,BinaryType=0)
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\LueEimProxy.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{1E6718B7-F84B-40f5-9736
-493B805846FE}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\LueEimProxy.dll
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{83893ADD-E532-47c3-AB63
-415E3D0EACB7},,BinaryType=0)
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\LueEimProxy.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{83893ADD-E532-47c3-AB63
-415E3D0EACB7}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\LueEimProxy.dll
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{475C9EB4-9D25-49d6-BD22
-C7CC113A0B74},,BinaryType=0)
MSI (s) (40:68) [20:15:21:796]: Executing op:

```

SEP_INST.log

```

RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\LueEimProxy.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{475C9EB4-9D25-49d6-BD22
-C7CC113A0B74}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\LueEimProxy.dll
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{CA8B1909-6A7A-43b4-9B6A
-13FD0FA40993},,BinaryType=0)
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\LueEimProxy.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{CA8B1909-6A7A-43b4-9B6A
-13FD0FA40993}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\LueEimProxy.dll
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{8A37806E-91A3-4085-9782
-157E605957AA},,BinaryType=0)
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\LueEimProxy.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{8A37806E-91A3-4085-9782
-157E605957AA}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\LueEimProxy.dll
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{98924162-D4AA-4360-9ADF
-423C752A97C5},,BinaryType=0)
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\LueEimProxy.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{98924162-D4AA-4360-9ADF
-423C752A97C5}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\LueEimProxy.dll
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{FECB865F-DB58-47de-98C4
-390D95A2996E},,BinaryType=0)
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\LueEimProxy.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{FECB865F-DB58-47de-98C4
-390D95A2996E}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\LueEimProxy.dll
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{5C413124-ADB1-45bb-8B58
-70231328DE2D},,BinaryType=0)
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\LueEimProxy.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{5C413124-ADB1-45bb-8B58
-70231328DE2D}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\LueEimProxy.dll
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{1D77AF38-9E3F-42f1-B636
-4C9271D7F61F},,BinaryType=0)
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\SubmissionsEim.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{1D77AF38-9E3F-42f1-B636
-4C9271D7F61F}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\SubmissionsEim.dll
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{4CEDAC38-B2A8-4d13-83ED
-4D35F94338BD},,BinaryType=0)
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\SubmissionsEim.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{4CEDAC38-B2A8-4d13-83ED
-4D35F94338BD}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\SubmissionsEim.dll
MSI (s) (40:68) [20:15:21:796]: Executing op:

```

SEP_INST.log

RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{F5C14F33-DAF2-4e57-9BE8-A16049417506},,BinaryType=0)
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\SubmissionsEim.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{F5C14F33-DAF2-4e57-9BE8-A16049417506}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\SubmissionsEim.dll
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{71072142-8CEC-4182-8510-10C0D7DBD41F},,BinaryType=0)
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\SubmissionsEim.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{71072142-8CEC-4182-8510-10C0D7DBD41F}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\SubmissionsEim.dll
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{B534017C-E891-4e21-B375-A90B648CA592},,BinaryType=0)
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\SubmissionsEim.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{B534017C-E891-4e21-B375-A90B648CA592}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\SubmissionsEim.dll
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{476CC8C1-0AC0-40d0-BF18-2CCEA25887F2},,BinaryType=0)
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\SubmissionsEim.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{476CC8C1-0AC0-40d0-BF18-2CCEA25887F2}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\SubmissionsEim.dll
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{3F590471-C5C6-48c9-8200-FFDE6FEB9A2E},,BinaryType=0)
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\SubmissionsEim.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{3F590471-C5C6-48c9-8200-FFDE6FEB9A2E}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\SubmissionsEim.dll
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{785702F1-67E9-41f9-A023-B28410AC3C50},,BinaryType=0)
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\SubmissionsEim.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{785702F1-67E9-41f9-A023-B28410AC3C50}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\SubmissionsEim.dll
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{6e70c46b-7fd6-4d71-a233-b101e9ad72f2},,BinaryType=0)
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\SubmissionsEim.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{6e70c46b-7fd6-4d71-a233-b101e9ad72f2}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\SubmissionsEim.dll
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{D97BA956-7A75-4108-8DCB-E1D3AD6B5508},,BinaryType=0)
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\SubmissionsEim.dll,)

SEP_INST.log

```

WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{D97BA956-7A75-4108-8DCB
-E1D3AD6B5508}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\SubmissionsEim.dll
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{153244CB-4DD8-40cd-BD15
-31ED2CEAE890},,BinaryType=0)
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\SubmissionsEimProxy.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{153244CB-4DD8-40cd-BD15
-31ED2CEAE890}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\SubmissionsEimProxy.dll
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{24EBE679-213D-4903-8DD8
-1361E028AD1A},,BinaryType=0)
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\SubmissionsEimProxy.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{24EBE679-213D-4903-8DD8
-1361E028AD1A}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\SubmissionsEimProxy.dll
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{A09D3011-D411-41ed-8572
-B78245563132},,BinaryType=0)
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\SubmissionsEimProxy.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{A09D3011-D411-41ed-8572
-B78245563132}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\SubmissionsEimProxy.dll
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{33F24A3D-0E43-48a6-9A59
-A402EF53403C},,BinaryType=0)
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\SubmissionsEimProxy.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{33F24A3D-0E43-48a6-9A59
-A402EF53403C}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\SubmissionsEimProxy.dll
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{A8B89792-2B93-457e-88F2
-38A5114DF2B5},,BinaryType=0)
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\RepMgtTim.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{A8B89792-2B93-457e-88F2
-38A5114DF2B5}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\RepMgtTim.dll
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{DFC70FF9-D5FB-49b7-88DF
-8356D9B05A1C},,BinaryType=0)
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\RepMgtTim.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{DFC70FF9-D5FB-49b7-88DF
-8356D9B05A1C}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\RepMgtTim.dll
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{D7E0B085-E453-46da-A523
-EC6DF7742219},,BinaryType=0)
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\RepMgtTim.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{D7E0B085-E453-46da-A523
-EC6DF7742219}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\RepMgtTim.dll
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint

```

SEP_INST.log

Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{C1BC2BA7-2AE5-4139-8B8B-B591BDD9AE76},,BinaryType=0)
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\RepMgtTim.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{C1BC2BA7-2AE5-4139-8B8B-B591BDD9AE76}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\RepMgtTim.dll
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{B3AE2CDD-8520-4ae9-BC6F-5654E2A292DE},,BinaryType=0)
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\ReportSubmission.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{B3AE2CDD-8520-4ae9-BC6F-5654E2A292DE}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\ReportSubmission.dll
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{A4816E5E-73A7-4438-9805-BB2B7AB12FB4},,BinaryType=0)
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\ReportSubmission.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{A4816E5E-73A7-4438-9805-BB2B7AB12FB4}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\ReportSubmission.dll
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{F5DD4BB5-1D9C-4b40-AC24-160A296D16D9},,BinaryType=0)
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\RepMgtEimProxy.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{F5DD4BB5-1D9C-4b40-AC24-160A296D16D9}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\RepMgtEimProxy.dll
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{64C699D2-663D-4655-A86E-790312F60CA0},,BinaryType=0)
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\RepMgtEimProxy.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{64C699D2-663D-4655-A86E-790312F60CA0}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\RepMgtEimProxy.dll
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{43821E57-A346-4F9a-8CAE-0C788B625743},,BinaryType=0)
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\ProfileManagementClient.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{43821E57-A346-4F9a-8CAE-0C788B625743}, Имя: Inproc32, Значение:
%SEPINSTALLDIR%\ProfileManagementClient.dll
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{C13bE72B-EE78-4846-9857-CED8d6DD0FF8},,BinaryType=0)
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\ProfileManagementClient.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{C13bE72B-EE78-4846-9857-CED8d6DD0FF8}, Имя: Inproc32, Значение:
%SEPINSTALLDIR%\ProfileManagementClient.dll
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{92ECB48F-256F-48dd-A357-FC9D4842837D},,BinaryType=0)
MSI (s) (40:68) [20:15:21:796]: Executing op:

SEP_INST.log

RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\ProfileManagementClient.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{92ECB48F-256F-48dd-A357-FC9D4842837D}, Имя: Inproc32, Значение:
%SEPINSTALLDIR%\ProfileManagementClient.dll
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{D4AC6F7D-DEB7-4e7b-8C90-3062B8C1A0F0},,BinaryType=0)
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\ProfileManagementClient.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{D4AC6F7D-DEB7-4e7b-8C90-3062B8C1A0F0}, Имя: Inproc32, Значение:
%SEPINSTALLDIR%\ProfileManagementClient.dll
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{E55CAB87-817E-4480-9049-31116A993E9A},,BinaryType=0)
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\ProfileManagementClient.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{E55CAB87-817E-4480-9049-31116A993E9A}, Имя: Inproc32, Значение:
%SEPINSTALLDIR%\ProfileManagementClient.dll
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{3A3F5A5C-7605-47d8-AF04-8BC95937BF6A},,BinaryType=0)
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\ProfileManagementClient.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{3A3F5A5C-7605-47d8-AF04-8BC95937BF6A}, Имя: Inproc32, Значение:
%SEPINSTALLDIR%\ProfileManagementClient.dll
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{871176AE-B470-4628-AC18-98710E9DF0CB},,BinaryType=0)
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegAddValue(Name=Inproc32,Value=%INSTALLDIR%\sis.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{871176AE-B470-4628-AC18-98710E9DF0CB}, Имя: Inproc32, Значение: %INSTALLDIR%\sis.dll
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{52298956-FB9A-403E-9F12-ECB49189602E},,BinaryType=0)
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegAddValue(Name=Inproc32,Value=%INSTALLDIR%\sis.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{52298956-FB9A-403E-9F12-ECB49189602E}, Имя: Inproc32, Значение: %INSTALLDIR%\sis.dll
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{26DC65FF-B43A-4bd4-A4AE-D6CCB2A2B79C},,BinaryType=0)
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegAddValue(Name=Inproc32,Value=%INSTALLDIR%\sis.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{26DC65FF-B43A-4bd4-A4AE-D6CCB2A2B79C}, Имя: Inproc32, Значение: %INSTALLDIR%\sis.dll
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{F5049120-A459-480D-BB2F-432351FF6236},,BinaryType=0)
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegAddValue(Name=Inproc32,Value=%INSTALLDIR%\sms.dll,)

SEP_INST.log

WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{F5049120-A459-480D-BB2F-432351FF6236}, Имя: Inproc32, Значение: %INSTALLDIR%\sms.dll
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{A16F58CC-3B1C-4ABE-AB09-3701D1FA7A18},,BinaryType=0)
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegAddValue(Name=Inproc32,Value=%INSTALLDIR%\sms.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{A16F58CC-3B1C-4ABE-AB09-3701D1FA7A18}, Имя: Inproc32, Значение: %INSTALLDIR%\sms.dll
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{C425C175-E1AC-47CC-A4F7-342D2FB55EC5},,BinaryType=0)
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegAddValue(Name=Inproc32,Value=%INSTALLDIR%\sms.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{C425C175-E1AC-47CC-A4F7-342D2FB55EC5}, Имя: Inproc32, Значение: %INSTALLDIR%\sms.dll
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{ECDE98D1-4E64-43F2-860B-44F338DBC47F},,BinaryType=0)
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegAddValue(Name=Inproc32,Value=%INSTALLDIR%\sms.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{ECDE98D1-4E64-43F2-860B-44F338DBC47F}, Имя: Inproc32, Значение: %INSTALLDIR%\sms.dll
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{BA7EF054-DA64-4821-BC35-AEF762C35180},,BinaryType=0)
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\AtpiMan.plg,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{BA7EF054-DA64-4821-BC35-AEF762C35180}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\AtpiMan.plg
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{85C3784F-B84A-45a8-9E2F-AEDA70E4DFF6},,BinaryType=0)
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\GEDataStore.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{85C3784F-B84A-45a8-9E2F-AEDA70E4DFF6}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\GEDataStore.dll
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{BBD6F6C20-7761-46eb-AD82-AD49F9BA7946},,BinaryType=0)
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\GEDataStore.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{BBD6F6C20-7761-46eb-AD82-AD49F9BA7946}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\GEDataStore.dll
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{B447A418-4E85-4b39-8EB7-1325831ACD50},,BinaryType=0)
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\GEDataStore.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{B447A418-4E85-4b39-8EB7-1325831ACD50}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\GEDataStore.dll
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint

SEP_INST.log

Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{15F6988E-4FE1-4c5c-A938-ABE6EE1A892D},,BinaryType=0)
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\GEDataStore.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{15F6988E-4FE1-4c5c-A938-ABE6EE1A892D}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\GEDataStore.dll
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{5A6AE710-5464-4ff2-B3C1-5A79EFE833FA},,BinaryType=0)
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\GEDataStore.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{5A6AE710-5464-4ff2-B3C1-5A79EFE833FA}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\GEDataStore.dll
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{E321E1BA-092F-49ff-860C-47324AFC8F26},,BinaryType=0)
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\GEDataStore.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{E321E1BA-092F-49ff-860C-47324AFC8F26}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\GEDataStore.dll
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{BADF5F97-1AEF-4a41-8D8E-FF219BCBCE3C},,BinaryType=0)
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\GEDataStore.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{BADF5F97-1AEF-4a41-8D8E-FF219BCBCE3C}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\GEDataStore.dll
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{7DCAEFB3-B6C0-4845-A227-825DA014B8DD},,BinaryType=0)
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\GEDataStore.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{7DCAEFB3-B6C0-4845-A227-825DA014B8DD}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\GEDataStore.dll
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{F1B74499-C985-41c5-A5AF-19DE6C0FACF3},,BinaryType=0)
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\GEDataStore.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{F1B74499-C985-41c5-A5AF-19DE6C0FACF3}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\GEDataStore.dll
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{421DD4B1-3B84-4562-BB5F-9BDA31AB30D8},,BinaryType=0)
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\GEDataStore.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{421DD4B1-3B84-4562-BB5F-9BDA31AB30D8}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\GEDataStore.dll
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{F0D36511-C9FD-4c9d-97DB-31B1B0353564},,BinaryType=0)
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\GEDataStore.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint

SEP_INST.log

Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{F0D36511-C9FD-4c9d-97DB-31B1B0353564}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\GEDataStore.dll
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{1DA3378C-F298-4a86-A4EC-826E9C8E8C51},,BinaryType=0)
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\GEDataStore.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{1DA3378C-F298-4a86-A4EC-826E9C8E8C51}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\GEDataStore.dll
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{DE6203ED-28FB-436c-A72C-AB598524DFAD},,BinaryType=0)
MSI (s) (40:68) [20:15:21:796]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\GEDataStore.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{DE6203ED-28FB-436c-A72C-AB598524DFAD}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\GEDataStore.dll
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{DFC173E3-DEBF-4fb8-BD35-E36F5A4CBA6D},,BinaryType=0)
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\GEDataStore.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{DFC173E3-DEBF-4fb8-BD35-E36F5A4CBA6D}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\GEDataStore.dll
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{B58CE337-3CA1-47e4-B900-D7894861696F},,BinaryType=0)
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\SavEmail.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{B58CE337-3CA1-47e4-B900-D7894861696F}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\SavEmail.dll
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{FB9D387E-E6AE-404c-B8BB-4747E90C7795},,BinaryType=0)
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\SavEmailSesHlp.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{FB9D387E-E6AE-404c-B8BB-4747E90C7795}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\SavEmailSesHlp.dll
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{5A79503D-CD1F-41a7-BA38-A3920ACFE481},,BinaryType=0)
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\rtvscanPS.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{5A79503D-CD1F-41a7-BA38-A3920ACFE481}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\rtvscanPS.dll
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{EE362512-DE54-4c05-9E12-EF3FBC18DC8E},,BinaryType=0)
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\rtvscanPS.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{EE362512-DE54-4c05-9E12-EF3FBC18DC8E}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\rtvscanPS.dll
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{1AB9CCC0-6786-49c2-BE34

SEP_INST.log

-6D2BF743445A},,BinaryType=0)
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\CidsTrayStatus.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{1AB9CCC0-6786-49c2-BE34-6D2BF743445A}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\CidsTrayStatus.dll
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{C707C8FA-7A36-4232-AAD8-DA749512EAD1},,BinaryType=0)
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\FWTrayStatus.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{C707C8FA-7A36-4232-AAD8-DA749512EAD1}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\FWTrayStatus.dll
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{0B40B073-C0CC-45d8-88FC-86D5E5A10A05},,BinaryType=0)
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\PTPTrayStatus.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{0B40B073-C0CC-45d8-88FC-86D5E5A10A05}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\PTPTrayStatus.dll
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{E4591229-FD47-4744-9390-071AB80C8116},,BinaryType=0)
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\SAVTrayStatus.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{E4591229-FD47-4744-9390-071AB80C8116}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\SAVTrayStatus.dll
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{AF0D2461-4DB4-463a-AE20-726A8CEA66EC},,BinaryType=0)
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\AVHostPlugin.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{AF0D2461-4DB4-463a-AE20-726A8CEA66EC}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\AVHostPlugin.dll
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{CF7CE9DD-F6E9-4c70-98A6-ADAE8095C37D},,BinaryType=0)
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\AVHostPlugin.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{CF7CE9DD-F6E9-4c70-98A6-ADAE8095C37D}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\AVHostPlugin.dll
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{90F29B8E-6012-4d7b-8119-0D41B880CB5D},,BinaryType=0)
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\AVHostPlugin.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{90F29B8E-6012-4d7b-8119-0D41B880CB5D}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\AVHostPlugin.dll
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{6242757F-DC9D-49d1-A0BF-AC84F6536AA4},,BinaryType=0)
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\AVHostPlugin.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{6242757F-DC9D-49d1-A0BF

SEP_INST.log

-AC84F6536AA4}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\AVHostPlugin.dll
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{87DC026F-7572-4d5f-B395-59B7A36C6870},,BinaryType=0)
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\AVHostPlugin.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{87DC026F-7572-4d5f-B395-59B7A36C6870}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\AVHostPlugin.dll
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{937A8E8F-0C92-4ca9-8685-FD5D31FE4CAF},,BinaryType=0)
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\AVHostPlugin.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{937A8E8F-0C92-4ca9-8685-FD5D31FE4CAF}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\AVHostPlugin.dll
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{D7617165-9024-47b6-B074-3F95A707C2EE},,BinaryType=0)
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\AVHostPlugin.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{D7617165-9024-47b6-B074-3F95A707C2EE}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\AVHostPlugin.dll
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{3F274E00-88BE-4317-A127-207BE8B99F87},,BinaryType=0)
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\AVHostPlugin.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{3F274E00-88BE-4317-A127-207BE8B99F87}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\AVHostPlugin.dll
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{60B0DD10-6BFC-4f4c-8ED3-3D1E402A185E},,BinaryType=0)
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\AVHostPlugin.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{60B0DD10-6BFC-4f4c-8ED3-3D1E402A185E}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\AVHostPlugin.dll
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{EEF1F11B-ED1E-48df-99F1-C2499F047C11},,BinaryType=0)
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\AVHostPlugin.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{EEF1F11B-ED1E-48df-99F1-C2499F047C11}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\AVHostPlugin.dll
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{77C099AD-ABC9-4877-8CC5-EC9C957CF90D},,BinaryType=0)
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\AVHostPlugin.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{77C099AD-ABC9-4877-8CC5-EC9C957CF90D}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\AVHostPlugin.dll
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{276564FB-9C8C-4595-9EAF-F768E6E71E18},,BinaryType=0)

SEP_INST.log

MSI (s) (40:68) [20:15:21:812]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\AVHostPlugin.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{276564FB-9C8C-4595-9EAF
-F768E6E71E18}, имя: Inproc32, значение: %SEPINSTALLDIR%\AVHostPlugin.dll
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{12E4FF2D-2872-4be7-8F3A
-2686B0B69355},,BinaryType=0)
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\AVHostPlugin.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{12E4FF2D-2872-4be7-8F3A
-2686B0B69355}, имя: Inproc32, значение: %SEPINSTALLDIR%\AVHostPlugin.dll
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{BA46226E-4E4D-42c5-B9A0
-5EFEABE9AB7D},,BinaryType=0)
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\AVHostPlugin.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{BA46226E-4E4D-42c5-B9A0
-5EFEABE9AB7D}, имя: Inproc32, значение: %SEPINSTALLDIR%\AVHostPlugin.dll
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{838DDD5A-6605-4980-ABEB
-52887C5A9F9A},,BinaryType=0)
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\AVHostPlugin.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{838DDD5A-6605-4980-ABEB
-52887C5A9F9A}, имя: Inproc32, значение: %SEPINSTALLDIR%\AVHostPlugin.dll
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{CC48D6BE-FBD6-462c-B056
-296085050B4E},,BinaryType=0)
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\AVHostPlugin.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{CC48D6BE-FBD6-462c-B056
-296085050B4E}, имя: Inproc32, значение: %SEPINSTALLDIR%\AVHostPlugin.dll
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{CDBE48F6-A285-4323-A8C3
-7ACF95CAA6F0},,BinaryType=0)
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\CIdseim.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{CDBE48F6-A285-4323-A8C3
-7ACF95CAA6F0}, имя: Inproc32, значение: %SEPINSTALLDIR%\CIdseim.dll
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{7320437f-8325-43f6-980b
-1428c97a200e},,BinaryType=0)
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\CIdseim.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{7320437f-8325-43f6-980b
-1428c97a200e}, имя: Inproc32, значение: %SEPINSTALLDIR%\CIdseim.dll
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{98A5FD45-D5E3-4242-A798
-DE471810E86E},,BinaryType=0)
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\CIdseim.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{98A5FD45-D5E3-4242-A798
-DE471810E86E}, имя: Inproc32, значение: %SEPINSTALLDIR%\CIdseim.dll

SEP_INST.log

MSI (s) (40:68) [20:15:21:812]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{2D90F1B2-7894-4f1f-A325
-155B3DB10FEB},,BinaryType=0)
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\CidsEimProxy.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{2D90F1B2-7894-4f1f-A325
-155B3DB10FEB}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\CidsEimProxy.dll
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{6e3c036e-4bb7-458f-bd74
-ece16c275d8a},,BinaryType=0)
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\CidsEimProxy.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{6e3c036e-4bb7-458f-bd74
-ece16c275d8a}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\CidsEimProxy.dll
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{eb466299-f2a4-4d10-b4b1
-8a7efc2a903b},,BinaryType=0)
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\CidsEimProxy.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{eb466299-f2a4-4d10-b4b1
-8a7efc2a903b}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\CidsEimProxy.dll
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{9C2135B2-533D-4042-B446
-C1BFA9DCEC1C},,BinaryType=0)
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\CidsEimProxy.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{9C2135B2-533D-4042-B446
-C1BFA9DCEC1C}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\CidsEimProxy.dll
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{c2f474e2-fc87-4c0c-8367
-377b19ff137d},,BinaryType=0)
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\CidsEimProxy.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{c2f474e2-fc87-4c0c-8367
-377b19ff137d}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\CidsEimProxy.dll
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{E53A10E7-E751-43a7-AAB0
-C7534416F38B},,BinaryType=0)
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\BashEim.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{E53A10E7-E751-43a7-AAB0
-C7534416F38B}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\BashEim.dll
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{F5379DAE-7CC2-47d3-9C0B
-9B99884D1284},,BinaryType=0)
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\BashEim.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{F5379DAE-7CC2-47d3-9C0B
-9B99884D1284}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\BashEim.dll
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{FE3264B5-5DA3-4AE4-9EC0
-3A16F3F3A4A9},,BinaryType=0)
MSI (s) (40:68) [20:15:21:812]: Executing op:

SEP_INST.log

RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\BashEim.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{FE3264B5-5DA3-4AE4-9EC0-3A16F3F3A4A9}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\BashEim.dll
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{0B24268B-A6A7-43dd-8C79-416B5AABC946},,BinaryType=0)
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\BashEimProxy.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{0B24268B-A6A7-43dd-8C79-416B5AABC946}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\BashEimProxy.dll
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{88CEFE31-EFD7-46ED-A020-9422C6B68B9F},,BinaryType=0)
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\BashEimProxy.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{88CEFE31-EFD7-46ED-A020-9422C6B68B9F}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\BashEimProxy.dll
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{4FF66AB6-44B4-49F6-9F2A-477002686441},,BinaryType=0)
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\BashEimProxy.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{4FF66AB6-44B4-49F6-9F2A-477002686441}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\BashEimProxy.dll
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{FCC41CF7-D925-4F92-A827-1C54B282EA23},,BinaryType=0)
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\BashEimProxy.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{FCC41CF7-D925-4F92-A827-1C54B282EA23}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\BashEimProxy.dll
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{B988EB9A-4A6D-40ac-B9E1-F9358397D88E},,BinaryType=0)
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\AtpiEim.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{B988EB9A-4A6D-40ac-B9E1-F9358397D88E}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\AtpiEim.dll
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{11D8803C-9DA4-4839-B9DA-B1694887E684},,BinaryType=0)
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\AtpiEim.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{11D8803C-9DA4-4839-B9DA-B1694887E684}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\AtpiEim.dll
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{BFF80AE6-12E4-40d2-8947-90535976F301},,BinaryType=0)
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\AtpiEim.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{BFF80AE6-12E4-40d2-8947-90535976F301}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\AtpiEim.dll
MSI (s) (40:68) [20:15:21:812]: Executing op:

SEP_INST.log

RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{6CB8EEDC-96A8-4979-BDA7-3D7C6ADA97CD},,BinaryType=0)
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\AtpiEim.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{6CB8EEDC-96A8-4979-BDA7-3D7C6ADA97CD}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\AtpiEim.dll
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{AFD5C247-A80B-40c7-987B-02044AC56B40},,BinaryType=0)
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\AtpiEim.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{AFD5C247-A80B-40c7-987B-02044AC56B40}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\AtpiEim.dll
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{D38C2136-E79E-41be-AE80-E2AC8E8D48CD},,BinaryType=0)
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\AtpiEim.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{D38C2136-E79E-41be-AE80-E2AC8E8D48CD}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\AtpiEim.dll
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{BE683F77-0F8D-4357-A3FE-EEFF81389F44},,BinaryType=0)
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\AtpiEim.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{BE683F77-0F8D-4357-A3FE-EEFF81389F44}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\AtpiEim.dll
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{6EB121C3-4CEF-47c0-9C4D-17852F362D18},,BinaryType=0)
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\AtpiEim.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{6EB121C3-4CEF-47c0-9C4D-17852F362D18}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\AtpiEim.dll
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{FDA2E006-03CF-40cd-9009-EBFF650E8F35},,BinaryType=0)
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\AtpiEim.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{FDA2E006-03CF-40cd-9009-EBFF650E8F35}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\AtpiEim.dll
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{EFA16116-41E2-4945-B132-A8AAD50B8ED1},,BinaryType=0)
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\AtpiEim.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{EFA16116-41E2-4945-B132-A8AAD50B8ED1}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\AtpiEim.dll
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{07EE63A0-132F-4eaa-BC24-04986C7E5642},,BinaryType=0)
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\AtpiEim.dll,)

SEP_INST.log

WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{07EE63A0-132F-4eaa-BC24-04986C7E5642}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\AtpiEim.dll
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{D4E58DCB-AD85-4b13-AAFF-EAC8B5723FCA},,BinaryType=0)
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\AtpiEim.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{D4E58DCB-AD85-4b13-AAFF-EAC8B5723FCA}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\AtpiEim.dll
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{45C38DC9-8FA5-42c6-9341-3DFE449D6077},,BinaryType=0)
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\AtpiEim.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{45C38DC9-8FA5-42c6-9341-3DFE449D6077}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\AtpiEim.dll
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{D11EEFEE-8D23-4de6-A505-236E851A9305},,BinaryType=0)
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\AtpiEimProxy.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{D11EEFEE-8D23-4de6-A505-236E851A9305}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\AtpiEimProxy.dll
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{D0DAF16B-D6E2-438e-8708-A6A5E40D7D04},,BinaryType=0)
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\AtpiEimProxy.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{D0DAF16B-D6E2-438e-8708-A6A5E40D7D04}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\AtpiEimProxy.dll
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{499DF6F9-4B26-4015-83F2-8CD3180617B4},,BinaryType=0)
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\AtpiEimProxy.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{499DF6F9-4B26-4015-83F2-8CD3180617B4}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\AtpiEimProxy.dll
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{81BF0730-4EA1-44e7-932A-16BE454E0E67},,BinaryType=0)
MSI (s) (40:68) [20:15:21:812]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\AtpiEimProxy.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{81BF0730-4EA1-44e7-932A-16BE454E0E67}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\AtpiEimProxy.dll
MSI (s) (40:68) [20:15:21:828]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{A5904745-F84F-4a90-90CA-4C1B5C0E2803},,BinaryType=0)
MSI (s) (40:68) [20:15:21:828]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\AtpiEimProxy.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{A5904745-F84F-4a90-90CA-4C1B5C0E2803}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\AtpiEimProxy.dll
MSI (s) (40:68) [20:15:21:828]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint

SEP_INST.log

Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{88AF744F-0B73-4fd3-80BA-9CCD9F9CE059},,BinaryType=0)
MSI (s) (40:68) [20:15:21:828]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\AtpiEimProxy.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{88AF744F-0B73-4fd3-80BA-9CCD9F9CE059}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\AtpiEimProxy.dll
MSI (s) (40:68) [20:15:21:828]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{89620916-4A65-4468-8EC9-0F3356AED6E4},,BinaryType=0)
MSI (s) (40:68) [20:15:21:828]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\AtpiEimProxy.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{89620916-4A65-4468-8EC9-0F3356AED6E4}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\AtpiEimProxy.dll
MSI (s) (40:68) [20:15:21:828]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{57ECA899-41E7-47d4-A429-004ADF29DEF5},,BinaryType=0)
MSI (s) (40:68) [20:15:21:828]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\AtpiEimProxy.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{57ECA899-41E7-47d4-A429-004ADF29DEF5}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\AtpiEimProxy.dll
MSI (s) (40:68) [20:15:21:828]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{A16A1197-87E7-4e0f-8949-8D43FF514D09},,BinaryType=0)
MSI (s) (40:68) [20:15:21:828]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\AtpiEimProxy.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{A16A1197-87E7-4e0f-8949-8D43FF514D09}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\AtpiEimProxy.dll
MSI (s) (40:68) [20:15:21:828]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{93AA81C4-87A3-426d-8B31-45595DEF8AEA},,BinaryType=0)
MSI (s) (40:68) [20:15:21:828]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\SISCustomActionBash.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{93AA81C4-87A3-426d-8B31-45595DEF8AEA}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\SISCustomActionBash.dll
MSI (s) (40:68) [20:15:21:828]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{2935B8A3-497E-42ff-B9A8-AFEB6279FD1B},,BinaryType=0)
MSI (s) (40:68) [20:15:21:828]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\SISCustomActionScanSettings.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{2935B8A3-497E-42ff-B9A8-AFEB6279FD1B}, Имя: Inproc32, Значение:
%SEPINSTALLDIR%\SISCustomActionScanSettings.dll
MSI (s) (40:68) [20:15:21:828]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{EECD3D8B-854A-499d-94CA-9033B515C30E},,BinaryType=0)
MSI (s) (40:68) [20:15:21:828]: Executing op:
RegAddValue(Name=Inproc32,Value=%SEPINSTALLDIR%\SubmissionsSISCustomAction.dll,)
WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{EECD3D8B-854A-499d-94CA-9033B515C30E}, Имя: Inproc32, Значение:
%SEPINSTALLDIR%\SubmissionsSISCustomAction.dll
MSI (s) (40:68) [20:15:21:828]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{3E1FB8E7-5D5E-4bf6-A41A-5502F82FA9B2},,BinaryType=0)

SEP_INST.log

MSI (s) (40:68) [20:15:21:828]: Executing op:
 RegAddValue(Name=Inproc32, Value=%SEPINSTALLDIR%\SubmissionsSISOptOutCustomAction.dll,)
 WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{3E1FB8E7-5D5E-4bf6-A41A-5502F82FA9B2}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\SubmissionsSISOptOutCustomAction.dll
 MSI (s) (40:68) [20:15:21:828]: Executing op:
 RegOpenKey(Root=-2147483646, Key=SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{45D4EA00-84BA-4daf-8D48-2185E1226941}, BinaryType=0)
 MSI (s) (40:68) [20:15:21:828]: Executing op:
 RegAddValue(Name=Inproc32, Value=%SEPINSTALLDIR%\SISCustomActionCIDS.dll,)
 WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{45D4EA00-84BA-4daf-8D48-2185E1226941}, Имя: Inproc32, Значение: %SEPINSTALLDIR%\SISCustomActionCIDS.dll
 MSI (s) (40:68) [20:15:21:828]: Executing op:
 RegOpenKey(Root=-2147483646, Key=SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{A2346C66-9292-4d63-9AA8-EB7472BFC675}, BinaryType=0)
 MSI (s) (40:68) [20:15:21:828]: Executing op:
 RegAddValue(Name=Inproc32, Value=%INSTALLDIR%\SgHI.dll,)
 WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{A2346C66-9292-4d63-9AA8-EB7472BFC675}, Имя: Inproc32, Значение: %INSTALLDIR%\SgHI.dll
 MSI (s) (40:68) [20:15:21:828]: Executing op:
 RegOpenKey(Root=-2147483646, Key=SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{2760bdbd-c69b-4a4e-9c56-b4b5462a5eb7}, BinaryType=0)
 MSI (s) (40:68) [20:15:21:828]: Executing op:
 RegAddValue(Name=Inproc32, Value=%INSTALLDIR%\ProfileManagement.dll,)
 WriteRegistryValues: Раздел: \SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{2760bdbd-c69b-4a4e-9c56-b4b5462a5eb7}, Имя: Inproc32, Значение: %INSTALLDIR%\ProfileManagement.dll
 MSI (s) (40:68) [20:15:21:828]: Executing op:
 ActionStart(Name=SetFolderPermissions,)
 Действие 20:15:21: SetFolderPermissions.
 MSI (s) (40:68) [20:15:21:828]: Executing op:
 CustomActionSchedule(Action=SetFolderPermissions, ActionType=3073, Source=BinaryData, Target=SetFolderPermissions, CustomActionData=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Quarantine\;C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\APTemp\;C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\I2_LDVP.VDB\;)
 MSI (s) (40:D8) [20:15:21:828]: Invoking remote custom action. DLL: C:\WINDOWS\Installer\MSI27.tmp, Entrypoint: SetFolderPermissions
 ClientData: CustomActionData=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Quarantine\;C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\APTemp\;C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\I2_LDVP.VDB\;
 MSI (s) (40:68) [20:15:22:000]: Executing op:
 ActionStart(Name=WriteIniValues, Description=Сохранение значений в INI-файлах, Template=Файл: [1], Раздел: [2], Подраздел: [3], Значение: [4])
 Действие 20:15:22: WriteIniValues. Сохранение значений в INI-файлах
 MSI (s) (40:68) [20:15:22:000]: Executing op:
 ProgressTotal(Total=2, Type=1, ByteEquivalent=13200)
 MSI (s) (40:68) [20:15:22:000]: Executing op:
 IniFilePath(File=isolate.ini, Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)
 MSI (s) (40:68) [20:15:22:000]: Executing op:
 IniWriteRemoveValue(Section=isolation, Key=silo, Value={472D8985-7554-4137-AC02-1CD4D7F06876}, Mode=0)
 WriteIniValues: Файл: isolate.ini, Раздел: isolation, подраздел: silo,

SEP_INST.log

Значение: {472D8985-7554-4137-AC02-1CD4D7F06876}
 MSI (s) (40:68) [20:15:22:000]: Executing op:
 IniWriteRemoveValue(Section=isolation,Key=reghive,Value=SOFTWARE\Symantec\Symantec Endpoint Protection,Mode=0)
 WriteIniValues: файл: isolate.ini, Раздел: isolation, Подраздел: reghive,
 Значение: SOFTWARE\Symantec\Symantec Endpoint Protection
 MSI (s) (40:68) [20:15:22:000]: Executing op:
 ActionStart(Name=RegisterProduct,Description=Регистрация продукта,Template=[1])
 Действие 20:15:22: RegisterProduct. Регистрация продукта
 MSI (s) (40:68) [20:15:22:000]: Executing op:
 ChangeMedia(MediaVolumeLabel=SEP_12.1,MediaPrompt=Вставьте диск
 ,,BytesPerTick=0,CopierType=0,,,,,IsFirstPhysicalMedia=1)
 MSI (s) (40:68) [20:15:22:000]: Executing op:
 DatabaseCopy(DatabasePath=C:\WINDOWS\Installer\bf48.msi,ProductCode={816230FE-84A1-47CC-BF64-C113014BD15B},,,)
 MSI (s) (40:68) [20:15:22:000]: Note: 1: 1402 2:
 UNKNOWN\Products\EF0326181A48CC74FB461C3110B41DB5\InstallProperties 3: 2
 MSI (s) (40:68) [20:15:22:296]: Executing op:
 ProductRegister(UpgradeCode={24BF7A02-B60A-494B-843A-793BBC77DED4},VersionString=12.1.671.4971,,InstallLocation=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\,InstallSource=E:\SEP\,Publisher=Symantec Corporation,,,,,,SystemComponent=1,EstimatedSize=642290)
 RegisterProduct: {816230FE-84A1-47CC-BF64-C113014BD15B}
 MSI (s) (40:68) [20:15:22:296]: Executing op: ProductCPDisplayInfoRegister()
 MSI (s) (40:68) [20:15:22:296]: Executing op:
 ActionStart(Name=PublishFeatures,Description=Публикация компонентов
 продукта,Template=Компонент: [1])
 Действие 20:15:22: PublishFeatures. Публикация компонентов продукта
 MSI (s) (40:68) [20:15:22:296]: Executing op:
 FeaturePublish(Feature=Core,,Absent=2,Component=18FFGo5,m=ePhBH3=E32([AQO_TGg8~62XVS {2BC} `T+ *M1@+vpw5fPR\$=NhC}bED0[9CY?swFuL(FoKiz`4MJdArgc!59h%)S72jKS[!HC@oAcFA(K1Q63VTABO%j(?YT~i`j1%+5X3HJJ%oc49`O=XfKh1,9uY&xac1Za89!yt38pHrPZYQ{[~QDc=s4UB`?Ut?f9F}3EG3{GF!A00k`a5Db1%LE}UWBhAh7O=O.Vqa6a05ponxoxB9Q,hM`{rgr`8GwVx7^'BOX=5jE--D53t%HXu`!JA=-b?AqeU,%ovx\$5T1\$y?faXrJMpIrfOV`5fH.GfBRYms+[H0eF,KU{vk^IRDCTI2TPJn20^.*Hhhu2AE6MAq*CCxYMHlxUm=!AZF?VZ3NW^*r1a%'6^%tyDQ~?ezvo*w(+)d)Yyz(rD~C RB?k`uRg.\$M,FmJTub97)uT~W(&`OB1,hAGoLCXZ!LMidYSSWZ{ }9L4_pFBQHtvQL^?1[o)K?3)vJE5T)WU9%2_k2^&3uw,]9D149~5T&Euq(95BoR7PLEt&u)VlDRn`ajt\$Bq!{xC4m3u%}{DgN4!DY}fJ2EBQX-HMVVe~23WMH5HF1@FWPIQd)h_SZeYrvPLD,HdY{X@3rU186L*zz18}q[E98Hi(upR[abjKQ2_eaED+Z^gCHmts!%)JKOa&tOFQG)x2J]'YTR-(Y%p}k0C[2-&F5l]{Lf8^R+@[IiBNxd!7}FW\$!2sqbExv?5F{E.]m8cf+bMP`,c!MwCFBU-9IA61q1J},l`{9BwCCT@?%XpHJs89f~.xu_8CVGFDe)}{42dZg[gw.76EMCKE.FBZEag\$Raj8{L^EU}@7@98X_s.R%]O8VKAdbFtz*^+0SB&Ml'skk45ED)bHnuu6}XX?z+.djVNBnw hKJmmVZWc'j)ujh[]BOPuR%_he80yxWT7!hRTE\$gU6Nu4`RP4TU^jA59aEeb7%w=&86YK,F!)?P!Y9)C8^)qY]bhn0e-Q
 PublishFeatures: Компонент: Core
 MSI (s) (40:68) [20:15:22:296]: Executing op:
 FeaturePublish(Feature=SAVMain,Parent=Core,Absent=2,Component=4pmC?)Dpq?2Gg8-?a0^M167od(_LP=Obes0esj? \$1\$q5ot_b+=bk9WwiE` }Ht5BvkV4h\$@woa!&N-b8%N25=4)0WRAj)yyoT!z8T{c+hd13FEAQLdFkAb0b1lQbp!N!jk?..i&6}hj^WU\$~[6o}@3@MDE0.]{x?} {EFJJY~(?ICCIp!=\$TE1.JDDSnLp91d7`R+U1twfq%CI?TZW?1^`c7W[Gvh.'b{fTO?YAVnelwE4\$%\$ONNm[V}]w=[x+Ru(w@U'=GVZxrn~-=1eHkQ_6y6qv8??e,BI&@4WBI.7CBt-+c=}B-?86?n3ax'vceCh&iziWkIm-AYMR1S8)nED0j96,3v?Q?Njj?X?GGutb\$3\$kFS{q8jr8~`rHg!84KUO,=8SE?pxE&4LxBTaIGMOB@[wh?4c?ht0FL-V[2I7iL}_09e[@S=MRL!c&ub_l.5P59Q.U2]ii8A+hh09,4D1s8cF!bZmELiCGVYd@4Bo+?7lBx0S)Hedu5g,2!R8b?pgWyoP2`P1p(b)+oT.+9nJ`dk_=@R]cJWBIfvP_9XRka')QONy8-1?4f3c?1w=1d61~OI1N(gg[JQ?CU{6zd(Gz%2\$}Ead?Zf?&c31jX{7Bh*2TfR_d`x=p2k`zMH63-=o~G.py}{@&?wDM7[~w%b73~\$jia!@rXVs++=)nk)zk5GQ(SP9E2H_g?X4?4kY}BT^1ko9gUxRtcYfvgnpSKKAOfz@v[1U\$_cxm!,C99]BKB,?h!4eAko{ @f=1Yqcs5= `A+QtmN.AGVm_02vxmHk@A1}Nwy]4U]my0}5Dvk_=fwUC]?0g[Ls0`jSwH(AASm9`3@!')waJ%oam_f! ?D.Xi`+&Tz)IE(p0%5~@.0oRXqdMjDVN&?*Afzi=Sh'{nHXQ)}]gQ~[Pv1i8d]SFLCWDYtT1U.ZM`G5=WW+P7(?1S8`&9e)NWovD8S1aJD,Y*Qk`~Z=Yy4TEgXT%aXCCqGT4LpEO)c9FN
 PublishFeatures: Компонент: SAVMain
 MSI (s) (40:68) [20:15:22:296]: Executing op:
 FeaturePublish(Feature=Download,Parent=SAVMain,Absent=2,Component=L`6X0oz.h@+]`U0GK&w(I6ufeURH4BX7Izv*YuY4V=qZuU(=QEdTx)Z6!q=vXSP]Zl_&C@nfd9?) {K,06=*,k-t^A+(2\$ q^`16C.stJ6px1^?q!8T[6avViEG%h`1?_9DvOUnk4F!-izT+Q_&P9thR?FR'+[]d52K0tvK9q*1@I,5Ph5+^nz,3CIZ= `1jHjwhNpm)FrLwvEtEAitCB0mD1%NBw{XYtp(l=-_jF0`^A=PZp01,Xsnt9rc0V VfcXlqksB(SRY%RadzYENRUIw!]
 PublishFeatures: Компонент: Download
 MSI (s) (40:68) [20:15:22:296]: Executing op:

SEP_INST.log

```
FeaturePublish(Feature=Pop3SmtP,Parent=SAVMain,Absent=2,Component=*xX(ed=D99HRQ}
M_&RCNXp@--G*kCBzovwElw'mB?R{dBm[GfEzD4Z&Dp%NhX}pXxyBHOEdaBt9.yf,xD)bnHa!ryBw[ZI
Fvr6VoIA6jQq$RA=L[{V5xDge^AnHde^164s8TjR}._LvrgS[i^k0U*[@zKB(=vTBv7)
PublishFeatures: КОМПОНЕНТ: Pop3SmtP
MSI (s) (40:68) [20:15:22:296]: Executing op:
FeaturePublish(Feature=PTPMain,Parent=Core,Absent=2,Component=4qsptzjB0=is.2JA2p
B3=G9WdnzB~8l,1UtUCwd+svMj2qvRe8A`mzXCK[in)
PublishFeatures: КОМПОНЕНТ: PTPMain
MSI (s) (40:68) [20:15:22:296]: Executing op:
FeaturePublish(Feature=TruScan,Parent=PTPMain,Absent=2,Component=F[,QhNJ.[90kYq-
OG51VI6ufeURH4BX7IzV*YuY4T_)E*3$(V=hCao7FD(C(d{58d+6R1Fr$W{awwwj[cp)9vet_~C6509q
4_e0IV=qZuU(=QEdTx)Z6!q=vXsP]Zl&_AC@nfd9?) {K,06=*,k-t^A+(2$q^'16C.sTj6px1^?q!8T[
6avVisEG%H`1?_9DvOUnK4F!-izT+Q_~P9thr?FR'+{[d52K0tvK9q*1@I,5Ph5+^nZ,3CIZ= 1jHj
whNpm)FrLwvEtEAitCB0mD1%NBW{XYtp(l=-_jF0`A=PZp01,Xsnt9rc0VVfCx1qksB(SRY%RadzYEn
RUIwI)
PublishFeatures: КОМПОНЕНТ: TruScan
MSI (s) (40:68) [20:15:22:296]: Executing op:
FeaturePublish(Feature=DCMain,Parent=PTPMain,Absent=2,Component=R!?!Y45~(99,wi`I
~X5Sk%gqyUmZOFYP60wL1^+A5'gg=?`Y^FeNwxsvL7?0d2x2q`Lc)F!nTK+aPOM@_h@N[`CfEUggjZO
2ct!m?{Y$[O]gDOVKzrxH5Y-]aLK-tQL]D,O='j`X1zdw[k5jG12fA^U1Eq720M+{5YX$3s3~@Cp86dM
.VF&)
PublishFeatures: КОМПОНЕНТ: DCMain
MSI (s) (40:68) [20:15:22:296]: Executing op:
FeaturePublish(Feature=NTPMain,Parent=Core,Absent=2,Component=280$f2z))AD)Wj]W[j
KYKh9UtFPTF?F5w.GP)PGO)
PublishFeatures: КОМПОНЕНТ: NTPMain
MSI (s) (40:68) [20:15:22:296]: Executing op:
FeaturePublish(Feature=ITPMain,Parent=NTPMain,Absent=2,Component=f*Pw$7QAM=.Miex
QE0%Bf9j4a0e-(F7Z0dnTSz{HV=qZuU(=QEdTx)Z6!q=vXsP]Zl&_AC@nfd9?) {K,06=*,k-t^A+(2$q
^'16C.sTj6px1^?q!8T[6avVisEG%H`1?_9DvOUnK4F!-izT+Q_~P9thr?FR'+{[d52K0tvK9q*1@I
,5Ph5+^nZ,3CIZ= 1jHjwhNpm)FrLwvEtEAitCB0mD1%NBW{XYtp(l=-_jF0`A=PZp01,Xsnt9rc0VV
fCx1qksB(SRY%RadzYEnRUIwI)
PublishFeatures: КОМПОНЕНТ: ITPMain
MSI (s) (40:68) [20:15:22:296]: Executing op:
FeaturePublish(Feature=Firewall,Parent=NTPMain,Absent=2,Component=q5Uof``Y.?dJ?B
]8E^f'Es@j`?[g=A82TurF3Rqs$`CWU02x[=IzJ^Yk0x-6_`vfsqldi9xgl*,2U$%_3~$+TEi,r8fPLT
D[rN]!wppJxM@~PCrbHg8$?x{Nww(&^AtuXF@oj?6J-B'yWWB*6%9-we$,WZju{ }jeYE9)exQB18Bpya
_)OtDBC36bwD62fCRYyuEU`wJ= }v+?,AuH*BM-1~e?_ }J! )
PublishFeatures: КОМПОНЕНТ: Firewall
MSI (s) (40:68) [20:15:22:296]: Executing op:
FeaturePublish(Feature=LANG1049,Parent=Core,Absent=2,Component=9uXBgr52^@9U{.UKq
A8eXn%G8{G&r?W}D+) {4Mkkjb^5ibr}x9bncLEH5^1.8[95?9k6}8X!0~`sHdkn~4'qzC} }?lDj]l1*
7@ANFVty-KCYDFyg,a%)ISVB`snFu3yAMkn_c4?b,8_+y0cu(ddCgv]sCg{&C0f-0Eop^DSC&8$ {5W.
MtBWHlGt+`8`CXX1%*V@rBDcsP4u&NXVCu`c9{`VM~7)KP1.c_4KC&sNo'yX4`*snIKZlNSDC5zYCdJy
8G[%U*3zyxqICN[Cfz?l`ze*Jw)^1jNwbQe{ %WBNGHhw2TizBIXKC&Tl43? ]0D8?AvNI^.[7FDgNM7YS
Z^[,Lb6?ehvFEV2WD(!UBKlg78y%1_cJFvG5z7dDRz6w`JcpFJh1ELddn5NNNlD8dsyw4iu7D2xcF@L(
uzn+%ck*T*K5F](d{dP}=[T3vYOzdp18D?!q1ZW,T3H3ppVsP4[ZCI5fz_] {C}HXE-ZDNM0?D-o8[hgg
8bfEXde3C08{Ck~OkV`GQ$A72ncv+`9LE'yK(uv1p&r)UVCsAO0nd?%T-V1ewEW=j^addo^+&Br`L)ZM7
~`6mnoh7,)-D=de,Xt8pEM`]veiaaOaDum(sv~S2lk1bH!s_aj}DAC&H&r2tg&{qV%vXQv`B`-5,UN}
RY`e9pr&gIsGByo(f.)on?%wpz7fs~&lFE^u~)b+@N!24qkAc8@uC-EcxmMjXJ8-1G-HZ2Wack4-T1Vx
PzLgl~1SAFFYDh*1cJIXRm`_K=nTy{0YE6y_*rYtGI%}tbC_CB+OEd-764Cu6R_-*8BKnP1[B%66`I=c
GXU9dzw.ZS,]CjBA,CzG}}s4D.hzZgfoEoywmTasGXdltf=w{wZnD{XZ9'}b28DjCE0tAdP^DgmVrj7`
[Q$V%tyP1qUC^acc)ndjCqC2,h8Nn4,gAkWqAXA`RexYSNSGL5aQF[AqKkw+8.qWM.K5Xx!pC7N[BWx(
Uil,d&ZA6]Z[D
PublishFeatures: КОМПОНЕНТ: LANG1049
MSI (s) (40:68) [20:15:22:296]: Executing op:
FeaturePublish(Feature=OutlookSnapin,Parent=SAVMain,Absent=3,Component=haO(XE4=(
AawbesV26wL04Q`ggs*dBt9W!87hN!H$Ro{b17DZDIXyYpp~PvhvWj*FeI]C-e`M)}Hm31Srqlb'ku
E1~v20(gtj%)
PublishFeatures: КОМПОНЕНТ: OutlookSnapin
MSI (s) (40:68) [20:15:22:312]: Executing op:
FeaturePublish(Feature=NotesSnapin,Parent=SAVMain,Absent=3,Component=m4ozzc5Q{9.
Nfo$.15XQ%enesF71$Dw4r)HoPPIbG+6,'=GMVEf.}5TvXHRi]wo}S7fojA(2bUMVus3J)
PublishFeatures: КОМПОНЕНТ: NotesSnapin
MSI (s) (40:68) [20:15:22:312]: Executing op:
ActionStart(Name=PublishProduct,Description=Публикация сведений о продукте,)
Действие 20:15:22: PublishProduct. Публикация сведений о продукте
MSI (s) (40:68) [20:15:22:312]: Executing op: CleanupConfigData()
```

```
MSI (s) (40:68) [20:15:22:312]: Note: 1: 1402 2:  
HKEY_LOCAL_MACHINE\Software\Microsoft\windows\CurrentVersion\Installer\UserData\  
S-1-5-18\Products\EF0326181A48CC74FB461C3110B41DB5\Patches 3: 2  
MSI (s) (40:68) [20:15:22:312]: Executing op:  
RegisterPatchOrder(Continue=0, SequenceType=1, Remove=0)  
MSI (s) (40:68) [20:15:22:312]: Note: 1: 1402 2:  
UNKNOWN\Products\EF0326181A48CC74FB461C3110B41DB5\Patches 3: 2  
MSI (s) (40:68) [20:15:22:312]: Executing op:  
ProductPublish(PackageKey={F3BE37D6-027B-4947-AD83-637FF28381E4})  
1: {816230FE-84A1-47CC-BF64-C113014BD15B}  
MSI (s) (40:68) [20:15:22:312]: Note: 1: 1402 2:  
UNKNOWN\Installer\Products\EF0326181A48CC74FB461C3110B41DB5 3: 2  
MSI (s) (40:68) [20:15:22:312]: Note: 1: 1402 2:  
UNKNOWN\Installer\Products\EF0326181A48CC74FB461C3110B41DB5 3: 2  
MSI (s) (40:68) [20:15:22:312]: Note: 1: 1402 2:  
UNKNOWN\Installer\Products\EF0326181A48CC74FB461C3110B41DB5 3: 2  
MSI (s) (40:68) [20:15:22:312]: Note: 1: 1402 2:  
UNKNOWN\Installer\Products\EF0326181A48CC74FB461C3110B41DB5 3: 2  
MSI (s) (40:68) [20:15:22:312]: Note: 1: 1402 2:  
UNKNOWN\Installer\Products\EF0326181A48CC74FB461C3110B41DB5 3: 2  
MSI (s) (40:68) [20:15:22:312]: Note: 1: 1402 2:  
UNKNOWN\Installer\Products\EF0326181A48CC74FB461C3110B41DB5 3: 2  
MSI (s) (40:68) [20:15:22:312]: Note: 1: 1402 2:  
UNKNOWN\Installer\Products\EF0326181A48CC74FB461C3110B41DB5 3: 2  
MSI (s) (40:68) [20:15:22:312]: Note: 1: 1402 2:  
UNKNOWN\Installer\Products\EF0326181A48CC74FB461C3110B41DB5 3: 2  
MSI (s) (40:68) [20:15:22:312]: Note: 1: 1402 2:  
UNKNOWN\Installer\Products\EF0326181A48CC74FB461C3110B41DB5 3: 2  
MSI (s) (40:68) [20:15:22:312]: Note: 1: 1402 2:  
UNKNOWN\Installer\Products\EF0326181A48CC74FB461C3110B41DB5 3: 2  
MSI (s) (40:68) [20:15:22:312]: Note: 1: 1402 2:  
UNKNOWN\Installer\Products\EF0326181A48CC74FB461C3110B41DB5 3: 2  
MSI (s) (40:68) [20:15:22:312]: Executing op:  
UpgradeCodePublish(UpgradeCode={24BF7A02-B60A-494B-843A-793BBC77DED4})  
MSI (s) (40:68) [20:15:22:312]: Executing op:  
SourceListPublish(,, PackagePath=\SEP\, NumberOfDisks=1)  
MSI (s) (40:68) [20:15:22:312]: Note: 1: 1402 2:  
UNKNOWN\Installer\Products\EF0326181A48CC74FB461C3110B41DB5\SourceList 3: 2  
MSI (s) (40:68) [20:15:22:312]: Executing op: ProductPublishClient(,,)  
MSI (s) (40:68) [20:15:22:312]: Executing op:  
SourceListRegisterLastUsed(SourceProduct={816230FE-84A1-47CC-BF64-C113014BD15B},  
LastUsedSource=E:\SEP\)  
MSI (s) (40:68) [20:15:22:312]: Entering  
CMsiConfigurationManager::SetLastUsedSource.  
MSI (s) (40:68) [20:15:22:312]: Machine policy value 'AllowLockdownMedia' is 0  
MSI (s) (40:68) [20:15:22:312]: Specified source is already in a list.  
MSI (s) (40:68) [20:15:22:312]: User policy value 'SearchOrder' is 'nmu'  
MSI (s) (40:68) [20:15:22:312]: Machine policy value 'DisableBrowse' is 0  
MSI (s) (40:68) [20:15:22:312]: Machine policy value 'AllowLockdownBrowse' is 0  
MSI (s) (40:68) [20:15:22:312]: Adding new sources is allowed.  
MSI (s) (40:68) [20:15:22:312]: Set LastUsedSource to: E:\SEP\  
MSI (s) (40:68) [20:15:22:312]: Set LastUsedType to: m.  
MSI (s) (40:68) [20:15:22:312]: Set LastUsedIndex to: 1.  
MSI (s) (40:68) [20:15:22:312]: Executing op:  
ActionStart(Name=AddCacheAsInstallSource,,)  
действие 20:15:22: AddCacheAsInstallSource.  
MSI (s) (40:68) [20:15:22:312]: Executing op:  
CustomActionSchedule(Action=AddCacheAsInstallSource, ActionType=3073, Source=Binar  
yData, Target=AddCacheAsInstallSource, CustomActionData={816230FE-84A1-47CC-BF64-C  
113014BD15B};C:\Documents and Settings\All Users\Application  
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached  
Installs\)  
MSI (s) (40:EC) [20:15:22:312]: Invoking remote custom action. DLL:  
C:\WINDOWS\Installer\MSI2F.tmp, Entrypoint: AddCacheAsInstallSource  
MSI (s) (40:58) [20:15:23:031]: Running as a service.  
MSI (s) (40:80) [20:15:23:031]: Opening per-machine managed SourceList.  
MSI (s) (40:80) [20:15:23:031]: User will be allowed to modify contents of  
SourceList.  
MSI (s) (40:80) [20:15:23:031]: Note: 1: 1402 2: UNKNOWN\Net 3: 2  
MSI (s) (40:80) [20:15:23:031]: Added new source 'C:\Documents and Settings\All
```

SEP_INST.log

Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached Installs\' with index '1'
AddCacheAsInstallSource Successfully added C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached Installs\ as source dir for {816230FE-84A1-47CC-BF64-C113014BD15B}
MSI (s) (40:68) [20:15:23:031]: Executing op:
ActionStart(Name=StartServices,Description=Запуск служб,Template=Служба: [1])
Действие 20:15:23: StartServices. Запуск служб
MSI (s) (40:68) [20:15:23:031]: Executing op:
ProgressTotal(Total=1,Type=1,ByteEquivalent=1300000)
MSI (s) (40:68) [20:15:23:031]: Executing op:
ServiceControl(Name=SepMasterService,Action=1,Wait=1,)
StartServices: Служба: Symantec Endpoint Protection
LinkAllExecutables Could not get file attributes for C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached Installs\Program Files\Symantec\Name\Version\Bin\installdata.xml
LinkAllExecutables Could not get file attributes for C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached Installs\Program Files\Symantec\Name\Version\Bin\isolate.ini
MSI (s) (40:68) [20:15:24:640]: Executing op:
ActionStart(Name=ShowServiceProgress_RB,Description=Выполнение сценария отката с помощью службы,Template=[1])
Действие 20:15:24: ShowServiceProgress_RB. Выполнение сценария отката с помощью службы
MSI (s) (40:68) [20:15:24:640]: Executing op:
CustomActionSchedule(Action=ShowServiceProgress_RB,ActionType=3329,Source=BinaryData,Target=ShowServiceProgress_RB,CustomActionData={472D8985-7554-4137-AC02-1CD4D7F06876};SOFTWARE\Symantec\Symantec Endpoint Protection;Выполнение сценария отката с помощью службы;)
MSI (s) (40:68) [20:15:24:640]: Executing op:
ActionStart(Name=ShowServiceProgress,Description=Выполнение сценария установки с помощью службы,Template=[1])
Действие 20:15:24: ShowServiceProgress. Выполнение сценария установки с помощью службы
MSI (s) (40:68) [20:15:24:640]: Executing op:
CustomActionSchedule(Action=ShowServiceProgress,ActionType=3073,Source=BinaryData,Target=ShowServiceProgress,CustomActionData={472D8985-7554-4137-AC02-1CD4D7F06876};SOFTWARE\Symantec\Symantec Endpoint Protection;Выполнение сценария установки с помощью службы;)
MSI (s) (40:94) [20:15:24:640]: Invoking remote custom action. DLL: C:\WINDOWS\Installer\MSIA8.tmp, Entrypoint: ShowServiceProgress
ScriptGen: ShowServiceProgress() MSIRUNMODE_SCHEDULED
ScriptGen: ShowServiceProgress() calling WaitForSingleObject(scriptStarted) ...
ScriptGen: ShowServiceProgress() WaitForSingleObject(scriptStarted) returned WAIT_OBJECT_0
Действие 20:15:25: ShowServiceProgress. Выполнение сценария установки с помощью службы
1: LinkAllExecutables 2: 0
ShowServiceProgress: incrementing tick
Действие 20:15:27: ShowServiceProgress. Запись разделов и значений реестра
ShowServiceProgress: incrementing tick
Действие 20:15:27: ShowServiceProgress. Инициализация временного хранилища параметров
ShowServiceProgress: incrementing tick
Действие 20:15:27: ShowServiceProgress. Кэширование параметров приложений
ShowServiceProgress: incrementing tick
Действие 20:15:27: ShowServiceProgress. Запись хранилища параметров
ShowServiceProgress: incrementing tick
Действие 20:15:27: ShowServiceProgress. Установка содержимого
ShowServiceProgress: incrementing tick
ShowServiceProgress: incrementing tick
ShowServiceProgress: incrementing tick
ShowServiceProgress: incrementing tick
ShowServiceProgress: incrementing tick
ShowServiceProgress: incrementing tick
ShowServiceProgress: incrementing tick

SEP_INST.log

[illegible]

SEP_INST.log

ShowServiceProgress_RB: decrementing tick
ShowServiceProgress_RB: decrementing tick
ShowServiceProgress_RB: decrementing tick
ShowServiceProgress_RB: decrementing tick
ShowServiceProgress_RB: decrementing tick
ShowServiceProgress_RB: decrementing tick
ShowServiceProgress_RB: decrementing tick
ShowServiceProgress_RB: decrementing tick
ShowServiceProgress_RB: decrementing tick
ScriptGen: ShowServiceProgress_RB() script execution failed.
ScriptGen: ShowServiceProgress_RB() reset script failure event.
ScriptGen: ShowServiceProgress_RB() script execution failed.
ScriptGen: ShowServiceProgress_RB() reset script failure event.
ScriptGen: ShowServiceProgress_RB() script execution failed.
ScriptGen: ShowServiceProgress_RB() reset script failure event.
Действие 20:16:09: ShowServiceProgress_RB. Настройка компонентов
ShowServiceProgress_RB: decrementing tick
ScriptGen: ShowServiceProgress_RB() script execution failed.
ScriptGen: ShowServiceProgress_RB() reset script failure event.
ScriptGen: ShowServiceProgress_RB() script execution failed.
ScriptGen: ShowServiceProgress_RB() reset script failure event.
ScriptGen: ShowServiceProgress_RB() script execution failed.
ScriptGen: ShowServiceProgress_RB() reset script failure event.
Действие 20:16:09: ShowServiceProgress_RB. Создание исключений брандмауэра
ShowServiceProgress_RB: decrementing tick
ScriptGen: ShowServiceProgress_RB() script execution failed.
ScriptGen: ShowServiceProgress_RB() reset script failure event.
Действие 20:16:09: ShowServiceProgress_RB. Установка содержимого
ShowServiceProgress_RB: decrementing tick
ScriptGen: ShowServiceProgress_RB() script execution failed.
ScriptGen: ShowServiceProgress_RB() reset script failure event.
ScriptGen: ShowServiceProgress_RB() script execution failed.
ScriptGen: ShowServiceProgress_RB() reset script failure event.
ScriptGen: ShowServiceProgress_RB() script execution failed.
ScriptGen: ShowServiceProgress_RB() reset script failure event.
ScriptGen: ShowServiceProgress_RB() script execution failed.
ScriptGen: ShowServiceProgress_RB() reset script failure event.
Действие 20:16:10: ShowServiceProgress_RB. Запись хранилища параметров
ShowServiceProgress_RB: decrementing tick
ScriptGen: ShowServiceProgress_RB() script execution failed.
ScriptGen: ShowServiceProgress_RB() reset script failure event.
Действие 20:16:10: ShowServiceProgress_RB. Кэширование параметров приложений
ShowServiceProgress_RB: decrementing tick
ScriptGen: ShowServiceProgress_RB() script execution failed.
ScriptGen: ShowServiceProgress_RB() reset script failure event.
Действие 20:16:10: ShowServiceProgress_RB. Инициализация временного хранилища параметров
ShowServiceProgress_RB: decrementing tick
ScriptGen: ShowServiceProgress_RB() script execution failed.
ScriptGen: ShowServiceProgress_RB() reset script failure event.
ScriptGen: ShowServiceProgress_RB() script execution failed.
ScriptGen: ShowServiceProgress_RB() reset script failure event.
ScriptGen: ShowServiceProgress_RB() script execution failed.
ScriptGen: ShowServiceProgress_RB() reset script failure event.
ScriptGen: ShowServiceProgress_RB() script execution failed.
ScriptGen: ShowServiceProgress_RB() reset script failure event.
ScriptGen: ShowServiceProgress_RB() script execution failed.
ScriptGen: ShowServiceProgress_RB() reset script failure event.
ScriptGen: ShowServiceProgress_RB() script execution failed.
ScriptGen: ShowServiceProgress_RB() reset script failure event.
ScriptGen: ShowServiceProgress_RB() script execution failed.
ScriptGen: ShowServiceProgress_RB() reset script failure event.
ScriptGen: ShowServiceProgress_RB() script execution failed.
ScriptGen: ShowServiceProgress_RB() reset script failure event.
ScriptGen: ShowServiceProgress_RB() script execution failed.
ScriptGen: ShowServiceProgress_RB() reset script failure event.

SEP_INST.log

[illegible]

SEP_INST.log

ScriptGen: ShowServiceProgress_RB() script execution failed.
ScriptGen: ShowServiceProgress_RB() reset script failure event.
Действие 20:16:41: ShowServiceProgress_RB. Копирование файлов
ShowServiceProgress_RB: decrementing tick
ScriptGen: ShowServiceProgress_RB() script execution failed.
ScriptGen: ShowServiceProgress_RB() reset script failure event.
ScriptGen: ShowServiceProgress_RB() script execution failed.
ScriptGen: ShowServiceProgress_RB() reset script failure event.
ScriptGen: ShowServiceProgress_RB() script execution failed.
ScriptGen: ShowServiceProgress_RB() reset script failure event.
ScriptGen: ShowServiceProgress_RB() script execution failed.
ScriptGen: ShowServiceProgress_RB() reset script failure event.
ScriptGen: ShowServiceProgress_RB() script execution failed.
ScriptGen: ShowServiceProgress_RB() reset script failure event.
Действие 20:16:41: ShowServiceProgress_RB. Остановка служб
ShowServiceProgress_RB: decrementing tick
ScriptGen: ShowServiceProgress_RB() script execution failed.
ScriptGen: ShowServiceProgress_RB() reset script failure event.
Действие 20:16:41: ShowServiceProgress_RB. Определение сведений о содержимом
ShowServiceProgress_RB: decrementing tick
ScriptGen: ShowServiceProgress_RB() the event loop was signaled to terminate
ScriptGen: ShowServiceProgress_RB() is returning ERROR_SUCCESS
ShowServiceProgress_RB: decrementing tick
MSI (s) (40:68) [20:16:42:546]: Executing op:
ActionStart(Name=StartServices,Description=Запуск служб,Template=Служба: [1])
MSI (s) (40:68) [20:16:42:546]: Executing op:
ServiceControl(,Name=SepMasterService,Action=2,Wait=1,)
Сведения 1921. Не удастся остановить службу "Symantec Endpoint Protection"
(SepMasterService). Убедитесь, что у вас имеются разрешения на останов
системных служб.
MSI (s) (40:68) [20:17:12:546]: Error in rollback skipped. Return: 3
ShowServiceProgress_RB: decrementing tick
MSI (s) (40:68) [20:17:12:546]: Executing op:
ActionStart(Name=AddCacheAsInstallSource,,)
ShowServiceProgress_RB: decrementing tick
MSI (s) (40:68) [20:17:12:546]: Executing op:
ActionStart(Name=PublishProduct,Description=Публикация сведений о продукте,)
MSI (s) (40:68) [20:17:12:546]: Executing op:
RegOpenKey(Root=-2147483646,Key=Software\Classes\Installer\Products\EF0326181A48
CC74FB461C3110B41DB5\SourceList\Media,,BinaryType=0)
MSI (s) (40:68) [20:17:12:546]: Executing op:
RegOpenKey(Root=-2147483646,Key=Software\Classes\Installer\Products\EF0326181A48
CC74FB461C3110B41DB5\SourceList,,BinaryType=0)
MSI (s) (40:68) [20:17:12:546]: Executing op:
RegRemoveValue(Name=LastUsedSource,Value=#%m;1;E:\SEP\,)
MSI (s) (40:68) [20:17:12:546]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:546]: Executing op:
RegOpenKey(Root=-2147483646,Key=Software\Classes\Installer\Products\EF0326181A48
CC74FB461C3110B41DB5,,BinaryType=0)
MSI (s) (40:68) [20:17:12:546]: Executing op:
RegRemoveValue(Name=Clients,Value=[~]:,)
MSI (s) (40:68) [20:17:12:546]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:546]: Executing op:
RegOpenKey(Root=-2147483646,Key=Software\Classes\Installer\Products\EF0326181A48
CC74FB461C3110B41DB5\SourceList\Media,,BinaryType=0)
MSI (s) (40:68) [20:17:12:546]: Executing op:
RegRemoveValue(Name=1,Value=SEP_12.1;,)
MSI (s) (40:68) [20:17:12:546]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:546]: Executing op:
RegOpenKey(Root=-2147483646,Key=Software\Classes\Installer\Products\EF0326181A48
CC74FB461C3110B41DB5\SourceList\Media,,BinaryType=0)
MSI (s) (40:68) [20:17:12:546]: Executing op:
RegRemoveValue(Name=MediaPackage,Value=\SEP\,)
MSI (s) (40:68) [20:17:12:546]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:546]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\Software\Classes\Installer\Products\EF0326181A48CC74FB461C311
0B41DB5\SourceList\Media 3: 2
MSI (s) (40:68) [20:17:12:546]: Executing op:

SEP_INST.log

```

RegOpenKey(Root=-2147483646,Key=Software\Classes\Installer\Products\EF0326181A48
CC74FB461C3110B41DB5\SourceList,,BinaryType=0)
MSI (s) (40:68) [20:17:12:546]: Executing op:
RegRemoveValue(Name=PackageName,Value=Sep.msi,)
MSI (s) (40:68) [20:17:12:546]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:546]: Executing op:
RegOpenKey(Root=-2147483646,Key=Software\Classes\Installer\Products\EF0326181A48
CC74FB461C3110B41DB5\SourceList,,BinaryType=0)
MSI (s) (40:68) [20:17:12:546]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:546]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\Software\Classes\Installer\Products\EF0326181A48CC74FB461C311
0B41DB5\SourceList 3: 2
MSI (s) (40:68) [20:17:12:546]: Executing op:
RegOpenKey(Root=-2147483646,Key=Software\Classes\Installer\UpgradeCodes\20A7FB42
A06BB49448A397B3CB77ED4D,,BinaryType=0)
MSI (s) (40:68) [20:17:12:546]: Executing op:
RegRemoveValue(Name=EF0326181A48CC74FB461C3110B41DB5,,)
MSI (s) (40:68) [20:17:12:546]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:546]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\Software\Classes\Installer\UpgradeCodes\20A7FB42A06BB49448A39
7B3CB77ED4D 3: 2
MSI (s) (40:68) [20:17:12:546]: Executing op:
RegOpenKey(Root=-2147483646,Key=Software\Classes\Installer\Products\EF0326181A48
CC74FB461C3110B41DB5,,BinaryType=0)
MSI (s) (40:68) [20:17:12:546]: Executing op:
RegRemoveValue(Name=AuthorizedLUAApp,Value=#0,)
MSI (s) (40:68) [20:17:12:546]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:546]: Executing op:
RegRemoveValue(Name=InstanceType,Value=#0,)
MSI (s) (40:68) [20:17:12:546]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:546]: Executing op:
RegRemoveValue(Name=AdvertiseFlags,Value=#388,)
MSI (s) (40:68) [20:17:12:546]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:546]: Executing op:
RegRemoveValue(Name=Assignment,Value=#1,)
MSI (s) (40:68) [20:17:12:546]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:546]: Executing op:
RegRemoveValue(Name=Version,Value=#201392799,)
MSI (s) (40:68) [20:17:12:546]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:546]: Executing op:
RegRemoveValue(Name=Language,Value=#1049,)
MSI (s) (40:68) [20:17:12:546]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:546]: Executing op:
RegRemoveValue(Name=PackageCode,Value=6D73EB3FB7207494DA3836F72F38184E,)
MSI (s) (40:68) [20:17:12:546]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:546]: Executing op:
RegRemoveValue(Name=ProductName,Value=Symantec Endpoint Protection,)
MSI (s) (40:68) [20:17:12:546]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:546]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\Software\Classes\Installer\Products\EF0326181A48CC74FB461C311
0B41DB5 3: 2
MSI (s) (40:68) [20:17:12:546]: Executing op:
RegOpenKey(Root=-2147483646,Key=Software\Classes\Installer\Products\EF0326181A48
CC74FB461C3110B41DB5,,BinaryType=0)
MSI (s) (40:68) [20:17:12:546]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:546]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\Software\Classes\Installer\Products\EF0326181A48CC74FB461C311
0B41DB5 3: 2
MSI (s) (40:68) [20:17:12:546]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:546]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\Software\Classes\Installer\Products\EF0326181A48CC74FB461C311
0B41DB5 3: 2
MSI (s) (40:68) [20:17:12:546]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:546]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\Software\Classes\Installer\Products\EF0326181A48CC74FB461C311
0B41DB5 3: 2
MSI (s) (40:68) [20:17:12:546]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:546]: Note: 1: 1402 2:

```

SEP_INST.log

```

HKEY_LOCAL_MACHINE\Software\Classes\Installer\Products\EF0326181A48CC74FB461C311
0B41DB5 3: 2
MSI (s) (40:68) [20:17:12:546]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:546]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\Software\Classes\Installer\Products\EF0326181A48CC74FB461C311
0B41DB5 3: 2
MSI (s) (40:68) [20:17:12:546]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:546]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\Software\Classes\Installer\Products\EF0326181A48CC74FB461C311
0B41DB5 3: 2
MSI (s) (40:68) [20:17:12:546]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:546]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\Software\Classes\Installer\Products\EF0326181A48CC74FB461C311
0B41DB5 3: 2
MSI (s) (40:68) [20:17:12:546]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:546]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\Software\Classes\Installer\Products\EF0326181A48CC74FB461C311
0B41DB5 3: 2
MSI (s) (40:68) [20:17:12:546]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:546]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\Software\Classes\Installer\Products\EF0326181A48CC74FB461C311
0B41DB5 3: 2
MSI (s) (40:68) [20:17:12:546]: Executing op:
RegOpenKey(Root=-2147483646,Key=Software\Microsoft\Windows\CurrentVersion\Instal
ler\UserData\S-1-5-18\Products\EF0326181A48CC74FB461C3110B41DB5\Patches,,BinaryT
ype=0)
MSI (s) (40:68) [20:17:12:546]: Executing op: RegRemoveValue(Name=AllPatches,,)
MSI (s) (40:68) [20:17:12:546]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:546]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\Software\Microsoft\Windows\CurrentVersion\Installer\UserData\
S-1-5-18\Products\EF0326181A48CC74FB461C3110B41DB5\Patches 3: 2
MSI (s) (40:68) [20:17:12:546]: Executing op:
RegOpenKey(Root=-2147483646,Key=Software\Microsoft\Windows\CurrentVersion\Instal
ler\UserData\S-1-5-18\Products\EF0326181A48CC74FB461C3110B41DB5\Patches,,BinaryT
ype=0)
MSI (s) (40:68) [20:17:12:546]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:546]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\Software\Microsoft\Windows\CurrentVersion\Installer\UserData\
S-1-5-18\Products\EF0326181A48CC74FB461C3110B41DB5\Patches 3: 2
MSI (s) (40:68) [20:17:12:546]: Executing op:
RegOpenKey(Root=-2147483646,Key=Software\Microsoft\Windows\CurrentVersion\Instal
ler\UserData\S-1-5-18\Products\EF0326181A48CC74FB461C3110B41DB5\Patches,,BinaryT
ype=-1)
MSI (s) (40:68) [20:17:12:546]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:546]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\Software\Microsoft\Windows\CurrentVersion\Installer\UserData\
S-1-5-18\Products\EF0326181A48CC74FB461C3110B41DB5\Patches 3: 2
ShowServiceProgress_RB: decrementing tick
MSI (s) (40:68) [20:17:12:546]: Executing op:
ActionStart(Name=PublishFeatures,Description=Публикация компонентов
продукта,Template=Компонент: [1])
MSI (s) (40:68) [20:17:12:546]: Executing op:
RegOpenKey(Root=-2147483646,Key=Software\Microsoft\Windows\CurrentVersion\Instal
ler\UserData\S-1-5-18\Products\EF0326181A48CC74FB461C3110B41DB5\Features,,Binary
Type=0)
MSI (s) (40:68) [20:17:12:546]: Executing op:
RegRemoveValue(Name=NotesSnapin,Value=m4oZZC5Q{9.Nfo$.15XQ%eneSF71$Dw4r)HoPPIbG+
6,}=GMVEf.}5TVXHRi{wo}S7fojA(2bUMVuS3J;SAVMain,)
MSI (s) (40:68) [20:17:12:546]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:546]: Executing op:
RegOpenKey(Root=-2147483646,Key=Software\Classes\Installer\Features\EF0326181A48
CC74FB461C3110B41DB5,,BinaryType=0)
MSI (s) (40:68) [20:17:12:546]: Executing op:
RegRemoveValue(Name=NotesSnapin,Value=SAVMain,)

```

SEP_INST.log

MSI (s) (40:68) [20:17:12:546]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:546]: Executing op:
RegOpenKey(Root=-2147483646,Key=Software\Microsoft\windows\CurrentVersion\Installer\UserData\S-1-5-18\Products\EF0326181A48CC74FB461C3110B41DB5\Features,,BinaryType=0)
MSI (s) (40:68) [20:17:12:546]: Executing op:
RegRemoveValue(Name=OutlookSnapin,Value=ha0(XE4=(AawbesV26wLO4Q`ggs*dBt9W!87hN!H\$Ro{b17DZDIxyYpp~PvhvwEj*FeI]C-e`M)}Hm31Srqlb'kuEl~V20(gtj%SAVMain,)
MSI (s) (40:68) [20:17:12:546]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:546]: Executing op:
RegOpenKey(Root=-2147483646,Key=Software\Classes\Installer\Features\EF0326181A48CC74FB461C3110B41DB5,,BinaryType=0)
MSI (s) (40:68) [20:17:12:546]: Executing op:
RegRemoveValue(Name=OutlookSnapin,Value=SAVMain,)
MSI (s) (40:68) [20:17:12:546]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:546]: Executing op:
RegOpenKey(Root=-2147483646,Key=Software\Microsoft\windows\CurrentVersion\Installer\UserData\S-1-5-18\Products\EF0326181A48CC74FB461C3110B41DB5\Features,,BinaryType=0)
MSI (s) (40:68) [20:17:12:546]: Executing op:
RegRemoveValue(Name=LANG1049,Value=9uXBgr52^@9U{.UKqA8exn%G8{G&r?w}D+){4Mkkjb^5ibr}x9bnCLEH5^1.8[95?9k6}8X!0~`~shdkn~4'qzC}}?lDJj1*7@ANFVty-KcYDFyg,a%e)ISVB'SNfu3yAMKN_c4?b,8_+y0cu(ddCgv]sCg{&C0f-0Eop^DSC&8\${5W.MtBWHlGt+'8`CXXl%*V@rBDcsP4u&NXVCu`c9{`vm~7)KPl.c_4KC&sno'yx4`*sniKZlNSDC5zYCdJy8G[%U*3zyxqICN[Cfz?l`ze*Jw)^1jNwBqe{`WBNGHhw2TizBIXKC&Tl43?}0D8?AVNI^1.7[FDgNM7YSZ^[,Lb6?eHvFEV2WD(!UBKlg78y%1_cJFvG5z7dDRz6w`JcpFJh]ELddn5NNNlD8dsyw4iu7D2xcF@L(uzn+%ck*T*K5F](d}dP}=[T3vYOzdp]8D?!q1ZW,T3H3ppVSP4[ZCI5fz_}{C}HXE-ZDNM0?D-o8[hgg8bfEXde3C08{Ck~Okv'GQ\$A72Ncv+9LE'yK(uvlp&r)UVCsAO0nD?%T-V1ewEW=j^addO^+&Br`L)ZM7~`r6mnoh7,)~D=dE,Xt8pEM']vei aaOaDUM_sv~S2lk1bH!s_aj}DAC&H&r2tg&}q%V%xQv'B'-5,UN}RY`e9pR&gISgBYo(f.)on?%wpz7fs~&lFEAu~)b+@N!24qkAc8@uC-EcxmMjXJ8-lG-HZ2Wack4-T1VxPzLg1~lSAFFYDh*1cJIXRm'_K=nTy{0YE6y_*rYtG1%}tbC_CB+OEd-764Cu6R_-*8BknP1[B%66`I=cGXU9dzw.ZS,]CjBa,CzG}}s4D.hzZgfoEoyWmTasGXdltf=w{wZnd{xZ9'}b28DjCE0tAdP^DgmVrj7`[Q\$V%tyP1qUC^cc)ndjCqC2,h8Nn4,gAkWqAXA`RexYSNSGL5aQF[AqKkw+8.qWM.K5Xx!pC7N[BWx(Ui1,d&ZA6]Z[D_v8!A7emY-tm.V%BD*FD^rZXnIOW
MSI (s) (40:68) [20:17:12:546]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:546]: Executing op:
RegOpenKey(Root=-2147483646,Key=Software\Classes\Installer\Features\EF0326181A48CC74FB461C3110B41DB5,,BinaryType=0)
MSI (s) (40:68) [20:17:12:546]: Executing op:
RegRemoveValue(Name=LANG1049,Value=Core,)
MSI (s) (40:68) [20:17:12:546]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:546]: Executing op:
RegOpenKey(Root=-2147483646,Key=Software\Microsoft\windows\CurrentVersion\Installer\UserData\S-1-5-18\Products\EF0326181A48CC74FB461C3110B41DB5\Features,,BinaryType=0)
MSI (s) (40:68) [20:17:12:546]: Executing op:
RegRemoveValue(Name=Firewall,Value=q5Uof`Y.?dJ?B]8E^f'Es@J`?[g=A82TurF3RqS\$'CWU02x[=IzJ^YkOx-6_`vfsqldi9xgl*,2U\$%_3~\$+TEi,r8fPLTD[rN]!wppJxM@~PCrBhg8\$?x{Nww(&AAtuxF@oj?6J-B'ywWB*6%-wE\$,WZju{ }jeYE9)exQBi8Bpya_)OtDBC36bWD62fCRYyUEU`wJ}=jv+?,AuH*BM-l~e?_J]NTPMain,)
MSI (s) (40:68) [20:17:12:546]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:546]: Executing op:
RegOpenKey(Root=-2147483646,Key=Software\Classes\Installer\Features\EF0326181A48CC74FB461C3110B41DB5,,BinaryType=0)
MSI (s) (40:68) [20:17:12:546]: Executing op:
RegRemoveValue(Name=Firewall,Value=NTPMain,)
MSI (s) (40:68) [20:17:12:546]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:546]: Executing op:
RegOpenKey(Root=-2147483646,Key=Software\Microsoft\windows\CurrentVersion\Installer\UserData\S-1-5-18\Products\EF0326181A48CC74FB461C3110B41DB5\Features,,BinaryType=0)
MSI (s) (40:68) [20:17:12:546]: Executing op:
RegRemoveValue(Name=ITPMain,Value=f*Pw\$7QAM=.miexQE0%Bf9j4a0e-(F7ZodnTSz{HV=qZuU(=QEdTx)Z6!q=vXsP]Zl&_AC@nfd9?){K,06=*,k-t^A+(2\$q^'16C.sTJ6px1^?q!8T[6aVvisEG%h`1?_9DvOUnk4F!-izT+Q_^P9thr?FR'+{[d52Kotvk9q*1@I,5Ph5+^nz,3CIZ=1jHjwhNpm)FrLwvEtEAitCB0mD1%NBw{XYtp(l=-_jF0`A=PZp01,Xsnt9rc0VvfCx1qksB(SRY%RADzyENRUIwlNTPMain,)
MSI (s) (40:68) [20:17:12:546]: Executing op: RegCreateKey()

SEP_INST.log

MSI (s) (40:68) [20:17:12:546]: Executing op:
RegOpenKey(Root=-2147483646,Key=Software\Classes\Installer\Features\EF0326181A48CC74FB461C3110B41DB5,,BinaryType=0)
MSI (s) (40:68) [20:17:12:546]: Executing op:
RegRemoveValue(Name=ITPMain,Value=NTPMain,)
MSI (s) (40:68) [20:17:12:546]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:546]: Executing op:
RegOpenKey(Root=-2147483646,Key=Software\Microsoft\windows\CurrentVersion\Installer\UserData\S-1-5-18\Products\EF0326181A48CC74FB461C3110B41DB5\Features,,BinaryType=0)
MSI (s) (40:68) [20:17:12:546]: Executing op:
RegRemoveValue(Name=NTPMain,Value=280\$f2z))AD)Wj)W[jKYKh9UtFPTF?F5w.GP)PGO;Core,
)
MSI (s) (40:68) [20:17:12:546]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:546]: Executing op:
RegOpenKey(Root=-2147483646,Key=Software\Classes\Installer\Features\EF0326181A48CC74FB461C3110B41DB5,,BinaryType=0)
MSI (s) (40:68) [20:17:12:546]: Executing op:
RegRemoveValue(Name=NTPMain,Value=Core,)
MSI (s) (40:68) [20:17:12:546]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:546]: Executing op:
RegOpenKey(Root=-2147483646,Key=Software\Microsoft\windows\CurrentVersion\Installer\UserData\S-1-5-18\Products\EF0326181A48CC74FB461C3110B41DB5\Features,,BinaryType=0)
MSI (s) (40:68) [20:17:12:546]: Executing op:
RegRemoveValue(Name=DCMain,Value=R!?!Y45~(99,wi`I~X5Sk%ggyUmZOFYP60wL1^+A5'gg=?`Y^FeNwxsVL7?0d2x2q`Lc)F!nTK+aPOM@_h@N[`cFEUggJZO2ct!m?{Y\${O}gDOVKzrxH5Y-]aLK-tQL}D,o='j`X1zdw[k5jG12fA^U1Eq72OM+{5YX\$3s3~@Cp86dM.VF&PTPMain,)
MSI (s) (40:68) [20:17:12:546]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:546]: Executing op:
RegOpenKey(Root=-2147483646,Key=Software\Classes\Installer\Features\EF0326181A48CC74FB461C3110B41DB5,,BinaryType=0)
MSI (s) (40:68) [20:17:12:546]: Executing op:
RegRemoveValue(Name=DCMain,Value=PTPMain,)
MSI (s) (40:68) [20:17:12:546]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:546]: Executing op:
RegOpenKey(Root=-2147483646,Key=Software\Microsoft\windows\CurrentVersion\Installer\UserData\S-1-5-18\Products\EF0326181A48CC74FB461C3110B41DB5\Features,,BinaryType=0)
MSI (s) (40:68) [20:17:12:546]: Executing op:
RegRemoveValue(Name=TruScan,Value=F[,QhNJ.[90kYq-OG51VI6ufeURH4BX7IzV*YuY4T_)E*3\$(V=hCao7FD(C(d{58d+6R1Fr\$W{awwwj[cp]9vet_~C6509q4_e0IV=qZuU(=QEdTx)Z6!q=vXsP]Zl&_AC@nfd9?){K_06=*,k-t^A+(2\$q^'16C.STJ6px1^?q!8T[6aVvisEG%H'1?_9DvOUmK4F!-izT+Q_^_P9thr?FR'+[[]d52K0tvK9q*1@I,5Ph5+^nz,3CIZ= `1jHjwhNpm)FrLwvEtEAitCB0mD1%NBw{XYtp(l=-_jFO`A=PZp01,Xsnt9rc0VvfCx!qksB(SRY%RADzYENRUIwl;PTPMain,)
MSI (s) (40:68) [20:17:12:546]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:546]: Executing op:
RegOpenKey(Root=-2147483646,Key=Software\Classes\Installer\Features\EF0326181A48CC74FB461C3110B41DB5,,BinaryType=0)
MSI (s) (40:68) [20:17:12:546]: Executing op:
RegRemoveValue(Name=TruScan,Value=PTPMain,)
MSI (s) (40:68) [20:17:12:546]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:546]: Executing op:
RegOpenKey(Root=-2147483646,Key=Software\Microsoft\windows\CurrentVersion\Installer\UserData\S-1-5-18\Products\EF0326181A48CC74FB461C3110B41DB5\Features,,BinaryType=0)
MSI (s) (40:68) [20:17:12:546]: Executing op:
RegRemoveValue(Name=PTPMain,Value=4qsptzjB0=is.2JA2pB3=G9wdnzB~8l,1UtUCwd+svMj2qvRe8A`mzxCK[in;Core,)
MSI (s) (40:68) [20:17:12:546]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:546]: Executing op:
RegOpenKey(Root=-2147483646,Key=Software\Classes\Installer\Features\EF0326181A48CC74FB461C3110B41DB5,,BinaryType=0)
MSI (s) (40:68) [20:17:12:546]: Executing op:
RegRemoveValue(Name=PTPMain,Value=Core,)
MSI (s) (40:68) [20:17:12:546]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:562]: Executing op:
RegOpenKey(Root=-2147483646,Key=Software\Microsoft\windows\CurrentVersion\Instal

```

ter\UserData\S-1-5-18\Products\EF0326181A48CC74FB461C3110B41DB5\Features,,Binary
Type=0)
MSI (s) (40:68) [20:17:12:562]: Executing op:
RegRemoveValue(Name=Pop3SmtP,Value=*xx(ed=D99HRQ}M_&RCNxP@--G*kcBzovwelw'mB?R{dB
m[GfEzD4Z&Dp%NhX}pXXyBHOEdaBt9.yf,xD)bnHa!ryBw[ZIFvr6VOiA6jQq$RA=L[{V5xDge^nhde^
164s8TjR}._LvrgS[i^k0U*[@zKB(=vTBv7,SAVMain,)
MSI (s) (40:68) [20:17:12:562]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:562]: Executing op:
RegOpenKey(Root=-2147483646,Key=Software\Classes\Installer\Features\EF0326181A48
CC74FB461C3110B41DB5,,BinaryType=0)
MSI (s) (40:68) [20:17:12:562]: Executing op:
RegRemoveValue(Name=Pop3SmtP,Value=SAVMain,)
MSI (s) (40:68) [20:17:12:562]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:562]: Executing op:
RegOpenKey(Root=-2147483646,Key=Software\Microsoft\Windows\CurrentVersion\Instal
ler\UserData\S-1-5-18\Products\EF0326181A48CC74FB461C3110B41DB5\Features,,Binary
Type=0)
MSI (s) (40:68) [20:17:12:562]: Executing op:
RegRemoveValue(Name=Download,Value=L`6X0oz.h@+`U0GK&w(I6ufeURH4BX7IzV*YuY4V=qZu
U(=QEdTx)Z6!q=vXsP]Zl&_AC@nfD9?) {K,06=*,k-t^A+(2$q^'16C.sTJ6px1^?q!8T[6aVVisEG%H
`1?_9DvOunk4F!-izT+Q_^_P9thr?FR'+{[]d52K0tvK9q*1@I,5Ph5+^nz,3CIZ= `1jHjwhNpm)FrLw
vEtEAitCB0mD1%NBw{XYtp(l=-_jF0`A=Pzp01,Xsnt9rc0VvfcXlqksB(SRY%RadzYEnRUIwI_1SAVM
ain,)
MSI (s) (40:68) [20:17:12:562]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:562]: Executing op:
RegOpenKey(Root=-2147483646,Key=Software\Classes\Installer\Features\EF0326181A48
CC74FB461C3110B41DB5,,BinaryType=0)
MSI (s) (40:68) [20:17:12:562]: Executing op:
RegRemoveValue(Name=Download,Value=SAVMain,)
MSI (s) (40:68) [20:17:12:562]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:562]: Executing op:
RegOpenKey(Root=-2147483646,Key=Software\Microsoft\Windows\CurrentVersion\Instal
ler\UserData\S-1-5-18\Products\EF0326181A48CC74FB461C3110B41DB5\Features,,Binary
Type=0)
MSI (s) (40:68) [20:17:12:562]: Executing op:
RegRemoveValue(Name=SAVMain,Value=4pmC?}Dpq?2Gg8-?a0^M167od(_LP=Obes0esj? $1$q5oT
_b+=bk9wwiE }Ht5BvkV4h$@WOa!&N-b8%N25=4)OWRAj}yyoT!z8T{c+hd13FEAQLdFkAb0b11QBp!N
!jk?~i&6}hj^WU~[6o}@3@MDE0.]{x?}$EFJJY~(?ICCIp!=$TE1.JDDSnLp9!D7`R+U!twfq%CI%
TZW?1^`c7w[Gvh.'b[ftO?YAVnelwE4$%$0NNm'V{)W=[x+Ru(w@U'=GvZxrn~-=1eHkQ_6y6qv8??e,
BI&@4WBI.7CBt-+c=}B-?86?n3ax'VceCh&iziWkIm-AYMRlS8)nED0j96,3v?Q?Njj?X?GGutb$3$kf
S{q8jr8~`rHg!84KUO,=8SE?pXE&4LxBTaIGMOB@[wh?4c?ht0FL-V[2I7iL}_09e[ @S=MRL!c&ub_1.
5P59Q.U2}ii8A+hho9,4DlS8cF!bZmELICGVYd@4Bo+?7lBx0S)HedU5g,2!R8b?pgWyoP2`P1p(b)+o
T.+9nJ dK_=@R]CJwBIfvP_9XRka')QONy8-}1?4f3c?lW=1d6l~OI!N(gG[JQ?*CU?6Zd(Gz2$}Ead
?Zf?&c31jX{7Bh*2Tfr_d'x=p2k`zMH63=-o~G.py}{@&?wdm7[ `w%b73~$jia!@rxVs++=)nk}zk5GQ
(SP9E2H_g?X4?4ky}BT^!ko9gUXrtcyfvgnpSKKAOfz@v[lu$_cxm!,c99]BKB,?h!4eAko{ @f=1Yqcs
5= A+QtmN.AGVGm_O2vxmHk@A1}Nwy]4U]my0}5Dvk_=fwuc]?0g[LS0`jSwH(AASm9`3@!' )waJ%oam
`f! ?D.Xi`+&Tz}IIE(p0%5~@.0oRXqdMjDVN&?*Afzi=sh' {nHXQ)`gQ~[Pv1i8d]SFLcwDYtT1U.zM
`G5=ww+P7(?!S8'&9e)NWovD8S1aJD,Y*Qk`~Z=Zy4TEGXT%aXccqGT4LpEO)c9FN7`9'K%$w9tdjSSK
wOWEPY.(UU EI
MSI (s) (40:68) [20:17:12:562]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:562]: Executing op:
RegOpenKey(Root=-2147483646,Key=Software\Classes\Installer\Features\EF0326181A48
CC74FB461C3110B41DB5,,BinaryType=0)
MSI (s) (40:68) [20:17:12:562]: Executing op:
RegRemoveValue(Name=SAVMain,Value=Core,)
MSI (s) (40:68) [20:17:12:562]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:562]: Executing op:
RegOpenKey(Root=-2147483646,Key=Software\Microsoft\Windows\CurrentVersion\Instal
ler\UserData\S-1-5-18\Products\EF0326181A48CC74FB461C3110B41DB5\Features,,Binary
Type=0)
MSI (s) (40:68) [20:17:12:562]: Executing op:
RegRemoveValue(Name=Core,Value=l8FFGo5,m=ePhBH3=E32([AQO_TGg8~62XVS`{2BC}`T+`*M1
@+vpw5fPR$=NhC}bED0[9CY?swFuL(Fokiz`4MjdArgc!59h%)S72jKS[!HC@o^cfA(K1Q63VT^Bo%j(
?YT~i'j1%+5X3HJJ%oc49`O=XfKh1,9uY&Xac!Za89!yt38pHrPZYQ{[~QDC=s4UB`?Ut?f9F}3EG3{G
F!A00k`a5Db1%LE]UWBhAh7O=O.Vqa6a05ponxoxB9Q,hM' {rgr`8Gwvx7^'BOX=5jE--D53t%Hxu`!J
A=-b?AqeU,%ovx$5T1$y?faXRJmpirfov`5fh.GfBryms+[H0eF,kU{vk^IRDct12TPJn20A.*Hhhu2A
E6MAq*CcXYMh!xUm=^ZF?VZ3NW^an`r1a%`6^%tyDQ-?ezVo*W(+d)Yyz(rD~CRB?k`uRg.$M,FmJTU
B97)uT~W(&`OB1,h^GoLCXZ!LMidYSSwZ}{9L4_pFBQhtvQL^?1[o)K?3)vJE5T)WU9%2_k2^&3uw,]9

```

SEP_INST.log

```

D149~5T&Euq(95BoR7PLEt&u)VlDRn`ajt$Bq!{xC4m3u%}@DgN4!DY]fJ2EBQX-HMvVe~23wMH5HFi@
FWPIQD)h_SZeYrvPLD,HDY{X@3rU186L*zz18}q[E98Hi(upr[ @bjKQ2_eaeD+Z^gCHmts!%)JKoa&tO
FQG)x2J]'YTR-(Y%p}k0C[2-&F51{ }Lf8^R+@[IiBNxd!7}FW$!2sqbExv?5F{E.]m8cF+bMP`,c!MwC
FBU-9IA61q1J},l'{'9BwCCT@?%xPHJs89f~.xU_8CVGFDe)}{42dZg[ gw.76EMcKE.FBZEag$Raj8{L^
EU)@7@98X_s.R%]O8VkadbfTz*^+0SB&Milskk45ED)bHnuu6}XX?z+.djVNBnwhkJmmVZwc'j)ujh[}
BOPuR%_He80yxwT7!hRTE$gu6Nu4`RP4TU^jA59aEeb7%W=&86YK,F!)?P!Y9)C8^)qY]bHn0e-QM]rv
?YiCOdui3tE7q
MSI (s) (40:68) [20:17:12:562]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:562]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\Software\Microsoft\Windows\CurrentVersion\Installer\UserData\
S-1-5-18\Products\EF0326181A48CC74FB461C3110B41DB5\Features 3: 2
MSI (s) (40:68) [20:17:12:562]: Executing op:
RegOpenKey(Root=-2147483646,Key=Software\Classes\Installer\Features\EF0326181A48
CC74FB461C3110B41DB5,,BinaryType=0)
MSI (s) (40:68) [20:17:12:562]: Executing op: RegRemoveValue(Name=Core,,)
MSI (s) (40:68) [20:17:12:562]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:562]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\Software\Classes\Installer\Features\EF0326181A48CC74FB461C311
0B41DB5 3: 2
ShowServiceProgress_RB: decrementing tick
MSI (s) (40:68) [20:17:12:562]: Executing op:
ActionStart(Name=RegisterProduct,Description=Регистрация продукта,Template=[1])
MSI (s) (40:68) [20:17:12:562]: Executing op:
RegOpenKey(Root=-2147483646,Key=Software\Microsoft\Windows\CurrentVersion\Uninst
all\{816230FE-84A1-47CC-BF64-C113014BD15B},SecurityDescriptor=BinaryData,BinaryT
ype=0)
MSI (s) (40:68) [20:17:12:562]: Executing op:
RegRemoveValue(Name=DisplayName,Value=Symantec Endpoint Protection,)
MSI (s) (40:68) [20:17:12:562]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:562]: Executing op:
RegOpenKey(Root=-2147483646,Key=Software\Microsoft\Windows\CurrentVersion\Uninst
all,,BinaryType=0)
MSI (s) (40:68) [20:17:12:562]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:562]: Executing op:
RegOpenKey(Root=-2147483646,Key=Software\Microsoft\Windows\CurrentVersion\Instal
ler\UserData\S-1-5-18\Products\EF0326181A48CC74FB461C3110B41DB5\InstallPropertie
s,,BinaryType=0)
MSI (s) (40:68) [20:17:12:562]: Executing op:
RegRemoveValue(Name=DisplayName,Value=Symantec Endpoint Protection,)
MSI (s) (40:68) [20:17:12:562]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:562]: Executing op:
RegOpenKey(Root=-2147483646,Key=Software\Microsoft\Windows\CurrentVersion\Instal
ler\UserData\S-1-5-18\Products\EF0326181A48CC74FB461C3110B41DB5\Usage,,BinaryTyp
e=0)
MSI (s) (40:68) [20:17:12:562]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:562]: Executing op:
RegOpenKey(Root=-2147483646,Key=Software\Microsoft\Windows\CurrentVersion\Instal
ler\UpgradeCodes\20A7FB42A06BB49448A397B3CB77ED4D,SecurityDescriptor=BinaryData,
BinaryType=0)
MSI (s) (40:68) [20:17:12:562]: Executing op:
RegRemoveValue(Name=EF0326181A48CC74FB461C3110B41DB5,,)
MSI (s) (40:68) [20:17:12:562]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:562]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\Software\Microsoft\Windows\CurrentVersion\Installer\UpgradeCo
des\20A7FB42A06BB49448A397B3CB77ED4D 3: 2
MSI (s) (40:68) [20:17:12:562]: Executing op:
RegOpenKey(Root=-2147483646,Key=Software\Microsoft\Windows\CurrentVersion\Uninst
all\{816230FE-84A1-47CC-BF64-C113014BD15B},SecurityDescriptor=BinaryData,BinaryT
ype=0)
MSI (s) (40:68) [20:17:12:562]: Executing op:
RegRemoveValue(Name=Language,Value=#1049,)
MSI (s) (40:68) [20:17:12:562]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:562]: Executing op:
RegRemoveValue(Name=Version,Value=#201392799,)
MSI (s) (40:68) [20:17:12:562]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:562]: Executing op:
RegRemoveValue(Name=WindowsInstaller,Value=#1,)
MSI (s) (40:68) [20:17:12:562]: Executing op: RegCreateKey()

```


SEP_INST.log

MSI (s) (40:68) [20:17:12:562]: Executing op:
RegRemoveValue(Name=VersionMinor,Value=#1,)
MSI (s) (40:68) [20:17:12:562]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:562]: Executing op:
RegRemoveValue(Name=VersionMajor,Value=#12,)
MSI (s) (40:68) [20:17:12:562]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:562]: Executing op:
RegRemoveValue(Name=URLUpdateInfo,,)
MSI (s) (40:68) [20:17:12:562]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:562]: Executing op:
RegRemoveValue(Name=URLInfoAbout,,)
MSI (s) (40:68) [20:17:12:562]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:562]: Executing op:
RegRemoveValue(Name=UninstallString,Value=%%MsiExec.exe
/I{816230FE-84A1-47CC-BF64-C113014BD15B},)
MSI (s) (40:68) [20:17:12:562]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:562]: Executing op:
RegRemoveValue(Name=SystemComponent,Value=#1,)
MSI (s) (40:68) [20:17:12:562]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:562]: Executing op:
RegRemoveValue(Name=EstimatedSize,Value=#+642290,)
MSI (s) (40:68) [20:17:12:562]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:562]: Executing op: RegRemoveValue(Name=Size,,)
MSI (s) (40:68) [20:17:12:562]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:562]: Executing op: RegRemoveValue(Name=Readme,,)
MSI (s) (40:68) [20:17:12:562]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:562]: Executing op:
RegRemoveValue(Name=Publisher,Value=Symantec Corporation,)
MSI (s) (40:68) [20:17:12:562]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:562]: Executing op:
RegRemoveValue(Name=ModifyPath,Value=%%MsiExec.exe
/I{816230FE-84A1-47CC-BF64-C113014BD15B},)
MSI (s) (40:68) [20:17:12:562]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:562]: Executing op:
RegRemoveValue(Name=InstallSource,Value=E:\SEP\,)
MSI (s) (40:68) [20:17:12:562]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:562]: Executing op:
RegRemoveValue(Name=InstallLocation,Value=C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\,)
MSI (s) (40:68) [20:17:12:562]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:562]: Executing op:
RegRemoveValue(Name=InstallDate,Value=20130729,)
MSI (s) (40:68) [20:17:12:562]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:562]: Executing op:
RegRemoveValue(Name=HelpTelephone,,)
MSI (s) (40:68) [20:17:12:562]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:562]: Executing op: RegRemoveValue(Name=HelpLink,,)
MSI (s) (40:68) [20:17:12:562]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:562]: Executing op:
RegRemoveValue(Name=DisplayVersion,Value=12.1.671.4971,)
MSI (s) (40:68) [20:17:12:562]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:562]: Executing op: RegRemoveValue(Name=Contact,,)
MSI (s) (40:68) [20:17:12:562]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:562]: Executing op: RegRemoveValue(Name=Comments,,)
MSI (s) (40:68) [20:17:12:562]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:562]: Executing op:
RegRemoveValue(Name=AuthorizedCDFPrefix,,)
MSI (s) (40:68) [20:17:12:562]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:562]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\Software\Microsoft\Windows\CurrentVersion\Uninstall\{816230FE
-84A1-47CC-BF64-C113014BD15B} 3: 2
MSI (s) (40:68) [20:17:12:562]: Executing op:
RegOpenKey(Root=-2147483646,Key=Software\Microsoft\Windows\CurrentVersion\Uninst
all,,BinaryType=0)
MSI (s) (40:68) [20:17:12:562]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:562]: Executing op:
RegOpenKey(Root=-2147483646,Key=Software\Microsoft\Windows\CurrentVersion\Instal
ler\UserData\S-1-5-18\Products\EF0326181A48CC74FB461C3110B41DB5\InstallPropertie

SEP_INST.log

```
s,,BinaryType=0)
MSI (s) (40:68) [20:17:12:562]: Executing op:
RegRemoveValue(Name=Language,Value=#1049,)
MSI (s) (40:68) [20:17:12:562]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:562]: Executing op:
RegRemoveValue(Name=Version,Value=#201392799,)
MSI (s) (40:68) [20:17:12:562]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:562]: Executing op:
RegRemoveValue(Name=WindowsInstaller,Value=#1,)
MSI (s) (40:68) [20:17:12:562]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:562]: Executing op:
RegRemoveValue(Name=VersionMinor,Value=#1,)
MSI (s) (40:68) [20:17:12:562]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:562]: Executing op:
RegRemoveValue(Name=VersionMajor,Value=#12,)
MSI (s) (40:68) [20:17:12:562]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:562]: Executing op:
RegRemoveValue(Name=URLUpdateInfo,,)
MSI (s) (40:68) [20:17:12:578]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:578]: Executing op:
RegRemoveValue(Name=URLInfoAbout,,)
MSI (s) (40:68) [20:17:12:578]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:578]: Executing op:
RegRemoveValue(Name=UninstallString,Value=#%MsiExec.exe
/I{816230FE-84A1-47CC-BF64-C113014BD15B},)
MSI (s) (40:68) [20:17:12:578]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:578]: Executing op:
RegRemoveValue(Name=SystemComponent,Value=#1,)
MSI (s) (40:68) [20:17:12:578]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:578]: Executing op:
RegRemoveValue(Name=EstimatedSize,Value=#+642290,)
MSI (s) (40:68) [20:17:12:578]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:578]: Executing op: RegRemoveValue(Name=Size,,)
MSI (s) (40:68) [20:17:12:578]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:578]: Executing op: RegRemoveValue(Name=Readme,,)
MSI (s) (40:68) [20:17:12:578]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:578]: Executing op:
RegRemoveValue(Name=Publisher,Value=Symantec Corporation,)
MSI (s) (40:68) [20:17:12:578]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:578]: Executing op:
RegRemoveValue(Name=ModifyPath,Value=#%MsiExec.exe
/I{816230FE-84A1-47CC-BF64-C113014BD15B},)
MSI (s) (40:68) [20:17:12:578]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:578]: Executing op:
RegRemoveValue(Name=InstallSource,Value=E:\SEP\,)
MSI (s) (40:68) [20:17:12:578]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:578]: Executing op:
RegRemoveValue(Name=InstallLocation,Value=C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\,)
MSI (s) (40:68) [20:17:12:578]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:578]: Executing op:
RegRemoveValue(Name=InstallDate,Value=20130729,)
MSI (s) (40:68) [20:17:12:578]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:578]: Executing op:
RegRemoveValue(Name=HelpTelephone,,)
MSI (s) (40:68) [20:17:12:578]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:578]: Executing op: RegRemoveValue(Name=HelpLink,,)
MSI (s) (40:68) [20:17:12:578]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:578]: Executing op:
RegRemoveValue(Name=DisplayVersion,Value=12.1.671.4971,)
MSI (s) (40:68) [20:17:12:578]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:578]: Executing op: RegRemoveValue(Name=Contact,,)
MSI (s) (40:68) [20:17:12:578]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:578]: Executing op: RegRemoveValue(Name=Comments,,)
MSI (s) (40:68) [20:17:12:578]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:578]: Executing op:
RegRemoveValue(Name=AuthorizedCDFPrefix,,)
MSI (s) (40:68) [20:17:12:578]: Executing op: RegCreateKey()
```

SEP_INST.log

MSI (s) (40:68) [20:17:12:578]: Executing op:
 RegOpenKey(Root=-2147483646,Key=Software\Microsoft\Windows\CurrentVersion\Installer\UserData\S-1-5-18\Products\EF0326181A48CC74FB461C3110B41DB5\InstallProperties,,BinaryType=0)
 MSI (s) (40:68) [20:17:12:578]: Executing op:
 RegRemoveValue(Name=LocalPackage,Value=C:\WINDOWS\Installer\bf4b.msi,)
 MSI (s) (40:68) [20:17:12:578]: Executing op: RegRemoveKey()
 MSI (s) (40:68) [20:17:12:578]: Note: 1: 1402 2:
 HKEY_LOCAL_MACHINE\Software\Microsoft\Windows\CurrentVersion\Installer\UserData\S-1-5-18\Products\EF0326181A48CC74FB461C3110B41DB5\InstallProperties 3: 2
 MSI (s) (40:68) [20:17:12:578]: Executing op:
 FileRemove(,FileName=C:\WINDOWS\Installer\bf4b.msi,Elevate=1,)
 ShowServiceProgress_RB: decrementing tick
 MSI (s) (40:68) [20:17:12:578]: Executing op:
 ActionStart(Name=WriteIniValues,Description=Сохранение значений в INI-файлах,Template=Файл: [1], Раздел: [2], Подраздел: [3], Значение: [4])
 MSI (s) (40:68) [20:17:12:578]: Executing op:
 IniFilePath(File=isolate.ini,Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)
 MSI (s) (40:68) [20:17:12:578]: Executing op:
 IniWriteRemoveValue(Section=isolation,Key=reghive,Value=SOFTWARE\Symantec\Symantec Endpoint Protection,Mode=2)
 MSI (s) (40:68) [20:17:12:578]: Executing op:
 IniWriteRemoveValue(Section=isolation,Key=silo,Value={472D8985-7554-4137-AC02-1CD4D7F06876},Mode=2)
 ShowServiceProgress_RB: decrementing tick
 MSI (s) (40:68) [20:17:12:578]: Executing op:
 ActionStart(Name=SetFolderPermissions,,)
 ShowServiceProgress_RB: decrementing tick
 MSI (s) (40:68) [20:17:12:578]: Executing op:
 ActionStart(Name=WriteRegistryValues,Description=Запись параметров системного реестра,Template=Раздел: [1], имя: [2], Значение: [3])
 MSI (s) (40:68) [20:17:12:578]: Executing op:
 RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{2760bdbd-c69b-4a4e-9c56-b4b5462a5eb7},,BinaryType=0)
 MSI (s) (40:68) [20:17:12:578]: Executing op:
 RegRemoveValue(Name=Inproc32,Value=%INSTALLDIR%\ProfileManagement.dll,)
 MSI (s) (40:68) [20:17:12:578]: Executing op: RegRemoveKey()
 MSI (s) (40:68) [20:17:12:578]: Note: 1: 1402 2:
 HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{2760bdbd-c69b-4a4e-9c56-b4b5462a5eb7} 3: 2
 MSI (s) (40:68) [20:17:12:578]: Executing op:
 RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{A2346C66-9292-4d63-9AA8-EB7472BFC675},,BinaryType=0)
 MSI (s) (40:68) [20:17:12:578]: Executing op:
 RegRemoveValue(Name=Inproc32,Value=%INSTALLDIR%\SgHI.dll,)
 MSI (s) (40:68) [20:17:12:578]: Executing op: RegRemoveKey()
 MSI (s) (40:68) [20:17:12:578]: Note: 1: 1402 2:
 HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{A2346C66-9292-4d63-9AA8-EB7472BFC675} 3: 2
 MSI (s) (40:68) [20:17:12:578]: Executing op:
 RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{45D4EA00-84BA-4daf-8D48-2185E1226941},,BinaryType=0)
 MSI (s) (40:68) [20:17:12:578]: Executing op:
 RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\SISCustomActionCIDS.dll,)
 MSI (s) (40:68) [20:17:12:578]: Executing op: RegRemoveKey()
 MSI (s) (40:68) [20:17:12:578]: Note: 1: 1402 2:
 HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{45D4EA00-84BA-4daf-8D48-2185E1226941} 3: 2
 MSI (s) (40:68) [20:17:12:578]: Executing op:
 RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{3E1FB8E7-5D5E-4bf6-A41A

SEP_INST.log

-5502F82FA9B2}},BinaryType=0)
MSI (s) (40:68) [20:17:12:578]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\SubmissionsSISOptOutCustomAction.dll,)
MSI (s) (40:68) [20:17:12:578]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:578]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{3E1FB8E7-5D5E-4bf6-A41A-5502F82FA9B2} 3: 2
MSI (s) (40:68) [20:17:12:578]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{EECD3D8B-854A-499d-94CA-9033B515C30E}},BinaryType=0)
MSI (s) (40:68) [20:17:12:578]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\SubmissionsSISCustomAction.dll,)
MSI (s) (40:68) [20:17:12:578]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:578]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{EECD3D8B-854A-499d-94CA-9033B515C30E} 3: 2
MSI (s) (40:68) [20:17:12:578]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{2935B8A3-497E-42ff-B9A8-AFEB6279FD1B}},BinaryType=0)
MSI (s) (40:68) [20:17:12:578]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\SISCustomActionScanSettings.dll,)
MSI (s) (40:68) [20:17:12:578]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:578]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{2935B8A3-497E-42ff-B9A8-AFEB6279FD1B} 3: 2
MSI (s) (40:68) [20:17:12:578]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{93AA81C4-87A3-426d-8B31-45595DEF8AEA}},BinaryType=0)
MSI (s) (40:68) [20:17:12:578]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\SISCustomActionBash.dll,)
MSI (s) (40:68) [20:17:12:578]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:578]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{93AA81C4-87A3-426d-8B31-45595DEF8AEA} 3: 2
MSI (s) (40:68) [20:17:12:578]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{A16A1197-87E7-4e0f-8949-8D43FF514D09}},BinaryType=0)
MSI (s) (40:68) [20:17:12:578]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\AtpiEimProxy.dll,)
MSI (s) (40:68) [20:17:12:578]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:578]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{A16A1197-87E7-4e0f-8949-8D43FF514D09} 3: 2
MSI (s) (40:68) [20:17:12:578]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{57ECA899-41E7-47d4-A429-004ADF29DEF5}},BinaryType=0)
MSI (s) (40:68) [20:17:12:578]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\AtpiEimProxy.dll,)
MSI (s) (40:68) [20:17:12:578]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:578]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{57ECA899-41E7-47d4-A429-004ADF29DEF5} 3: 2
MSI (s) (40:68) [20:17:12:578]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint

SEP_INST.log

```

Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{89620916-4A65-4468-8EC9-0F3356AED6E4},,BinaryType=0)
MSI (s) (40:68) [20:17:12:578]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\AtpiEimProxy.dll,)
MSI (s) (40:68) [20:17:12:578]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:578]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{89620916-4A65-4468-8EC9-0F3356AED6E4} 3: 2
MSI (s) (40:68) [20:17:12:578]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{88AF744F-0B73-4fd3-80BA-9CCD9F9CE059},,BinaryType=0)
MSI (s) (40:68) [20:17:12:578]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\AtpiEimProxy.dll,)
MSI (s) (40:68) [20:17:12:578]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:578]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{88AF744F-0B73-4fd3-80BA-9CCD9F9CE059} 3: 2
MSI (s) (40:68) [20:17:12:578]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{A5904745-F84F-4a90-90CA-4C1B5C0E2803},,BinaryType=0)
MSI (s) (40:68) [20:17:12:578]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\AtpiEimProxy.dll,)
MSI (s) (40:68) [20:17:12:578]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:578]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{A5904745-F84F-4a90-90CA-4C1B5C0E2803} 3: 2
MSI (s) (40:68) [20:17:12:578]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{81BF0730-4EA1-44e7-932A-16BE454E0E67},,BinaryType=0)
MSI (s) (40:68) [20:17:12:578]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\AtpiEimProxy.dll,)
MSI (s) (40:68) [20:17:12:578]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:578]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{81BF0730-4EA1-44e7-932A-16BE454E0E67} 3: 2
MSI (s) (40:68) [20:17:12:578]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{499DF6F9-4B26-4015-83F2-8CD3180617B4},,BinaryType=0)
MSI (s) (40:68) [20:17:12:578]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\AtpiEimProxy.dll,)
MSI (s) (40:68) [20:17:12:578]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:578]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{499DF6F9-4B26-4015-83F2-8CD3180617B4} 3: 2
MSI (s) (40:68) [20:17:12:578]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{D0DAF16B-D6E2-438e-8708-A6A5E40D7D04},,BinaryType=0)
MSI (s) (40:68) [20:17:12:578]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\AtpiEimProxy.dll,)
MSI (s) (40:68) [20:17:12:578]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:578]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{D0DAF16B-D6E2-438e-8708-A6A5E40D7D04} 3: 2
MSI (s) (40:68) [20:17:12:578]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{D11EEFEE-8D23-4de6-A505-236E851A9305},,BinaryType=0)

```

SEP_INST.log

```

MSI (s) (40:68) [20:17:12:578]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\AtpiEimProxy.dll,)
MSI (s) (40:68) [20:17:12:578]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:578]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{D11EEFEE-8D23-4de6-A505
-236E851A9305} 3: 2
MSI (s) (40:68) [20:17:12:578]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{45C38DC9-8FA5-42c6-9341
-3DFE449D6077},,BinaryType=0)
MSI (s) (40:68) [20:17:12:578]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\AtpiEim.dll,)
MSI (s) (40:68) [20:17:12:578]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:578]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{45C38DC9-8FA5-42c6-9341
-3DFE449D6077} 3: 2
MSI (s) (40:68) [20:17:12:578]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{D4E58DCB-AD85-4b13-AAFF
-EAC8B5723FCA},,BinaryType=0)
MSI (s) (40:68) [20:17:12:578]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\AtpiEim.dll,)
MSI (s) (40:68) [20:17:12:578]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:578]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{D4E58DCB-AD85-4b13-AAFF
-EAC8B5723FCA} 3: 2
MSI (s) (40:68) [20:17:12:578]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{07EE63A0-132F-4eaa-BC24
-04986C7E5642},,BinaryType=0)
MSI (s) (40:68) [20:17:12:578]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\AtpiEim.dll,)
MSI (s) (40:68) [20:17:12:578]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:578]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{07EE63A0-132F-4eaa-BC24
-04986C7E5642} 3: 2
MSI (s) (40:68) [20:17:12:578]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{EFA16116-41E2-4945-B132
-A8AAD50B8ED1},,BinaryType=0)
MSI (s) (40:68) [20:17:12:578]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\AtpiEim.dll,)
MSI (s) (40:68) [20:17:12:578]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:578]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{EFA16116-41E2-4945-B132
-A8AAD50B8ED1} 3: 2
MSI (s) (40:68) [20:17:12:578]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{FDA2E006-03CF-40cd-9009
-EBFF650E8F35},,BinaryType=0)
MSI (s) (40:68) [20:17:12:578]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\AtpiEim.dll,)
MSI (s) (40:68) [20:17:12:578]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:578]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{FDA2E006-03CF-40cd-9009
-EBFF650E8F35} 3: 2
MSI (s) (40:68) [20:17:12:578]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{6EB121C3-4CEF-47c0-9C4D
-17852F362D18},,BinaryType=0)
MSI (s) (40:68) [20:17:12:578]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\AtpiEim.dll,)

```

SEP_INST.log

MSI (s) (40:68) [20:17:12:578]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:578]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{6EB121C3-4CEF-47c0-9C4D
-17852F362D18} 3: 2
MSI (s) (40:68) [20:17:12:578]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{BE683F77-0F8D-4357-A3FE
-EEFF81389F44},,BinaryType=0)
MSI (s) (40:68) [20:17:12:578]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\AtpiEim.dll,)
MSI (s) (40:68) [20:17:12:578]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:578]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{BE683F77-0F8D-4357-A3FE
-EEFF81389F44} 3: 2
MSI (s) (40:68) [20:17:12:578]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{D38C2136-E79E-41be-AE80
-E2AC8E8D48CD},,BinaryType=0)
MSI (s) (40:68) [20:17:12:578]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\AtpiEim.dll,)
MSI (s) (40:68) [20:17:12:578]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:578]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{D38C2136-E79E-41be-AE80
-E2AC8E8D48CD} 3: 2
MSI (s) (40:68) [20:17:12:578]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{AFD5C247-A80B-40c7-987B
-02044AC56B40},,BinaryType=0)
MSI (s) (40:68) [20:17:12:578]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\AtpiEim.dll,)
MSI (s) (40:68) [20:17:12:578]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:578]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{AFD5C247-A80B-40c7-987B
-02044AC56B40} 3: 2
MSI (s) (40:68) [20:17:12:578]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{6CB8EEDC-96A8-4979-BDA7
-3D7C6ADA97CD},,BinaryType=0)
MSI (s) (40:68) [20:17:12:578]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\AtpiEim.dll,)
MSI (s) (40:68) [20:17:12:593]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:593]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{6CB8EEDC-96A8-4979-BDA7
-3D7C6ADA97CD} 3: 2
MSI (s) (40:68) [20:17:12:593]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{BFF80AE6-12E4-40d2-8947
-90535976F301},,BinaryType=0)
MSI (s) (40:68) [20:17:12:593]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\AtpiEim.dll,)
MSI (s) (40:68) [20:17:12:593]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:593]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{BFF80AE6-12E4-40d2-8947
-90535976F301} 3: 2
MSI (s) (40:68) [20:17:12:593]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{11D8803C-9DA4-4839-B9DA
-B1694887E684},,BinaryType=0)
MSI (s) (40:68) [20:17:12:593]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\AtpiEim.dll,)
MSI (s) (40:68) [20:17:12:593]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:593]: Note: 1: 1402 2:

SEP_INST.log

HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{11D8803C-9DA4-4839-B9DA
-B1694887E684} 3: 2
MSI (s) (40:68) [20:17:12:593]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{B988EB9A-4A6D-40ac-B9E1
-F9358397D88E},,BinaryType=0)
MSI (s) (40:68) [20:17:12:593]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\AtpiEim.dll,)
MSI (s) (40:68) [20:17:12:593]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:593]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{B988EB9A-4A6D-40ac-B9E1
-F9358397D88E} 3: 2
MSI (s) (40:68) [20:17:12:593]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{FCC41CF7-D925-4F92-A827
-1C54B282EA23},,BinaryType=0)
MSI (s) (40:68) [20:17:12:593]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\BashEimProxy.dll,)
MSI (s) (40:68) [20:17:12:593]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:593]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{FCC41CF7-D925-4F92-A827
-1C54B282EA23} 3: 2
MSI (s) (40:68) [20:17:12:593]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{4FF66AB6-44B4-49F6-9F2A
-477002686441},,BinaryType=0)
MSI (s) (40:68) [20:17:12:593]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\BashEimProxy.dll,)
MSI (s) (40:68) [20:17:12:593]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:593]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{4FF66AB6-44B4-49F6-9F2A
-477002686441} 3: 2
MSI (s) (40:68) [20:17:12:593]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{88CEFE31-EFD7-46ED-A020
-9422C6B68B9F},,BinaryType=0)
MSI (s) (40:68) [20:17:12:593]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\BashEimProxy.dll,)
MSI (s) (40:68) [20:17:12:593]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:593]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{88CEFE31-EFD7-46ED-A020
-9422C6B68B9F} 3: 2
MSI (s) (40:68) [20:17:12:593]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{0B24268B-A6A7-43dd-8C79
-416B5AABC946},,BinaryType=0)
MSI (s) (40:68) [20:17:12:593]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\BashEimProxy.dll,)
MSI (s) (40:68) [20:17:12:593]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:593]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{0B24268B-A6A7-43dd-8C79
-416B5AABC946} 3: 2
MSI (s) (40:68) [20:17:12:593]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{FE3264B5-5DA3-4AE4-9EC0
-3A16F3F3A4A9},,BinaryType=0)
MSI (s) (40:68) [20:17:12:593]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\BashEim.dll,)
MSI (s) (40:68) [20:17:12:593]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:593]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{FE3264B5-5DA3-4AE4-9EC0

SEP_INST.log

-3A16F3F3A4A9} 3: 2
MSI (s) (40:68) [20:17:12:593]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{F5379DAE-7CC2-47d3-9C0B
-9B99884D1284},,BinaryType=0)
MSI (s) (40:68) [20:17:12:593]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\BashEim.dll,)
MSI (s) (40:68) [20:17:12:593]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:593]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{F5379DAE-7CC2-47d3-9C0B
-9B99884D1284} 3: 2
MSI (s) (40:68) [20:17:12:593]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{E53A10E7-E751-43a7-AAB0
-C7534416F38B},,BinaryType=0)
MSI (s) (40:68) [20:17:12:593]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\BashEim.dll,)
MSI (s) (40:68) [20:17:12:593]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:593]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{E53A10E7-E751-43a7-AAB0
-C7534416F38B} 3: 2
MSI (s) (40:68) [20:17:12:593]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{c2f474e2-fc87-4c0c-8367
-377b19ff137d},,BinaryType=0)
MSI (s) (40:68) [20:17:12:593]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\CidEimProxy.dll,)
MSI (s) (40:68) [20:17:12:593]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:593]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{c2f474e2-fc87-4c0c-8367
-377b19ff137d} 3: 2
MSI (s) (40:68) [20:17:12:593]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{9C2135B2-533D-4042-B446
-C1BFA9DCEC1C},,BinaryType=0)
MSI (s) (40:68) [20:17:12:593]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\CidEimProxy.dll,)
MSI (s) (40:68) [20:17:12:593]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:593]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{9C2135B2-533D-4042-B446
-C1BFA9DCEC1C} 3: 2
MSI (s) (40:68) [20:17:12:593]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{eb466299-f2a4-4d10-b4b1
-8a7efc2a903b},,BinaryType=0)
MSI (s) (40:68) [20:17:12:593]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\CidEimProxy.dll,)
MSI (s) (40:68) [20:17:12:593]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:593]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{eb466299-f2a4-4d10-b4b1
-8a7efc2a903b} 3: 2
MSI (s) (40:68) [20:17:12:593]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{6e3c036e-4bb7-458f-bd74
-ece16c275d8a},,BinaryType=0)
MSI (s) (40:68) [20:17:12:593]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\CidEimProxy.dll,)
MSI (s) (40:68) [20:17:12:593]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:593]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{6e3c036e-4bb7-458f-bd74
-ece16c275d8a} 3: 2
MSI (s) (40:68) [20:17:12:593]: Executing op:

SEP_INST.log

RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{2D90F1B2-7894-4f1f-A325-155B3DB10FEB},,BinaryType=0)
MSI (s) (40:68) [20:17:12:593]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\CidseimProxy.dll,)
MSI (s) (40:68) [20:17:12:593]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:593]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{2D90F1B2-7894-4f1f-A325-155B3DB10FEB} 3: 2
MSI (s) (40:68) [20:17:12:593]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{98A5FD45-D5E3-4242-A798-DE471810E86E},,BinaryType=0)
MSI (s) (40:68) [20:17:12:593]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\Cidseim.dll,)
MSI (s) (40:68) [20:17:12:593]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:593]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{98A5FD45-D5E3-4242-A798-DE471810E86E} 3: 2
MSI (s) (40:68) [20:17:12:593]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{7320437f-8325-43f6-980b-1428c97a200e},,BinaryType=0)
MSI (s) (40:68) [20:17:12:593]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\Cidseim.dll,)
MSI (s) (40:68) [20:17:12:593]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:593]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{7320437f-8325-43f6-980b-1428c97a200e} 3: 2
MSI (s) (40:68) [20:17:12:593]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{CDBE48F6-A285-4323-A8C3-7ACF95CAA6F0},,BinaryType=0)
MSI (s) (40:68) [20:17:12:593]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\Cidseim.dll,)
MSI (s) (40:68) [20:17:12:593]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:593]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{CDBE48F6-A285-4323-A8C3-7ACF95CAA6F0} 3: 2
MSI (s) (40:68) [20:17:12:593]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{CC48D6BE-FBD6-462c-B056-296085050B4E},,BinaryType=0)
MSI (s) (40:68) [20:17:12:593]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\AVHostPlugin.dll,)
MSI (s) (40:68) [20:17:12:593]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:593]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{CC48D6BE-FBD6-462c-B056-296085050B4E} 3: 2
MSI (s) (40:68) [20:17:12:593]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{838DDD5A-6605-4980-ABEB-52887C5A9F9A},,BinaryType=0)
MSI (s) (40:68) [20:17:12:593]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\AVHostPlugin.dll,)
MSI (s) (40:68) [20:17:12:593]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:593]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{838DDD5A-6605-4980-ABEB-52887C5A9F9A} 3: 2
MSI (s) (40:68) [20:17:12:593]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{BA46226E-4E4D-42c5-B9A0

SEP_INST.log

-5EFEABE9AB7D},,BinaryType=0)
MSI (s) (40:68) [20:17:12:593]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\AVHostPlugin.dll,)
MSI (s) (40:68) [20:17:12:593]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:593]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{BA46226E-4E4D-42C5-B9A0-5EFEABE9AB7D} 3: 2
MSI (s) (40:68) [20:17:12:593]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{12E4FF2D-2872-4be7-8F3A-2686B0B69355},,BinaryType=0)
MSI (s) (40:68) [20:17:12:593]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\AVHostPlugin.dll,)
MSI (s) (40:68) [20:17:12:593]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:593]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{12E4FF2D-2872-4be7-8F3A-2686B0B69355} 3: 2
MSI (s) (40:68) [20:17:12:593]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{276564FB-9C8C-4595-9EAF-F768E6E71E18},,BinaryType=0)
MSI (s) (40:68) [20:17:12:593]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\AVHostPlugin.dll,)
MSI (s) (40:68) [20:17:12:593]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:593]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{276564FB-9C8C-4595-9EAF-F768E6E71E18} 3: 2
MSI (s) (40:68) [20:17:12:593]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{77C099AD-ABC9-4877-8CC5-EC9C957CF90D},,BinaryType=0)
MSI (s) (40:68) [20:17:12:593]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\AVHostPlugin.dll,)
MSI (s) (40:68) [20:17:12:593]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:593]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{77C099AD-ABC9-4877-8CC5-EC9C957CF90D} 3: 2
MSI (s) (40:68) [20:17:12:593]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{EEF1F11B-ED1E-48df-99F1-C2499F047C11},,BinaryType=0)
MSI (s) (40:68) [20:17:12:593]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\AVHostPlugin.dll,)
MSI (s) (40:68) [20:17:12:593]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:593]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{EEF1F11B-ED1E-48df-99F1-C2499F047C11} 3: 2
MSI (s) (40:68) [20:17:12:593]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{60B0DD10-6BFC-4f4c-8ED3-3D1E402A185E},,BinaryType=0)
MSI (s) (40:68) [20:17:12:593]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\AVHostPlugin.dll,)
MSI (s) (40:68) [20:17:12:593]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:593]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{60B0DD10-6BFC-4f4c-8ED3-3D1E402A185E} 3: 2
MSI (s) (40:68) [20:17:12:593]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{3F274E00-88BE-4317-A127-207BE8B99F87},,BinaryType=0)
MSI (s) (40:68) [20:17:12:593]: Executing op:

```

SEP_INST.log
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\AVHostPlugin.dll,)
MSI (s) (40:68) [20:17:12:593]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:593]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{3F274E00-88BE-4317-A127
-207BE8B99F87} 3: 2
MSI (s) (40:68) [20:17:12:593]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{D7617165-9024-47b6-B074
-3F95A707C2EE},,BinaryType=0)
MSI (s) (40:68) [20:17:12:593]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\AVHostPlugin.dll,)
MSI (s) (40:68) [20:17:12:593]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:593]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{D7617165-9024-47b6-B074
-3F95A707C2EE} 3: 2
MSI (s) (40:68) [20:17:12:593]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{937A8E8F-0C92-4ca9-8685
-FD5D31FE4CAF},,BinaryType=0)
MSI (s) (40:68) [20:17:12:593]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\AVHostPlugin.dll,)
MSI (s) (40:68) [20:17:12:593]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:593]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{937A8E8F-0C92-4ca9-8685
-FD5D31FE4CAF} 3: 2
MSI (s) (40:68) [20:17:12:593]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{87DC026F-7572-4d5f-B395
-59B7A36C6870},,BinaryType=0)
MSI (s) (40:68) [20:17:12:593]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\AVHostPlugin.dll,)
MSI (s) (40:68) [20:17:12:593]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:593]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{87DC026F-7572-4d5f-B395
-59B7A36C6870} 3: 2
MSI (s) (40:68) [20:17:12:593]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{6242757F-DC9D-49d1-A0BF
-AC84F6536AA4},,BinaryType=0)
MSI (s) (40:68) [20:17:12:593]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\AVHostPlugin.dll,)
MSI (s) (40:68) [20:17:12:593]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:593]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{6242757F-DC9D-49d1-A0BF
-AC84F6536AA4} 3: 2
MSI (s) (40:68) [20:17:12:593]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{90F29B8E-6012-4d7b-8119
-0D41B880CB5D},,BinaryType=0)
MSI (s) (40:68) [20:17:12:593]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\AVHostPlugin.dll,)
MSI (s) (40:68) [20:17:12:593]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:593]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{90F29B8E-6012-4d7b-8119
-0D41B880CB5D} 3: 2
MSI (s) (40:68) [20:17:12:593]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{CF7CE9DD-F6E9-4c70-98A6
-ADAE8095C37D},,BinaryType=0)
MSI (s) (40:68) [20:17:12:593]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\AVHostPlugin.dll,)
MSI (s) (40:68) [20:17:12:593]: Executing op: RegRemoveKey()

```

SEP_INST.log

MSI (s) (40:68) [20:17:12:593]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{CF7CE9DD-F6E9-4c70-98A6-
-ADAE8095C37D} 3: 2
MSI (s) (40:68) [20:17:12:593]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{AF0D2461-4DB4-463a-AE20-
-726A8CEA66EC},,BinaryType=0)
MSI (s) (40:68) [20:17:12:593]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\AVHostPlugin.dll,)
MSI (s) (40:68) [20:17:12:593]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:593]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{AF0D2461-4DB4-463a-AE20-
-726A8CEA66EC} 3: 2
MSI (s) (40:68) [20:17:12:593]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{E4591229-FD47-4744-9390-
-071AB80C8116},,BinaryType=0)
MSI (s) (40:68) [20:17:12:593]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\SAVTrayStatus.dll,)
MSI (s) (40:68) [20:17:12:593]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:593]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{E4591229-FD47-4744-9390-
-071AB80C8116} 3: 2
MSI (s) (40:68) [20:17:12:593]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{0B40B073-C0CC-45d8-88FC-
-86D5E5A10A05},,BinaryType=0)
MSI (s) (40:68) [20:17:12:593]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\PTPTrayStatus.dll,)
MSI (s) (40:68) [20:17:12:593]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:593]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{0B40B073-C0CC-45d8-88FC-
-86D5E5A10A05} 3: 2
MSI (s) (40:68) [20:17:12:593]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{C707C8FA-7A36-4232-AAD8-
-DA749512EAD1},,BinaryType=0)
MSI (s) (40:68) [20:17:12:593]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\FWTrayStatus.dll,)
MSI (s) (40:68) [20:17:12:593]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:593]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{C707C8FA-7A36-4232-AAD8-
-DA749512EAD1} 3: 2
MSI (s) (40:68) [20:17:12:593]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{1AB9CCC0-6786-49c2-BE34-
-6D2BF743445A},,BinaryType=0)
MSI (s) (40:68) [20:17:12:593]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\CidsTrayStatus.dll,)
MSI (s) (40:68) [20:17:12:593]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:593]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{1AB9CCC0-6786-49c2-BE34-
-6D2BF743445A} 3: 2
MSI (s) (40:68) [20:17:12:593]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{EE362512-DE54-4c05-9E12-
-EF3FBC18DC8E},,BinaryType=0)
MSI (s) (40:68) [20:17:12:593]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\rtvscanPS.dll,)
MSI (s) (40:68) [20:17:12:593]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:593]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint

SEP_INST.log

Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{EE362512-DE54-4c05-9E12-EF3FBC18DC8E} 3: 2
MSI (s) (40:68) [20:17:12:593]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{5A79503D-CD1F-41a7-BA38-A3920ACFE481},,BinaryType=0)
MSI (s) (40:68) [20:17:12:593]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\rtvscanPS.dll,)
MSI (s) (40:68) [20:17:12:593]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:593]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{5A79503D-CD1F-41a7-BA38-A3920ACFE481} 3: 2
MSI (s) (40:68) [20:17:12:593]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{FB9D387E-E6AE-404c-B8BB-4747E90C7795},,BinaryType=0)
MSI (s) (40:68) [20:17:12:593]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\SavEmailSeshlp.dll,)
MSI (s) (40:68) [20:17:12:593]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:593]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{FB9D387E-E6AE-404c-B8BB-4747E90C7795} 3: 2
MSI (s) (40:68) [20:17:12:593]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{B58CE337-3CA1-47e4-B900-D7894861696F},,BinaryType=0)
MSI (s) (40:68) [20:17:12:593]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\SavEmail.dll,)
MSI (s) (40:68) [20:17:12:593]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:593]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{B58CE337-3CA1-47e4-B900-D7894861696F} 3: 2
MSI (s) (40:68) [20:17:12:593]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{DFC173E3-DEBF-4fb8-BD35-E36F5A4CBA6D},,BinaryType=0)
MSI (s) (40:68) [20:17:12:609]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\GEDataStore.dll,)
MSI (s) (40:68) [20:17:12:609]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:609]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{DFC173E3-DEBF-4fb8-BD35-E36F5A4CBA6D} 3: 2
MSI (s) (40:68) [20:17:12:609]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{DE6203ED-28FB-436c-A72C-AB598524DFAD},,BinaryType=0)
MSI (s) (40:68) [20:17:12:609]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\GEDataStore.dll,)
MSI (s) (40:68) [20:17:12:609]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:609]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{DE6203ED-28FB-436c-A72C-AB598524DFAD} 3: 2
MSI (s) (40:68) [20:17:12:609]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{1DA3378C-F298-4a86-A4EC-826E9C8E8C51},,BinaryType=0)
MSI (s) (40:68) [20:17:12:609]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\GEDataStore.dll,)
MSI (s) (40:68) [20:17:12:609]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:609]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{1DA3378C-F298-4a86-A4EC-826E9C8E8C51} 3: 2

SEP_INST.log

MSI (s) (40:68) [20:17:12:609]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{F0D36511-C9FD-4c9d-97DB
-31B1B0353564},,BinaryType=0)
MSI (s) (40:68) [20:17:12:609]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\GEDataStore.dll,)
MSI (s) (40:68) [20:17:12:609]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:609]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{F0D36511-C9FD-4c9d-97DB
-31B1B0353564} 3: 2
MSI (s) (40:68) [20:17:12:609]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{421DD4B1-3B84-4562-BB5F
-9BDA31AB30D8},,BinaryType=0)
MSI (s) (40:68) [20:17:12:609]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\GEDataStore.dll,)
MSI (s) (40:68) [20:17:12:609]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:609]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{421DD4B1-3B84-4562-BB5F
-9BDA31AB30D8} 3: 2
MSI (s) (40:68) [20:17:12:609]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{F1B74499-C985-41c5-A5AF
-19DE6C0FACF3},,BinaryType=0)
MSI (s) (40:68) [20:17:12:609]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\GEDataStore.dll,)
MSI (s) (40:68) [20:17:12:609]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:609]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{F1B74499-C985-41c5-A5AF
-19DE6C0FACF3} 3: 2
MSI (s) (40:68) [20:17:12:609]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{7DCAEFB3-B6C0-4845-A227
-825DA014B8DD},,BinaryType=0)
MSI (s) (40:68) [20:17:12:609]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\GEDataStore.dll,)
MSI (s) (40:68) [20:17:12:609]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:609]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{7DCAEFB3-B6C0-4845-A227
-825DA014B8DD} 3: 2
MSI (s) (40:68) [20:17:12:609]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{BADF5F97-1AEF-4a41-8D8E
-FF219BCBCE3C},,BinaryType=0)
MSI (s) (40:68) [20:17:12:609]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\GEDataStore.dll,)
MSI (s) (40:68) [20:17:12:609]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:609]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{BADF5F97-1AEF-4a41-8D8E
-FF219BCBCE3C} 3: 2
MSI (s) (40:68) [20:17:12:609]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{E321E1BA-092F-49ff-860C
-47324AFC8F26},,BinaryType=0)
MSI (s) (40:68) [20:17:12:609]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\GEDataStore.dll,)
MSI (s) (40:68) [20:17:12:609]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:609]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{E321E1BA-092F-49ff-860C
-47324AFC8F26} 3: 2
MSI (s) (40:68) [20:17:12:609]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint

SEP_INST.log

```

Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{5A6AE710-5464-4ff2-B3C1-5A79EFE833FA},,BinaryType=0)
MSI (s) (40:68) [20:17:12:609]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\GEDataStore.dll,)
MSI (s) (40:68) [20:17:12:609]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:609]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{5A6AE710-5464-4ff2-B3C1-5A79EFE833FA} 3: 2
MSI (s) (40:68) [20:17:12:609]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{15F6988E-4FE1-4c5c-A938-ABE6EE1A892D},,BinaryType=0)
MSI (s) (40:68) [20:17:12:609]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\GEDataStore.dll,)
MSI (s) (40:68) [20:17:12:609]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:609]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{15F6988E-4FE1-4c5c-A938-ABE6EE1A892D} 3: 2
MSI (s) (40:68) [20:17:12:609]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{B447A418-4E85-4b39-8EB7-1325831ACD50},,BinaryType=0)
MSI (s) (40:68) [20:17:12:609]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\GEDataStore.dll,)
MSI (s) (40:68) [20:17:12:609]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:609]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{B447A418-4E85-4b39-8EB7-1325831ACD50} 3: 2
MSI (s) (40:68) [20:17:12:609]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{BBDF6C20-7761-46eb-AD82-AD49F9BA7946},,BinaryType=0)
MSI (s) (40:68) [20:17:12:609]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\GEDataStore.dll,)
MSI (s) (40:68) [20:17:12:609]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:609]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{BBDF6C20-7761-46eb-AD82-AD49F9BA7946} 3: 2
MSI (s) (40:68) [20:17:12:609]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{85C3784F-B84A-45a8-9E2F-AEDA70E4DFF6},,BinaryType=0)
MSI (s) (40:68) [20:17:12:609]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\GEDataStore.dll,)
MSI (s) (40:68) [20:17:12:609]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:609]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{85C3784F-B84A-45a8-9E2F-AEDA70E4DFF6} 3: 2
MSI (s) (40:68) [20:17:12:609]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{BA7EF054-DA64-4821-BC35-AEF762C35180},,BinaryType=0)
MSI (s) (40:68) [20:17:12:609]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\AtpiMan.plg,)
MSI (s) (40:68) [20:17:12:609]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:609]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{BA7EF054-DA64-4821-BC35-AEF762C35180} 3: 2
MSI (s) (40:68) [20:17:12:609]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{ECDE98D1-4E64-43F2-860B-44F338DBC47F},,BinaryType=0)

```


SEP_INST.log

```

MSI (s) (40:68) [20:17:12:609]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%INSTALLDIR%\sms.dll,)
MSI (s) (40:68) [20:17:12:609]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:609]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{ECDE98D1-4E64-43F2-860B
-44F338DBC47F} 3: 2
MSI (s) (40:68) [20:17:12:609]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{C425C175-E1AC-47CC-A4F7
-342D2FB55EC5},,BinaryType=0)
MSI (s) (40:68) [20:17:12:609]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%INSTALLDIR%\sms.dll,)
MSI (s) (40:68) [20:17:12:609]: Executing op:
RegAddValue(Name=Inproc32,Value=%INSTALLDIR%\sms.dll,)
MSI (s) (40:68) [20:17:12:609]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{A16F58CC-3B1C-4ABE-AB09
-3701D1FA7A18},,BinaryType=0)
MSI (s) (40:68) [20:17:12:609]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%INSTALLDIR%\sms.dll,)
MSI (s) (40:68) [20:17:12:609]: Executing op:
RegAddValue(Name=Inproc32,Value=%INSTALLDIR%\sms.dll,)
MSI (s) (40:68) [20:17:12:609]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{F5049120-A459-480D-BB2F
-432351FF6236},,BinaryType=0)
MSI (s) (40:68) [20:17:12:609]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%INSTALLDIR%\sms.dll,)
MSI (s) (40:68) [20:17:12:609]: Executing op:
RegAddValue(Name=Inproc32,Value=%INSTALLDIR%\sms.dll,)
MSI (s) (40:68) [20:17:12:609]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{26DC65FF-B43A-4bd4-A4AE
-D6CCB2A2B79C},,BinaryType=0)
MSI (s) (40:68) [20:17:12:609]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%INSTALLDIR%\sis.dll,)
MSI (s) (40:68) [20:17:12:609]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:609]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{26DC65FF-B43A-4bd4-A4AE
-D6CCB2A2B79C} 3: 2
MSI (s) (40:68) [20:17:12:609]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{52298956-FB9A-403E-9F12
-ECB49189602E},,BinaryType=0)
MSI (s) (40:68) [20:17:12:609]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%INSTALLDIR%\sis.dll,)
MSI (s) (40:68) [20:17:12:609]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:609]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{52298956-FB9A-403E-9F12
-ECB49189602E} 3: 2
MSI (s) (40:68) [20:17:12:609]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{871176AE-B470-4628-AC18
-98710E9DF0CB},,BinaryType=0)
MSI (s) (40:68) [20:17:12:609]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%INSTALLDIR%\sis.dll,)
MSI (s) (40:68) [20:17:12:609]: Executing op:
RegAddValue(Name=Inproc32,Value=%INSTALLDIR%\sis.dll,)
MSI (s) (40:68) [20:17:12:609]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{3A3F5A5C-7605-47d8-AF04
-8BC95937BF6A},,BinaryType=0)
MSI (s) (40:68) [20:17:12:609]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\ProfileManagementClient.dll,)
MSI (s) (40:68) [20:17:12:609]: Executing op: RegRemoveKey()

```

SEP_INST.log

MSI (s) (40:68) [20:17:12:609]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{3A3F5A5C-7605-47d8-AF04-8BC95937BF6A} 3: 2
MSI (s) (40:68) [20:17:12:609]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{E55CAB87-817E-4480-9049-31116A993E9A},,BinaryType=0)
MSI (s) (40:68) [20:17:12:609]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\ProfileManagementClient.dll,)
MSI (s) (40:68) [20:17:12:609]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:609]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{E55CAB87-817E-4480-9049-31116A993E9A} 3: 2
MSI (s) (40:68) [20:17:12:609]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{D4AC6F7D-DEB7-4e7b-8C90-3062B8C1A0F0},,BinaryType=0)
MSI (s) (40:68) [20:17:12:609]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\ProfileManagementClient.dll,)
MSI (s) (40:68) [20:17:12:609]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:609]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{D4AC6F7D-DEB7-4e7b-8C90-3062B8C1A0F0} 3: 2
MSI (s) (40:68) [20:17:12:609]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{92ECB48F-256F-48dd-A357-FC9D4842837D},,BinaryType=0)
MSI (s) (40:68) [20:17:12:609]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\ProfileManagementClient.dll,)
MSI (s) (40:68) [20:17:12:609]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:609]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{92ECB48F-256F-48dd-A357-FC9D4842837D} 3: 2
MSI (s) (40:68) [20:17:12:609]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{C13bE72B-EE78-4846-9857-CED8d6DD0FF8},,BinaryType=0)
MSI (s) (40:68) [20:17:12:609]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\ProfileManagementClient.dll,)
MSI (s) (40:68) [20:17:12:609]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:609]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{C13bE72B-EE78-4846-9857-CED8d6DD0FF8} 3: 2
MSI (s) (40:68) [20:17:12:609]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{43821E57-A346-4F9a-8CAE-0C788B625743},,BinaryType=0)
MSI (s) (40:68) [20:17:12:609]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\ProfileManagementClient.dll,)
MSI (s) (40:68) [20:17:12:609]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:609]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{43821E57-A346-4F9a-8CAE-0C788B625743} 3: 2
MSI (s) (40:68) [20:17:12:609]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{64C699D2-663D-4655-A86E-790312F60CA0},,BinaryType=0)
MSI (s) (40:68) [20:17:12:609]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\RepMgtEimProxy.dll,)
MSI (s) (40:68) [20:17:12:609]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:609]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint

SEP_INST.log

Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{64C699D2-663D-4655-A86E-790312F60CA0} 3: 2
MSI (s) (40:68) [20:17:12:609]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{F5DD4BB5-1D9C-4b40-AC24-160A296D16D9},,BinaryType=0)
MSI (s) (40:68) [20:17:12:609]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\RepMgtEimProxy.dll,)
MSI (s) (40:68) [20:17:12:609]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:609]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{F5DD4BB5-1D9C-4b40-AC24-160A296D16D9} 3: 2
MSI (s) (40:68) [20:17:12:609]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{A4816E5E-73A7-4438-9805-BB2B7AB12FB4},,BinaryType=0)
MSI (s) (40:68) [20:17:12:609]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\ReportSubmission.dll,)
MSI (s) (40:68) [20:17:12:609]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:609]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{A4816E5E-73A7-4438-9805-BB2B7AB12FB4} 3: 2
MSI (s) (40:68) [20:17:12:609]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{B3AE2CDD-8520-4ae9-BC6F-5654E2A292DE},,BinaryType=0)
MSI (s) (40:68) [20:17:12:609]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\ReportSubmission.dll,)
MSI (s) (40:68) [20:17:12:609]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:609]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{B3AE2CDD-8520-4ae9-BC6F-5654E2A292DE} 3: 2
MSI (s) (40:68) [20:17:12:609]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{C1BC2BA7-2AE5-4139-8B8B-B591BDD9AE76},,BinaryType=0)
MSI (s) (40:68) [20:17:12:609]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\RepMgtTim.dll,)
MSI (s) (40:68) [20:17:12:609]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:609]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{C1BC2BA7-2AE5-4139-8B8B-B591BDD9AE76} 3: 2
MSI (s) (40:68) [20:17:12:609]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{D7E0B085-E453-46da-A523-EC6DF7742219},,BinaryType=0)
MSI (s) (40:68) [20:17:12:609]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\RepMgtTim.dll,)
MSI (s) (40:68) [20:17:12:609]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:609]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{D7E0B085-E453-46da-A523-EC6DF7742219} 3: 2
MSI (s) (40:68) [20:17:12:609]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{DFC70FF9-D5FB-49b7-88DF-8356D9B05A1C},,BinaryType=0)
MSI (s) (40:68) [20:17:12:609]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\RepMgtTim.dll,)
MSI (s) (40:68) [20:17:12:609]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:609]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{DFC70FF9-D5FB-49b7-88DF-8356D9B05A1C} 3: 2

SEP_INST.log

MSI (s) (40:68) [20:17:12:609]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{A8B89792-2B93-457e-88F2
-38A5114DF2B5},,BinaryType=0)
MSI (s) (40:68) [20:17:12:609]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\RepMgtTim.dll,)
MSI (s) (40:68) [20:17:12:609]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:609]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{A8B89792-2B93-457e-88F2
-38A5114DF2B5} 3: 2
MSI (s) (40:68) [20:17:12:609]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{33F24A3D-0E43-48a6-9A59
-A402EF53403C},,BinaryType=0)
MSI (s) (40:68) [20:17:12:609]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\SubmissionsEimProxy.dll,)
MSI (s) (40:68) [20:17:12:609]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:609]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{33F24A3D-0E43-48a6-9A59
-A402EF53403C} 3: 2
MSI (s) (40:68) [20:17:12:609]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{A09D3011-D411-41ed-8572
-B78245563132},,BinaryType=0)
MSI (s) (40:68) [20:17:12:609]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\SubmissionsEimProxy.dll,)
MSI (s) (40:68) [20:17:12:609]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:609]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{A09D3011-D411-41ed-8572
-B78245563132} 3: 2
MSI (s) (40:68) [20:17:12:609]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{24EBE679-213D-4903-8DD8
-1361E028AD1A},,BinaryType=0)
MSI (s) (40:68) [20:17:12:609]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\SubmissionsEimProxy.dll,)
MSI (s) (40:68) [20:17:12:609]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:609]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{24EBE679-213D-4903-8DD8
-1361E028AD1A} 3: 2
MSI (s) (40:68) [20:17:12:609]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{153244CB-4DD8-40cd-BD15
-31ED2CEAE890},,BinaryType=0)
MSI (s) (40:68) [20:17:12:609]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\SubmissionsEimProxy.dll,)
MSI (s) (40:68) [20:17:12:609]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:609]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{153244CB-4DD8-40cd-BD15
-31ED2CEAE890} 3: 2
MSI (s) (40:68) [20:17:12:609]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{D97BA956-7A75-4108-8DCB
-E1D3AD6B5508},,BinaryType=0)
MSI (s) (40:68) [20:17:12:609]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\SubmissionsEim.dll,)
MSI (s) (40:68) [20:17:12:609]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:609]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{D97BA956-7A75-4108-8DCB
-E1D3AD6B5508} 3: 2
MSI (s) (40:68) [20:17:12:609]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint

SEP_INST.log

```

Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{6e70c46b-7fd6-4d71-a233-b101e9ad72f2},,BinaryType=0)
MSI (s) (40:68) [20:17:12:609]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\SubmissionsEim.dll,)
MSI (s) (40:68) [20:17:12:625]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:625]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{6e70c46b-7fd6-4d71-a233-b101e9ad72f2} 3: 2
MSI (s) (40:68) [20:17:12:625]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{785702F1-67E9-41f9-A023-B28410AC3C50},,BinaryType=0)
MSI (s) (40:68) [20:17:12:625]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\SubmissionsEim.dll,)
MSI (s) (40:68) [20:17:12:625]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:625]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{785702F1-67E9-41f9-A023-B28410AC3C50} 3: 2
MSI (s) (40:68) [20:17:12:625]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{3F590471-C5C6-48c9-8200-FFDE6FEB9A2E},,BinaryType=0)
MSI (s) (40:68) [20:17:12:625]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\SubmissionsEim.dll,)
MSI (s) (40:68) [20:17:12:625]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:625]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{3F590471-C5C6-48c9-8200-FFDE6FEB9A2E} 3: 2
MSI (s) (40:68) [20:17:12:625]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{476CC8C1-0AC0-40d0-BF18-2CCEA25887F2},,BinaryType=0)
MSI (s) (40:68) [20:17:12:625]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\SubmissionsEim.dll,)
MSI (s) (40:68) [20:17:12:625]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:625]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{476CC8C1-0AC0-40d0-BF18-2CCEA25887F2} 3: 2
MSI (s) (40:68) [20:17:12:625]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{B534017C-E891-4e21-B375-A90B648CA592},,BinaryType=0)
MSI (s) (40:68) [20:17:12:625]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\SubmissionsEim.dll,)
MSI (s) (40:68) [20:17:12:625]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:625]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{B534017C-E891-4e21-B375-A90B648CA592} 3: 2
MSI (s) (40:68) [20:17:12:625]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{71072142-8CEC-4182-8510-10C0D7DBD41F},,BinaryType=0)
MSI (s) (40:68) [20:17:12:625]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\SubmissionsEim.dll,)
MSI (s) (40:68) [20:17:12:625]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:625]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{71072142-8CEC-4182-8510-10C0D7DBD41F} 3: 2
MSI (s) (40:68) [20:17:12:625]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{F5C14F33-DAF2-4e57-9BE8-A16049417506},,BinaryType=0)

```

SEP_INST.log

MSI (s) (40:68) [20:17:12:625]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\SubmissionsEim.dll,)
MSI (s) (40:68) [20:17:12:625]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:625]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{F5C14F33-DAF2-4e57-9BE8
-A16049417506} 3: 2
MSI (s) (40:68) [20:17:12:625]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{4CEDAC38-B2A8-4d13-83ED
-4D35F94338BD},,BinaryType=0)
MSI (s) (40:68) [20:17:12:625]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\SubmissionsEim.dll,)
MSI (s) (40:68) [20:17:12:625]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:625]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{4CEDAC38-B2A8-4d13-83ED
-4D35F94338BD} 3: 2
MSI (s) (40:68) [20:17:12:625]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{1D77AF38-9E3F-42f1-B636
-4C9271D7F61F},,BinaryType=0)
MSI (s) (40:68) [20:17:12:625]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\SubmissionsEim.dll,)
MSI (s) (40:68) [20:17:12:625]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:625]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{1D77AF38-9E3F-42f1-B636
-4C9271D7F61F} 3: 2
MSI (s) (40:68) [20:17:12:625]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{5C413124-ADB1-45bb-8B58
-70231328DE2D},,BinaryType=0)
MSI (s) (40:68) [20:17:12:625]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\LueEimProxy.dll,)
MSI (s) (40:68) [20:17:12:625]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:625]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{5C413124-ADB1-45bb-8B58
-70231328DE2D} 3: 2
MSI (s) (40:68) [20:17:12:625]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{FECB865F-DB58-47de-98C4
-390D95A2996E},,BinaryType=0)
MSI (s) (40:68) [20:17:12:625]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\LueEimProxy.dll,)
MSI (s) (40:68) [20:17:12:625]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:625]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{FECB865F-DB58-47de-98C4
-390D95A2996E} 3: 2
MSI (s) (40:68) [20:17:12:625]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{98924162-D4AA-4360-9ADF
-423C752A97C5},,BinaryType=0)
MSI (s) (40:68) [20:17:12:625]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\LueEimProxy.dll,)
MSI (s) (40:68) [20:17:12:625]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:625]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{98924162-D4AA-4360-9ADF
-423C752A97C5} 3: 2
MSI (s) (40:68) [20:17:12:625]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{8A37806E-91A3-4085-9782
-157E605957AA},,BinaryType=0)
MSI (s) (40:68) [20:17:12:625]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\LueEimProxy.dll,)

SEP_INST.log

MSI (s) (40:68) [20:17:12:625]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:625]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{8A37806E-91A3-4085-9782-157E605957AA} 3: 2
MSI (s) (40:68) [20:17:12:625]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{CA8B1909-6A7A-43b4-9B6A-13FD0FA40993},,BinaryType=0)
MSI (s) (40:68) [20:17:12:625]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\LueEimProxy.dll,)
MSI (s) (40:68) [20:17:12:625]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:625]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{CA8B1909-6A7A-43b4-9B6A-13FD0FA40993} 3: 2
MSI (s) (40:68) [20:17:12:625]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{475C9EB4-9D25-49d6-BD22-C7CC113A0B74},,BinaryType=0)
MSI (s) (40:68) [20:17:12:625]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\LueEimProxy.dll,)
MSI (s) (40:68) [20:17:12:625]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:625]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{475C9EB4-9D25-49d6-BD22-C7CC113A0B74} 3: 2
MSI (s) (40:68) [20:17:12:625]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{83893ADD-E532-47c3-AB63-415E3D0EACB7},,BinaryType=0)
MSI (s) (40:68) [20:17:12:625]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\LueEimProxy.dll,)
MSI (s) (40:68) [20:17:12:625]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:625]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{83893ADD-E532-47c3-AB63-415E3D0EACB7} 3: 2
MSI (s) (40:68) [20:17:12:625]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{1E6718B7-F84B-40f5-9736-493B805846FE},,BinaryType=0)
MSI (s) (40:68) [20:17:12:625]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\LueEimProxy.dll,)
MSI (s) (40:68) [20:17:12:625]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:625]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{1E6718B7-F84B-40f5-9736-493B805846FE} 3: 2
MSI (s) (40:68) [20:17:12:625]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{63ADD4EE-F005-4525-A7F9-4324BB2EFAA5},,BinaryType=0)
MSI (s) (40:68) [20:17:12:625]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\LueEimProxy.dll,)
MSI (s) (40:68) [20:17:12:625]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:625]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{63ADD4EE-F005-4525-A7F9-4324BB2EFAA5} 3: 2
MSI (s) (40:68) [20:17:12:625]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{64C08495-E618-4757-94B0-B10A2BC70FA4},,BinaryType=0)
MSI (s) (40:68) [20:17:12:625]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\LueEimProxy.dll,)
MSI (s) (40:68) [20:17:12:625]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:625]: Note: 1: 1402 2:

SEP_INST.log

HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{64C08495-E618-4757-94B0-B10A2BC70FA4} 3: 2
MSI (s) (40:68) [20:17:12:625]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{5E9940A5-2661-422f-8C01-5279F1F8F58D},,BinaryType=0)
MSI (s) (40:68) [20:17:12:625]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\LueEimProxy.dll,)
MSI (s) (40:68) [20:17:12:625]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:625]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{5E9940A5-2661-422f-8C01-5279F1F8F58D} 3: 2
MSI (s) (40:68) [20:17:12:625]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{B4A5D91A-59D3-4ec7-9EFF-C8F7CB4972AD},,BinaryType=0)
MSI (s) (40:68) [20:17:12:625]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\LueEimProxy.dll,)
MSI (s) (40:68) [20:17:12:625]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:625]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{B4A5D91A-59D3-4ec7-9EFF-C8F7CB4972AD} 3: 2
MSI (s) (40:68) [20:17:12:625]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{02E23EEB-3ADA-407b-BB05-F2ACC9616C07},,BinaryType=0)
MSI (s) (40:68) [20:17:12:625]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\LueEimProxy.dll,)
MSI (s) (40:68) [20:17:12:625]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:625]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{02E23EEB-3ADA-407b-BB05-F2ACC9616C07} 3: 2
MSI (s) (40:68) [20:17:12:625]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{D8AD8A5F-6885-4459-8F31-69BB22EE0D1C},,BinaryType=0)
MSI (s) (40:68) [20:17:12:625]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%INSTALLDIR%\SISCustomActionLUE.dll,)
MSI (s) (40:68) [20:17:12:625]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:625]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{D8AD8A5F-6885-4459-8F31-69BB22EE0D1C} 3: 2
MSI (s) (40:68) [20:17:12:625]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{9A46F1F2-FA26-4d39-BA79-291B19293FE5},,BinaryType=0)
MSI (s) (40:68) [20:17:12:625]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\LueEim.dll,)
MSI (s) (40:68) [20:17:12:625]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:625]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{9A46F1F2-FA26-4d39-BA79-291B19293FE5} 3: 2
MSI (s) (40:68) [20:17:12:625]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{A74BEF3A-A853-4069-B8E5-E99A201ED645},,BinaryType=0)
MSI (s) (40:68) [20:17:12:625]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\LueEim.dll,)
MSI (s) (40:68) [20:17:12:625]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:625]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{A74BEF3A-A853-4069-B8E5

SEP_INST.log

-E99A201ED645} 3: 2
MSI (s) (40:68) [20:17:12:625]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{17806376-E804-42a9-A134-4E835553C3B1},,BinaryType=0)
MSI (s) (40:68) [20:17:12:625]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\LueEim.dll,)
MSI (s) (40:68) [20:17:12:625]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:625]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{17806376-E804-42a9-A134-4E835553C3B1} 3: 2
MSI (s) (40:68) [20:17:12:625]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{D80C931B-8394-4bd2-BA74-8980CFA1A805},,BinaryType=0)
MSI (s) (40:68) [20:17:12:625]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\LueEim.dll,)
MSI (s) (40:68) [20:17:12:625]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:625]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{D80C931B-8394-4bd2-BA74-8980CFA1A805} 3: 2
MSI (s) (40:68) [20:17:12:625]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{7E00897A-F799-477c-B0FC-DEBBC59DE349},,BinaryType=0)
MSI (s) (40:68) [20:17:12:625]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\SNACTrayStatus.dll,)
MSI (s) (40:68) [20:17:12:625]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:625]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{7E00897A-F799-477c-B0FC-DEBBC59DE349} 3: 2
MSI (s) (40:68) [20:17:12:625]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{3228E931-7AD0-4f42-A0D1-4B6C6287DEFA},,BinaryType=0)
MSI (s) (40:68) [20:17:12:625]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\SMCTrayStatus.dll,)
MSI (s) (40:68) [20:17:12:625]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:625]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{3228E931-7AD0-4f42-A0D1-4B6C6287DEFA} 3: 2
MSI (s) (40:68) [20:17:12:625]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{EBEED400-3BB8-4315-94F7-2F150F813511},,BinaryType=0)
MSI (s) (40:68) [20:17:12:625]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%INSTALLDIR%\LicenseMan.dll,)
MSI (s) (40:68) [20:17:12:625]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:625]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{EBEED400-3BB8-4315-94F7-2F150F813511} 3: 2
MSI (s) (40:68) [20:17:12:625]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{41B97458-0E2B-4a74-BADF-23B42C1E7FF2},,BinaryType=0)
MSI (s) (40:68) [20:17:12:625]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%SEPINSTALLDIR%\HITrayStatus.dll,)
MSI (s) (40:68) [20:17:12:625]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:625]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{41B97458-0E2B-4a74-BADF-23B42C1E7FF2} 3: 2
MSI (s) (40:68) [20:17:12:625]: Executing op:

SEP_INST.log

RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{36FC6E31-45BE-4df4-BA05-66DBE0CB8B1A},,BinaryType=0)
MSI (s) (40:68) [20:17:12:625]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%INSTALLDIR%\AgentCore.dll,)
MSI (s) (40:68) [20:17:12:625]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:625]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{36FC6E31-45BE-4df4-BA05-66DBE0CB8B1A} 3: 2
MSI (s) (40:68) [20:17:12:625]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{13205E98-C606-4272-B4FA-38F5719B981E},,BinaryType=0)
MSI (s) (40:68) [20:17:12:625]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%INSTALLDIR%\AgentCore.dll,)
MSI (s) (40:68) [20:17:12:625]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:625]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{13205E98-C606-4272-B4FA-38F5719B981E} 3: 2
MSI (s) (40:68) [20:17:12:625]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{4D59722E-1E7A-42cd-AD98-3B4AF501268F},,BinaryType=0)
MSI (s) (40:68) [20:17:12:625]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%INSTALLDIR%\SyLinkSymInterfaceProxy.dll,)
MSI (s) (40:68) [20:17:12:625]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:625]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{4D59722E-1E7A-42cd-AD98-3B4AF501268F} 3: 2
MSI (s) (40:68) [20:17:12:625]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{78B23800-59FF-44cd-8945-1A57441E8349},,BinaryType=0)
MSI (s) (40:68) [20:17:12:625]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%INSTALLDIR%\SyLink.dll,)
MSI (s) (40:68) [20:17:12:625]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:625]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{78B23800-59FF-44cd-8945-1A57441E8349} 3: 2
MSI (s) (40:68) [20:17:12:625]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{9E6B6EC2-F443-4725-AA63-8FF91FCFD977},,BinaryType=0)
MSI (s) (40:68) [20:17:12:625]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%INSTALLDIR%\SISCustomActionsSMC.dll,)
MSI (s) (40:68) [20:17:12:625]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:625]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{9E6B6EC2-F443-4725-AA63-8FF91FCFD977} 3: 2
MSI (s) (40:68) [20:17:12:625]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{96039211-B435-4966-862C-F030F7C0100D},,BinaryType=0)
MSI (s) (40:68) [20:17:12:625]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%INSTALLDIR%\Communicator.dll,)
MSI (s) (40:68) [20:17:12:625]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:625]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{96039211-B435-4966-862C-F030F7C0100D} 3: 2
MSI (s) (40:68) [20:17:12:625]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{08074E0F-B581-4dfe-A109

SEP_INST.log

-12E3728006E5},,BinaryType=0)
MSI (s) (40:68) [20:17:12:625]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%INSTALLDIR%\RebootMgrEimProxy.dll,)
MSI (s) (40:68) [20:17:12:625]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:625]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{08074E0F-B581-4dfe-A109-12E3728006E5} 3: 2
MSI (s) (40:68) [20:17:12:625]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{C4294B55-00D2-442a-8161-D9D0CF9C3226},,BinaryType=0)
MSI (s) (40:68) [20:17:12:625]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%INSTALLDIR%\RebootMgrEimProxy.dll,)
MSI (s) (40:68) [20:17:12:625]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:625]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{C4294B55-00D2-442a-8161-D9D0CF9C3226} 3: 2
MSI (s) (40:68) [20:17:12:625]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{6AC5E13F-65FD-4916-BBEA-A630148C2B48},,BinaryType=0)
MSI (s) (40:68) [20:17:12:625]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%INSTALLDIR%\RebootMgrEimProxy.dll,)
MSI (s) (40:68) [20:17:12:625]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:625]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{6AC5E13F-65FD-4916-BBEA-A630148C2B48} 3: 2
MSI (s) (40:68) [20:17:12:625]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{14D49665-DDE7-4ce0-9718-1E137FBCFFDF},,BinaryType=0)
MSI (s) (40:68) [20:17:12:625]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%INSTALLDIR%\RebootMgrEimProxy.dll,)
MSI (s) (40:68) [20:17:12:625]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:625]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{14D49665-DDE7-4ce0-9718-1E137FBCFFDF} 3: 2
MSI (s) (40:68) [20:17:12:625]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{13A33B86-1D6F-4aae-A463-68F6B27175AD},,BinaryType=0)
MSI (s) (40:68) [20:17:12:625]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%INSTALLDIR%\RebootMgrEimProxy.dll,)
MSI (s) (40:68) [20:17:12:625]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:625]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{13A33B86-1D6F-4aae-A463-68F6B27175AD} 3: 2
MSI (s) (40:68) [20:17:12:625]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{D39FB2E0-DC77-4e78-8377-A594B5DF3BD7},,BinaryType=0)
MSI (s) (40:68) [20:17:12:625]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%INSTALLDIR%\RebootMgrEimProxy.dll,)
MSI (s) (40:68) [20:17:12:625]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:625]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{D39FB2E0-DC77-4e78-8377-A594B5DF3BD7} 3: 2
MSI (s) (40:68) [20:17:12:640]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{15873CFC-7579-4f1d-A91E-79D36B5A6DCE},,BinaryType=0)
MSI (s) (40:68) [20:17:12:640]: Executing op:

```

SEP_INST.log
RegRemoveValue(Name=Inproc32,Value=%INSTALLDIR%\RebootMgrEimProxy.dll,)
MSI (s) (40:68) [20:17:12:640]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:640]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{15873CFC-7579-4f1d-A91E
-79D36B5A6DCE} 3: 2
MSI (s) (40:68) [20:17:12:640]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{13570565-352C-4778-AC71
-E6D812439D4F},,BinaryType=0)
MSI (s) (40:68) [20:17:12:640]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%INSTALLDIR%\RebootMgrEim.dll,)
MSI (s) (40:68) [20:17:12:640]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:640]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{13570565-352C-4778-AC71
-E6D812439D4F} 3: 2
MSI (s) (40:68) [20:17:12:640]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{EB837D11-B1CD-4d5b-8016
-3115C430B66A},,BinaryType=0)
MSI (s) (40:68) [20:17:12:640]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%INSTALLDIR%\RebootMgrEim.dll,)
MSI (s) (40:68) [20:17:12:640]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:640]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{EB837D11-B1CD-4d5b-8016
-3115C430B66A} 3: 2
MSI (s) (40:68) [20:17:12:640]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{9DE6B07B-5408-4949-A3A6
-A0F946725DD7},,BinaryType=0)
MSI (s) (40:68) [20:17:12:640]: Executing op:
RegRemoveValue(Name=Inproc32,Value=%INSTALLDIR%\RebootMgrEim.dll,)
MSI (s) (40:68) [20:17:12:640]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:640]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{9DE6B07B-5408-4949-A3A6
-A0F946725DD7} 3: 2
MSI (s) (40:68) [20:17:12:640]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\SMC\SYLINK\SyLink,,BinaryType=0)
MSI (s) (40:68) [20:17:12:640]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:640]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\IDS,,BinaryType=0)
MSI (s) (40:68) [20:17:12:640]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\SMC\RunOnceUserFixups,,BinaryT
ype=0)
MSI (s) (40:68) [20:17:12:640]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:640]: Executing op:
RegRemoveValue(Name=MigrateUserScans.exe,Value=#0,)
MSI (s) (40:68) [20:17:12:640]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:640]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:640]: Executing op:
RegRemoveValue(Name=FixExtend.exe,Value=#0,)
MSI (s) (40:68) [20:17:12:640]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:640]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\SMC\RunOnceUserFixups 3: 2
MSI (s) (40:68) [20:17:12:640]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{C779530C-65CE-4bbb-8854
-A2F20EB1E9CD},,BinaryType=0)
MSI (s) (40:68) [20:17:12:640]: Executing op:
RegRemoveValue(Name=InProc32,Value=%SEPINSTALLDIR%\diArkive.dll,)
MSI (s) (40:68) [20:17:12:640]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:640]: Note: 1: 1402 2:

```

SEP_INST.log

HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{C779530C-65CE-4bbb-8854
-A2F20EB1E9CD} 3: 2
MSI (s) (40:68) [20:17:12:640]: Executing op:
RegOpenKey(Root=-2147483646,Key=Software\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\Common
Client\ccIPC,,BinaryType=0)
MSI (s) (40:68) [20:17:12:640]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:640]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\LanguageConfig,,BinaryType=0)
MSI (s) (40:68) [20:17:12:640]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:640]: Executing op: RegRemoveValue(Name=Default
Language,Value=0419,)
MSI (s) (40:68) [20:17:12:640]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:640]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\LanguageConfig 3: 2
MSI (s) (40:68) [20:17:12:640]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{D5DCAEB1-D306-4416-A63D
-44A15F7E9CC7},,BinaryType=0)
MSI (s) (40:68) [20:17:12:640]: Executing op:
RegRemoveValue(Name=InProc32,Value=%INSTALLDIR%\SepDuHandler.dll,)
MSI (s) (40:68) [20:17:12:640]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:640]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{D5DCAEB1-D306-4416-A63D
-44A15F7E9CC7} 3: 2
MSI (s) (40:68) [20:17:12:640]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\Common Client,,BinaryType=0)
MSI (s) (40:68) [20:17:12:640]: Executing op:
RegRemoveValue(Name=CCROOT,Value=C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\bin,)
MSI (s) (40:68) [20:17:12:640]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:640]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{A812EC7A-E9A8-4A82-9857
-3E8810A4F5C5},,BinaryType=0)
MSI (s) (40:68) [20:17:12:640]: Executing op:
RegRemoveValue(Name=InProc32,Value=%INSTALLDIR%\ccSvc.dll,)
MSI (s) (40:68) [20:17:12:640]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:640]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{A812EC7A-E9A8-4A82-9857
-3E8810A4F5C5} 3: 2
MSI (s) (40:68) [20:17:12:640]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{DD607EDE-E669-44B3-9A23
-D0EAB41A2F57},,BinaryType=0)
MSI (s) (40:68) [20:17:12:640]: Executing op:
RegRemoveValue(Name=InProc32,Value=%INSTALLDIR%\ccIPC.dll,)
MSI (s) (40:68) [20:17:12:640]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:640]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{DD607EDE-E669-44B3-9A23
-D0EAB41A2F57} 3: 2
MSI (s) (40:68) [20:17:12:640]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{a16f58cc-3b1c-4abe-ab09
-3701d1fa7a18},,BinaryType=0)
MSI (s) (40:68) [20:17:12:640]: Executing op:
RegRemoveValue(Name=InProc32,Value=%INSTALLDIR%\sms.dll,)
MSI (s) (40:68) [20:17:12:640]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:640]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{a16f58cc-3b1c-4abe-ab09

SEP_INST.log

-3701d1fa7a18} 3: 2
MSI (s) (40:68) [20:17:12:640]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{f5049120-a459-480d-bb2f
-432351ff6236},,BinaryType=0)
MSI (s) (40:68) [20:17:12:640]: Executing op:
RegRemoveValue(Name=InProc32,Value=%INSTALLDIR%\sms.dll,)
MSI (s) (40:68) [20:17:12:640]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:640]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{f5049120-a459-480d-bb2f
-432351ff6236} 3: 2
MSI (s) (40:68) [20:17:12:640]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876},,BinaryType=0)
MSI (s) (40:68) [20:17:12:640]: Executing op:
RegRemoveValue(Name=PRODUCTVERSION,Value=12.1.671.4971,)
MSI (s) (40:68) [20:17:12:640]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:640]: Executing op:
RegRemoveValue(Name=PRODUCTNAME,Value=Symantec Endpoint Protection,)
MSI (s) (40:68) [20:17:12:640]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:640]: Executing op:
RegRemoveValue(Name=PRODUCTID,Value=SEP,)
MSI (s) (40:68) [20:17:12:640]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:640]: Executing op:
RegRemoveValue(Name=SERVICENAME,Value=SepMasterService,)
MSI (s) (40:68) [20:17:12:640]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:640]: Executing op:
RegRemoveValue(Name=PRODUCTCLASS,Value=#9,)
MSI (s) (40:68) [20:17:12:640]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:640]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:640]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:640]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{C425C175-E1AC-47cc-A4F7
-342D2FB55EC5},,BinaryType=0)
MSI (s) (40:68) [20:17:12:640]: Executing op:
RegRemoveValue(Name=InProc32,Value=%INSTALLDIR%\sms.dll,)
MSI (s) (40:68) [20:17:12:640]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:640]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{C425C175-E1AC-47cc-A4F7
-342D2FB55EC5} 3: 2
MSI (s) (40:68) [20:17:12:640]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{5a763e5f-0ed5-42c3-a168
-f580eef67038},,BinaryType=0)
MSI (s) (40:68) [20:17:12:640]: Executing op:
RegRemoveValue(Name=InProc32,Value=%INSTALLDIR%\sms.dll,)
MSI (s) (40:68) [20:17:12:640]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:640]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{5a763e5f-0ed5-42c3-a168
-f580eef67038} 3: 2
MSI (s) (40:68) [20:17:12:640]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{871176ae-b470-4628-ac18
-98710e9df0cb},,BinaryType=0)
MSI (s) (40:68) [20:17:12:640]: Executing op:
RegRemoveValue(Name=InProc32,Value=%INSTALLDIR%\sis.dll,)
MSI (s) (40:68) [20:17:12:640]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:640]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\OBJID\{871176ae-b470-4628-ac18
-98710e9df0cb} 3: 2
MSI (s) (40:68) [20:17:12:640]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\SharedDefs,,BinaryType=0)

SEP_INST.log

MSI (s) (40:68) [20:17:12:640]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\Common Client\PathExpansionMap,,BinaryType=0)
MSI (s) (40:68) [20:17:12:640]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:640]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:640]: Executing op:
RegRemoveValue(Name=SAVUSERLOGDIR,Value=%CSIDL_LOCAL_APPDATA%\Symantec\Symantec Endpoint Protection\Logs,)
MSI (s) (40:68) [20:17:12:640]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:640]: Executing op:
RegRemoveValue(Name=SAVQUARANTINEDIR,Value=%APPDATA%\Quarantine,)
MSI (s) (40:68) [20:17:12:640]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:640]: Executing op:
RegRemoveValue(Name=SAVLOGDIR,Value=%APPDATA%\Logs\AV,)
MSI (s) (40:68) [20:17:12:640]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:640]: Executing op:
RegRemoveValue(Name=SAVDEFDIR,Value=%APPDATA%\Definitions\VirusDefs,)
MSI (s) (40:68) [20:17:12:640]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:640]: Executing op:
RegRemoveValue(Name=SAVDECOMPOSERTEMPDIR,Value=%APPDATA%\DecTemp,)
MSI (s) (40:68) [20:17:12:640]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:640]: Executing op:
RegRemoveValue(Name=SAVAPTEMPDIR,Value=%APPDATA%\APTemp,)
MSI (s) (40:68) [20:17:12:640]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:640]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:640]: Executing op:
RegRemoveValue(Name=MUIDIR,Value=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\,)
MSI (s) (40:68) [20:17:12:640]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:640]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:640]: Executing op:
RegRemoveValue(Name=SYMDRIVERS,Value=C:\WINDOWS\system32\Drivers\SEP\0C01029F\13 6B.105\X86,)
MSI (s) (40:68) [20:17:12:640]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:640]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:640]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:640]: Executing op:
RegRemoveValue(Name=SEPINSTALLLOGDIR,Value=%APPDATA%\Install\Logs,)
MSI (s) (40:68) [20:17:12:640]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:640]: Executing op:
RegRemoveValue(Name=SEPINSTALLDATADIR,Value=%APPDATA%\Install,)
MSI (s) (40:68) [20:17:12:640]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:640]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:640]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:640]: Executing op:
RegRemoveValue(Name=SEPTEMPDIR,Value=%BASEDIR%\Temp,)
MSI (s) (40:68) [20:17:12:640]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:640]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:640]: Executing op:
RegRemoveValue(Name=SEPFEATURESTATEDIR,Value=%APPDATA%\FeatureState,)
MSI (s) (40:68) [20:17:12:640]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:640]: Executing op:
RegRemoveValue(Name=LOCAL_SILO_DATA,Value=%CSIDL_LOCAL_APPDATA%\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\,)
MSI (s) (40:68) [20:17:12:640]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:640]: Executing op:
RegRemoveValue(Name=COMMON_SILO_DATA,Value=%CSIDL_COMMON_APPDATA%\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\,)
MSI (s) (40:68) [20:17:12:640]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:640]: Executing op:
RegRemoveValue(Name=APPDATABASE,Value=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105,)
MSI (s) (40:68) [20:17:12:640]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:640]: Executing op:
RegRemoveValue(Name=SEPSTATEDIR,Value=%APPDATA%\State,)
MSI (s) (40:68) [20:17:12:640]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:640]: Executing op:

```

SEP_INST.log
RegRemoveValue(Name=SEPRESDLLDIR,Value=%BASEDIR%\Res,)
MSI (s) (40:68) [20:17:12:640]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:640]: Executing op:
RegRemoveValue(Name=SEPMLOGDIR,Value=%APPDATA%\Logs,)
MSI (s) (40:68) [20:17:12:640]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:640]: Executing op:
RegRemoveValue(Name=SEPINSTALLDIR,Value=%INSTALLDIR%,)
MSI (s) (40:68) [20:17:12:640]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:640]: Executing op:
RegRemoveValue(Name=SEPCONFIGDIR,Value=%APPDATA%\Config,)
MSI (s) (40:68) [20:17:12:640]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:640]: Executing op:
RegRemoveValue(Name=INSTALLDIR,Value=C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin,)
MSI (s) (40:68) [20:17:12:640]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:640]: Executing op:
RegRemoveValue(Name=CCROOT,Value=%INSTALLDIR%,)
MSI (s) (40:68) [20:17:12:640]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:640]: Executing op:
RegRemoveValue(Name=APPDATA,Value=C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data,)
MSI (s) (40:68) [20:17:12:640]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:640]: Executing op:
RegRemoveValue(Name=SEPDRIVERDIR,Value=C:\WINDOWS\system32\Drivers\SEP\0C01029F\
136B.105\x86,)
MSI (s) (40:68) [20:17:12:640]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:640]: Executing op:
RegRemoveValue(Name=DEFINITIONSROOT,Value=%APPDATA%,)
MSI (s) (40:68) [20:17:12:640]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:640]: Executing op:
RegRemoveValue(Name=APPDATAINSTALLSCRIPTS,Value=%APPDATA%\Install\Scripts,)
MSI (s) (40:68) [20:17:12:640]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:656]: Executing op:
RegRemoveValue(Name=SEPINSTALLSCRIPTSDIR,Value=%BASEDIR%\Scripts,)
MSI (s) (40:68) [20:17:12:656]: Executing op: RegCreateKey()
MSI (s) (40:68) [20:17:12:656]: Executing op:
RegRemoveValue(Name=BASEDIR,Value=C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105,)
MSI (s) (40:68) [20:17:12:656]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:656]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\Common Client\PathExpansionMap
3: 2
MSI (s) (40:68) [20:17:12:656]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\Common
Client\WorkingSetGarbageCollector\SmcGui,,BinaryType=0)
MSI (s) (40:68) [20:17:12:656]: Executing op:
RegRemoveValue(Name=WorkingSetThreshold,Value=#7340032,)
MSI (s) (40:68) [20:17:12:656]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:656]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\Common
Client\WorkingSetGarbageCollector\SmcGui 3: 2
MSI (s) (40:68) [20:17:12:656]: Executing op:
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\Common
Client\WorkingSetGarbageCollector\SmcService,,BinaryType=0)
MSI (s) (40:68) [20:17:12:656]: Executing op:
RegRemoveValue(Name=WorkingSetThreshold,Value=#8388608,)
MSI (s) (40:68) [20:17:12:656]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:12:656]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint
Protection\{472D8985-7554-4137-AC02-1CD4D7F06876}\Common
Client\WorkingSetGarbageCollector\SmcService 3: 2
ShowServiceProgress_RB: decrementing tick
MSI (s) (40:68) [20:17:12:656]: Executing op:

```


SEP_INST.log

ActionStart(Name=LinkAllExecutables,,)
ShowServiceProgress_RB: decrementing tick
MSI (s) (40:68) [20:17:12:656]: Executing op:
ActionStart(Name=CreateSepMasterService,Description=Настройка
служб,Template=[1])
ShowServiceProgress_RB: decrementing tick
MSI (s) (40:68) [20:17:12:656]: Executing op:
ActionStart(Name=CreateSepMasterService_RB,,)
MSI (s) (40:68) [20:17:12:656]: Executing op:
CustomActionRollback(Action=CreateSepMasterService_RB,ActionType=3329,Source=BinaryData,Target=DeleteSepMasterService,CustomActionData=SepMasterService)
MSI (s) (40:48) [20:17:12:656]: Invoking remote custom action. DLL:
C:\WINDOWS\Installer\MSIE0.tmp, Entrypoint: DeleteSepMasterService
createSMS: Deleted the 'SepMasterService service
ShowServiceProgress_RB: decrementing tick
MSI (s) (40:68) [20:17:12:984]: Executing op:
ActionStart(Name=CreateMetadataFile,,)
ShowServiceProgress_RB: decrementing tick
MSI (s) (40:68) [20:17:12:984]: Executing op:
ActionStart(Name=CreateMetadataFile_RB,,)
MSI (s) (40:68) [20:17:12:984]: Executing op:
CustomActionRollback(Action=CreateMetadataFile_RB,ActionType=3329,Source=BinaryData,Target=CreateMetadataFile_RB,CustomActionData=C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Definitions\)
MSI (s) (40:80) [20:17:12:984]: Invoking remote custom action. DLL:
C:\WINDOWS\Installer\MSIE1.tmp, Entrypoint: CreateMetadataFile_RB
CreateContentMetadata: Rollback deleted C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Definitions\contentmetadata.dat successfully
ShowServiceProgress_RB: decrementing tick
MSI (s) (40:68) [20:17:13:015]: Executing op:
ActionStart(Name=CreateInstallDataXML,Description=Создание параметров
установки,Template=[1])
ShowServiceProgress_RB: decrementing tick
MSI (s) (40:68) [20:17:13:015]: Executing op:
ActionStart(Name=CreateInstallDataXML_RB,,)
MSI (s) (40:68) [20:17:13:015]: Executing op:
CustomActionRollback(Action=CreateInstallDataXML_RB,ActionType=3329,Source=BinaryData,Target=DeleteInstallDataXML,CustomActionData=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\;C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Scripts\installscript.sis)
MSI (s) (40:AC) [20:17:13:015]: Invoking remote custom action. DLL:
C:\WINDOWS\Installer\MSIE2.tmp, Entrypoint: DeleteInstallDataXML
ShowServiceProgress_RB: decrementing tick
MSI (s) (40:68) [20:17:13:031]: Executing op:
ActionStart(Name=InstallFiles,Description=Копирование новых
файлов,Template=Файл: [1], Каталог: [9], Размер: [6])
MSI (s) (40:68) [20:17:13:031]: Executing op: SetTargetFolder(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\)
MSI (s) (40:68) [20:17:13:031]: Executing op: FileRemove(,FileName=C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Res\1049\WSCSAVNotifierRes.dll,,)
MSI (s) (40:68) [20:17:13:031]: Executing op: SetTargetFolder(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)
MSI (s) (40:68) [20:17:13:031]: Executing op: FileRemove(,FileName=C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\WSCSAVNotifier.exe,,)
MSI (s) (40:68) [20:17:13:046]: Executing op: FileRemove(,FileName=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\WGXM.DLL,,)
MSI (s) (40:68) [20:17:13:046]: Executing op: FileRemove(,FileName=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\WGXSYS,,)
MSI (s) (40:68) [20:17:13:046]: Executing op: SetTargetFolder(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\)
MSI (s) (40:68) [20:17:13:046]: Executing op: FileRemove(,FileName=C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Res\1049\webshellRes.dll,,)

SEP_INST.log

MSI (s) (40:68) [20:17:13:046]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)
MSI (s) (40:68) [20:17:13:046]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\webshell.dll,,)
MSI (s) (40:68) [20:17:13:046]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\)
MSI (s) (40:68) [20:17:13:046]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\vpshellRes.dll,,)
MSI (s) (40:68) [20:17:13:046]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)
MSI (s) (40:68) [20:17:13:046]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\vpshell2.dll,,)
MSI (s) (40:68) [20:17:13:281]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\)
MSI (s) (40:68) [20:17:13:281]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\vpmseceRes.dll,,)
MSI (s) (40:68) [20:17:13:281]: Executing op: SetTargetFolder(Folder=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Config\)
MSI (s) (40:68) [20:17:13:281]: Executing op: FileRemove(,FileName=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Config\TSysConf.xml,,)
MSI (s) (40:68) [20:17:13:281]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\)
MSI (s) (40:68) [20:17:13:281]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\TseRes.dll,,)
MSI (s) (40:68) [20:17:13:281]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\TseConfigRes.dll,,)
MSI (s) (40:68) [20:17:13:281]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)
MSI (s) (40:68) [20:17:13:281]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\tseConfig.dll,,)
MSI (s) (40:68) [20:17:13:281]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\Tse.dll,,)
MSI (s) (40:68) [20:17:13:281]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\Trident.dll,,)
MSI (s) (40:68) [20:17:13:281]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\tfman.dll,,)
MSI (s) (40:68) [20:17:13:281]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\TeeferXP\)
MSI (s) (40:68) [20:17:13:281]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\TeeferXP\teeferm.cat,,)
MSI (s) (40:68) [20:17:13:296]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\TeeferXP\teefer_m.inf,,)
MSI (s) (40:68) [20:17:13:296]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\TeeferXP\teefer.sys,,)
MSI (s) (40:68) [20:17:13:296]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\TeeferVista\)
MSI (s) (40:68) [20:17:13:296]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\TeeferVista\teefer.sys,,)
MSI (s) (40:68) [20:17:13:296]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\TeeferXP\)
MSI (s) (40:68) [20:17:13:296]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\TeeferXP\teefer.inf,,)
MSI (s) (40:68) [20:17:13:296]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\TeeferVista\)

SEP_INST.log

MSI (s) (40:68) [20:17:13:296]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\TeeferVista\teefer.inf,,)
MSI (s) (40:68) [20:17:13:296]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\TeeferXP\)
MSI (s) (40:68) [20:17:13:296]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\TeeferXP\teefer.cat,,)
MSI (s) (40:68) [20:17:13:312]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\TeeferVista\)
MSI (s) (40:68) [20:17:13:312]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\TeeferVista\teefer.cat,,)
MSI (s) (40:68) [20:17:13:328]: Executing op: SetTargetFolder(Folder=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\)
MSI (s) (40:68) [20:17:13:328]: Executing op: FileRemove(,FileName=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\SystemSnapshotRules.bin,,)
MSI (s) (40:68) [20:17:13:328]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)
MSI (s) (40:68) [20:17:13:328]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SysPlant.sys,,)
MSI (s) (40:68) [20:17:13:328]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SysPlant.inf,,)
MSI (s) (40:68) [20:17:13:328]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\sysferThunk.dll,,)
MSI (s) (40:68) [20:17:13:328]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\sysfer.dll,,)
MSI (s) (40:68) [20:17:13:328]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SymVPNImpl.dll,,)
MSI (s) (40:68) [20:17:13:328]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SymVPN.dll,,)
MSI (s) (40:68) [20:17:13:328]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SymRasMan.dll,,)
MSI (s) (40:68) [20:17:13:328]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\)
MSI (s) (40:68) [20:17:13:328]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\SymProtectUIRes.dll,,)
MSI (s) (40:68) [20:17:13:343]: Executing op: SetTargetFolder(Folder=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\)
MSI (s) (40:68) [20:17:13:343]: Executing op: FileRemove(,FileName=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\SymPP.inf,,)
MSI (s) (40:68) [20:17:13:343]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)
MSI (s) (40:68) [20:17:13:343]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SymPP.dll,,)
MSI (s) (40:68) [20:17:13:343]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SymNAPSHAgent.dll,,)
MSI (s) (40:68) [20:17:13:343]: Executing op: SetTargetFolder(Folder=C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\)
MSI (s) (40:68) [20:17:13:343]: Executing op: FileRemove(,FileName=C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\SymEF A.sys,,)
MSI (s) (40:68) [20:17:13:343]: Executing op: FileRemove(,FileName=C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\SymEF A.inf,,)
MSI (s) (40:68) [20:17:13:343]: Executing op: FileRemove(,FileName=C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\SymEF

SEP_INST.log

A.cat,,)
MSI (s) (40:68) [20:17:13:343]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)
MSI (s) (40:68) [20:17:13:343]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\EFAInst.exe,,)
MSI (s) (40:68) [20:17:13:343]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\EFACli.dll,,)
MSI (s) (40:68) [20:17:13:343]: Note: 1: 1321 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\EFACli.dll
MSI (s) (40:68) [20:17:13:343]: Verifying accessibility of file: EFACli.dll
Сведения 1903. Планирование операции перезагрузки: удаление файла C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\TBDE3.tmp. Для завершения операции требуется перезагрузка.
MSI (s) (40:68) [20:17:13:359]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\)
MSI (s) (40:68) [20:17:13:359]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\SymDS.spm,,)
MSI (s) (40:68) [20:17:13:359]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\SymDS.sig,,)
MSI (s) (40:68) [20:17:13:359]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\SymDS.grd,,)
MSI (s) (40:68) [20:17:13:375]: Executing op: SetTargetFolder(Folder=C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\)
MSI (s) (40:68) [20:17:13:375]: Executing op: FileRemove(,FileName=C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\SymDS.sys,,)
MSI (s) (40:68) [20:17:13:375]: Executing op: FileRemove(,FileName=C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\SymDS.inf,,)
MSI (s) (40:68) [20:17:13:375]: Executing op: FileRemove(,FileName=C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\SymDS.cat,,)
MSI (s) (40:68) [20:17:13:375]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)
MSI (s) (40:68) [20:17:13:375]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\DSCLi.dll,,)
MSI (s) (40:68) [20:17:13:375]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SymDeltaDll.dll,,)
MSI (s) (40:68) [20:17:13:375]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\)
MSI (s) (40:68) [20:17:13:375]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\SymCorpUIres.dll,,)
MSI (s) (40:68) [20:17:13:375]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)
MSI (s) (40:68) [20:17:13:375]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SymCorpUI.exe,,)
MSI (s) (40:68) [20:17:13:390]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SyLog.dll,,)
MSI (s) (40:68) [20:17:13:390]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SyLinkSymInterfaceProxy.dll,,)
MSI (s) (40:68) [20:17:13:390]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\)
MSI (s) (40:68) [20:17:13:390]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\SyLinkRes.dll,,)
MSI (s) (40:68) [20:17:13:390]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)
MSI (s) (40:68) [20:17:13:390]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SyLinkDrop.exe,,)
MSI (s) (40:68) [20:17:13:390]: Executing op:

SEP_INST.log

SetTargetFolder(Folder=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Config\)
MSI (s) (40:68) [20:17:13:390]: Executing op: FileRemove(,FileName=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Config\SyLink.xml,,)
MSI (s) (40:68) [20:17:13:390]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)
MSI (s) (40:68) [20:17:13:390]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SyLink.dll,,)
MSI (s) (40:68) [20:17:13:390]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SyDvCtrl32.sys,,)
MSI (s) (40:68) [20:17:13:390]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SubmissionsSISOptOutCustomAction.dll,,)
MSI (s) (40:68) [20:17:13:406]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SubmissionsSISCustomAction.dll,,)
MSI (s) (40:68) [20:17:13:406]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SubmissionsMan.plg,,)
MSI (s) (40:68) [20:17:13:406]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\)
MSI (s) (40:68) [20:17:13:406]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\SubmissionsEimRes.dll,,)
MSI (s) (40:68) [20:17:13:406]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)
MSI (s) (40:68) [20:17:13:406]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SubmissionsEimProxy.dll,,)
MSI (s) (40:68) [20:17:13:406]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SubmissionsEim.dll,,)
MSI (s) (40:68) [20:17:13:406]: Executing op: SetTargetFolder(Folder=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Config\)
MSI (s) (40:68) [20:17:13:406]: Executing op: FileRemove(,FileName=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Config\stddef.dat,,)
MSI (s) (40:68) [20:17:13:406]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Scripts\)
MSI (s) (40:68) [20:17:13:406]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Scripts\startup.sis,,)
MSI (s) (40:68) [20:17:13:406]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Scripts\startrollback.sis,,)
MSI (s) (40:68) [20:17:13:406]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)
MSI (s) (40:68) [20:17:13:406]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SRTSP.dat,,)
MSI (s) (40:68) [20:17:13:406]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\Srtsp32.dll,,)
MSI (s) (40:68) [20:17:13:406]: Note: 1: 1321 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\Srtsp32.dll
MSI (s) (40:68) [20:17:13:406]: Verifying accessibility of file: Srtsp32.dll
Сведения 1903. Планирование операции перезагрузки: удаление файла C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\TBDE4.tmp. Для завершения операции требуется перезагрузка.
MSI (s) (40:68) [20:17:13:406]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SRTSP_CA.exe,,)
MSI (s) (40:68) [20:17:13:406]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SavRT32.dll,,)
MSI (s) (40:68) [20:17:13:421]: Executing op: SetTargetFolder(Folder=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\SRTSP\)

SEP_INST.log

```

MSI (s) (40:68) [20:17:13:421]: Executing op: FileRemove(,FileName=C:\Documents
and Settings\All Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\SRTSP\SRTSP.dat,,)
MSI (s) (40:68) [20:17:13:421]: Executing op: FileRemove(,FileName=C:\Documents
and Settings\All Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\SRTSP\SRTSP.DAT,,)
MSI (s) (40:68) [20:17:13:437]: Executing op: FileRemove(,FileName=C:\Documents
and Settings\All Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\SRTSP\SRTSPSO.DAT,,)
MSI (s) (40:68) [20:17:13:437]: Executing op: FileRemove(,FileName=C:\Documents
and Settings\All Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\SRTSP\SrtspSet.dat,,)
MSI (s) (40:68) [20:17:13:437]: Executing op: FileRemove(,FileName=C:\Documents
and Settings\All Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\SRTSP\SRTSPSE.DAT,,)
MSI (s) (40:68) [20:17:13:437]: Executing op: SetTargetFolder(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\
MSI (s) (40:68) [20:17:13:437]: Executing op: FileRemove(,FileName=C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\SPManifests\srt.spm,,)
MSI (s) (40:68) [20:17:13:437]: Executing op: FileRemove(,FileName=C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\SPManifests\srt.sig,,)
MSI (s) (40:68) [20:17:13:437]: Executing op: FileRemove(,FileName=C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\SPManifests\srt.grd,,)
MSI (s) (40:68) [20:17:13:437]: Executing op:
SetTargetFolder(Folder=C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\
MSI (s) (40:68) [20:17:13:437]: Executing op:
FileRemove(,FileName=C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\srtsp
x.sys,,)
MSI (s) (40:68) [20:17:13:437]: Executing op:
FileRemove(,FileName=C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\srtsp
x.inf,,)
MSI (s) (40:68) [20:17:13:437]: Executing op:
FileRemove(,FileName=C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\srtsp
x.cat,,)
MSI (s) (40:68) [20:17:13:437]: Executing op:
FileRemove(,FileName=C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\srtsp
.sys,,)
MSI (s) (40:68) [20:17:13:437]: Executing op:
FileRemove(,FileName=C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\srtsp
.inf,,)
MSI (s) (40:68) [20:17:13:437]: Executing op:
FileRemove(,FileName=C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\srtsp
.cat,,)
MSI (s) (40:68) [20:17:13:437]: Executing op: SetTargetFolder(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\
MSI (s) (40:68) [20:17:13:437]: Executing op: FileRemove(,FileName=C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Res\1049\SpNetRes.dll,,)
MSI (s) (40:68) [20:17:13:437]: Executing op: SetTargetFolder(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\
MSI (s) (40:68) [20:17:13:437]: Executing op: FileRemove(,FileName=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SpNet.dll,,)
MSI (s) (40:68) [20:17:13:453]: Executing op:
SetTargetFolder(Folder=C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\
MSI (s) (40:68) [20:17:13:453]: Executing op:
FileRemove(,FileName=C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\syntd
i.sys,,)
MSI (s) (40:68) [20:17:13:453]: Executing op: SetTargetFolder(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\
MSI (s) (40:68) [20:17:13:453]: Executing op: FileRemove(,FileName=C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\SPManifests\snd.spm,,)
MSI (s) (40:68) [20:17:13:453]: Executing op: FileRemove(,FileName=C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\SPManifests\snd.sig,,)

```

SEP_INST.log

MSI (s) (40:68) [20:17:13:453]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\snd.grd,,)
MSI (s) (40:68) [20:17:13:453]: Executing op: SetTargetFolder(Folder=C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\)
MSI (s) (40:68) [20:17:13:453]: Executing op: FileRemove(,FileName=C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\SymNetv.inf,,)
MSI (s) (40:68) [20:17:13:453]: Executing op: FileRemove(,FileName=C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\symnetv.cat,,)
MSI (s) (40:68) [20:17:13:453]: Executing op: SetTargetFolder(Folder=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\symnetdrv\)
MSI (s) (40:68) [20:17:13:453]: Executing op: FileRemove(,FileName=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\symnetdrv\SET_ORG.dat,,)
MSI (s) (40:68) [20:17:13:453]: Executing op: FileRemove(,FileName=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\symnetdrv\RULE_ORG.dat,,)
MSI (s) (40:68) [20:17:13:453]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)
MSI (s) (40:68) [20:17:13:453]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\WFPUnins.exe,,)
MSI (s) (40:68) [20:17:13:453]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SymRedir.dll,,)
MSI (s) (40:68) [20:17:13:453]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SymRdrSv.dll,,)
MSI (s) (40:68) [20:17:13:453]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SymNeti.dll,,)
MSI (s) (40:68) [20:17:13:468]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SNDSvc.dll,,)
MSI (s) (40:68) [20:17:13:468]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SNACTrayStatus.dll,,)
MSI (s) (40:68) [20:17:13:468]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\snacnp.dll,,)
MSI (s) (40:68) [20:17:13:468]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\snac.exe,,)
MSI (s) (40:68) [20:17:13:468]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\sms.dll,,)
MSI (s) (40:68) [20:17:13:468]: Note: 1: 1321 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\sms.dll
MSI (s) (40:68) [20:17:13:468]: verifying accessibility of file: sms.dll
Сведения 1903. Планирование операции перезагрузки: удаление файла C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\TBDE5.tmp. Для завершения операции требуется перезагрузка.
MSI (s) (40:68) [20:17:13:468]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SMCTrayStatus.dll,,)
MSI (s) (40:68) [20:17:13:468]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\)
MSI (s) (40:68) [20:17:13:468]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\SmcRes.dll,,)
MSI (s) (40:68) [20:17:13:468]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\SmcInstRes.dll,,)
MSI (s) (40:68) [20:17:13:500]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)
MSI (s) (40:68) [20:17:13:500]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\smcinst.exe,,)
MSI (s) (40:68) [20:17:13:500]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\)
MSI (s) (40:68) [20:17:13:500]: Executing op: FileRemove(,FileName=C:\Program

SEP_INST.log

Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\SmcGuiRes.dll,,)
MSI (s) (40:68) [20:17:13:500]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)
MSI (s) (40:68) [20:17:13:500]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SmcGui.exe,,)
MSI (s) (40:68) [20:17:13:500]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\Smc.exe,,)
MSI (s) (40:68) [20:17:13:500]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\sisnat.exe,,)
MSI (s) (40:68) [20:17:13:500]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SISCustomActionSMC.dll,,)
MSI (s) (40:68) [20:17:13:500]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SISCustomActionScanSettings.dll,,)
MSI (s) (40:68) [20:17:13:515]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SISCustomActionLUE.dll,,)
MSI (s) (40:68) [20:17:13:515]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SISCustomActionCIDS.dll,,)
MSI (s) (40:68) [20:17:13:515]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SISCustomActionBash.dll,,)
MSI (s) (40:68) [20:17:13:515]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\sis.dll,,)
MSI (s) (40:68) [20:17:13:515]: Note: 1: 1321 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\sis.dll
MSI (s) (40:68) [20:17:13:515]: Verifying accessibility of file: sis.dll
Сведения 1903. Планирование операции перезагрузки: удаление файла C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\TBDE6.tmp. Для завершения операции требуется перезагрузка.
MSI (s) (40:68) [20:17:13:515]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\)
MSI (s) (40:68) [20:17:13:515]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\SgHires.dll,,)
MSI (s) (40:68) [20:17:13:515]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)
MSI (s) (40:68) [20:17:13:515]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SgHI.dll,,)
MSI (s) (40:68) [20:17:13:515]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\)
MSI (s) (40:68) [20:17:13:515]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\SfManRes.dll,,)
MSI (s) (40:68) [20:17:13:531]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)
MSI (s) (40:68) [20:17:13:531]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SfMan.plg,,)
MSI (s) (40:68) [20:17:13:531]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\sfConfig.dll,,)
MSI (s) (40:68) [20:17:13:531]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\Sevinst.exe,,)
MSI (s) (40:68) [20:17:13:531]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\setaid.dll,,)
MSI (s) (40:68) [20:17:13:531]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SessionShutdown.dll,,)
MSI (s) (40:68) [20:17:13:531]: Executing op: SetTargetFolder(Folder=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Config\)
MSI (s) (40:68) [20:17:13:531]: Executing op: FileRemove(,FileName=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Config\serdef.dat,,)
MSI (s) (40:68) [20:17:13:531]: Executing op: SetTargetFolder(Folder=C:\Program

SEP_INST.log

```

Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\
MSI (s) (40:68) [20:17:13:531]: Executing op: FileRemove(,FileName=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SepStub.exe,,)
MSI (s) (40:68) [20:17:13:531]: Executing op: SetTargetFolder(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\
MSI (s) (40:68) [20:17:13:531]: Executing op: FileRemove(,FileName=C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Res\1049\SEPSessionPluginRes.dll,,)
MSI (s) (40:68) [20:17:13:531]: Executing op: SetTargetFolder(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\
MSI (s) (40:68) [20:17:13:531]: Executing op: FileRemove(,FileName=C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\SEPSessionPlugin.dll,,)
MSI (s) (40:68) [20:17:13:562]: Executing op: SetTargetFolder(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\
MSI (s) (40:68) [20:17:13:562]: Executing op: FileRemove(,FileName=C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\SPManifests\sep-msi.spm,,)
MSI (s) (40:68) [20:17:13:562]: Executing op: FileRemove(,FileName=C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\SPManifests\sep-msi.sig,,)
MSI (s) (40:68) [20:17:13:562]: Executing op: FileRemove(,FileName=C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\SPManifests\sep-msi.grd,,)
MSI (s) (40:68) [20:17:13:562]: Executing op: SetTargetFolder(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\
MSI (s) (40:68) [20:17:13:562]: Executing op: FileRemove(,FileName=C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\SepLiveUpdate.exe,,)
MSI (s) (40:68) [20:17:13:562]: Executing op: FileRemove(,FileName=C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\sepduhandler.dll,,)
MSI (s) (40:68) [20:17:13:562]: Note: 1: 1321 2: C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\sepduhandler.dll
MSI (s) (40:68) [20:17:13:562]: Verifying accessibility of file:
sepduhandler.dll
Сведения 1903. Планирование операции перезагрузки: удаление файла C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\TBDE7.tmp. Для
завершения операции требуется перезагрузка.
MSI (s) (40:68) [20:17:13:562]: Executing op: SetTargetFolder(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\
MSI (s) (40:68) [20:17:13:562]: Executing op: FileRemove(,FileName=C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\SPManifests\symevnt.spm,,)
MSI (s) (40:68) [20:17:13:562]: Executing op: FileRemove(,FileName=C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\SPManifests\symevnt.sig,,)
MSI (s) (40:68) [20:17:13:562]: Executing op: FileRemove(,FileName=C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\SPManifests\symevnt.grd,,)
MSI (s) (40:68) [20:17:13:562]: Executing op: SetTargetFolder(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\
MSI (s) (40:68) [20:17:13:562]: Executing op: FileRemove(,FileName=C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\SDSNAPSX.dll,,)
MSI (s) (40:68) [20:17:13:562]: Executing op: FileRemove(,FileName=C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\SDPCK32I.dll,,)
MSI (s) (40:68) [20:17:13:562]: Executing op:
SetTargetFolder(Folder=C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Config\
MSI (s) (40:68) [20:17:13:562]: Executing op: FileRemove(,FileName=C:\Documents
and Settings\All Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Config\sdi.dat,,)
MSI (s) (40:68) [20:17:13:562]: Executing op: SetTargetFolder(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\
MSI (s) (40:68) [20:17:13:562]: Executing op: FileRemove(,FileName=C:\Program

```

SEP_INST.log

Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\scs-sav.spm,,)
MSI (s) (40:68) [20:17:13:578]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\scs-sav.sig,,)
MSI (s) (40:68) [20:17:13:578]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\scs-sav.grd,,)
MSI (s) (40:68) [20:17:13:578]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\)
MSI (s) (40:68) [20:17:13:578]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\ScanDlgsRes.dll,,)
MSI (s) (40:68) [20:17:13:578]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)
MSI (s) (40:68) [20:17:13:578]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\scandlgs.dll,,)
MSI (s) (40:68) [20:17:13:578]: Executing op: SetTargetFolder(Folder=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Config\)
MSI (s) (40:68) [20:17:13:578]: Executing op: FileRemove(,FileName=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Config\Scancfg.dat,,)
MSI (s) (40:68) [20:17:13:578]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\)
MSI (s) (40:68) [20:17:13:578]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\SavUIRes.dll,,)
MSI (s) (40:68) [20:17:13:578]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)
MSI (s) (40:68) [20:17:13:578]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SavUI.exe,,)
MSI (s) (40:68) [20:17:13:578]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SAVTrayStatus.dll,,)
MSI (s) (40:68) [20:17:13:578]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SAVStatusFinder.dll,,)
MSI (s) (40:68) [20:17:13:578]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\)
MSI (s) (40:68) [20:17:13:578]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\SAVSesHlpRes.dll,,)
MSI (s) (40:68) [20:17:13:593]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)
MSI (s) (40:68) [20:17:13:593]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SAVSesHlp.dll,,)
MSI (s) (40:68) [20:17:13:593]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\)
MSI (s) (40:68) [20:17:13:593]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\SavMainUIRes.dll,,)
MSI (s) (40:68) [20:17:13:593]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)
MSI (s) (40:68) [20:17:13:593]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SavMainUI.dll,,)
MSI (s) (40:68) [20:17:13:593]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\)
MSI (s) (40:68) [20:17:13:593]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\SavEmailSesHlpRes.dll,,)
MSI (s) (40:68) [20:17:13:593]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)
MSI (s) (40:68) [20:17:13:593]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint

SEP_INST.log

Protection\12.1.671.4971.105\Bin\SavEmailSesHlp.dll,,)
MSI (s) (40:68) [20:17:13:593]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SavEmail.dll,,)
MSI (s) (40:68) [20:17:13:593]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\RunOnceSessionPlugin.dll,,)
MSI (s) (40:68) [20:17:13:625]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\RtvStart.exe,,)
MSI (s) (40:68) [20:17:13:625]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\rtvscanPS.dll,,)
MSI (s) (40:68) [20:17:13:625]: Executing op: SetTargetFolder(Folder=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\IRON\)
MSI (s) (40:68) [20:17:13:625]: Executing op: FileRemove(,FileName=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\IRON\RepuSeed.irn,,)
MSI (s) (40:68) [20:17:13:625]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)
MSI (s) (40:68) [20:17:13:625]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\ReportSubmission.dll,,)
MSI (s) (40:68) [20:17:13:625]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\)
MSI (s) (40:68) [20:17:13:625]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\RepMgtTimRes.dll,,)
MSI (s) (40:68) [20:17:13:625]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)
MSI (s) (40:68) [20:17:13:625]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\RepMgtTim.dll,,)
MSI (s) (40:68) [20:17:13:625]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\RepMgtMan.plg,,)
MSI (s) (40:68) [20:17:13:625]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\RepMgtEimProxy.dll,,)
MSI (s) (40:68) [20:17:13:625]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\RebootMgrMan.plg,,)
MSI (s) (40:68) [20:17:13:625]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\)
MSI (s) (40:68) [20:17:13:625]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\RebootMgrEimRes.dll,,)
MSI (s) (40:68) [20:17:13:640]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)
MSI (s) (40:68) [20:17:13:640]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\RebootMgrEimProxy.dll,,)
MSI (s) (40:68) [20:17:13:640]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\RebootMgrEim.dll,,)
MSI (s) (40:68) [20:17:13:640]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\)
MSI (s) (40:68) [20:17:13:640]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Readme.txt,,)
MSI (s) (40:68) [20:17:13:640]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)
MSI (s) (40:68) [20:17:13:640]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\RassymEap.dll,,)
MSI (s) (40:68) [20:17:13:640]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\qspak32.dll,,)
MSI (s) (40:68) [20:17:13:640]: Executing op: FileRemove(,FileName=C:\Program

SEP_INST.log

Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\QsInfo.dll,,)
MSI (s) (40:68) [20:17:13:640]: Executing op: FileRemove(,FileName=C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\qscomm32.dll,,)
MSI (s) (40:68) [20:17:13:640]: Executing op: FileRemove(,FileName=C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\PTPTrayStatus.dll,,)
MSI (s) (40:68) [20:17:13:656]: Executing op: FileRemove(,FileName=C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\PSSensor.dll,,)
MSI (s) (40:68) [20:17:13:656]: Executing op: SetTargetFolder(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\)
MSI (s) (40:68) [20:17:13:656]: Executing op: FileRemove(,FileName=C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Res\1049\PScanRes.dll,,)
MSI (s) (40:68) [20:17:13:656]: Executing op: SetTargetFolder(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)
MSI (s) (40:68) [20:17:13:656]: Executing op: FileRemove(,FileName=C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\ProtectionUtilSurrogate.exe,,)
MSI (s) (40:68) [20:17:13:656]: Executing op: SetTargetFolder(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\)
MSI (s) (40:68) [20:17:13:656]: Executing op: FileRemove(,FileName=C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Res\1049\ProtectionUtilRes.dll,,)
MSI (s) (40:68) [20:17:13:656]: Executing op: SetTargetFolder(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)
MSI (s) (40:68) [20:17:13:656]: Executing op: FileRemove(,FileName=C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\ProtectionUtil.dll,,)
MSI (s) (40:68) [20:17:13:656]: Executing op: FileRemove(,FileName=C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\ProtectionProviderPS.dll,,)
MSI (s) (40:68) [20:17:13:656]: Executing op:
SetTargetFolder(Folder=C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Config\)
MSI (s) (40:68) [20:17:13:656]: Executing op: FileRemove(,FileName=C:\Documents
and Settings\All Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Config\protection.dat,,)
MSI (s) (40:68) [20:17:13:656]: Executing op: SetTargetFolder(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)
MSI (s) (40:68) [20:17:13:656]: Executing op: FileRemove(,FileName=C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\ProfileMgrMan.plg,,)
MSI (s) (40:68) [20:17:13:671]: Executing op: FileRemove(,FileName=C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\ProfileManagementClient.dll,,)
MSI (s) (40:68) [20:17:13:687]: Executing op: FileRemove(,FileName=C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\ProfileManagement.dll,,)
MSI (s) (40:68) [20:17:13:687]: Executing op: FileRemove(,FileName=C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\ProductRegComPS.dll,,)
MSI (s) (40:68) [20:17:13:687]: Executing op:
SetTargetFolder(Folder=C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Config\)
MSI (s) (40:68) [20:17:13:687]: Executing op: FileRemove(,FileName=C:\Documents
and Settings\All Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Config\PLATFORM.DAT,,)
MSI (s) (40:68) [20:17:13:687]: Executing op: SetTargetFolder(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)
MSI (s) (40:68) [20:17:13:687]: Executing op: FileRemove(,FileName=C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\PatchwrapPS.dll,,)
MSI (s) (40:68) [20:17:13:687]: Executing op: FileRemove(,FileName=C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\Patchwrap.exe,,)
MSI (s) (40:68) [20:17:13:687]: Executing op: SetTargetFolder(Folder=C:\Program

SEP_INST.log

Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\)
MSI (s) (40:68) [20:17:13:687]: Executing op: FileRemove(,FileName=C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Res\1049\notesextRes.dll,,)
MSI (s) (40:68) [20:17:13:687]: Executing op: SetTargetFolder(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)
MSI (s) (40:68) [20:17:13:687]: Executing op: FileRemove(,FileName=C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\newdefs.dll,,)
MSI (s) (40:68) [20:17:13:687]: Executing op: FileRemove(,FileName=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\nlnhook.exe,,)
MSI (s) (40:68) [20:17:13:703]: Executing op: SetTargetFolder(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\)
MSI (s) (40:68) [20:17:13:703]: Executing op: FileRemove(,FileName=C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Res\1049\NetportRes.dll,,)
MSI (s) (40:68) [20:17:13:703]: Executing op: SetTargetFolder(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)
MSI (s) (40:68) [20:17:13:703]: Executing op: FileRemove(,FileName=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\Netport.dll,,)
MSI (s) (40:68) [20:17:13:703]: Executing op: FileRemove(,FileName=C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\NavNTut1.dll,,)
MSI (s) (40:68) [20:17:13:703]: Executing op: SetTargetFolder(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\)
MSI (s) (40:68) [20:17:13:703]: Executing op: FileRemove(,FileName=C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Res\1049\NacManagerRes.dll,,)
MSI (s) (40:68) [20:17:13:703]: Executing op: SetTargetFolder(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)
MSI (s) (40:68) [20:17:13:703]: Executing op: FileRemove(,FileName=C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\NacManager.plg,,)
MSI (s) (40:68) [20:17:13:703]: Executing op: SetTargetFolder(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\19\01\)
MSI (s) (40:68) [20:17:13:703]: Executing op: FileRemove(,FileName=C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Res\19\01\rcSvcHst.dll,,)
MSI (s) (40:68) [20:17:13:703]: Executing op: FileRemove(,FileName=C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Res\19\01\rcErrDsp.dll,,)
MSI (s) (40:68) [20:17:13:703]: Executing op: FileRemove(,FileName=C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Res\19\01\rcEmIPxy.dll,,)
MSI (s) (40:68) [20:17:13:718]: Executing op: FileRemove(,FileName=C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Res\19\01\rcAlert.dll,,)
MSI (s) (40:68) [20:17:13:718]: Executing op: SetTargetFolder(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)
MSI (s) (40:68) [20:17:13:718]: Executing op: FileRemove(,FileName=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\msvcr90.dll,,)
MSI (s) (40:68) [20:17:13:718]: Note: 1: 1321 2: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\msvcr90.dll
MSI (s) (40:68) [20:17:13:718]: Verifying accessibility of file: msvcr90.dll
Сведения 1903. Планирование операции перезагрузки: удаление файла C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\TBDE8.tmp. Для
завершения операции требуется перезагрузка.
MSI (s) (40:68) [20:17:13:718]: Executing op: FileRemove(,FileName=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\msvcpr90.dll,,)
MSI (s) (40:68) [20:17:13:718]: Note: 1: 1321 2: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\msvcpr90.dll
MSI (s) (40:68) [20:17:13:718]: Verifying accessibility of file: msvcpr90.dll
Сведения 1903. Планирование операции перезагрузки: удаление файла C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\TBDE9.tmp. Для
завершения операции требуется перезагрузка.
MSI (s) (40:68) [20:17:13:718]: Executing op: FileRemove(,FileName=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\msvcpr90.dll,,)
MSI (s) (40:68) [20:17:13:718]: Executing op: FileRemove(,FileName=C:\Program

SEP_INST.log

Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\msl.dll,,)
MSI (s) (40:68) [20:17:13:734]: Executing op: FileRemove(,FileName=C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\MigrateUserScans.exe,,)
MSI (s) (40:68) [20:17:13:734]: Executing op: FileRemove(,FileName=C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\Microsoft.VC90.MFC.manifest,,)
MSI (s) (40:68) [20:17:13:750]: Executing op: FileRemove(,FileName=C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\Microsoft.VC90.CRT.manifest,,)
MSI (s) (40:68) [20:17:13:750]: Executing op: FileRemove(,FileName=C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\Microsoft.VC90.ATL.manifest,,)
MSI (s) (40:68) [20:17:13:750]: Executing op: FileRemove(,FileName=C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\SymDltCl.dll,,)
MSI (s) (40:68) [20:17:13:750]: Executing op: FileRemove(,FileName=C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\patch25d.dll,,)
MSI (s) (40:68) [20:17:13:750]: Executing op: FileRemove(,FileName=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\mfcm90u.dll,,)
MSI (s) (40:68) [20:17:13:750]: Executing op: FileRemove(,FileName=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\mfcm90.dll,,)
MSI (s) (40:68) [20:17:13:750]: Executing op: FileRemove(,FileName=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\mfcm90u.dll,,)
MSI (s) (40:68) [20:17:13:765]: Executing op: FileRemove(,FileName=C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\mfcm90dll.1.config,,)
MSI (s) (40:68) [20:17:13:765]: Executing op: FileRemove(,FileName=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\mfcm90.dll,,)
MSI (s) (40:68) [20:17:13:765]: Executing op: SetTargetFolder(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\)
MSI (s) (40:68) [20:17:13:765]: Executing op: FileRemove(,FileName=C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Res\maplngid.dat,,)
MSI (s) (40:68) [20:17:13:765]: Executing op: SetTargetFolder(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\)
MSI (s) (40:68) [20:17:13:765]: Executing op: FileRemove(,FileName=C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Res\1049\LUMAnRes.dll,,)
MSI (s) (40:68) [20:17:13:765]: Executing op: SetTargetFolder(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)
MSI (s) (40:68) [20:17:13:765]: Executing op: FileRemove(,FileName=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\LUMAn.plg,,)
MSI (s) (40:68) [20:17:13:765]: Executing op: FileRemove(,FileName=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\LUSvc.dll,,)
MSI (s) (40:68) [20:17:13:765]: Executing op: FileRemove(,FileName=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\LUSub.dll,,)
MSI (s) (40:68) [20:17:13:765]: Executing op: FileRemove(,FileName=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\LUEng.dll,,)
MSI (s) (40:68) [20:17:13:765]: Executing op: FileRemove(,FileName=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\LUCtl.dll,,)
MSI (s) (40:68) [20:17:13:765]: Executing op: SetTargetFolder(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\)
MSI (s) (40:68) [20:17:13:765]: Executing op: FileRemove(,FileName=C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Res\1049\LueEimRes.dll,,)
MSI (s) (40:68) [20:17:13:781]: Executing op: SetTargetFolder(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)
MSI (s) (40:68) [20:17:13:781]: Executing op: FileRemove(,FileName=C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\LueEimProxy.dll,,)
MSI (s) (40:68) [20:17:13:781]: Executing op: FileRemove(,FileName=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\LueEim.dll,,)
MSI (s) (40:68) [20:17:13:781]: Executing op: FileRemove(,FileName=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\Luawrap.exe,,)
MSI (s) (40:68) [20:17:13:781]: Executing op: FileRemove(,FileName=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\LuAuth.dll,,)

SEP_INST.log

MSI (s) (40:68) [20:17:13:781]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\)
MSI (s) (40:68) [20:17:13:781]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\LotNtsUIRes.dll,,)
MSI (s) (40:68) [20:17:13:796]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)
MSI (s) (40:68) [20:17:13:796]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\LocalRep.plg,,)
MSI (s) (40:68) [20:17:13:796]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\)
MSI (s) (40:68) [20:17:13:796]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\LicenseManRes.dll,,)
MSI (s) (40:68) [20:17:13:796]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)
MSI (s) (40:68) [20:17:13:796]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\LicenseMan.dll,,)
MSI (s) (40:68) [20:17:13:812]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\)
MSI (s) (40:68) [20:17:13:812]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\License.rtf,,)
MSI (s) (40:68) [20:17:13:812]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\)
MSI (s) (40:68) [20:17:13:812]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\LDVPUIRes.dll,,)
MSI (s) (40:68) [20:17:13:812]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)
MSI (s) (40:68) [20:17:13:812]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\ldvpui.ocx,,)
MSI (s) (40:68) [20:17:13:812]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\)
MSI (s) (40:68) [20:17:13:812]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\LDVPDlgsRes.dll,,)
MSI (s) (40:68) [20:17:13:812]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)
MSI (s) (40:68) [20:17:13:812]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\LDVPDlgs.ocx,,)
MSI (s) (40:68) [20:17:13:812]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\)
MSI (s) (40:68) [20:17:13:812]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\LDVPctlsRes.dll,,)
MSI (s) (40:68) [20:17:13:812]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)
MSI (s) (40:68) [20:17:13:812]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\LDVPctls.ocx,,)
MSI (s) (40:68) [20:17:13:812]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\)
MSI (s) (40:68) [20:17:13:812]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\LDDateTmRes.dll,,)
MSI (s) (40:68) [20:17:13:828]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)
MSI (s) (40:68) [20:17:13:828]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\LDDateTm.ocx,,)
MSI (s) (40:68) [20:17:13:828]: Executing op: SetTargetFolder(Folder=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\IRON\)
MSI (s) (40:68) [20:17:13:828]: Executing op: FileRemove(,FileName=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint

SEP_INST.log
Protection\12.1.671.4971.105\Data\IRON\Iron.db,,)
MSI (s) (40:68) [20:17:13:828]: Note: 1: 2329 2: 32 3: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\IRON\Iron.db
MSI (s) (40:68) [20:17:13:828]: Verifying accessibility of file: Iron.db
Сведения 1903. Планирование операции перезагрузки: удаление файла C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\IRON\Iron.db. Для завершения операции требуется перезагрузка.
MSI (s) (40:68) [20:17:13:828]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)
MSI (s) (40:68) [20:17:13:828]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\TrstZone.dll,,)
MSI (s) (40:68) [20:17:13:828]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\)
MSI (s) (40:68) [20:17:13:828]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\iron.spm,,)
MSI (s) (40:68) [20:17:13:828]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\iron.sig,,)
MSI (s) (40:68) [20:17:13:828]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\iron.grd,,)
MSI (s) (40:68) [20:17:13:828]: Executing op: SetTargetFolder(Folder=C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\)
MSI (s) (40:68) [20:17:13:828]: Executing op: FileRemove(,FileName=C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\Ironx86.sys,,)
MSI (s) (40:68) [20:17:13:828]: Executing op: FileRemove(,FileName=C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\Iron.inf,,)
MSI (s) (40:68) [20:17:13:828]: Executing op: FileRemove(,FileName=C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\iron.cat,,)
MSI (s) (40:68) [20:17:13:828]: Executing op: SetTargetFolder(Folder=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\IRON\)
MSI (s) (40:68) [20:17:13:828]: Executing op: FileRemove(,FileName=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\IRON\Symwht5.irn,,)
MSI (s) (40:68) [20:17:13:828]: Executing op: FileRemove(,FileName=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\IRON\Symwhite.irn,,)
MSI (s) (40:68) [20:17:13:828]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)
MSI (s) (40:68) [20:17:13:828]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\Iron.dll,,)
MSI (s) (40:68) [20:17:13:828]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\installTeefer.exe,,)
MSI (s) (40:68) [20:17:13:843]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\)
MSI (s) (40:68) [20:17:13:843]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\IMailUIRes.dll,,)
MSI (s) (40:68) [20:17:13:843]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)
MSI (s) (40:68) [20:17:13:843]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\IMailUI.ocx,,)
MSI (s) (40:68) [20:17:13:843]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\)
MSI (s) (40:68) [20:17:13:843]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\IMailRes.dll,,)
MSI (s) (40:68) [20:17:13:859]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)

SEP_INST.log

MSI (s) (40:68) [20:17:13:859]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\IMail.dll,,)
MSI (s) (40:68) [20:17:13:859]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\IdsTrafficPipe.dll,,)
MSI (s) (40:68) [20:17:13:859]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\)
MSI (s) (40:68) [20:17:13:859]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\cids.spm,,)
MSI (s) (40:68) [20:17:13:859]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\cids.sig,,)
MSI (s) (40:68) [20:17:13:859]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\cids.grd,,)
MSI (s) (40:68) [20:17:13:859]: Executing op: SetTargetFolder(Folder=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\IPS\)
MSI (s) (40:68) [20:17:13:859]: Executing op: FileRemove(,FileName=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\IPS\IDSSettg.dat,,)
MSI (s) (40:68) [20:17:13:859]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)
MSI (s) (40:68) [20:17:13:859]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\IPSPlug.dll,,)
MSI (s) (40:68) [20:17:13:875]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\IPSFFPl.dll,,)
MSI (s) (40:68) [20:17:13:875]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\IDSAux.dll,,)
MSI (s) (40:68) [20:17:13:875]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\IPS\)
MSI (s) (40:68) [20:17:13:875]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\IPS\IPSBHO.dll,,)
MSI (s) (40:68) [20:17:13:875]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)
MSI (s) (40:68) [20:17:13:875]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\i2ldvp3.dll,,)
MSI (s) (40:68) [20:17:13:875]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\)
MSI (s) (40:68) [20:17:13:875]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\HPPProtectionProviderUIRes.dll,,)
MSI (s) (40:68) [20:17:13:875]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)
MSI (s) (40:68) [20:17:13:875]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\HPPProtectionProviderUI.dll,,)
MSI (s) (40:68) [20:17:13:875]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\HITrayStatus.dll,,)
MSI (s) (40:68) [20:17:13:890]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\)
MSI (s) (40:68) [20:17:13:890]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\GUProxyRes.dll,,)
MSI (s) (40:68) [20:17:13:890]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)
MSI (s) (40:68) [20:17:13:890]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\GUProxy.plg,,)
MSI (s) (40:68) [20:17:13:890]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\GEDataStore.dll,,)
MSI (s) (40:68) [20:17:13:890]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\gdiplus.dll,,)
MSI (s) (40:68) [20:17:13:890]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint

SEP_INST.log

Protection\12.1.671.4971.105\Bin\FWTrayStatus.dll,,)
MSI (s) (40:68) [20:17:13:890]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\FwsVpn.dll,,)
MSI (s) (40:68) [20:17:13:890]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\FixExtend.exe,,)
MSI (s) (40:68) [20:17:13:890]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\)
MSI (s) (40:68) [20:17:13:890]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\fallback.dat,,)
MSI (s) (40:68) [20:17:13:890]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Scripts\)
MSI (s) (40:68) [20:17:13:890]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Scripts\failure.sis,,)
MSI (s) (40:68) [20:17:13:890]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\)
MSI (s) (40:68) [20:17:13:890]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\ExchngUIRes.dll,,)
MSI (s) (40:68) [20:17:13:921]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)
MSI (s) (40:68) [20:17:13:921]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\EimLoader.dll,,)
MSI (s) (40:68) [20:17:13:921]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\)
MSI (s) (40:68) [20:17:13:921]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\SymEFA.spm,,)
MSI (s) (40:68) [20:17:13:921]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\SymEFA.sig,,)
MSI (s) (40:68) [20:17:13:921]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\SymEFA.grd,,)
MSI (s) (40:68) [20:17:13:921]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)
MSI (s) (40:68) [20:17:13:921]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\ecmlldr32.DLL,,)
MSI (s) (40:68) [20:17:13:921]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\dwLdPntScan.dll,,)
MSI (s) (40:68) [20:17:13:921]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\)
MSI (s) (40:68) [20:17:13:921]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\DWHWizrdRes.dll,,)
MSI (s) (40:68) [20:17:13:921]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)
MSI (s) (40:68) [20:17:13:921]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\DWHWizrd.exe,,)
MSI (s) (40:68) [20:17:13:921]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\DuLuCbk.dll,,)
MSI (s) (40:68) [20:17:13:937]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\dot1xtray.exe,,)
MSI (s) (40:68) [20:17:13:937]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\)
MSI (s) (40:68) [20:17:13:937]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\DoScanRes.dll,,)
MSI (s) (40:68) [20:17:13:937]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)
MSI (s) (40:68) [20:17:13:937]: Executing op: FileRemove(,FileName=C:\Program

SEP_INST.log

Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\DoScan.exe,,)
MSI (s) (40:68) [20:17:13:937]: Executing op: FileRemove(,FileName=C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\diArkive.dll,,)
MSI (s) (40:68) [20:17:13:937]: Executing op: FileRemove(,FileName=C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\DevViewer.exe,,)
MSI (s) (40:68) [20:17:13:937]: Executing op: SetTargetFolder(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\)
MSI (s) (40:68) [20:17:13:937]: Executing op: FileRemove(,FileName=C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Res\1049\DevManRes.dll,,)
MSI (s) (40:68) [20:17:13:937]: Executing op: SetTargetFolder(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)
MSI (s) (40:68) [20:17:13:937]: Executing op: FileRemove(,FileName=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\DevMan.plg,,)
MSI (s) (40:68) [20:17:13:937]: Executing op: FileRemove(,FileName=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\ducclib.dll,,)
MSI (s) (40:68) [20:17:13:937]: Executing op: FileRemove(,FileName=C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\DefUtDCD.dll,,)
MSI (s) (40:68) [20:17:13:937]: Note: 1: 1321 2: C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\DefUtDCD.dll
MSI (s) (40:68) [20:17:13:937]: Verifying accessibility of file: DefUtDCD.dll
Сведения 1903. Планирование операции перезагрузки: удаление файла C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\TBDEV.tmp. Для
завершения операции требуется перезагрузка.
MSI (s) (40:68) [20:17:13:953]: Executing op:
SetTargetFolder(Folder=C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Config\)
MSI (s) (40:68) [20:17:13:953]: Executing op: FileRemove(,FileName=C:\Documents
and Settings\All Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Config\default.dat,,)
MSI (s) (40:68) [20:17:13:953]: Executing op: FileRemove(,FileName=C:\Documents
and Settings\All Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Config\Dec3.cfg,,)
MSI (s) (40:68) [20:17:13:953]: Executing op: SetTargetFolder(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)
MSI (s) (40:68) [20:17:13:953]: Executing op: FileRemove(,FileName=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\dec_abi.dll,,)
MSI (s) (40:68) [20:17:13:953]: Executing op: FileRemove(,FileName=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\DataMan.dll,,)
MSI (s) (40:68) [20:17:13:953]: Executing op:
SetTargetFolder(Folder=C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Config\)
MSI (s) (40:68) [20:17:13:953]: Executing op: FileRemove(,FileName=C:\Documents
and Settings\All Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Config\COUNTRY.DAT,,)
MSI (s) (40:68) [20:17:13:953]: Executing op: SetTargetFolder(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\)
MSI (s) (40:68) [20:17:13:953]: Executing op: FileRemove(,FileName=C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Res\1049\ControlAPRes.dll,,)
MSI (s) (40:68) [20:17:13:953]: Executing op: SetTargetFolder(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)
MSI (s) (40:68) [20:17:13:953]: Executing op: FileRemove(,FileName=C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\ControlAP.exe,,)
MSI (s) (40:68) [20:17:13:953]: Executing op: FileRemove(,FileName=C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\Communicator.dll,,)
MSI (s) (40:68) [20:17:13:953]: Executing op: FileRemove(,FileName=C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\CommonMan.plg,,)
MSI (s) (40:68) [20:17:13:953]: Executing op:
SetTargetFolder(Folder=C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Config\)
MSI (s) (40:68) [20:17:13:953]: Executing op: FileRemove(,FileName=C:\Documents

SEP_INST.log

and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Config\cltdef.dat,,)

MSI (s) (40:68) [20:17:13:953]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)

MSI (s) (40:68) [20:17:13:953]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\Cliproxy.dll,,)

MSI (s) (40:68) [20:17:13:984]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\Help\)

MSI (s) (40:68) [20:17:13:984]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\Help\ClientHelp_SBE.chm,,)

MSI (s) (40:68) [20:17:13:984]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\Help\ClientHelp.chm,,)

MSI (s) (40:68) [20:17:13:984]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)

MSI (s) (40:68) [20:17:13:984]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\CidsTrayStatus.dll,,)

MSI (s) (40:68) [20:17:13:984]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\)

MSI (s) (40:68) [20:17:13:984]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\CIDSManRes.dll,,)

MSI (s) (40:68) [20:17:13:984]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)

MSI (s) (40:68) [20:17:13:984]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\CIDSMan.plg,,)

MSI (s) (40:68) [20:17:13:984]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\)

MSI (s) (40:68) [20:17:13:984]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\CidsEimRes.dll,,)

MSI (s) (40:68) [20:17:13:984]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)

MSI (s) (40:68) [20:17:13:984]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\CidsEimProxy.dll,,)

MSI (s) (40:68) [20:17:13:984]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\CidsEim.dll,,)

MSI (s) (40:68) [20:17:13:984]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\Checksum.exe,,)

MSI (s) (40:68) [20:17:13:984]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\ccVrTrst.dll,,)

MSI (s) (40:68) [20:17:13:984]: Note: 1: 1321 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\ccVrTrst.dll

MSI (s) (40:68) [20:17:13:984]: verifying accessibility of file: ccVrTrst.dll

Сведения 1903. Планирование операции перезагрузки: удаление файла C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\TBDEC.tmp. Для завершения операции требуется перезагрузка.

MSI (s) (40:68) [20:17:14:000]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\ccSubEng.dll,,)

MSI (s) (40:68) [20:17:14:015]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\ccSEBind.dll,,)

MSI (s) (40:68) [20:17:14:015]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\)

MSI (s) (40:68) [20:17:14:015]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\ccCommon.spm,,)

MSI (s) (40:68) [20:17:14:015]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\ccCommon.sig,,)

MSI (s) (40:68) [20:17:14:015]: Executing op: FileRemove(,FileName=C:\Program

SEP_INST.log

Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\ccCommon.grd,,)
MSI (s) (40:68) [20:17:14:015]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)
MSI (s) (40:68) [20:17:14:015]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\ccSet.dll,,)
MSI (s) (40:68) [20:17:14:015]: Note: 1: 1321 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\ccSet.dll
MSI (s) (40:68) [20:17:14:015]: Verifying accessibility of file: ccSet.dll
Сведения 1903. Планирование операции перезагрузки: удаление файла C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\TBDED.tmp. Для завершения операции требуется перезагрузка.
MSI (s) (40:68) [20:17:14:015]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\ccSvcHst.exe,,)
MSI (s) (40:68) [20:17:14:015]: Note: 1: 1321 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\ccSvcHst.exe
MSI (s) (40:68) [20:17:14:015]: Verifying accessibility of file: ccSvcHst.exe
Сведения 1903. Планирование операции перезагрузки: удаление файла C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\TBDEE.tmp. Для завершения операции требуется перезагрузка.
MSI (s) (40:68) [20:17:14:015]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\ccSvc.dll,,)
MSI (s) (40:68) [20:17:14:015]: Note: 1: 1321 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\ccSvc.dll
MSI (s) (40:68) [20:17:14:015]: Verifying accessibility of file: ccSvc.dll
Сведения 1903. Планирование операции перезагрузки: удаление файла C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\TBDEF.tmp. Для завершения операции требуется перезагрузка.
MSI (s) (40:68) [20:17:14:015]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\ccScanw.dll,,)
MSI (s) (40:68) [20:17:14:015]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\OEHeur.dll,,)
MSI (s) (40:68) [20:17:14:015]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\ccL100U.dll,,)
MSI (s) (40:68) [20:17:14:015]: Note: 1: 1321 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\ccL100U.dll
MSI (s) (40:68) [20:17:14:015]: Verifying accessibility of file: ccL100U.dll
Сведения 1903. Планирование операции перезагрузки: удаление файла C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\TBDF0.tmp. Для завершения операции требуется перезагрузка.
MSI (s) (40:68) [20:17:14:046]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\ccJobMgr.dll,,)
MSI (s) (40:68) [20:17:14:046]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\ccIPC.dll,,)
MSI (s) (40:68) [20:17:14:046]: Note: 1: 1321 2: C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\ccIPC.dll
MSI (s) (40:68) [20:17:14:046]: Verifying accessibility of file: ccIPC.dll
Сведения 1903. Планирование операции перезагрузки: удаление файла C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\TBDF1.tmp. Для завершения операции требуется перезагрузка.
MSI (s) (40:68) [20:17:14:046]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\ccGLog.dll,,)
MSI (s) (40:68) [20:17:14:046]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\ccGEvt.dll,,)
MSI (s) (40:68) [20:17:14:046]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\ccErrDsp.dll,,)
MSI (s) (40:68) [20:17:14:046]: Executing op: SetTargetFolder(Folder=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\CmnCInt\)
MSI (s) (40:68) [20:17:14:046]: Executing op: FileRemove(,FileName=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\CmnCInt\EMPxyOpt.dat,,)
MSI (s) (40:68) [20:17:14:046]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)
MSI (s) (40:68) [20:17:14:046]: Executing op: FileRemove(,FileName=C:\Program

SEP_INST.log

Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\ccEmIPxy.dll,,)
MSI (s) (40:68) [20:17:14:046]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\ccAlert.dll,,)
MSI (s) (40:68) [20:17:14:046]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\)
MSI (s) (40:68) [20:17:14:046]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\BASH.spm,,)
MSI (s) (40:68) [20:17:14:062]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\BASH.sig,,)
MSI (s) (40:68) [20:17:14:062]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SPManifests\BASH.grd,,)
MSI (s) (40:68) [20:17:14:078]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)
MSI (s) (40:68) [20:17:14:078]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\BashMan.plg,,)
MSI (s) (40:68) [20:17:14:078]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\BashEimProxy.dll,,)
MSI (s) (40:68) [20:17:14:078]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\BashEim.dll,,)
MSI (s) (40:68) [20:17:14:078]: Executing op: SetTargetFolder(Folder=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\BASH\)
MSI (s) (40:68) [20:17:14:078]: Executing op: FileRemove(,FileName=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\BASH\BASHOpts.dat,,)
MSI (s) (40:68) [20:17:14:078]: Executing op: FileRemove(,FileName=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\BASH\BASHOpts.bak,,)
MSI (s) (40:68) [20:17:14:078]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)
MSI (s) (40:68) [20:17:14:078]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\BHSvcPlg.dll,,)
MSI (s) (40:68) [20:17:14:078]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\BHClient.dll,,)
MSI (s) (40:68) [20:17:14:078]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\BHCA.exe,,)
MSI (s) (40:68) [20:17:14:078]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\AVPluginImpl.dll,,)
MSI (s) (40:68) [20:17:14:078]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\)
MSI (s) (40:68) [20:17:14:078]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\AVManRes.dll,,)
MSI (s) (40:68) [20:17:14:078]: Executing op: SetTargetFolder(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\)
MSI (s) (40:68) [20:17:14:078]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\AVMan.plg,,)
MSI (s) (40:68) [20:17:14:078]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\AVHostPlugin.dll,,)
MSI (s) (40:68) [20:17:14:093]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\AtpiMan.plg,,)
MSI (s) (40:68) [20:17:14:093]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\AtpiEimProxy.dll,,)
MSI (s) (40:68) [20:17:14:093]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\AtpiEim.dll,,)
MSI (s) (40:68) [20:17:14:093]: Executing op: FileRemove(,FileName=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\atl90.dll,,)
MSI (s) (40:68) [20:17:14:093]: Executing op: FileRemove(,FileName=C:\Program

SEP_INST.log

```
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\AgentCore.dll,,)
MSI (s) (40:68) [20:17:14:093]: Executing op: SetTargetFolder(Folder=C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\1049\))
MSI (s) (40:68) [20:17:14:093]: Executing op: FileRemove(,FileName=C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Res\1049\ActaRes.dll,,)
ShowServiceProgress_RB: decrementing tick
MSI (s) (40:68) [20:17:14:109]: Executing op:
ActionStart(Name=CreateInstallCacheFin,Description=Создание кэша установки,)
ShowServiceProgress_RB: decrementing tick
MSI (s) (40:68) [20:17:14:109]: Executing op:
ActionStart(Name=DestroyInstallCache,,)
MSI (s) (40:68) [20:17:14:109]: Executing op:
CustomActionRollback(Action=DestroyInstallCache,ActionType=3329,Source=BinaryDat
a,Target=DestroyInstallCache,CustomActionData=C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Cached Installs\))
MSI (s) (40:B4) [20:17:14:125]: Invoking remote custom action. DLL:
C:\WINDOWS\Installer\MSIF2.tmp, Entrypoint: DestroyInstallCache
DestroyInstallCache DestroyInstallCache started.
```

DestroyInstallCache DestroyInstallCache has acquired properties successfully,
and is running

clientca: Folder: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\

clientca: Pattern: *.*

clientca: Folder: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\CommonAppData

clientca: Pattern: *.*

clientca: Folder: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\CommonAppData\Symc

clientca: Pattern: *.*

clientca: Folder: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\CommonAppData\Symc\Name

clientca: Pattern: *.*

clientca: Folder: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\CommonAppData\Symc\Name\Version

clientca: Pattern: *.*

clientca: Folder: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\CommonAppData\Symc\Name\Version\Data

clientca: Pattern: *.*

clientca: Folder: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\CommonAppData\Symc\Name\Version\Data\BASH

clientca: Pattern: *.*

Действие 20:17:14: . BASHOpts.bak

clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\CommonAppData\Symc\Name\Version\Data\BASH\BASHOpts.bak attributes

clientca: Current attributes: 20

clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\CommonAppData\Symc\Name\Version\Data\BASH\BASHOpts.bak

Действие 20:17:14: . BASHOpts.dat

clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\CommonAppData\Symc\Name\Version\Data\BASH\BASHOpts.dat attributes

clientca: Current attributes: 20

clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\CommonAppData\Symc\Name\Version\Data\BASH\BASHOpts.dat

SEP_INST.log

```

clientca: Removed folder: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\CommonAppData\Symc\Name\Version\Data\BASH
clientca: Folder: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\CommonAppData\Symc\Name\Version\Data\CmnCInt
clientca: Pattern: *.*
Действие 20:17:14: . EMPxyOpt.dat
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\CommonAppData\Symc\Name\Version\Data\CmnCInt\EMPxyOpt.dat attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\CommonAppData\Symc\Name\Version\Data\CmnCInt\EMPxyOpt.dat
clientca: Removed folder: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\CommonAppData\Symc\Name\Version\Data\CmnCInt
clientca: Folder: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\CommonAppData\Symc\Name\Version\Data\Config
clientca: Pattern: *.*
Действие 20:17:14: . cltdef.dat
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\CommonAppData\Symc\Name\Version\Data\Config\cltdef.dat attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\CommonAppData\Symc\Name\Version\Data\Config\cltdef.dat
Действие 20:17:14: . COUNTRY.DAT
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\CommonAppData\Symc\Name\Version\Data\Config\COUNTRY.DAT attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\CommonAppData\Symc\Name\Version\Data\Config\COUNTRY.DAT
Действие 20:17:14: . Dec3.cfg
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\CommonAppData\Symc\Name\Version\Data\Config\Dec3.cfg attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\CommonAppData\Symc\Name\Version\Data\Config\Dec3.cfg
Действие 20:17:14: . default.dat
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\CommonAppData\Symc\Name\Version\Data\Config\default.dat attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\CommonAppData\Symc\Name\Version\Data\Config\default.dat
Действие 20:17:14: . PLATFORM.DAT
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\CommonAppData\Symc\Name\Version\Data\Config\PLATFORM.DAT attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\CommonAppData\Symc\Name\Version\Data\Config\PLATFORM.DAT
Действие 20:17:14: . protection.dat
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\CommonAppData\Symc\Name\Version\Data\Config\protection.dat attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application

```


SEP_INST.log

Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\CommonAppData\Symc\Name\Version\Data\Config\protection.dat
 Действие 20:17:14: . Scancfg.dat
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\CommonAppData\Symc\Name\Version\Data\Config\Scancfg.dat attributes
 clientca: Current attributes: 20
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\CommonAppData\Symc\Name\Version\Data\Config\Scancfg.dat
 Действие 20:17:14: . sdi.dat
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\CommonAppData\Symc\Name\Version\Data\Config\sdi.dat attributes
 clientca: Current attributes: 20
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\CommonAppData\Symc\Name\Version\Data\Config\sdi.dat
 Действие 20:17:14: . serdef.dat
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\CommonAppData\Symc\Name\Version\Data\Config\serdef.dat attributes
 clientca: Current attributes: 20
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\CommonAppData\Symc\Name\Version\Data\Config\serdef.dat
 Действие 20:17:14: . stddef.dat
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\CommonAppData\Symc\Name\Version\Data\Config\stddef.dat attributes
 clientca: Current attributes: 20
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\CommonAppData\Symc\Name\Version\Data\Config\stddef.dat
 Действие 20:17:14: . SyLink.xml
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\CommonAppData\Symc\Name\Version\Data\Config\SyLink.xml attributes
 clientca: Current attributes: 20
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\CommonAppData\Symc\Name\Version\Data\Config\SyLink.xml
 Действие 20:17:14: . TSysConf.xml
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\CommonAppData\Symc\Name\Version\Data\Config\TSysConf.xml attributes
 clientca: Current attributes: 20
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\CommonAppData\Symc\Name\Version\Data\Config\TSysConf.xml
 clientca: Removed folder: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\CommonAppData\Symc\Name\Version\Data\Config
 clientca: Folder: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\CommonAppData\Symc\Name\Version\Data\IPS
 clientca: Pattern: *.*
 Действие 20:17:14: . IDSSettg.dat
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\CommonAppData\Symc\Name\Version\Data\IPS\IDSSettg.dat attributes
 clientca: Current attributes: 20
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\CommonAppData\Symc\Name\Version\Data\IPS\IDSSettg.dat
 clientca: Removed folder: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\CommonAppData\Symc\Name\Version\Data\IPS

SEP_INST.log

clientca: Folder: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\CommonAppData\Symc\Name\Version\Data\IRON
clientca: Pattern: *.*
Действие 20:17:14: . Iron.db
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\CommonAppData\Symc\Name\Version\Data\IRON\Iron.db attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\CommonAppData\Symc\Name\Version\Data\IRON\Iron.db
Действие 20:17:14: . RepuSeed.irn
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\CommonAppData\Symc\Name\Version\Data\IRON\RepuSeed.irn attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\CommonAppData\Symc\Name\Version\Data\IRON\RepuSeed.irn
Действие 20:17:14: . SymWhite.irn
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\CommonAppData\Symc\Name\Version\Data\IRON\SymWhite.irn attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\CommonAppData\Symc\Name\Version\Data\IRON\SymWhite.irn
Действие 20:17:14: . SymWht5.irn
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\CommonAppData\Symc\Name\Version\Data\IRON\SymWht5.irn attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\CommonAppData\Symc\Name\Version\Data\IRON\SymWht5.irn
clientca: Removed folder: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\CommonAppData\Symc\Name\Version\Data\IRON
clientca: Folder: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\CommonAppData\Symc\Name\Version\Data\SRTSP
clientca: Pattern: *.*
Действие 20:17:14: . SRTSP.dat
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\CommonAppData\Symc\Name\Version\Data\SRTSP\SRTSP.dat attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\CommonAppData\Symc\Name\Version\Data\SRTSP\SRTSP.dat
Действие 20:17:14: . SRTSPSE.DAT
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\CommonAppData\Symc\Name\Version\Data\SRTSP\SRTSPSE.DAT attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\CommonAppData\Symc\Name\Version\Data\SRTSP\SRTSPSE.DAT
Действие 20:17:14: . SrtspSet.dat
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\CommonAppData\Symc\Name\Version\Data\SRTSP\SrtspSet.dat attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\CommonAppData\Symc\Name\Version\Data\SRTSP\SrtspSet.dat
Действие 20:17:14: . SRTSPSO.DAT

SEP_INST.log

```

clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\CommonAppData\Symc\Name\Version\Data\SRTSP\SRTSPSO.DAT attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\CommonAppData\Symc\Name\Version\Data\SRTSP\SRTSPSO.DAT
действие 20:17:14: . SRTSPSP.DAT
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\CommonAppData\Symc\Name\Version\Data\SRTSP\SRTSPSP.DAT attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\CommonAppData\Symc\Name\Version\Data\SRTSP\SRTSPSP.DAT
clientca: Removed folder: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\CommonAppData\Symc\Name\Version\Data\SRTSP
clientca: Folder: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\CommonAppData\Symc\Name\Version\Data\symnetdrv
clientca: Pattern: *.*
действие 20:17:14: . RULE_ORG.dat
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\CommonAppData\Symc\Name\Version\Data\symnetdrv\RULE_ORG.dat attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\CommonAppData\Symc\Name\Version\Data\symnetdrv\RULE_ORG.dat
действие 20:17:14: . SET_ORG.dat
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\CommonAppData\Symc\Name\Version\Data\symnetdrv\SET_ORG.dat attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\CommonAppData\Symc\Name\Version\Data\symnetdrv\SET_ORG.dat
clientca: Removed folder: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\CommonAppData\Symc\Name\Version\Data\symnetdrv
действие 20:17:14: . SymPP.inf
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\CommonAppData\Symc\Name\Version\Data\SymPP.inf attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\CommonAppData\Symc\Name\Version\Data\SymPP.inf
действие 20:17:14: . SystemSnapshotRules.bin
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\CommonAppData\Symc\Name\Version\Data\SystemSnapshotRules.bin attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\CommonAppData\Symc\Name\Version\Data\SystemSnapshotRules.bin
clientca: Removed folder: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\CommonAppData\Symc\Name\Version\Data
clientca: Removed folder: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\CommonAppData\Symc\Name\Version
clientca: Removed folder: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\CommonAppData\Symc\Name
clientca: Removed folder: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached

```

SEP_INST.log

```

Installs\CommonAppData\Symc
clientca: Removed folder: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\CommonAppData
clientca: Folder: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files
clientca: Pattern: *.*
clientca: Folder: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec
clientca: Pattern: *.*
clientca: Folder: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name
clientca: Pattern: *.*
clientca: Folder: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version
clientca: Pattern: *.*
clientca: Folder: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin
clientca: Pattern: *.*
Действие 20:17:14: . AgentCore.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\AgentCore.dll attributes
clientca: Current attributes: 820
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\AgentCore.dll
Действие 20:17:14: . atl90.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\atl90.dll attributes
clientca: Current attributes: 820
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\atl90.dll
Действие 20:17:14: . AtpiEim.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\AtpiEim.dll attributes
clientca: Current attributes: 820
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\AtpiEim.dll
Действие 20:17:14: . AtpiEimProxy.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\AtpiEimProxy.dll attributes
clientca: Current attributes: 820
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\AtpiEimProxy.dll
Действие 20:17:14: . AtpiMan.plg
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\AtpiMan.plg attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\AtpiMan.plg
Действие 20:17:14: . AVHostPlugin.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\AVHostPlugin.dll attributes

```

SEP_INST.log

```

clientca: Current attributes: 820
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\AVHostPlugin.dll
Действие 20:17:14: . AVMan.plg
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\AVMan.plg attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\AVMan.plg
Действие 20:17:14: . AvPluginImpl.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\AvPluginImpl.dll attributes
clientca: Current attributes: 820
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\AvPluginImpl.dll
Действие 20:17:14: . BashEim.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\BashEim.dll attributes
clientca: Current attributes: 820
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\BashEim.dll
Действие 20:17:14: . BashEimProxy.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\BashEimProxy.dll attributes
clientca: Current attributes: 820
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\BashEimProxy.dll
Действие 20:17:14: . BashMan.plg
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\BashMan.plg attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\BashMan.plg
Действие 20:17:14: . BHCA.exe
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\BHCA.exe attributes
clientca: Current attributes: 820
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\BHCA.exe
Действие 20:17:14: . BHClient.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\BHClient.dll attributes
clientca: Current attributes: 820
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\BHClient.dll
Действие 20:17:14: . BHSvcPlg.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\BHSvcPlg.dll attributes
clientca: Current attributes: 820
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\BHSvcPlg.dll

```

SEP_INST.log

Действие 20:17:14: . ccAlert.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\ccAlert.dll attributes
clientca: Current attributes: 820
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\ccAlert.dll
Действие 20:17:14: . ccEmIPxy.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\ccEmIPxy.dll attributes
clientca: Current attributes: 820
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\ccEmIPxy.dll
Действие 20:17:14: . ccErrDsp.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\ccErrDsp.dll attributes
clientca: Current attributes: 820
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\ccErrDsp.dll
Действие 20:17:14: . ccGEvt.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\ccGEvt.dll attributes
clientca: Current attributes: 820
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\ccGEvt.dll
Действие 20:17:14: . ccGLog.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\ccGLog.dll attributes
clientca: Current attributes: 820
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\ccGLog.dll
Действие 20:17:14: . ccIPC.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\ccIPC.dll attributes
clientca: Current attributes: 820
clientca: Error 0x5 Deleting File: C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Cached Installs\Program
Files\Symantec\Name\Version\Bin\ccIPC.dll
clientca: File marked for delete on reboot: C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Cached Installs\Program
Files\Symantec\Name\Version\Bin\ccIPC.dll
Действие 20:17:14: . ccJobMgr.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\ccJobMgr.dll attributes
clientca: Current attributes: 820
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\ccJobMgr.dll
Действие 20:17:14: . ccL100U.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\ccL100U.dll attributes
clientca: Current attributes: 820
clientca: Error 0x5 Deleting File: C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint

SEP_INST.log

Protection\12.1.671.4971.105\Data\Cached Installs\Program
Files\Symantec\Name\Version\Bin\ccL100U.dll
clientca: File marked for delete on reboot: C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Cached Installs\Program
Files\Symantec\Name\Version\Bin\ccL100U.dll
Действие 20:17:14: . ccScanw.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\ccScanw.dll attributes
clientca: Current attributes: 820
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\ccScanw.dll
Действие 20:17:14: . ccSEBind.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\ccSEBind.dll attributes
clientca: Current attributes: 820
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\ccSEBind.dll
Действие 20:17:14: . ccSet.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\ccSet.dll attributes
clientca: Current attributes: 820
clientca: Error 0x5 Deleting File: C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Cached Installs\Program
Files\Symantec\Name\Version\Bin\ccSet.dll
clientca: File marked for delete on reboot: C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Cached Installs\Program
Files\Symantec\Name\Version\Bin\ccSet.dll
Действие 20:17:14: . ccSubEng.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\ccSubEng.dll attributes
clientca: Current attributes: 820
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\ccSubEng.dll
Действие 20:17:14: . ccSvc.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\ccSvc.dll attributes
clientca: Current attributes: 820
clientca: Error 0x5 Deleting File: C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Cached Installs\Program
Files\Symantec\Name\Version\Bin\ccSvc.dll
clientca: File marked for delete on reboot: C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Cached Installs\Program
Files\Symantec\Name\Version\Bin\ccSvc.dll
Действие 20:17:14: . ccSvcHst.exe
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\ccSvcHst.exe attributes
clientca: Current attributes: 820
clientca: Error 0x5 Deleting File: C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Cached Installs\Program
Files\Symantec\Name\Version\Bin\ccSvcHst.exe
clientca: File marked for delete on reboot: C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Cached Installs\Program

SEP_INST.log

Files\Symantec\Name\Version\Bin\ccSvcHst.exe
 Действие 20:17:14: . ccVrTrst.dll
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\ccVrTrst.dll attributes
 clientca: Current attributes: 820
 clientca: Error 0x5 Deleting File: C:\Documents and Settings\All
 Users\Application Data\Symantec\Symantec Endpoint
 Protection\12.1.671.4971.105\Data\Cached Installs\Program
 Files\Symantec\Name\Version\Bin\ccVrTrst.dll
 clientca: File marked for delete on reboot: C:\Documents and Settings\All
 Users\Application Data\Symantec\Symantec Endpoint
 Protection\12.1.671.4971.105\Data\Cached Installs\Program
 Files\Symantec\Name\Version\Bin\ccVrTrst.dll
 Действие 20:17:14: . Checksum.exe
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\Checksum.exe attributes
 clientca: Current attributes: 820
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\Checksum.exe
 Действие 20:17:14: . CidsEim.dll
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\CidsEim.dll attributes
 clientca: Current attributes: 820
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\CidsEim.dll
 Действие 20:17:14: . CidsEimProxy.dll
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\CidsEimProxy.dll attributes
 clientca: Current attributes: 820
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\CidsEimProxy.dll
 Действие 20:17:14: . CIDSMan.plg
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\CIDSMan.plg attributes
 clientca: Current attributes: 20
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\CIDSMan.plg
 Действие 20:17:14: . CidsTrayStatus.dll
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\CidsTrayStatus.dll attributes
 clientca: Current attributes: 820
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\CidsTrayStatus.dll
 Действие 20:17:14: . Cliproxy.dll
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\Cliproxy.dll attributes
 clientca: Current attributes: 820
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\Cliproxy.dll
 clientca: Folder: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\CmnCInt
 clientca: Pattern: *.*
 clientca: Folder: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached

SEP_INST.log

```

Installs\Program Files\Symantec\Name\Version\Bin\CmnClnt\ccGEvt
clientca: Pattern: *.*
clientca: Folder: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\CmnClnt\ccGEvt\Global
clientca: Pattern: *.*
clientca: Removed folder: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\CmnClnt\ccGEvt\Global
clientca: Removed folder: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\CmnClnt\ccGEvt
clientca: Folder: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\CmnClnt\ccGLog
clientca: Pattern: *.*
clientca: Removed folder: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\CmnClnt\ccGLog
clientca: Folder: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\CmnClnt\ccJobSch
clientca: Pattern: *.*
clientca: Removed folder: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\CmnClnt\ccJobSch
clientca: Folder: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\CmnClnt\ccSubSDK
clientca: Pattern: *.*
clientca: Removed folder: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\CmnClnt\ccSubSDK
clientca: Removed folder: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\CmnClnt
Действие 20:17:14: . CommonMan.plg
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\CommonMan.plg attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\CommonMan.plg
Действие 20:17:14: . Communicator.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\Communicator.dll attributes
clientca: Current attributes: 820
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\Communicator.dll
Действие 20:17:14: . ControlAP.exe
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\ControlAP.exe attributes
clientca: Current attributes: 820
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\ControlAP.exe
Действие 20:17:14: . DataMan.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\DataMan.dll attributes
clientca: Current attributes: 820
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\DataMan.dll

```

SEP_INST.log

Действие 20:17:14: . dec_abi.dll
clientca: Checking C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached Installs\Program Files\Symantec\Name\Version\Bin\dec_abi.dll attributes
clientca: Current attributes: 820
clientca: Deleting File: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached Installs\Program Files\Symantec\Name\Version\Bin\dec_abi.dll
Действие 20:17:14: . DefUtDCD.dll
clientca: Checking C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached Installs\Program Files\Symantec\Name\Version\Bin\DefUtDCD.dll attributes
clientca: Current attributes: 820
clientca: Error 0x5 Deleting File: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached Installs\Program Files\Symantec\Name\Version\Bin\DefUtDCD.dll
clientca: File marked for delete on reboot: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached Installs\Program Files\Symantec\Name\Version\Bin\DefUtDCD.dll
Действие 20:17:14: . DevMan.plg
clientca: Checking C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached Installs\Program Files\Symantec\Name\Version\Bin\DevMan.plg attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached Installs\Program Files\Symantec\Name\Version\Bin\DevMan.plg
Действие 20:17:14: . DevViewer.exe
clientca: Checking C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached Installs\Program Files\Symantec\Name\Version\Bin\DevViewer.exe attributes
clientca: Current attributes: 820
clientca: Deleting File: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached Installs\Program Files\Symantec\Name\Version\Bin\DevViewer.exe
Действие 20:17:14: . diArkive.dll
clientca: Checking C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached Installs\Program Files\Symantec\Name\Version\Bin\diArkive.dll attributes
clientca: Current attributes: 820
clientca: Deleting File: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached Installs\Program Files\Symantec\Name\Version\Bin\diArkive.dll
Действие 20:17:14: . DoScan.exe
clientca: Checking C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached Installs\Program Files\Symantec\Name\Version\Bin\DoScan.exe attributes
clientca: Current attributes: 820
clientca: Deleting File: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached Installs\Program Files\Symantec\Name\Version\Bin\DoScan.exe
Действие 20:17:14: . dot1xtray.exe
clientca: Checking C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached Installs\Program Files\Symantec\Name\Version\Bin\dot1xtray.exe attributes
clientca: Current attributes: 820
clientca: Deleting File: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached Installs\Program Files\Symantec\Name\Version\Bin\dot1xtray.exe
Действие 20:17:14: . DSCli.dll
clientca: Checking C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached Installs\Program Files\Symantec\Name\Version\Bin\DSCli.dll attributes
clientca: Current attributes: 820
clientca: Deleting File: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached

SEP_INST.log

Installs\Program Files\Symantec\Name\Version\Bin\DSCLI.dll
 Действие 20:17:14: . ducclib.dll
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\ducclib.dll attributes
 clientca: Current attributes: 820
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\ducclib.dll
 Действие 20:17:14: . DuLuCbk.dll
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\DuLuCbk.dll attributes
 clientca: Current attributes: 820
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\DuLuCbk.dll
 Действие 20:17:14: . DWHwizr.exe
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\DWHwizr.exe attributes
 clientca: Current attributes: 820
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\DWHwizr.exe
 Действие 20:17:14: . dwLdPntScan.dll
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\dwLdPntScan.dll attributes
 clientca: Current attributes: 820
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\dwLdPntScan.dll
 Действие 20:17:14: . ecml32.dll
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\ecml32.dll attributes
 clientca: Current attributes: 820
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\ecml32.dll
 Действие 20:17:14: . EFACLI.dll
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\EFACLI.dll attributes
 clientca: Current attributes: 820
 clientca: Error 0x5 Deleting File: C:\Documents and Settings\All
 Users\Application Data\Symantec\Symantec Endpoint
 Protection\12.1.671.4971.105\Data\Cached Installs\Program
 Files\Symantec\Name\Version\Bin\EFACLI.dll
 clientca: File marked for delete on reboot: C:\Documents and Settings\All
 Users\Application Data\Symantec\Symantec Endpoint
 Protection\12.1.671.4971.105\Data\Cached Installs\Program
 Files\Symantec\Name\Version\Bin\EFACLI.dll
 Действие 20:17:14: . EFAInst.exe
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\EFAInst.exe attributes
 clientca: Current attributes: 820
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\EFAInst.exe
 Действие 20:17:14: . EimLoader.dll
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\EimLoader.dll attributes
 clientca: Current attributes: 820
 clientca: Deleting File: C:\Documents and Settings\All Users\Application

SEP_INST.log

Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\EimLoader.dll
 Действие 20:17:14: . ExchngUI.ocx
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\ExchngUI.ocx attributes
 clientca: Current attributes: 20
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\ExchngUI.ocx
 Действие 20:17:14: . FixExtend.exe
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\FixExtend.exe attributes
 clientca: Current attributes: 820
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\FixExtend.exe
 Действие 20:17:14: . FwsVpn.dll
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\FwsVpn.dll attributes
 clientca: Current attributes: 820
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\FwsVpn.dll
 Действие 20:17:14: . FWTrayStatus.dll
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\FWTrayStatus.dll attributes
 clientca: Current attributes: 820
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\FWTrayStatus.dll
 Действие 20:17:14: . gdiplus.dll
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\gdiplus.dll attributes
 clientca: Current attributes: 820
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\gdiplus.dll
 Действие 20:17:14: . GEDataStore.dll
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\GEDataStore.dll attributes
 clientca: Current attributes: 820
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\GEDataStore.dll
 Действие 20:17:14: . GUProxy.plg
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\GUProxy.plg attributes
 clientca: Current attributes: 20
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\GUProxy.plg
 clientca: Folder: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\Help
 clientca: Pattern: *.*
 Действие 20:17:14: . ClientHelp.chm
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\Help\ClientHelp.chm attributes
 clientca: Current attributes: 20
 clientca: Deleting File: C:\Documents and Settings\All Users\Application

SEP_INST.log

Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\Help\ClientHelp.chm
 Действие 20:17:14: . ClientHelp_SBE.chm
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\Help\ClientHelp_SBE.chm
 attributes
 clientca: Current attributes: 20
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\Help\ClientHelp_SBE.chm
 clientca: Removed folder: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\Help
 Действие 20:17:14: . HITrayStatus.dll
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\HITrayStatus.dll attributes
 clientca: Current attributes: 820
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\HITrayStatus.dll
 Действие 20:17:14: . HPPProtectionProviderUI.dll
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\HPPProtectionProviderUI.dll
 attributes
 clientca: Current attributes: 820
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\HPPProtectionProviderUI.dll
 Действие 20:17:14: . i2ldvp3.dll
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\i2ldvp3.dll attributes
 clientca: Current attributes: 820
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\i2ldvp3.dll
 Действие 20:17:14: . IDSAux.dll
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\IDSAux.dll attributes
 clientca: Current attributes: 820
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\IDSAux.dll
 Действие 20:17:14: . IdsTrafficPipe.dll
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\IdsTrafficPipe.dll attributes
 clientca: Current attributes: 820
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\IdsTrafficPipe.dll
 Действие 20:17:14: . IMail.dll
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\IMail.dll attributes
 clientca: Current attributes: 820
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\IMail.dll
 Действие 20:17:14: . IMailUI.ocx
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\IMailUI.ocx attributes
 clientca: Current attributes: 20

SEP_INST.log

clientca: Deleting File: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached Installs\Program Files\Symantec\Name\Version\Bin\IMailUI.ocx
 Действие 20:17:14: . installTeefer.exe
 clientca: Checking C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached Installs\Program Files\Symantec\Name\Version\Bin\installTeefer.exe attributes
 clientca: Current attributes: 820
 clientca: Deleting File: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached Installs\Program Files\Symantec\Name\Version\Bin\installTeefer.exe
 clientca: Folder: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached Installs\Program Files\Symantec\Name\Version\Bin\IPS
 clientca: Pattern: *.*
 Действие 20:17:14: . IPSBHO.dll
 clientca: Checking C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached Installs\Program Files\Symantec\Name\Version\Bin\IPS\IPSBHO.dll attributes
 clientca: Current attributes: 820
 clientca: Deleting File: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached Installs\Program Files\Symantec\Name\Version\Bin\IPS\IPSBHO.dll
 clientca: Removed folder: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached Installs\Program Files\Symantec\Name\Version\Bin\IPS
 Действие 20:17:14: . IPSFFP1.dll
 clientca: Checking C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached Installs\Program Files\Symantec\Name\Version\Bin\IPSFFP1.dll attributes
 clientca: Current attributes: 820
 clientca: Deleting File: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached Installs\Program Files\Symantec\Name\Version\Bin\IPSFFP1.dll
 Действие 20:17:14: . IPSPlug.dll
 clientca: Checking C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached Installs\Program Files\Symantec\Name\Version\Bin\IPSPlug.dll attributes
 clientca: Current attributes: 820
 clientca: Deleting File: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached Installs\Program Files\Symantec\Name\Version\Bin\IPSPlug.dll
 Действие 20:17:14: . Iron.dll
 clientca: Checking C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached Installs\Program Files\Symantec\Name\Version\Bin\Iron.dll attributes
 clientca: Current attributes: 820
 clientca: Deleting File: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached Installs\Program Files\Symantec\Name\Version\Bin\Iron.dll
 Действие 20:17:14: . LDDateTm.ocx
 clientca: Checking C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached Installs\Program Files\Symantec\Name\Version\Bin\LDDateTm.ocx attributes
 clientca: Current attributes: 20
 clientca: Deleting File: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached Installs\Program Files\Symantec\Name\Version\Bin\LDDateTm.ocx
 Действие 20:17:14: . LDVPcTls.ocx
 clientca: Checking C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached Installs\Program Files\Symantec\Name\Version\Bin\LDVPcTls.ocx attributes
 clientca: Current attributes: 20
 clientca: Deleting File: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached Installs\Program Files\Symantec\Name\Version\Bin\LDVPcTls.ocx
 Действие 20:17:14: . LDVPDlgs.ocx
 clientca: Checking C:\Documents and Settings\All Users\Application

SEP_INST.log

Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\LDVPDlgs.ocx attributes
 clientca: Current attributes: 20
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\LDVPDlgs.ocx
 Действие 20:17:14: . ldvpui.ocx
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\ldvpui.ocx attributes
 clientca: Current attributes: 20
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\ldvpui.ocx
 Действие 20:17:14: . LicenseMan.dll
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\LicenseMan.dll attributes
 clientca: Current attributes: 820
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\LicenseMan.dll
 Действие 20:17:14: . LocalRep.plg
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\LocalRep.plg attributes
 clientca: Current attributes: 20
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\LocalRep.plg
 Действие 20:17:14: . LotNtsUI.ocx
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\LotNtsUI.ocx attributes
 clientca: Current attributes: 20
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\LotNtsUI.ocx
 Действие 20:17:14: . LuAuth.dll
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\LuAuth.dll attributes
 clientca: Current attributes: 820
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\LuAuth.dll
 Действие 20:17:14: . Luawrap.exe
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\Luawrap.exe attributes
 clientca: Current attributes: 820
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\Luawrap.exe
 Действие 20:17:14: . LUCTl.dll
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\LUCTl.dll attributes
 clientca: Current attributes: 820
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\LUCTl.dll
 Действие 20:17:14: . LueEim.dll
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\LueEim.dll attributes
 clientca: Current attributes: 820
 clientca: Deleting File: C:\Documents and Settings\All Users\Application

SEP_INST.log

Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\LueEim.dll
 Действие 20:17:14: . LueEimProxy.dll
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\LueEimProxy.dll attributes
 clientca: Current attributes: 820
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\LueEimProxy.dll
 Действие 20:17:14: . LUEng.dll
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\LUEng.dll attributes
 clientca: Current attributes: 820
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\LUEng.dll
 Действие 20:17:14: . LUMan.plg
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\LUMan.plg attributes
 clientca: Current attributes: 20
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\LUMan.plg
 clientca: Folder: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\LUReg
 clientca: Pattern: *.*
 clientca: Removed folder: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\LUReg
 Действие 20:17:14: . LUSub.dll
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\LUSub.dll attributes
 clientca: Current attributes: 820
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\LUSub.dll
 Действие 20:17:14: . LUSvc.dll
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\LUSvc.dll attributes
 clientca: Current attributes: 820
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\LUSvc.dll
 Действие 20:17:14: . mfc90.dll
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\mfc90.dll attributes
 clientca: Current attributes: 820
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\mfc90.dll
 Действие 20:17:14: . mfc90dll.1.config
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\mfc90dll.1.config attributes
 clientca: Current attributes: 20
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\mfc90dll.1.config
 Действие 20:17:14: . mfc90u.dll
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached

SEP_INST.log

Installs\Program Files\Symantec\Name\Version\Bin\mfc90u.dll attributes
 clientca: Current attributes: 820
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\mfc90u.dll
 Действие 20:17:14: . mfc90.dll
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\mfc90.dll attributes
 clientca: Current attributes: 820
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\mfc90.dll
 Действие 20:17:14: . mfc90u.dll
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\mfc90u.dll attributes
 clientca: Current attributes: 820
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\mfc90u.dll
 Действие 20:17:14: . Microsoft.VC90.ATL.manifest
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\Microsoft.VC90.ATL.manifest
 attributes
 clientca: Current attributes: 20
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\Microsoft.VC90.ATL.manifest
 Действие 20:17:14: . Microsoft.VC90.CRT.manifest
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\Microsoft.VC90.CRT.manifest
 attributes
 clientca: Current attributes: 20
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\Microsoft.VC90.CRT.manifest
 Действие 20:17:14: . Microsoft.VC90.MFC.manifest
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\Microsoft.VC90.MFC.manifest
 attributes
 clientca: Current attributes: 20
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\Microsoft.VC90.MFC.manifest
 Действие 20:17:14: . MigrateUserScans.exe
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\MigrateUserScans.exe attributes
 clientca: Current attributes: 820
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\MigrateUserScans.exe
 Действие 20:17:14: . msl.dll
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\msl.dll attributes
 clientca: Current attributes: 820
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\msl.dll
 Действие 20:17:14: . msvcm90.dll
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\msvcm90.dll attributes

SEP_INST.log

```

clientca: Current attributes: 820
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\msvc90.dll
Действие 20:17:14: . msvcp90.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\msvc90.dll attributes
clientca: Current attributes: 820
clientca: Error 0x5 Deleting File: C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Cached Installs\Program
Files\Symantec\Name\Version\Bin\msvc90.dll
clientca: File marked for delete on reboot: C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Cached Installs\Program
Files\Symantec\Name\Version\Bin\msvc90.dll
Действие 20:17:14: . msucr90.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\msucr90.dll attributes
clientca: Current attributes: 820
clientca: Error 0x5 Deleting File: C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Cached Installs\Program
Files\Symantec\Name\Version\Bin\msucr90.dll
clientca: File marked for delete on reboot: C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Cached Installs\Program
Files\Symantec\Name\Version\Bin\msucr90.dll
Действие 20:17:14: . NacManager.plg
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\NacManager.plg attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\NacManager.plg
Действие 20:17:14: . NavNTut1.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\NavNTut1.dll attributes
clientca: Current attributes: 820
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\NavNTut1.dll
Действие 20:17:15: . Netport.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\Netport.dll attributes
clientca: Current attributes: 820
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\Netport.dll
Действие 20:17:15: . nlhook.exe
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\nlhook.exe attributes
clientca: Current attributes: 820
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\nlhook.exe
Действие 20:17:15: . nlvp.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\nlvp.dll attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application

```

SEP_INST.log

Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\lnvp.dll
 Действие 20:17:15: . nnewdefs.dll
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\nnewdefs.dll attributes
 clientca: Current attributes: 820
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\nnewdefs.dll
 Действие 20:17:15: . notesext.dll
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\notesext.dll attributes
 clientca: Current attributes: 20
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\notesext.dll
 Действие 20:17:15: . OEHeur.dll
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\OEHeur.dll attributes
 clientca: Current attributes: 820
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\OEHeur.dll
 Действие 20:17:15: . OutlookSessionPlugin.dll
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\OutlookSessionPlugin.dll
 attributes
 clientca: Current attributes: 20
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\OutlookSessionPlugin.dll
 Действие 20:17:15: . patch25d.dll
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\patch25d.dll attributes
 clientca: Current attributes: 820
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\patch25d.dll
 Действие 20:17:15: . Patchwrap.exe
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\Patchwrap.exe attributes
 clientca: Current attributes: 820
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\Patchwrap.exe
 Действие 20:17:15: . PatchwrapPS.dll
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\PatchwrapPS.dll attributes
 clientca: Current attributes: 820
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\PatchwrapPS.dll
 Действие 20:17:15: . ProductRegCompPS.dll
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\ProductRegCompPS.dll attributes
 clientca: Current attributes: 820
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\ProductRegCompPS.dll
 Действие 20:17:15: . ProfileManagement.dll

SEP_INST.log

```

clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\ProfileManagement.dll
attributes
clientca: Current attributes: 820
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\ProfileManagement.dll
Действие 20:17:15: . ProfileManagementClient.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\ProfileManagementClient.dll
attributes
clientca: Current attributes: 820
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\ProfileManagementClient.dll
Действие 20:17:15: . ProfileMgrMan.plg
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\ProfileMgrMan.plg attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\ProfileMgrMan.plg
Действие 20:17:15: . ProtectionProviderPS.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\ProtectionProviderPS.dll
attributes
clientca: Current attributes: 820
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\ProtectionProviderPS.dll
Действие 20:17:15: . ProtectionUtil.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\ProtectionUtil.dll attributes
clientca: Current attributes: 820
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\ProtectionUtil.dll
Действие 20:17:15: . ProtectionUtilSurrogate.exe
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\ProtectionUtilSurrogate.exe
attributes
clientca: Current attributes: 820
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\ProtectionUtilSurrogate.exe
Действие 20:17:15: . PSSensor.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\PSSensor.dll attributes
clientca: Current attributes: 820
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\PSSensor.dll
Действие 20:17:15: . PTPTrayStatus.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\PTPTrayStatus.dll attributes
clientca: Current attributes: 820
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\PTPTrayStatus.dll
Действие 20:17:15: . qscomm32.dll

```

SEP_INST.log

```

clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\qscomm32.dll attributes
clientca: Current attributes: 820
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\qscomm32.dll
Действие 20:17:15: . QsInfo.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\QsInfo.dll attributes
clientca: Current attributes: 820
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\QsInfo.dll
Действие 20:17:15: . qspak32.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\qspak32.dll attributes
clientca: Current attributes: 820
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\qspak32.dll
Действие 20:17:15: . RasSymEap.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\RasSymEap.dll attributes
clientca: Current attributes: 820
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\RasSymEap.dll
Действие 20:17:15: . RebootMgrEim.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\RebootMgrEim.dll attributes
clientca: Current attributes: 820
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\RebootMgrEim.dll
Действие 20:17:15: . RebootMgrEimProxy.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\RebootMgrEimProxy.dll
attributes
clientca: Current attributes: 820
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\RebootMgrEimProxy.dll
Действие 20:17:15: . RebootMgrMan.plg
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\RebootMgrMan.plg attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\RebootMgrMan.plg
Действие 20:17:15: . RepMgtEimProxy.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\RepMgtEimProxy.dll attributes
clientca: Current attributes: 820
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\RepMgtEimProxy.dll
Действие 20:17:15: . RepMgtMan.plg
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\RepMgtMan.plg attributes

```

SEP_INST.log

```

clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\RepMgtTim.plg
Действие 20:17:15: . RepMgtTim.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\RepMgtTim.dll attributes
clientca: Current attributes: 820
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\RepMgtTim.dll
Действие 20:17:15: . ReportSubmission.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\ReportSubmission.dll attributes
clientca: Current attributes: 820
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\ReportSubmission.dll
Действие 20:17:15: . roru.exe
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\roru.exe attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\roru.exe
Действие 20:17:15: . rtvscanPS.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\rtvscanPS.dll attributes
clientca: Current attributes: 820
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\rtvscanPS.dll
Действие 20:17:15: . RtvStart.exe
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\RtvStart.exe attributes
clientca: Current attributes: 820
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\RtvStart.exe
Действие 20:17:15: . RunOnceSessionPlugin.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\RunOnceSessionPlugin.dll
attributes
clientca: Current attributes: 820
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\RunOnceSessionPlugin.dll
Действие 20:17:15: . SavEmail.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\SavEmail.dll attributes
clientca: Current attributes: 820
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\SavEmail.dll
Действие 20:17:15: . SavEmailSesHlp.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\SavEmailSesHlp.dll attributes
clientca: Current attributes: 820
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached

```

SEP_INST.log

```

Installs\Program Files\Symantec\Name\Version\Bin\SavEmailSesHlp.dll
Действие 20:17:15: . SavMainUI.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\SavMainUI.dll attributes
clientca: Current attributes: 820
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\SavMainUI.dll
Действие 20:17:15: . SavRT32.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\SavRT32.dll attributes
clientca: Current attributes: 820
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\SavRT32.dll
Действие 20:17:15: . SAVSesHlp.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\SAVSesHlp.dll attributes
clientca: Current attributes: 820
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\SAVSesHlp.dll
Действие 20:17:15: . SAVStatusFinder.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\SAVStatusFinder.dll attributes
clientca: Current attributes: 820
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\SAVStatusFinder.dll
Действие 20:17:15: . SAVTrayStatus.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\SAVTrayStatus.dll attributes
clientca: Current attributes: 820
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\SAVTrayStatus.dll
Действие 20:17:15: . SavUI.exe
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\SavUI.exe attributes
clientca: Current attributes: 820
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\SavUI.exe
Действие 20:17:15: . scandlgs.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\scandlgs.dll attributes
clientca: Current attributes: 820
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\scandlgs.dll
Действие 20:17:15: . SDPCK32I.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\SDPCK32I.dll attributes
clientca: Current attributes: 820
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\SDPCK32I.dll
Действие 20:17:15: . SDSNAPSX.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached

```

SEP_INST.log

Installs\Program Files\Symantec\Name\Version\Bin\SDSNAPSX.dll attributes
 clientca: Current attributes: 820
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\SDSNAPSX.dll
 Действие 20:17:15: . sepduhandler.dll
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\sepduhandler.dll attributes
 clientca: Current attributes: 820
 clientca: Error 0x5 Deleting File: C:\Documents and Settings\All
 Users\Application Data\Symantec\Symantec Endpoint
 Protection\12.1.671.4971.105\Data\Cached Installs\Program
 Files\Symantec\Name\Version\Bin\sepduhandler.dll
 clientca: File marked for delete on reboot: C:\Documents and Settings\All
 Users\Application Data\Symantec\Symantec Endpoint
 Protection\12.1.671.4971.105\Data\Cached Installs\Program
 Files\Symantec\Name\Version\Bin\sepduhandler.dll
 Действие 20:17:15: . SepLiveUpdate.exe
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\SepLiveUpdate.exe attributes
 clientca: Current attributes: 820
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\SepLiveUpdate.exe
 Действие 20:17:15: . SEPOutlookAddin.dll
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\SEPOutlookAddin.dll attributes
 clientca: Current attributes: 20
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\SEPOutlookAddin.dll
 Действие 20:17:15: . SEPSessionPlugin.dll
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\SEPSessionPlugin.dll attributes
 clientca: Current attributes: 820
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\SEPSessionPlugin.dll
 Действие 20:17:15: . SepStub.exe
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\SepStub.exe attributes
 clientca: Current attributes: 800
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\SepStub.exe
 Действие 20:17:15: . SessionShutdown.dll
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\SessionShutdown.dll attributes
 clientca: Current attributes: 820
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\SessionShutdown.dll
 Действие 20:17:15: . setaid.dll
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\setaid.dll attributes
 clientca: Current attributes: 820
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\setaid.dll
 Действие 20:17:15: . Sevinst.exe
 clientca: Checking C:\Documents and Settings\All Users\Application

SEP_INST.log

Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\Sevinst.exe attributes
 clientca: Current attributes: 820
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\Sevinst.exe
 Действие 20:17:15: . sfConfig.dll
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\sfcConfig.dll attributes
 clientca: Current attributes: 820
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\sfcConfig.dll
 Действие 20:17:15: . SfMan.plg
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\SfMan.plg attributes
 clientca: Current attributes: 20
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\SfMan.plg
 Действие 20:17:15: . SgHI.dll
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\SgHI.dll attributes
 clientca: Current attributes: 820
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\SgHI.dll
 Действие 20:17:15: . sis.dll
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\sis.dll attributes
 clientca: Current attributes: 820
 clientca: Error 0x5 Deleting File: C:\Documents and Settings\All
 Users\Application Data\Symantec\Symantec Endpoint
 Protection\12.1.671.4971.105\Data\Cached Installs\Program
 Files\Symantec\Name\Version\Bin\sis.dll
 clientca: File marked for delete on reboot: C:\Documents and Settings\All
 Users\Application Data\Symantec\Symantec Endpoint
 Protection\12.1.671.4971.105\Data\Cached Installs\Program
 Files\Symantec\Name\Version\Bin\sis.dll
 Действие 20:17:15: . SISCUSTOMACTIONBASH.dll
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\SISCUSTOMACTIONBASH.dll
 attributes
 clientca: Current attributes: 820
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\SISCUSTOMACTIONBASH.dll
 Действие 20:17:15: . SISCUSTOMACTIONCIDS.dll
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\SISCUSTOMACTIONCIDS.dll
 attributes
 clientca: Current attributes: 820
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\SISCUSTOMACTIONCIDS.dll
 Действие 20:17:15: . SISCUSTOMACTIONLUE.dll
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\SISCUSTOMACTIONLUE.dll
 attributes
 clientca: Current attributes: 820
 clientca: Deleting File: C:\Documents and Settings\All Users\Application

SEP_INST.log

Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\SISCustomActionLUE.dll
 Действие 20:17:15: . SISCustomActionScanSettings.dll
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\SISCustomActionScanSettings.dll
 attributes
 clientca: Current attributes: 820
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\SISCustomActionScanSettings.dll
 Действие 20:17:15: . SISCustomActionSMC.dll
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\SISCustomActionSMC.dll
 attributes
 clientca: Current attributes: 820
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\SISCustomActionSMC.dll
 Действие 20:17:15: . sisnat.exe
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\sisnat.exe attributes
 clientca: Current attributes: 820
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\sisnat.exe
 Действие 20:17:15: . SISStatusDlg.exe
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\SISStatusDlg.exe attributes
 clientca: Current attributes: 20
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\SISStatusDlg.exe
 Действие 20:17:15: . Smc.exe
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\Smc.exe attributes
 clientca: Current attributes: 820
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\Smc.exe
 Действие 20:17:15: . SmcGui.exe
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\SmcGui.exe attributes
 clientca: Current attributes: 820
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\SmcGui.exe
 Действие 20:17:15: . smcinst.exe
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\smcinst.exe attributes
 clientca: Current attributes: 820
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\smcinst.exe
 Действие 20:17:15: . SMCTrayStatus.dll
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\SMCTrayStatus.dll attributes
 clientca: Current attributes: 820
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\SMCTrayStatus.dll

SEP_INST.log

```

Действие 20:17:15: . sms.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\sms.dll attributes
clientca: Current attributes: 820
clientca: Error 0x5 Deleting File: C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Cached Installs\Program
Files\Symantec\Name\Version\Bin\sms.dll
clientca: File marked for delete on reboot: C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Cached Installs\Program
Files\Symantec\Name\Version\Bin\sms.dll
Действие 20:17:15: . snac.exe
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\snac.exe attributes
clientca: Current attributes: 820
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\snac.exe
Действие 20:17:15: . snacnp.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\snacnp.dll attributes
clientca: Current attributes: 820
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\snacnp.dll
Действие 20:17:15: . SNACTrayStatus.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\SNACTrayStatus.dll attributes
clientca: Current attributes: 820
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\SNACTrayStatus.dll
Действие 20:17:15: . SNDSvc.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\SNDSvc.dll attributes
clientca: Current attributes: 820
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\SNDSvc.dll
clientca: Folder: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\SPManifests
clientca: Pattern: *.*
Действие 20:17:15: . BASH.grd
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\SPManifests\BASH.grd attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\SPManifests\BASH.grd
Действие 20:17:15: . BASH.sig
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\SPManifests\BASH.sig attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\SPManifests\BASH.sig
Действие 20:17:15: . BASH.spm
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached

```

SEP_INST.log

```

Installs\Program Files\Symantec\Name\Version\Bin\SPManifests\BASH.spm attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\SPManifests\BASH.spm
Действие 20:17:15: . ccCommon.grd
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\SPManifests\ccCommon.grd
attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\SPManifests\ccCommon.grd
Действие 20:17:15: . ccCommon.sig
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\SPManifests\ccCommon.sig
attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\SPManifests\ccCommon.sig
Действие 20:17:15: . ccCommon.spm
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\SPManifests\ccCommon.spm
attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\SPManifests\ccCommon.spm
Действие 20:17:15: . cids.grd
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\SPManifests\cids.grd attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\SPManifests\cids.grd
Действие 20:17:15: . cids.sig
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\SPManifests\cids.sig attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\SPManifests\cids.sig
Действие 20:17:15: . cids.spm
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\SPManifests\cids.spm attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\SPManifests\cids.spm
Действие 20:17:15: . iron.grd
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\SPManifests\iron.grd attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\SPManifests\iron.grd
Действие 20:17:15: . iron.sig
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\SPManifests\iron.sig attributes

```

SEP_INST.log

```

clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\SPManifests\iron.sig
Действие 20:17:15: . iron.spm
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\SPManifests\iron.spm attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\SPManifests\iron.spm
Действие 20:17:15: . scs-sav.grd
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\SPManifests\scs-sav.grd
attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\SPManifests\scs-sav.grd
Действие 20:17:15: . scs-sav.sig
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\SPManifests\scs-sav.sig
attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\SPManifests\scs-sav.sig
Действие 20:17:15: . scs-sav.spm
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\SPManifests\scs-sav.spm
attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\SPManifests\scs-sav.spm
Действие 20:17:15: . sep-msi.grd
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\SPManifests\sep-msi.grd
attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\SPManifests\sep-msi.grd
Действие 20:17:15: . sep-msi.sig
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\SPManifests\sep-msi.sig
attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\SPManifests\sep-msi.sig
Действие 20:17:15: . sep-msi.spm
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\SPManifests\sep-msi.spm
attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\SPManifests\sep-msi.spm
Действие 20:17:15: . snd.grd
clientca: Checking C:\Documents and Settings\All Users\Application

```

SEP_INST.log

[illegible]

attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached Installs\Program Files\Symantec\Name\Version\Bin\SPManifests\SymDS.spm
Действие 20:17:15: . SymEFA.grd
clientca: Checking C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached Installs\Program Files\Symantec\Name\Version\Bin\SPManifests\SymEFA.grd
attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached Installs\Program Files\Symantec\Name\Version\Bin\SPManifests\SymEFA.grd
Действие 20:17:15: . SymEFA.sig
clientca: Checking C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached Installs\Program Files\Symantec\Name\Version\Bin\SPManifests\SymEFA.sig
attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached Installs\Program Files\Symantec\Name\Version\Bin\SPManifests\SymEFA.sig
Действие 20:17:15: . SymEFA.spm
clientca: Checking C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached Installs\Program Files\Symantec\Name\Version\Bin\SPManifests\SymEFA.spm
attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached Installs\Program Files\Symantec\Name\Version\Bin\SPManifests\SymEFA.spm
Действие 20:17:15: . symevnt.grd
clientca: Checking C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached Installs\Program Files\Symantec\Name\Version\Bin\SPManifests\symevnt.grd
attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached Installs\Program Files\Symantec\Name\Version\Bin\SPManifests\symevnt.grd
Действие 20:17:15: . symevnt.sig
clientca: Checking C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached Installs\Program Files\Symantec\Name\Version\Bin\SPManifests\symevnt.sig
attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached Installs\Program Files\Symantec\Name\Version\Bin\SPManifests\symevnt.sig
Действие 20:17:15: . symevnt.spm
clientca: Checking C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached Installs\Program Files\Symantec\Name\Version\Bin\SPManifests\symevnt.spm
attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached Installs\Program Files\Symantec\Name\Version\Bin\SPManifests\symevnt.spm
clientca: Removed folder: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached Installs\Program Files\Symantec\Name\Version\Bin\SPManifests
Действие 20:17:15: . SpNet.dll
clientca: Checking C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached Installs\Program Files\Symantec\Name\Version\Bin\SpNet.dll attributes
clientca: Current attributes: 820
clientca: Deleting File: C:\Documents and Settings\All Users\Application

SEP_INST.log

Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\SpNet.dll
 Действие 20:17:15: . Srtsp32.dll
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\Srtsp32.dll attributes
 clientca: Current attributes: 820
 clientca: Error 0x5 Deleting File: C:\Documents and Settings\All
 Users\Application Data\Symantec\Symantec Endpoint
 Protection\12.1.671.4971.105\Data\Cached Installs\Program
 Files\Symantec\Name\Version\Bin\Srtsp32.dll
 clientca: File marked for delete on reboot: C:\Documents and Settings\All
 Users\Application Data\Symantec\Symantec Endpoint
 Protection\12.1.671.4971.105\Data\Cached Installs\Program
 Files\Symantec\Name\Version\Bin\Srtsp32.dll
 Действие 20:17:15: . SRTSP.dat
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\SRTSP.dat attributes
 clientca: Current attributes: 20
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\SRTSP.dat
 Действие 20:17:15: . SRTSP_CA.exe
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\SRTSP_CA.exe attributes
 clientca: Current attributes: 820
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\SRTSP_CA.exe
 Действие 20:17:15: . SubmissionsEim.dll
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\SubmissionsEim.dll attributes
 clientca: Current attributes: 820
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\SubmissionsEim.dll
 Действие 20:17:15: . SubmissionsEimProxy.dll
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\SubmissionsEimProxy.dll
 attributes
 clientca: Current attributes: 820
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\SubmissionsEimProxy.dll
 Действие 20:17:15: . SubmissionsMan.plg
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\SubmissionsMan.plg attributes
 clientca: Current attributes: 20
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\SubmissionsMan.plg
 Действие 20:17:15: . SubmissionsSSISCustomAction.dll
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\SubmissionsSSISCustomAction.dll
 attributes
 clientca: Current attributes: 820
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\SubmissionsSSISCustomAction.dll
 Действие 20:17:15: . SubmissionsSSISOptOutCustomAction.dll
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached

SEP_INST.log

```

Installs\Program
Files\Symantec\Name\Version\Bin\SubmissionsSSISOptOutCustomAction.dll attributes
clientca: Current attributes: 820
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program
Files\Symantec\Name\Version\Bin\SubmissionsSSISOptOutCustomAction.dll
Действие 20:17:15: . SyDvCtrl32.sys
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\SyDvCtrl32.sys attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\SyDvCtrl32.sys
Действие 20:17:15: . SyLink.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\SyLink.dll attributes
clientca: Current attributes: 820
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\SyLink.dll
Действие 20:17:15: . SyLinkDrop.exe
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\SyLinkDrop.exe attributes
clientca: Current attributes: 820
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\SyLinkDrop.exe
Действие 20:17:15: . SyLinkSymInterfaceProxy.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\SyLinkSymInterfaceProxy.dll
attributes
clientca: Current attributes: 820
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\SyLinkSymInterfaceProxy.dll
Действие 20:17:15: . SyLog.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\SyLog.dll attributes
clientca: Current attributes: 820
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\SyLog.dll
Действие 20:17:15: . SymCorpUI.exe
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\SymCorpUI.exe attributes
clientca: Current attributes: 820
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\SymCorpUI.exe
Действие 20:17:15: . SymDeltaDll.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\SymDeltaDll.dll attributes
clientca: Current attributes: 820
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\SymDeltaDll.dll
Действие 20:17:15: . SymDltCl.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\SymDltCl.dll attributes

```

SEP_INST.log

```

clientca: Current attributes: 820
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\SymDltCl.dll
Действие 20:17:15: . SymNAPSHAgent.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\SymNAPSHAgent.dll attributes
clientca: Current attributes: 820
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\SymNAPSHAgent.dll
Действие 20:17:15: . SymNeti.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\SymNeti.dll attributes
clientca: Current attributes: 820
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\SymNeti.dll
Действие 20:17:15: . SymPP.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\SymPP.dll attributes
clientca: Current attributes: 820
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\SymPP.dll
Действие 20:17:15: . SymRasMan.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\SymRasMan.dll attributes
clientca: Current attributes: 820
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\SymRasMan.dll
Действие 20:17:15: . SymRdrSv.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\SymRdrSv.dll attributes
clientca: Current attributes: 820
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\SymRdrSv.dll
Действие 20:17:15: . SymRedir.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\SymRedir.dll attributes
clientca: Current attributes: 820
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\SymRedir.dll
Действие 20:17:15: . SymVPN.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\SymVPN.dll attributes
clientca: Current attributes: 820
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\SymVPN.dll
Действие 20:17:15: . SymVPNImpl.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\SymVPNImpl.dll attributes
clientca: Current attributes: 820
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\SymVPNImpl.dll

```

SEP_INST.log

Действие 20:17:15: . sysfer.dll
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\sysfer.dll attributes
 clientca: Current attributes: 820
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\sysfer.dll
 Действие 20:17:15: . sysferThunk.dll
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\sysferThunk.dll attributes
 clientca: Current attributes: 820
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\sysferThunk.dll
 Действие 20:17:15: . SysPlant.inf
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\SysPlant.inf attributes
 clientca: Current attributes: 20
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\SysPlant.inf
 Действие 20:17:15: . SysPlant.sys
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\SysPlant.sys attributes
 clientca: Current attributes: 20
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\SysPlant.sys
 clientca: Folder: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\TeeferVista
 clientca: Pattern: *.*
 Действие 20:17:15: . teefer.cat
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\TeeferVista\teefer.cat
 attributes
 clientca: Current attributes: 20
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\TeeferVista\teefer.cat
 Действие 20:17:15: . teefer.inf
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\TeeferVista\teefer.inf
 attributes
 clientca: Current attributes: 20
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\TeeferVista\teefer.inf
 Действие 20:17:15: . teefer.sys
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\TeeferVista\teefer.sys
 attributes
 clientca: Current attributes: 20
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\TeeferVista\teefer.sys
 clientca: Removed folder: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\TeeferVista
 clientca: Folder: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached

SEP_INST.log

```

Installs\Program Files\Symantec\Name\Version\Bin\TeeferXP
clientca: Pattern: *.*
Действие 20:17:15: . teefer.cat
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\TeeferXP\teefer.cat attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\TeeferXP\teefer.cat
Действие 20:17:15: . teefer.inf
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\TeeferXP\teefer.inf attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\TeeferXP\teefer.inf
Действие 20:17:15: . teefer.sys
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\TeeferXP\teefer.sys attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\TeeferXP\teefer.sys
Действие 20:17:15: . teeferm.cat
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\TeeferXP\teeferm.cat attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\TeeferXP\teeferm.cat
Действие 20:17:15: . teefer_m.inf
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\TeeferXP\teefer_m.inf
attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\TeeferXP\teefer_m.inf
clientca: Removed folder: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\TeeferXP
Действие 20:17:15: . tfman.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\TeeferXP\tfman.dll attributes
clientca: Current attributes: 820
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\TeeferXP\tfman.dll
Действие 20:17:15: . Trident.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\TeeferXP\Trident.dll attributes
clientca: Current attributes: 820
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\TeeferXP\Trident.dll
Действие 20:17:15: . TrstZone.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\TeeferXP\TrstZone.dll attributes
clientca: Current attributes: 820
clientca: Deleting File: C:\Documents and Settings\All Users\Application

```

SEP_INST.log

Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\TrstZone.dll
 Действие 20:17:15: . Tse.dll
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\Tse.dll attributes
 clientca: Current attributes: 820
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\Tse.dll
 Действие 20:17:15: . tseConfig.dll
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\tseConfig.dll attributes
 clientca: Current attributes: 820
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\tseConfig.dll
 Действие 20:17:15: . uninstallsched.dll
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\uninstallsched.dll attributes
 clientca: Current attributes: 20
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\uninstallsched.dll
 Действие 20:17:15: . vpmsece.dll
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\vpmsce.dll attributes
 clientca: Current attributes: 20
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\vpmsce.dll
 Действие 20:17:15: . vpshe112.dll
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\vpshe112.dll attributes
 clientca: Current attributes: 820
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\vpshe112.dll
 Действие 20:17:15: . webshell.dll
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\webshell.dll attributes
 clientca: Current attributes: 820
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\webshell.dll
 Действие 20:17:15: . WFPUnins.exe
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\WFPUnins.exe attributes
 clientca: Current attributes: 820
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\WFPUnins.exe
 Действие 20:17:15: . WGX.SYS
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\WGX.SYS attributes
 clientca: Current attributes: 20
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\WGX.SYS
 Действие 20:17:15: . WGXMAN.DLL
 clientca: Checking C:\Documents and Settings\All Users\Application

SEP_INST.log

Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\WGXMEN.DLL attributes
 clientca: Current attributes: 820
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\WGXMEN.DLL
 Действие 20:17:15: . WinLogoutNotifier.dll
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\WinLogoutNotifier.dll
 attributes
 clientca: Current attributes: 20
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\WinLogoutNotifier.dll
 Действие 20:17:15: . WSCSAVNotifier.exe
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\WSCSAVNotifier.exe attributes
 clientca: Current attributes: 820
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Bin\WSCSAVNotifier.exe
 clientca: Error 0x91 Removing folder: C:\Documents and Settings\All
 Users\Application Data\Symantec\Symantec Endpoint
 Protection\12.1.671.4971.105\Data\Cached Installs\Program
 Files\Symantec\Name\Version\Bin
 clientca: Folder marked for delete on reboot: C:\Documents and Settings\All
 Users\Application Data\Symantec\Symantec Endpoint
 Protection\12.1.671.4971.105\Data\Cached Installs\Program
 Files\Symantec\Name\Version\Bin
 Действие 20:17:15: . License.rtf
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\License.rtf attributes
 clientca: Current attributes: 20
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\License.rtf
 Действие 20:17:15: . Readme.txt
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Readme.txt attributes
 clientca: Current attributes: 20
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Readme.txt
 clientca: Folder: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Res
 clientca: Pattern: *.*
 clientca: Folder: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Res\1049
 clientca: Pattern: *.*
 Действие 20:17:15: . ActaRes.dll
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Res\1049\ActaRes.dll attributes
 clientca: Current attributes: 20
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Res\1049\ActaRes.dll
 Действие 20:17:15: . AVManRes.dll
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Res\1049\AVManRes.dll attributes
 clientca: Current attributes: 20

SEP_INST.log

```

clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Res\1049\AVManRes.dll
Действие 20:17:15: . CIdEimRes.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Res\1049\CIdEimRes.dll attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Res\1049\CIdEimRes.dll
Действие 20:17:15: . CIDSManRes.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Res\1049\CIDSManRes.dll attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Res\1049\CIDSManRes.dll
Действие 20:17:15: . ControlAPRes.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Res\1049\ControlAPRes.dll
attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Res\1049\ControlAPRes.dll
Действие 20:17:15: . DevManRes.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Res\1049\DevManRes.dll attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Res\1049\DevManRes.dll
Действие 20:17:15: . DoScanRes.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Res\1049\DoScanRes.dll attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Res\1049\DoScanRes.dll
Действие 20:17:15: . DWHWizrdRes.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Res\1049\DWHWizrdRes.dll attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Res\1049\DWHWizrdRes.dll
Действие 20:17:15: . ExchngUIRes.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Res\1049\ExchngUIRes.dll attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Res\1049\ExchngUIRes.dll
Действие 20:17:15: . GUProxyRes.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Res\1049\GUProxyRes.dll attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Res\1049\GUProxyRes.dll

```

SEP_INST.log

Действие 20:17:15: . HPPProtectionProviderUIRes.dll
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program
 Files\Symantec\Name\Version\Res\1049\HPPProtectionProviderUIRes.dll attributes
 clientca: Current attributes: 20
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program
 Files\Symantec\Name\Version\Res\1049\HPPProtectionProviderUIRes.dll
 Действие 20:17:15: . IMailRes.dll
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Res\1049\IMailRes.dll attributes
 clientca: Current attributes: 20
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Res\1049\IMailRes.dll
 Действие 20:17:15: . IMailUIRes.dll
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Res\1049\IMailUIRes.dll attributes
 clientca: Current attributes: 20
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Res\1049\IMailUIRes.dll
 Действие 20:17:15: . LDDateTmRes.dll
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Res\1049\LDDateTmRes.dll attributes
 clientca: Current attributes: 20
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Res\1049\LDDateTmRes.dll
 Действие 20:17:15: . LDVPcTlsRes.dll
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Res\1049\LDVPcTlsRes.dll attributes
 clientca: Current attributes: 20
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Res\1049\LDVPcTlsRes.dll
 Действие 20:17:15: . LDVPDlgsRes.dll
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Res\1049\LDVPDlgsRes.dll attributes
 clientca: Current attributes: 20
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Res\1049\LDVPDlgsRes.dll
 Действие 20:17:15: . LDVPUIRes.dll
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Res\1049\LDVPUIRes.dll attributes
 clientca: Current attributes: 20
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Res\1049\LDVPUIRes.dll
 Действие 20:17:15: . LicenseManRes.dll
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Res\1049\LicenseManRes.dll
 attributes
 clientca: Current attributes: 20
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Res\1049\LicenseManRes.dll
 Действие 20:17:15: . LotNtsUIRes.dll

SEP_INST.log

```

clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Res\1049\LotNtsUIRes.dll attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Res\1049\LotNtsUIRes.dll
Действие 20:17:15: . LueEimRes.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Res\1049\LueEimRes.dll attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Res\1049\LueEimRes.dll
Действие 20:17:15: . LUManRes.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Res\1049\LUManRes.dll attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Res\1049\LUManRes.dll
Действие 20:17:15: . NacManagerRes.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Res\1049\NacManagerRes.dll
attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Res\1049\NacManagerRes.dll
Действие 20:17:15: . NetportRes.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Res\1049\NetportRes.dll attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Res\1049\NetportRes.dll
Действие 20:17:15: . notesextRes.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Res\1049\notesextRes.dll attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Res\1049\notesextRes.dll
Действие 20:17:15: . ProtectionUtilRes.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Res\1049\ProtectionUtilRes.dll
attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Res\1049\ProtectionUtilRes.dll
Действие 20:17:15: . PScanRes.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Res\1049\PScanRes.dll attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Res\1049\PScanRes.dll
Действие 20:17:15: . RebootMgrEimRes.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached

```

SEP_INST.log

Installs\Program Files\Symantec\Name\Version\Res\1049\RebootMgrEimRes.dll
attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Res\1049\RebootMgrEimRes.dll
Действие 20:17:15: . RepMgtTimRes.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Res\1049\RepMgtTimRes.dll
attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Res\1049\RepMgtTimRes.dll
Действие 20:17:15: . SavEmailSesHlpRes.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Res\1049\SavEmailSesHlpRes.dll
attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Res\1049\SavEmailSesHlpRes.dll
Действие 20:17:15: . SavMainUIRes.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Res\1049\SavMainUIRes.dll
attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Res\1049\SavMainUIRes.dll
Действие 20:17:15: . SAVSesHlpRes.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Res\1049\SAVSesHlpRes.dll
attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Res\1049\SAVSesHlpRes.dll
Действие 20:17:15: . SavUIRes.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Res\1049\SavUIRes.dll attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Res\1049\SavUIRes.dll
Действие 20:17:15: . ScanDlgsRes.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Res\1049\ScanDlgsRes.dll attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Res\1049\ScanDlgsRes.dll
Действие 20:17:15: . SEPSessionPluginRes.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Res\1049\SEPSessionPluginRes.dll
attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Res\1049\SEPSessionPluginRes.dll
Действие 20:17:15: . SfManRes.dll

SEP_INST.log

```

clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Res\1049\SfManRes.dll attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Res\1049\SfManRes.dll
действие 20:17:15: . SgHRes.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Res\1049\SgHRes.dll attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Res\1049\SgHRes.dll
действие 20:17:15: . SISStatusDlgRes.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Res\1049\SISStatusDlgRes.dll
attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Res\1049\SISStatusDlgRes.dll
действие 20:17:15: . SmcGuiRes.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Res\1049\SmcGuiRes.dll attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Res\1049\SmcGuiRes.dll
действие 20:17:15: . SmcInstRes.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Res\1049\SmcInstRes.dll attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Res\1049\SmcInstRes.dll
действие 20:17:15: . SmcRes.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Res\1049\SmcRes.dll attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Res\1049\SmcRes.dll
действие 20:17:15: . SpNetRes.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Res\1049\SpNetRes.dll attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Res\1049\SpNetRes.dll
действие 20:17:15: . SubmissionsEimRes.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Res\1049\SubmissionsEimRes.dll
attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Res\1049\SubmissionsEimRes.dll
действие 20:17:15: . SyLinkRes.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached

```

SEP_INST.log

```

Installs\Program Files\Symantec\Name\Version\Res\1049\SyLinkRes.dll attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Res\1049\SyLinkRes.dll
Действие 20:17:15: . SymCorpUIRes.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Res\1049\SymCorpUIRes.dll
attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Res\1049\SymProtectUIRes.dll
Действие 20:17:15: . SymProtectUIRes.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Res\1049\SymProtectUIRes.dll
attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Res\1049\SymProtectUIRes.dll
Действие 20:17:15: . TseConfigRes.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Res\1049\TseConfigRes.dll
attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Res\1049\TseConfigRes.dll
Действие 20:17:15: . TseRes.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Res\1049\TseRes.dll attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Res\1049\TseRes.dll
Действие 20:17:15: . vpmseceRes.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Res\1049\vpmseceRes.dll attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Res\1049\vpmseceRes.dll
Действие 20:17:15: . vpshe11Res.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Res\1049\vpshe11Res.dll attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Res\1049\vpshe11Res.dll
Действие 20:17:15: . webShellRes.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Res\1049\webShellRes.dll attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Res\1049\webShellRes.dll
Действие 20:17:15: . WSCSAVNotifierRes.dll
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Res\1049\WSCSAVNotifierRes.dll

```

attributes

clientca: Current attributes: 20

clientca: Deleting File: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached Installs\Program Files\Symantec\Name\Version\Res\1049\WSCSAVNotifierRes.dll

clientca: Removed folder: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached Installs\Program Files\Symantec\Name\Version\Res\1049

clientca: Folder: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached Installs\Program Files\Symantec\Name\Version\Res\19

clientca: Pattern: *.*

clientca: Folder: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached Installs\Program Files\Symantec\Name\Version\Res\19\01

clientca: Pattern: *.*

Действие 20:17:15: . rcAlert.dll

clientca: Checking C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached Installs\Program Files\Symantec\Name\Version\Res\19\01\rcAlert.dll attributes

clientca: Current attributes: 20

clientca: Deleting File: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached Installs\Program Files\Symantec\Name\Version\Res\19\01\rcAlert.dll

Действие 20:17:15: . rcEmIPxy.dll

clientca: Checking C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached Installs\Program Files\Symantec\Name\Version\Res\19\01\rcEmIPxy.dll attributes

clientca: Current attributes: 20

clientca: Deleting File: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached Installs\Program Files\Symantec\Name\Version\Res\19\01\rcEmIPxy.dll

Действие 20:17:15: . rcErrDsp.dll

clientca: Checking C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached Installs\Program Files\Symantec\Name\Version\Res\19\01\rcErrDsp.dll attributes

clientca: Current attributes: 20

clientca: Deleting File: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached Installs\Program Files\Symantec\Name\Version\Res\19\01\rcErrDsp.dll

Действие 20:17:15: . rcSvcHst.dll

clientca: Checking C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached Installs\Program Files\Symantec\Name\Version\Res\19\01\rcSvcHst.dll attributes

clientca: Current attributes: 20

clientca: Deleting File: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached Installs\Program Files\Symantec\Name\Version\Res\19\01\rcSvcHst.dll

clientca: Removed folder: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached Installs\Program Files\Symantec\Name\Version\Res\19\01

clientca: Removed folder: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached Installs\Program Files\Symantec\Name\Version\Res\19

Действие 20:17:16: . fallback.dat

clientca: Checking C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached Installs\Program Files\Symantec\Name\Version\Res\fallback.dat attributes

clientca: Current attributes: 20

clientca: Deleting File: C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached Installs\Program Files\Symantec\Name\Version\Res\fallback.dat

Действие 20:17:16: . mapIngid.dat

clientca: Checking C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached Installs\Program Files\Symantec\Name\Version\Res\mapIngid.dat attributes

clientca: Current attributes: 20

clientca: Deleting File: C:\Documents and Settings\All Users\Application

SEP_INST.log

Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Res\maplngid.dat
 clientca: Removed folder: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Res
 clientca: Folder: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Scripts
 clientca: Pattern: *.*
 Действие 20:17:16: . failure.sis
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Scripts\failure.sis attributes
 clientca: Current attributes: 20
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Scripts\failure.sis
 Действие 20:17:16: . startrollback.sis
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Scripts\startrollback.sis
 attributes
 clientca: Current attributes: 20
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Scripts\startrollback.sis
 Действие 20:17:16: . startup.sis
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Scripts\startup.sis attributes
 clientca: Current attributes: 20
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Scripts\startup.sis
 clientca: Removed folder: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Program Files\Symantec\Name\Version\Scripts
 clientca: Error 0x91 Removing folder: C:\Documents and Settings\All
 Users\Application Data\Symantec\Symantec Endpoint
 Protection\12.1.671.4971.105\Data\Cached Installs\Program
 Files\Symantec\Name\Version
 clientca: Folder marked for delete on reboot: C:\Documents and Settings\All
 Users\Application Data\Symantec\Symantec Endpoint
 Protection\12.1.671.4971.105\Data\Cached Installs\Program
 Files\Symantec\Name\Version
 clientca: Error 0x91 Removing folder: C:\Documents and Settings\All
 Users\Application Data\Symantec\Symantec Endpoint
 Protection\12.1.671.4971.105\Data\Cached Installs\Program Files\Symantec\Name
 clientca: Folder marked for delete on reboot: C:\Documents and Settings\All
 Users\Application Data\Symantec\Symantec Endpoint
 Protection\12.1.671.4971.105\Data\Cached Installs\Program Files\Symantec\Name
 clientca: Error 0x91 Removing folder: C:\Documents and Settings\All
 Users\Application Data\Symantec\Symantec Endpoint
 Protection\12.1.671.4971.105\Data\Cached Installs\Program Files\Symantec
 clientca: Folder marked for delete on reboot: C:\Documents and Settings\All
 Users\Application Data\Symantec\Symantec Endpoint
 Protection\12.1.671.4971.105\Data\Cached Installs\Program Files\Symantec
 clientca: Error 0x91 Removing folder: C:\Documents and Settings\All
 Users\Application Data\Symantec\Symantec Endpoint
 Protection\12.1.671.4971.105\Data\Cached Installs\Program Files
 clientca: Folder marked for delete on reboot: C:\Documents and Settings\All
 Users\Application Data\Symantec\Symantec Endpoint
 Protection\12.1.671.4971.105\Data\Cached Installs\Program Files
 Действие 20:17:16: . Sep.msi
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\Sep.msi attributes
 clientca: Current attributes: 20

SEP_INST.log

```

clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Sep.msi
Действие 20:17:16: . sep_NE.slf
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\sep_NE.slf attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\sep_NE.slf
Действие 20:17:16: . setAid.ini
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\setAid.ini attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\setAid.ini
Действие 20:17:16: . Setup.exe
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Setup.exe attributes
clientca: Current attributes: 820
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Setup.exe
Действие 20:17:16: . Setup.ini
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Setup.ini attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Setup.ini
Действие 20:17:16: . smcinst.exe
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\smcinst.exe attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\smcinst.exe
Действие 20:17:16: . SyLink.xml
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\SyLink.xml attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\SyLink.xml
clientca: Folder: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\System32
clientca: Pattern: *.*
clientca: Folder: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\System32\Drivers
clientca: Pattern: *.*
clientca: Folder: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\System32\Drivers\Name
clientca: Pattern: *.*
clientca: Folder: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\System32\Drivers\Name\Version
clientca: Pattern: *.*
clientca: Folder: C:\Documents and Settings\All Users\Application

```

SEP_INST.log

Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\System32\Drivers\Name\Version\BuildNum
 clientca: Pattern: *.*
 clientca: Folder: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\System32\Drivers\Name\Version\BuildNum\x86
 clientca: Pattern: *.*
 Действие 20:17:16: . iron.cat
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\System32\Drivers\Name\Version\BuildNum\x86\iron.cat attributes
 clientca: Current attributes: 20
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\System32\Drivers\Name\Version\BuildNum\x86\iron.cat
 Действие 20:17:16: . Iron.inf
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\System32\Drivers\Name\Version\BuildNum\x86\Iron.inf attributes
 clientca: Current attributes: 20
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\System32\Drivers\Name\Version\BuildNum\x86\Iron.inf
 Действие 20:17:16: . Ironx86.sys
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\System32\Drivers\Name\Version\BuildNum\x86\Ironx86.sys attributes
 clientca: Current attributes: 20
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\System32\Drivers\Name\Version\BuildNum\x86\Ironx86.sys
 Действие 20:17:16: . srtsp.cat
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\System32\Drivers\Name\Version\BuildNum\x86\srtsp.cat attributes
 clientca: Current attributes: 20
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\System32\Drivers\Name\Version\BuildNum\x86\srtsp.cat
 Действие 20:17:16: . srtsp.inf
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\System32\Drivers\Name\Version\BuildNum\x86\srtsp.inf attributes
 clientca: Current attributes: 20
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\System32\Drivers\Name\Version\BuildNum\x86\srtsp.inf
 Действие 20:17:16: . srtsp.sys
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\System32\Drivers\Name\Version\BuildNum\x86\srtsp.sys attributes
 clientca: Current attributes: 20
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\System32\Drivers\Name\Version\BuildNum\x86\srtsp.sys
 Действие 20:17:16: . srtsp.cat
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\System32\Drivers\Name\Version\BuildNum\x86\srtsp.cat attributes
 clientca: Current attributes: 20
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\System32\Drivers\Name\Version\BuildNum\x86\srtsp.cat
 Действие 20:17:16: . srtsp.inf
 clientca: Checking C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\System32\Drivers\Name\Version\BuildNum\x86\srtsp.inf attributes
 clientca: Current attributes: 20

SEP_INST.log

```

clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\System32\Drivers\Name\Version\BuildNum\x86\srtspk.inf
Действие 20:17:16: . srtspk.sys
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\System32\Drivers\Name\Version\BuildNum\x86\srtspk.sys attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\System32\Drivers\Name\Version\BuildNum\x86\srtspk.sys
Действие 20:17:16: . SymDS.cat
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\System32\Drivers\Name\Version\BuildNum\x86\SymDS.cat attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\System32\Drivers\Name\Version\BuildNum\x86\SymDS.cat
Действие 20:17:16: . SymDS.inf
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\System32\Drivers\Name\Version\BuildNum\x86\SymDS.inf attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\System32\Drivers\Name\Version\BuildNum\x86\SymDS.inf
Действие 20:17:16: . SymDS.sys
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\System32\Drivers\Name\Version\BuildNum\x86\SymDS.sys attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\System32\Drivers\Name\Version\BuildNum\x86\SymDS.sys
Действие 20:17:16: . SymEFA.cat
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\System32\Drivers\Name\Version\BuildNum\x86\SymEFA.cat attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\System32\Drivers\Name\Version\BuildNum\x86\SymEFA.cat
Действие 20:17:16: . SymEFA.inf
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\System32\Drivers\Name\Version\BuildNum\x86\SymEFA.inf attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\System32\Drivers\Name\Version\BuildNum\x86\SymEFA.inf
Действие 20:17:16: . SymEFA.sys
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\System32\Drivers\Name\Version\BuildNum\x86\SymEFA.sys attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\System32\Drivers\Name\Version\BuildNum\x86\SymEFA.sys
Действие 20:17:16: . SymNet.cat
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\System32\Drivers\Name\Version\BuildNum\x86\SymNet.cat attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\System32\Drivers\Name\Version\BuildNum\x86\SymNet.cat
Действие 20:17:16: . SymNet.inf

```

SEP_INST.log

```

clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\System32\Drivers\Name\Version\BuildNum\x86\SymNet.inf attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\System32\Drivers\Name\Version\BuildNum\x86\SymNet.inf
Действие 20:17:16: . symnets.sys
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\System32\Drivers\Name\Version\BuildNum\x86\symnets.sys attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\System32\Drivers\Name\Version\BuildNum\x86\symnets.sys
Действие 20:17:16: . symnetv.cat
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\System32\Drivers\Name\Version\BuildNum\x86\symnetv.cat attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\System32\Drivers\Name\Version\BuildNum\x86\symnetv.cat
Действие 20:17:16: . SymNetV.inf
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\System32\Drivers\Name\Version\BuildNum\x86\SymNetV.inf attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\System32\Drivers\Name\Version\BuildNum\x86\SymNetV.inf
Действие 20:17:16: . symtdi.sys
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\System32\Drivers\Name\Version\BuildNum\x86\symtdi.sys attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\System32\Drivers\Name\Version\BuildNum\x86\symtdi.sys
Действие 20:17:16: . symtdiv.sys
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\System32\Drivers\Name\Version\BuildNum\x86\symtdiv.sys attributes
clientca: Current attributes: 20
clientca: Deleting File: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\System32\Drivers\Name\Version\BuildNum\x86\symtdiv.sys
clientca: Removed folder: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\System32\Drivers\Name\Version\BuildNum\x86
clientca: Removed folder: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\System32\Drivers\Name\Version\BuildNum
clientca: Removed folder: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\System32\Drivers\Name\Version
clientca: Removed folder: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\System32\Drivers\Name
clientca: Removed folder: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\System32\Drivers
clientca: Removed folder: C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\System32
Действие 20:17:16: . windowsInstaller-KB893803-x86.exe
clientca: Checking C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached

```

SEP_INST.log

Installs\windowsInstaller-KB893803-x86.exe attributes
 clientca: Current attributes: 20
 clientca: Deleting File: C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
 Installs\windowsInstaller-KB893803-x86.exe
 clientca: Error 0x91 Removing folder: C:\Documents and Settings\All
 Users\Application Data\Symantec\Symantec Endpoint
 Protection\12.1.671.4971.105\Data\Cached Installs\
 clientca: Folder marked for delete on reboot: C:\Documents and Settings\All
 Users\Application Data\Symantec\Symantec Endpoint
 Protection\12.1.671.4971.105\Data\Cached Installs\
 DestroyInstallCache Could not remove the install cache in rollback. DelteDir did
 not work, returned 0
 ShowServiceProgress_RB: decrementing tick
 MSI (s) (40:68) [20:17:16:218]: Executing op:
 ActionStart(Name=MoveFiles,Description=Перемещение файлов,Template=Файл: [1],
 Каталог: [9], Размер: [6])
 MSI (s) (40:68) [20:17:16:218]: Executing op:
 SetTargetFolder(Folder=C:\Documents and Settings\All Users\Application
 Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Config\)
 MSI (s) (40:68) [20:17:16:218]: Executing op: FileRemove(,FileName=C:\Documents
 and Settings\All Users\Application Data\Symantec\Symantec Endpoint
 Protection\12.1.671.4971.105\Data\Config\sep.slf,,)
 MSI (s) (40:68) [20:17:16:218]: Executing op:
 SetTargetFolder(Folder=C:\DOCUME~1\ADMINI~1\LOCALS~1\Temp\e99351f6-674a-46fe-bbd
 5-06c95a5a546d\)
 MSI (s) (40:68) [20:17:16:218]: Executing op:
 FileRemove(,FileName=C:\DOCUME~1\ADMINI~1\LOCALS~1\Temp\e99351f6-674a-46fe-bbd5-
 06c95a5a546d\SyLink.xml,,)
 ShowServiceProgress_RB: decrementing tick
 MSI (s) (40:68) [20:17:16:218]: Executing op:
 ActionStart(Name=CompressFolders,Description=Сжатие папок,)
 ShowServiceProgress_RB: decrementing tick
 MSI (s) (40:68) [20:17:16:218]: Executing op:
 ActionStart(Name=CreateFolders,Description=Создание папок,Template=Папка: [1])
 MSI (s) (40:68) [20:17:16:218]: Executing op: FolderRemove(Folder=C:\Documents
 and Settings\All Users\Application Data\Symantec\Symantec Endpoint
 Protection\12.1.671.4971.105\Data\xfer_tmp\,Foreign=0)
 MSI (s) (40:68) [20:17:16:234]: Executing op: FolderRemove(Folder=C:\Documents
 and Settings\All Users\Application Data\Symantec\Symantec Endpoint
 Protection\12.1.671.4971.105\Data\xfer\,Foreign=0)
 MSI (s) (40:68) [20:17:16:234]: Executing op: FolderRemove(Folder=C:\Documents
 and Settings\All Users\Application Data\Symantec\Symantec Endpoint
 Protection\12.1.671.4971.105\Data\Quarantine\,Foreign=0)
 MSI (s) (40:68) [20:17:16:234]: Executing op: FolderRemove(Folder=C:\Documents
 and Settings\All Users\Application Data\Symantec\Symantec Endpoint
 Protection\12.1.671.4971.105\Data\I2_LDVP.VDB\,Foreign=0)
 MSI (s) (40:68) [20:17:16:250]: Executing op: FolderRemove(Folder=C:\Documents
 and Settings\All Users\Application Data\Symantec\Symantec Endpoint
 Protection\12.1.671.4971.105\Data\DecTemp\,Foreign=0)
 MSI (s) (40:68) [20:17:16:250]: Executing op: FolderRemove(Folder=C:\Documents
 and Settings\All Users\Application Data\Symantec\Symantec Endpoint
 Protection\12.1.671.4971.105\Data\DB\,Foreign=0)
 MSI (s) (40:68) [20:17:16:250]: Executing op: FolderRemove(Folder=C:\Documents
 and Settings\All Users\Application Data\Symantec\Symantec Endpoint
 Protection\12.1.671.4971.105\Data\BadPatts\,Foreign=0)
 MSI (s) (40:68) [20:17:16:281]: Executing op: FolderRemove(Folder=C:\Documents
 and Settings\All Users\Application Data\Symantec\Symantec Endpoint
 Protection\12.1.671.4971.105\Data\APTemp\,Foreign=0)
 MSI (s) (40:68) [20:17:16:281]: Executing op: FolderRemove(Folder=C:\Documents
 and Settings\All Users\Application Data\Symantec\Symantec Endpoint
 Protection\12.1.671.4971.105\Data\Logs\AV\,Foreign=0)
 MSI (s) (40:68) [20:17:16:296]: Executing op: FolderRemove(Folder=C:\Documents
 and Settings\All Users\Application Data\Symantec\Symantec Endpoint
 Protection\12.1.671.4971.105\SRTP\SrtETmp\,Foreign=0)
 MSI (s) (40:68) [20:17:16:296]: Executing op: FolderRemove(Folder=C:\Documents
 and Settings\All Users\Application Data\Symantec\Symantec Endpoint
 Protection\12.1.671.4971.105\SRTP\Quarantine\,Foreign=0)

SEP_INST.log

MSI (s) (40:68) [20:17:16:312]: Executing op: FolderRemove(Folder=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\SRTPS\,Foreign=0)
MSI (s) (40:68) [20:17:16:312]: Executing op: FolderRemove(Folder=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\SymDS\Temp\,Foreign=0)
MSI (s) (40:68) [20:17:16:312]: Executing op: FolderRemove(Folder=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\SymDS\,Foreign=0)
MSI (s) (40:68) [20:17:16:312]: Executing op: FolderRemove(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\LUReg\,Foreign=0)
MSI (s) (40:68) [20:17:16:343]: Executing op: FolderRemove(Folder=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Lue\,Foreign=0)
MSI (s) (40:68) [20:17:16:343]: Executing op: FolderRemove(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\CmnCInt\ccSubSDK\,Foreign=0)
MSI (s) (40:68) [20:17:16:359]: Executing op: FolderRemove(Folder=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\CmnCInt\ccSubSDK\,Foreign=0)
MSI (s) (40:68) [20:17:16:359]: Executing op: FolderRemove(Folder=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\CmnCInt\ccJobMgr\,Foreign=0)
MSI (s) (40:68) [20:17:16:375]: Executing op: FolderRemove(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\CmnCInt\ccJobSch\,Foreign=0)
MSI (s) (40:68) [20:17:16:375]: Executing op: FolderRemove(Folder=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Logs\,Foreign=0)
MSI (s) (40:68) [20:17:16:375]: Executing op: FolderRemove(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\CmnCInt\ccGLog\,Foreign=0)
MSI (s) (40:68) [20:17:16:406]: Executing op: FolderRemove(Folder=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\CmnCInt\ccGLog\,Foreign=0)
MSI (s) (40:68) [20:17:16:406]: Executing op: FolderRemove(Folder=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\CmnCInt\ccGEvt\Global\,Foreign=0)
MSI (s) (40:68) [20:17:16:421]: Executing op: FolderRemove(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\CmnCInt\ccGEvt\,Foreign=0)
MSI (s) (40:68) [20:17:16:421]: Executing op: FolderRemove(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\CmnCInt\ccGEvt\Global\,Foreign=0)
MSI (s) (40:68) [20:17:16:468]: Executing op: FolderRemove(Folder=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\CmnCInt\ccGEvt\,Foreign=0)
MSI (s) (40:68) [20:17:16:468]: Executing op: FolderRemove(Folder=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\CmnCInt\ccSetMgr\,Foreign=0)
MSI (s) (40:68) [20:17:16:468]: Executing op: FolderRemove(Folder=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\CmnCInt_lck\,Foreign=0)
MSI (s) (40:68) [20:17:16:484]: Executing op: FolderRemove(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\CmnCInt\,Foreign=0)
MSI (s) (40:68) [20:17:16:484]: Executing op: FolderRemove(Folder=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Install\Logs\,Foreign=0)
MSI (s) (40:68) [20:17:16:484]: Executing op: FolderRemove(Folder=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Install\,Foreign=0)
MSI (s) (40:68) [20:17:16:484]: Executing op: FolderRemove(Folder=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\SPManifests\,Foreign=0)
MSI (s) (40:68) [20:17:16:484]: Executing op: FolderRemove(Folder=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Config\,Foreign=0)

SEP_INST.log

[illegible]

SEP_INST.log

[illegible]

SEP_INST.log

[illegible]

SEP_INST.log

[illegible]

SEP_INST.log

```
MSI (s) (40:68) [20:17:16:750]: Executing op: FolderRemove(Folder=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Config\,Foreign=0)
MSI (s) (40:68) [20:17:16:750]: Executing op: FolderRemove(Folder=C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Config\,Foreign=0)
ShowServiceProgress_RB: decrementing tick
MSI (s) (40:68) [20:17:16:750]: Executing op:
ActionStart(Name=SymRemoveFiles,Description=Выбор файлов для удаления при перезагрузке,Template=[1])
ShowServiceProgress_RB: decrementing tick
MSI (s) (40:68) [20:17:16:750]: Executing op:
ActionStart(Name=SymRemoveFiles_RB,,)
MSI (s) (40:68) [20:17:16:750]: Executing op:
CustomActionRollback(Action=SymRemoveFiles_RB,ActionType=3329,Source=BinaryData,Target=SymRemoveFiles_RB,CustomActionData=C:\DOCUME~1\ADMINI~1\LOCALS~1\Temp\e99351f6-674a-46fe-bbd5-06c95a5a546d\removefiles.xml)
MSI (s) (40:BC) [20:17:16:765]: Invoking remote custom action. DLL: C:\WINDOWS\Installer\MSIF3.tmp, Entry point: SymRemoveFiles_RB
ShowServiceProgress_RB: decrementing tick
MSI (s) (40:68) [20:17:16:796]: Executing op:
ActionStart(Name=SymRemoveRollbackFiles,,)
MSI (s) (40:68) [20:17:16:796]: Executing op:
CustomActionRollback(Action=SymRemoveRollbackFiles,ActionType=3329,Source=BinaryData,Target=SymRemoveFiles,CustomActionData=C:\DOCUME~1\ADMINI~1\LOCALS~1\Temp\e99351f6-674a-46fe-bbd5-06c95a5a546d\rollbackfiles.xml)
MSI (s) (40:C4) [20:17:16:812]: Invoking remote custom action. DLL: C:\WINDOWS\Installer\MSIF4.tmp, Entry point: SymRemoveFiles
SymRemoveFiles: SymRemoveFiles.xmlfilename: C:\DOCUME~1\ADMINI~1\LOCALS~1\Temp\e99351f6-674a-46fe-bbd5-06c95a5a546d\rollbackfiles.xml
SymRemoveFiles: SymRemoveFiles Usecase: rollback.
SymRemoveFiles: Not adding C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\CmnCInt\ccSubSDK FindFirstFile() returned 3
SymRemoveFiles: Adding C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\IRON\Iron.db to removefiles.xml
SymRemoveFiles: Adding C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\IRON\Iron.db to removefiles.xml
SymRemoveFiles: Not adding C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\SRTPSP\SRTPSPSE.DAT FindFirstFile() returned 3
SymRemoveFiles: Not adding C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\bin\CmnCInt\ccJobSch FindFirstFile() returned 3
SymRemoveFiles: Not adding C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\CmnCInt\ccSubSDK\* FindFirstFile() returned 3
SymRemoveFiles: Not adding C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\CmnCInt\SBSDKGbl.dat FindFirstFile() returned 3
SymRemoveFiles: Not adding C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\BASH FindFirstFile() returned 2
SymRemoveFiles: Not adding C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\SRTPSP\SRtspSet.dat FindFirstFile() returned 3
SymRemoveFiles: Not adding C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\SRTPSP\SRTPSPSO.DAT FindFirstFile() returned 3
SymRemoveFiles: Not adding C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\SRTPSP\SRTPSPSP.DAT FindFirstFile() returned 3
SymRemoveFiles: Not adding C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\IPS FindFirstFile() returned 2
```

SEP_INST.log

SymRemoveFiles: Not adding C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res FindFirstFile() returned 2
SymRemoveFiles: Not adding C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Temp FindFirstFile() returned 2
SymRemoveFiles: Not adding C:\Program Files\Common Files\Symantec Shared FindFirstFile() returned 2
SymRemoveFiles: Not adding C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Definitions FindFirstFile() returned 2
SymRemoveFiles: Not adding C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\inbox* FindFirstFile() returned 3
SymRemoveFiles: Not adding C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\inbox FindFirstFile() returned 2
SymRemoveFiles: Not adding C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Logs* FindFirstFile() returned 3
SymRemoveFiles: Not adding C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Logs FindFirstFile() returned 2
SymRemoveFiles: Not adding C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\State* FindFirstFile() returned 3
SymRemoveFiles: Not adding C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\DecTemp* FindFirstFile() returned 3
SymRemoveFiles: Not adding C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\DecTemp FindFirstFile() returned 2
SymRemoveFiles: Not adding C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\BASH\BHLINKS.DB FindFirstFile() returned 3
SymRemoveFiles: Not adding C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Definitions* FindFirstFile() returned 3
SymRemoveFiles: Not adding C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\State FindFirstFile() returned 2
SymRemoveFiles: Not adding C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\State\SerState.dat FindFirstFile() returned 3
SymRemoveFiles: Not adding C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\State\SerState.dat.bak FindFirstFile() returned 3
SymRemoveFiles: Not adding C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\CmnCln* FindFirstFile() returned 3
SymRemoveFiles: Not adding C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Config* FindFirstFile() returned 3
SymRemoveFiles: Not adding C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Config FindFirstFile() returned 2
SymRemoveFiles: Not adding C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\LiveUpdate* FindFirstFile() returned 3
SymRemoveFiles: Not adding C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\LiveUpdate FindFirstFile() returned 2
SymRemoveFiles: Not adding C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\SmcLU* FindFirstFile() returned 3
SymRemoveFiles: Not adding C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\SmcLU FindFirstFile() returned 2
SymRemoveFiles: Not adding C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Temp* FindFirstFile() returned 3
SymRemoveFiles: Not adding C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\SharedUpdates* FindFirstFile() returned 3
SymRemoveFiles: Not adding C:\Program Files\Symantec\Symantec Endpoint

SEP_INST.log

```

Protection\12.1.671.4971.105\Bin\SharedUpdates FindFirstFile() returned 2
SymRemoveFiles: Adding C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\ccIPC.dll to removefiles.xml
SymRemoveFiles: Adding C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\ccL100U.dll to removefiles.xml
SymRemoveFiles: Adding C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\ccSet.dll to removefiles.xml
SymRemoveFiles: Adding C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\ccSvc.dll to removefiles.xml
SymRemoveFiles: Adding C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\ccSvcHst.exe to removefiles.xml
SymRemoveFiles: Adding C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\ccVrTrst.dll to removefiles.xml
SymRemoveFiles: Adding C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\DefUtDCD.dll to removefiles.xml
SymRemoveFiles: Adding C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\EFACli.dll to removefiles.xml
SymRemoveFiles: Adding C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\msvc90.dll to removefiles.xml
SymRemoveFiles: Adding C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\msvcr90.dll to removefiles.xml
SymRemoveFiles: Adding C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\sepdhandler.dll to
removefiles.xml
SymRemoveFiles: Adding C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\sis.dll to removefiles.xml
SymRemoveFiles: Adding C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\sms.dll to removefiles.xml
SymRemoveFiles: Adding C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\Program Files\Symantec\Name\Version\Bin\Srtsp32.dll to removefiles.xml
SymRemoveFiles: Not adding C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\installdata.xml FindFirstFile() returned 2
SymRemoveFiles: Not adding C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Install\Scripts FindFirstFile() returned 2
SymRemoveFiles: Not adding C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\CurrentVersion FindFirstFile()
returned 2
SymRemoveFiles: Not adding C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Install\Scripts\{24BF7A02-B60A-494B-843A-793BB
C77DED4}.rus FindFirstFile() returned 3
SymRemoveFiles: Not adding C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Install\Scripts\{24BF7A02-B60A-494B-843A-793BB
C77DED4}_completed.rus FindFirstFile() returned 3
SymRemoveFiles: Not adding C:\WINDOWS\system32\Drivers\SysPlant.sys
FindFirstFile() returned 2
SymRemoveFiles: Not adding C:\WINDOWS\system32\sysfer.dll FindFirstFile()
returned 2
SymRemoveFiles: Not adding C:\WINDOWS\system32\sysferThunk.dll FindFirstFile()
returned 2
SymRemoveFiles: Not adding C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Config\GRC.dat

```

SEP_INST.log

```

FindFirstFile() returned 3
SymRemoveFiles: Not adding C:\WINDOWS\system32\FwsVpn.dll FindFirstFile()
returned 2
SymRemoveFiles: Not adding C:\WINDOWS\system32\Drivers\WGX.SYS FindFirstFile()
returned 2
SymRemoveFiles: Not adding C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\bin\SPManifests FindFirstFile() returned 2
SymRemoveFiles: Not adding C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\bin\SPManifests\* FindFirstFile() returned 3
SymRemoveFiles: Not adding C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\SPManifests
FindFirstFile() returned 2
SymRemoveFiles: Not adding C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\SPManifests\*
FindFirstFile() returned 3
SymRemoveFiles: Not adding C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\CmnCInt
FindFirstFile() returned 2
SymRemoveFiles: Not adding C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\CmnCInt\_lck
FindFirstFile() returned 3
SymRemoveFiles: Not adding C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\CmnCInt\_lck\*
FindFirstFile() returned 3
SymRemoveFiles: Not adding C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\bin\CmnCInt FindFirstFile() returned 2
SymRemoveFiles: Not adding C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\CmnCInt\ccSetMgr FindFirstFile() returned 3
SymRemoveFiles: Not adding C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\CmnCInt\ccSetMgr\* FindFirstFile() returned 3
SymRemoveFiles: Not adding C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\bin\CmnCInt\ccGEvt FindFirstFile() returned 3
SymRemoveFiles: Not adding C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\bin\CmnCInt\ccGEvt\Global FindFirstFile() returned
3
SymRemoveFiles: Not adding C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\CmnCInt\ccGEvt
FindFirstFile() returned 3
SymRemoveFiles: Not adding C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\CmnCInt\ccGEvt\Global FindFirstFile()
returned 3
SymRemoveFiles: Not adding C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\bin\CmnCInt\ccGEvt\Global\LM.dat FindFirstFile()
returned 3
SymRemoveFiles: Not adding C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\CmnCInt\ccGEvt\Global\LM2.dat FindFirstFile()
returned 3
SymRemoveFiles: Not adding C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\bin\CmnCInt\ccGLog FindFirstFile() returned 3
SymRemoveFiles: Not adding C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\CmnCInt\ccGLog
FindFirstFile() returned 3
SymRemoveFiles: Not adding C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Logs
FindFirstFile() returned 2
SymRemoveFiles: Not adding C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Logs\*
FindFirstFile() returned 3
SymRemoveFiles: Not adding C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\CmnCInt\ccGLog\LM.dat FindFirstFile()
returned 3
SymRemoveFiles: Not adding C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\bin\CmnCInt\ccGLog\ccGLog.dat FindFirstFile()

```

returned 3
SymRemoveFiles: Not adding C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\bin\CmnCInt\ccJobSch\ccJobSch.dat FindFirstFile() returned 3
SymRemoveFiles: Not adding C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\CmnCInt\ccJobMgr FindFirstFile() returned 3
SymRemoveFiles: Not adding C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\CmnCInt\ccJobMgr\JobMgr.dat FindFirstFile() returned 3
SymRemoveFiles: Not adding C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\CmnCInt\SBSDKEng.dat FindFirstFile() returned 3
SymRemoveFiles: Not adding C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\bin\CmnCInt\ccSubSDK FindFirstFile() returned 3
SymRemoveFiles: Not adding C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Lue FindFirstFile() returned 2
SymRemoveFiles: Not adding C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Lue* FindFirstFile() returned 3
SymRemoveFiles: Not adding C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\bin\LUReg FindFirstFile() returned 2
SymRemoveFiles: Not adding C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\bin\LUReg* FindFirstFile() returned 3
SymRemoveFiles: Not adding C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Lue* FindFirstFile() returned 3
SymRemoveFiles: Not adding C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\bin\LUReg* FindFirstFile() returned 3
SymRemoveFiles: Not adding C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\bin\DuPtUpRg.dat FindFirstFile() returned 2
SymRemoveFiles: Not adding C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\SymDS FindFirstFile() returned 2
SymRemoveFiles: Not adding C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\SymDS\Temp FindFirstFile() returned 3
SymRemoveFiles: Adding C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\symnetdrv\ActiveD.dat to removefiles.xml
SymRemoveFiles: Adding C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\symnetdrv\CmdLnch.dat to removefiles.xml
SymRemoveFiles: Adding C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\symnetdrv\CodeInj.dat to removefiles.xml
SymRemoveFiles: Adding C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\symnetdrv\COMCtrl.dat to removefiles.xml
SymRemoveFiles: Adding C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\symnetdrv\Comp.dat to removefiles.xml
SymRemoveFiles: Adding C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\symnetdrv\DirNet.dat to removefiles.xml
SymRemoveFiles: Adding C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\symnetdrv\KeyLog.dat to removefiles.xml
SymRemoveFiles: Adding C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\symnetdrv\Launch.dat to removefiles.xml
SymRemoveFiles: Adding C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\symnetdrv\RULE_CUR.dat to removefiles.xml
SymRemoveFiles: Adding C:\Documents and Settings\All Users\Application

Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\symnetdrv\SET_CUR.dat to removefiles.xml
 SymRemoveFiles: Adding C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\symnetdrv\winMsg.dat to removefiles.xml
 SymRemoveFiles: Not adding C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\SRTPSP
 FindFirstFile() returned 2
 SymRemoveFiles: Not adding C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\SRTPSP\Quarantine
 FindFirstFile() returned 3
 SymRemoveFiles: Not adding C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\SRTPSP\Quarantine\
 FindFirstFile() returned 3
 SymRemoveFiles: Not adding C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\SRTPSP\SrtETmp
 FindFirstFile() returned 3
 SymRemoveFiles: Not adding C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\SRTPSP\SrtETmp\
 FindFirstFile() returned 3
 SymRemoveFiles: Not adding C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\SRTPSP\
 FindFirstFile() returned 3
 SymRemoveFiles: Not adding C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\SRTPSP
 FindFirstFile() returned 2
 SymRemoveFiles: Not adding C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\IPS\
 FindFirstFile() returned 3
 SymRemoveFiles: Not adding C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\bin\IPS FindFirstFile() returned 2
 SymRemoveFiles: Adding
 C:\DOCUME~1\ADMINI~1\LOCALS~1\Temp\e99351f6-674a-46fe-bbd5-06c95a5a546d\rollback files.xml to removefiles.xml
 SymRemoveFiles: Marking 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached Installs\Program Files\Symantec\Name\Version\Bin\ccSet.dll' for delete on reboot
 SymRemoveFiles: Marking 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached Installs\Program Files\Symantec\Name\Version\Bin\ccSvc.dll' for delete on reboot
 SymRemoveFiles: Marking 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached Installs\Program Files\Symantec\Name\Version\Bin\ccSvcHst.exe' for delete on reboot
 SymRemoveFiles: Marking 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached Installs\Program Files\Symantec\Name\Version\Bin\ccVrTrst.dll' for delete on reboot
 SymRemoveFiles: Marking 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached Installs\Program Files\Symantec\Name\Version\Bin\DefUtDCD.dll' for delete on reboot
 SymRemoveFiles: Marking 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached Installs\Program Files\Symantec\Name\Version\Bin\EFACli.dll' for delete on reboot
 SymRemoveFiles: Marking 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached Installs\Program Files\Symantec\Name\Version\Bin\msvcr90.dll' for delete on reboot
 SymRemoveFiles: Marking 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached Installs\Program Files\Symantec\Name\Version\Bin\msvc90.dll' for delete on reboot
 SymRemoveFiles: Marking 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached Installs\Program Files\Symantec\Name\Version\Bin\Srtsp32.dll' for delete on reboot

SEP_INST.log

SymRemoveFiles: Marking 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached Installs\Program Files\Symantec\Name\Version\Bin\sms.dll' for delete on reboot

SymRemoveFiles: Marking 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached Installs\Program Files\Symantec\Name\Version\Bin\sis.dll' for delete on reboot

SymRemoveFiles: Marking 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached Installs\Program Files\Symantec\Name\Version\Bin\sepduhandler.dll' for delete on reboot

SymRemoveFiles: Marking 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached Installs\Program Files\Symantec\Name\Version\Bin\ccIPC.dll' for delete on reboot

SymRemoveFiles: Marking 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached Installs\Program Files\Symantec\Name\Version\Bin\ccL100U.dll' for delete on reboot

SymRemoveFiles: Marking 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached Installs\Program Files\Symantec\Name\Version\Bin' for delete on reboot

SymRemoveFiles: Marking 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached Installs\Program Files\Symantec\Name\Version' for delete on reboot

SymRemoveFiles: Marking 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached Installs\Program Files\Symantec\Name' for delete on reboot

SymRemoveFiles: Marking 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached Installs\Program Files\Symantec' for delete on reboot

SymRemoveFiles: Marking 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\IRON\Iron.db' for delete on reboot

SymRemoveFiles: Marking 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\symnetdrv\KeyLog.dat' for delete on reboot

SymRemoveFiles: Marking 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\IRON\Iron.db' for delete on reboot

SymRemoveFiles: Marking 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\symnetdrv\Launch.dat' for delete on reboot

SymRemoveFiles: Marking 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\symnetdrv\RULE_CUR.dat' for delete on reboot

SymRemoveFiles: Marking 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\symnetdrv\SET_CUR.dat' for delete on reboot

SymRemoveFiles: Marking 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\symnetdrv\winMsg.dat' for delete on reboot

SymRemoveFiles: Marking 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\symnetdrv\DirNet.dat' for delete on reboot

SymRemoveFiles: Marking 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached Installs\Program Files' for delete on reboot

SymRemoveFiles: Marking 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Install\Logs' for delete on reboot

SymRemoveFiles: Marking 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\symnetdrv\ActiveD.dat' for delete on reboot

SymRemoveFiles: Marking 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\symnetdrv\CmdLnch.dat' for delete on reboot

SymRemoveFiles: Marking 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\symnetdrv\CodeInj.dat' for delete on reboot

SEP_INST.log

SymRemoveFiles: Marking 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\symnetdrv\COMCtrl.dat' for delete on reboot
SymRemoveFiles: Marking 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\symnetdrv\Comp.dat' for delete on reboot
SymRemoveFiles: Marking 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\IRON' for delete on reboot
SymRemoveFiles: Marking 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\symnetdrv' for delete on reboot
SymRemoveFiles: Marking 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached Installs' for delete on reboot
SymRemoveFiles: Marking 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Install' for delete on reboot
SymRemoveFiles: Marking 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data' for delete on reboot
SymRemoveFiles: Marking 'C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86' for delete on reboot
SymRemoveFiles: Marking 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105' for delete on reboot
SymRemoveFiles: Marking 'C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105' for delete on reboot
SymRemoveFiles: Marking 'C:\DOCUME~1\ADMINI~1\LOCALS~1\Temp\e99351f6-674a-46fe-bbd5-06c95a5a546d\rollbackfiles.xml' for delete on reboot
SymRemoveFiles: Marking 'C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin' for delete on reboot
SymRemoveFiles: Marking 'C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection' for delete on reboot
SymRemoveFiles: Marking 'C:\WINDOWS\system32\Drivers\SEP\0C01029F' for delete on reboot
SymRemoveFiles: Marking 'C:\WINDOWS\system32\Drivers\SEP' for delete on reboot
SymRemoveFiles: Marking 'C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105' for delete on reboot
SymRemoveFiles: Marking 'C:\Documents and Settings\All Users\Application Data\Symantec' for delete on reboot
SymRemoveFiles: Marking 'C:\Program Files\Symantec\Symantec Endpoint Protection' for delete on reboot
SymRemoveFiles: Marking 'C:\Program Files\Symantec' for delete on reboot
ShowServiceProgress_RB: decrementing tick
MSI (s) (40:68) [20:17:16:875]: Executing op: ActionStart(Name=SymRemoveEmptyFolders,,)
MSI (s) (40:68) [20:17:16:875]: Executing op: CustomActionRollback(Action=SymRemoveEmptyFolders,ActionType=3329,Source=BinaryData,Target=SymRemoveEmptyFolders,CustomActionData=C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\;;C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\;C:\Program Files\Symantec\Symantec Endpoint Protection\;C:\Program Files\Symantec\)
MSI (s) (40:CC) [20:17:16:875]: Invoking remote custom action. DLL: C:\WINDOWS\Installer\MSIF5.tmp, Entrypoint: SymRemoveEmptyFolders
ShowServiceProgress_RB: decrementing tick
MSI (s) (40:68) [20:17:16:906]: Executing op: ActionStart(Name=RemoveRegistryValues,Description=удаление параметров системного реестра,Template=Раздел: [1], Имя: [2])
MSI (s) (40:68) [20:17:16:906]: Executing op: RegOpenKey(Root=-2147483646,Key=SOFTWARE\Symantec\Symantec Endpoint Protection\SMC\SYLINK\SyLink,,BinaryType=0)
MSI (s) (40:68) [20:17:16:906]: Executing op: RegRemoveKey()
MSI (s) (40:68) [20:17:16:906]: Note: 1: 1402 2: HKEY_LOCAL_MACHINE\SOFTWARE\Symantec\Symantec Endpoint Protection\SMC\SYLINK\SyLink 3: 2
ShowServiceProgress_RB: decrementing tick

SEP_INST.log

MSI (s) (40:68) [20:17:16:906]: Executing op:
 ActionStart(Name=SymDeleteServices,Description=Выбор служб для удаления при
 перезагрузке,Template=[1])
 ShowServiceProgress_RB: decrementing tick
 MSI (s) (40:68) [20:17:16:906]: Executing op:
 ActionStart(Name=SymDeleteServices_RB,Description=Восстановление служб,
 выбранных для удаления,Template=[1])
 MSI (s) (40:68) [20:17:16:906]: Executing op:
 CustomActionRollback(Action=SymDeleteServices_RB,ActionType=1281,Source=BinaryDa
 ta,Target=SymDeleteServices_RB,)
 MSI (s) (40:D4) [20:17:16:906]: Invoking remote custom action. DLL:
 C:\WINDOWS\Installer\MSIF6.tmp, Entrypoint: SymDeleteServices_RB
 SymDeleteServices: Unable to open '': 0
 ShowServiceProgress_RB: decrementing tick
 MSI (s) (40:68) [20:17:16:984]: Executing op:
 ActionStart(Name=CleanInstallStopSMS_RB,,)
 MSI (s) (40:68) [20:17:16:984]: Executing op:
 CustomActionRollback(Action=CleanInstallStopSMS_RB,ActionType=3393,Source=Binary
 Data,Target=StopSMS,CustomActionData=SepMasterService)
 MSI (s) (40:DC) [20:17:17:000]: Invoking remote custom action. DLL:
 C:\WINDOWS\Installer\MSIF7.tmp, Entrypoint: StopSMS
 stopProtectedService: Attempting to stop SepMasterService
 stopProtectedService: Unloading BASH driver...
 stopProtectedService: BASH has been successfully unloaded
 stopProtectedService: Verifying service SepMasterService status.
 InstallUtils::CServiceUtil::isServiceRunningChecking status of service:
 SepMasterService
 InstallUtils::CServiceUtil::isServiceRunningService SepMasterService is
 currently running.
 stopProtectedService: SetTimeout call success ms:300000
 stopProtectedService: Before call PrepareStopService.
 stopProtectedService: After call PrepareStopService.
 stopProtectedService: SepMasterService was successfully stopped
 ShowServiceProgress_RB: decrementing tick
 MSI (s) (40:68) [20:17:19:421]: Executing op:
 ActionStart(Name=CleanInstallDeletesMS_RB,,)
 MSI (s) (40:68) [20:17:19:421]: Executing op:
 CustomActionRollback(Action=CleanInstallDeletesMS_RB,ActionType=3329,Source=Bina
 ryData,Target=DeleteSepMasterService,CustomActionData=SepMasterService)
 MSI (s) (40:F4) [20:17:19:437]: Invoking remote custom action. DLL:
 C:\WINDOWS\Installer\MSIF8.tmp, Entrypoint: DeleteSepMasterService
 createSMS: Failed to delete the service handle: 1060
 ShowServiceProgress_RB: decrementing tick
 MSI (s) (40:68) [20:17:19:453]: Executing op:
 ActionStart(Name=DeleteServices,Description=Удаление служб,Template=Служба: [1])
 ShowServiceProgress_RB: decrementing tick
 MSI (s) (40:68) [20:17:19:453]: Executing op:
 ActionStart(Name=StopServices,Description=Остановка служб,Template=Служба: [1])
 ShowServiceProgress_RB: decrementing tick
 MSI (s) (40:68) [20:17:19:453]: Executing op:
 ActionStart(Name=ProcessComponents,Description=Обновление регистрации
 компонентов,)
 MSI (s) (40:68) [20:17:19:453]: Executing op:
 ComponentUnregister(ComponentId={DBBD18B2-31F6-5901-AF3E-B8799BD39CED},ProductKe
 y={816230FE-84A1-47CC-BF64-C113014BD15B},BinaryType=0,)
 MSI (s) (40:68) [20:17:19:453]: Executing op:
 ComponentUnregister(ComponentId={52F4E830-5B71-50AD-9DAD-94C433E57694},ProductKe
 y={816230FE-84A1-47CC-BF64-C113014BD15B},BinaryType=0,)
 MSI (s) (40:68) [20:17:19:453]: Executing op:
 ComponentUnregister(ComponentId={50ADF719-CC8F-510A-856C-291249234E87},ProductKe
 y={816230FE-84A1-47CC-BF64-C113014BD15B},BinaryType=0,)
 MSI (s) (40:68) [20:17:19:453]: Executing op:
 ComponentUnregister(ComponentId={29DD44F6-2559-5662-94DC-84029161B462},ProductKe
 y={816230FE-84A1-47CC-BF64-C113014BD15B},BinaryType=0,)
 MSI (s) (40:68) [20:17:19:453]: Executing op:
 ComponentUnregister(ComponentId={A03B0517-3A9D-5216-9B4A-9E7FB6A900F0},ProductKe
 y={816230FE-84A1-47CC-BF64-C113014BD15B},BinaryType=0,)
 MSI (s) (40:68) [20:17:19:453]: Executing op:

SEP_INST.log

ComponentUnregister(ComponentId={07E9654A-7C62-5838-B92B-77D88711F493}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:453]: Executing op:
ComponentUnregister(ComponentId={4F9DE7DE-010B-5902-8443-CB4D6AEDEF20}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:453]: Executing op:
ComponentUnregister(ComponentId={362E0D13-6CD1-569B-9DAC-35933A70CF2A}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:453]: Executing op:
ComponentUnregister(ComponentId={632DCB2A-F2F4-5EDD-9128-AACE429D6EE0}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:453]: Executing op:
ComponentUnregister(ComponentId={76FE11DC-F645-500E-8530-4B9600E603F8}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:453]: Executing op:
ComponentUnregister(ComponentId={FBA88028-A2D5-55AF-A475-EED626C1A756}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:453]: Executing op:
ComponentUnregister(ComponentId={E9CE8EA4-A705-5913-96EB-EECC576AA204}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:453]: Executing op:
ComponentUnregister(ComponentId={F38568D5-B697-59AA-996F-3C0D3E8CDB57}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:453]: Executing op:
ComponentUnregister(ComponentId={FE559823-CB38-5CD1-AD4E-698BECE457B9}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:453]: Executing op:
ComponentUnregister(ComponentId={251DA186-5349-55EA-A029-5954185351E9}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:453]: Executing op:
ComponentUnregister(ComponentId={CE501085-E9CF-52C4-BA81-B268CC9DC88D}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:453]: Executing op:
ComponentUnregister(ComponentId={A9076240-68AD-5BA9-8213-733291A58FA9}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:453]: Executing op:
ComponentUnregister(ComponentId={8B6FDD08-A1A0-5C07-9C7D-69E3EEC97107}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:453]: Executing op:
ComponentUnregister(ComponentId={88476905-0776-58ED-AB92-EA6B23FBF30E}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:453]: Executing op:
ComponentUnregister(ComponentId={63F1CC92-771F-54F1-852D-102A3235FE72}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:453]: Executing op:
ComponentUnregister(ComponentId={503B63C9-D93D-56CC-BCF8-7DD6B8597E3F}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:453]: Executing op:
ComponentUnregister(ComponentId={BE86AFAE-D59E-5FCB-8CB4-C61567BF6601}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:453]: Executing op:
ComponentUnregister(ComponentId={0AE6FBF9-AB0D-5332-A0F6-75244E431807}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:453]: Executing op:
ComponentUnregister(ComponentId={07E868A5-80BF-5113-918C-598C736AF0AC}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:453]: Executing op:
ComponentUnregister(ComponentId={E641F544-877A-5A2F-B9D3-810A1BD5A20B}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:453]: Executing op:
ComponentUnregister(ComponentId={C95BFA39-A6B3-592F-8664-4FF262A7CFCF}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:453]: Executing op:
ComponentUnregister(ComponentId={C69C4E60-5586-5A32-A77D-B0952CC93674}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:453]: Executing op:
ComponentUnregister(ComponentId={B9C162E2-8A49-5102-B02E-CE9B8C842EE5}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)

SEP_INST.log

MSI (s) (40:68) [20:17:19:453]: Executing op:
ComponentUnregister(ComponentId={87EECA2-78F5-59A6-9D67-828FC85F5193}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:453]: Executing op:
ComponentUnregister(ComponentId={91438EAF-C459-5B8E-8C35-AAECADCB45E3}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:453]: Executing op:
ComponentUnregister(ComponentId={30E4971B-A817-5704-BDB9-8E91A6E3D64D}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:453]: Executing op:
ComponentUnregister(ComponentId={58F431B1-69C2-57F7-82DC-E4C58C0DE4BF}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:453]: Executing op:
ComponentUnregister(ComponentId={E7F55531-2DC8-55DC-AEC5-01AB87729D66}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:453]: Executing op:
ComponentUnregister(ComponentId={FD78F2A5-6899-57E1-BAAC-139CFB022264}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:453]: Executing op:
ComponentUnregister(ComponentId={18387F8D-B8C5-5DFA-A2DE-A2BA4040C78A}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:453]: Executing op:
ComponentUnregister(ComponentId={F5A65423-052F-57D9-910F-CC4B6B2FAFD9}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:453]: Executing op:
ComponentUnregister(ComponentId={DF0C0FFD-DD83-5CB5-80FA-71379D989659}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:453]: Executing op:
ComponentUnregister(ComponentId={0928EE73-9F1D-5E9C-81CC-163E5008FD3A}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:453]: Executing op:
ComponentUnregister(ComponentId={483EED3F-AFD4-5B5C-AC2C-9A1075A1C1D1}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:453]: Executing op:
ComponentUnregister(ComponentId={6819B788-920C-5F37-8CD6-7C3CEEA7A4A0}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:453]: Executing op:
ComponentUnregister(ComponentId={FD40172F-4ED1-554F-B926-492FC723423F}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:453]: Executing op:
ComponentUnregister(ComponentId={A524EBFB-AC48-53C4-842E-5892CEFC33C5}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:453]: Executing op:
ComponentUnregister(ComponentId={FC936066-45AC-553F-92A5-44FE5BCA89BC}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:453]: Executing op:
ComponentUnregister(ComponentId={9CDD9F85-2B0B-550D-A919-95B81C3DD39F}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:453]: Executing op:
ComponentUnregister(ComponentId={24B2002F-CECA-554B-9D50-060F92D9CC17}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:453]: Executing op:
ComponentUnregister(ComponentId={ED11D510-6492-55B6-9CC1-EDFFA122353E}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:453]: Executing op:
ComponentUnregister(ComponentId={EA84CC48-9966-5607-BCD1-E115D53B1A58}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:453]: Executing op:
ComponentUnregister(ComponentId={DADD5F7A-1896-5598-8B5A-E5377C61A853}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:453]: Executing op:
ComponentUnregister(ComponentId={B4EF57E4-6262-5631-9044-BD566EAB5326}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:453]: Executing op:
ComponentUnregister(ComponentId={78F19C9B-55DE-50B8-9D5C-74B68D04953E}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:453]: Executing op:
ComponentUnregister(ComponentId={FBAD6319-1F4C-58F0-894D-98AE8C430087}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)

SEP_INST.log

```

y={816230FE-84A1-47CC-BF64-C113014BD15B},BinaryType=0,)
MSI (s) (40:68) [20:17:19:453]: Executing op:
ComponentUnregister(ComponentId={B083BDD1-68EA-5047-BFB1-C43CEE9C7004},ProductKey
y={816230FE-84A1-47CC-BF64-C113014BD15B},BinaryType=0,)
MSI (s) (40:68) [20:17:19:453]: Executing op:
ComponentUnregister(ComponentId={4FD8CFE6-7A14-4863-9F2E-B9D47CAE4711},ProductKey
y={816230FE-84A1-47CC-BF64-C113014BD15B},BinaryType=0,)
MSI (s) (40:68) [20:17:19:453]: Executing op:
ComponentUnregister(ComponentId={78E8627A-9DE5-5AC4-AF2A-841E5508EFDB},ProductKey
y={816230FE-84A1-47CC-BF64-C113014BD15B},BinaryType=0,)
MSI (s) (40:68) [20:17:19:453]: Executing op:
ComponentUnregister(ComponentId={CC2E9DEC-C207-50CC-BE27-AD8FC42AA0F2},ProductKey
y={816230FE-84A1-47CC-BF64-C113014BD15B},BinaryType=0,)
MSI (s) (40:68) [20:17:19:453]: Executing op:
ComponentUnregister(ComponentId={6BB3E811-4FD8-5605-9F0C-F50443EFD4E6},ProductKey
y={816230FE-84A1-47CC-BF64-C113014BD15B},BinaryType=0,)
MSI (s) (40:68) [20:17:19:453]: Executing op:
ComponentUnregister(ComponentId={68CA9ACD-CFF7-58A9-BD2C-97750CBE4E71},ProductKey
y={816230FE-84A1-47CC-BF64-C113014BD15B},BinaryType=0,)
MSI (s) (40:68) [20:17:19:453]: Executing op:
ComponentUnregister(ComponentId={CE734619-6F85-51D7-A3F8-9A98A565ED40},ProductKey
y={816230FE-84A1-47CC-BF64-C113014BD15B},BinaryType=0,)
MSI (s) (40:68) [20:17:19:453]: Executing op:
ComponentUnregister(ComponentId={CDF51173-5D3B-5C69-AEE4-529F7AC64867},ProductKey
y={816230FE-84A1-47CC-BF64-C113014BD15B},BinaryType=0,)
MSI (s) (40:68) [20:17:19:453]: Executing op:
ComponentUnregister(ComponentId={3659C3FE-887C-57AA-BFAF-1257266F84AC},ProductKey
y={816230FE-84A1-47CC-BF64-C113014BD15B},BinaryType=0,)
MSI (s) (40:68) [20:17:19:453]: Executing op:
ComponentUnregister(ComponentId={E42EFE6E-559C-58D0-9D03-89067522BB78},ProductKey
y={816230FE-84A1-47CC-BF64-C113014BD15B},BinaryType=0,)
MSI (s) (40:68) [20:17:19:468]: Executing op:
ComponentUnregister(ComponentId={1082D734-5567-5D10-A4C3-F49526181135},ProductKey
y={816230FE-84A1-47CC-BF64-C113014BD15B},BinaryType=0,)
MSI (s) (40:68) [20:17:19:468]: Executing op:
ComponentUnregister(ComponentId={36A025A6-4FE6-5C1C-8B0C-98E7F0B1E1D4},ProductKey
y={816230FE-84A1-47CC-BF64-C113014BD15B},BinaryType=0,)
MSI (s) (40:68) [20:17:19:468]: Executing op:
ComponentUnregister(ComponentId={C409FE46-E308-57C0-A49B-927BABA20205},ProductKey
y={816230FE-84A1-47CC-BF64-C113014BD15B},BinaryType=0,)
MSI (s) (40:68) [20:17:19:468]: Executing op:
ComponentUnregister(ComponentId={13F0581C-E85F-518A-ADDE-2434227FB983},ProductKey
y={816230FE-84A1-47CC-BF64-C113014BD15B},BinaryType=0,)
MSI (s) (40:68) [20:17:19:468]: Executing op:
ComponentUnregister(ComponentId={CBC56EC6-FB88-58A8-AE9F-FE2E9F2B69FD},ProductKey
y={816230FE-84A1-47CC-BF64-C113014BD15B},BinaryType=0,)
MSI (s) (40:68) [20:17:19:468]: Executing op:
ComponentUnregister(ComponentId={3B20FB33-263D-506E-A665-84E070FAD3C8},ProductKey
y={816230FE-84A1-47CC-BF64-C113014BD15B},BinaryType=0,)
MSI (s) (40:68) [20:17:19:468]: Executing op:
ComponentUnregister(ComponentId={4A58BD59-59DA-50D6-ACDD-57249B9ABEAA},ProductKey
y={816230FE-84A1-47CC-BF64-C113014BD15B},BinaryType=0,)
MSI (s) (40:68) [20:17:19:468]: Executing op:
ComponentUnregister(ComponentId={1F13FEB3-7D48-5A03-B1AE-D6AF194297EA},ProductKey
y={816230FE-84A1-47CC-BF64-C113014BD15B},BinaryType=0,)
MSI (s) (40:68) [20:17:19:468]: Executing op:
ComponentUnregister(ComponentId={E73BB129-0C52-584E-B0E3-3727E516AD01},ProductKey
y={816230FE-84A1-47CC-BF64-C113014BD15B},BinaryType=0,)
MSI (s) (40:68) [20:17:19:468]: Executing op:
ComponentUnregister(ComponentId={3C4A2469-88D4-525D-AD2C-55C67246F750},ProductKey
y={816230FE-84A1-47CC-BF64-C113014BD15B},BinaryType=0,)
MSI (s) (40:68) [20:17:19:468]: Executing op:
ComponentUnregister(ComponentId={CD050D3B-18A5-575A-8FBC-4CED5C3D4351},ProductKey
y={816230FE-84A1-47CC-BF64-C113014BD15B},BinaryType=0,)
MSI (s) (40:68) [20:17:19:468]: Executing op:
ComponentUnregister(ComponentId={49BDF27E-C65A-51ED-9765-09A25B1903C3},ProductKey
y={816230FE-84A1-47CC-BF64-C113014BD15B},BinaryType=0,)
MSI (s) (40:68) [20:17:19:468]: Executing op:

```

SEP_INST.log

ComponentUnregister(ComponentId={C5F97D25-F90C-59AD-84F3-6D03B45D1B82}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:468]: Executing op:
ComponentUnregister(ComponentId={21788266-2A52-5683-BA97-7E96B18CFC51}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:468]: Executing op:
ComponentUnregister(ComponentId={E5AEB119-36B7-50DC-AF5D-3181E80DE122}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:468]: Executing op:
ComponentUnregister(ComponentId={EB31F58F-D991-56A9-9CC7-1FD30C48C8A7}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:468]: Executing op:
ComponentUnregister(ComponentId={10AC39AA-0B49-5EB2-95AD-75D21936F571}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:468]: Executing op:
ComponentUnregister(ComponentId={868A94DE-9832-52D4-A05F-ABE54F1A2FC7}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:468]: Executing op:
ComponentUnregister(ComponentId={61E76DCB-3919-5E81-845C-54040DB4B013}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:468]: Executing op:
ComponentUnregister(ComponentId={33849F16-D80F-46D8-A078-88AAAC5BF427}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:468]: Executing op:
ComponentUnregister(ComponentId={96438127-4F56-57D1-A881-CD155CECF7FE}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:468]: Executing op:
ComponentUnregister(ComponentId={AE31B259-E4C4-53F8-AE74-5FC3A0DB21F9}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:468]: Executing op:
ComponentUnregister(ComponentId={EC41ED2F-0F44-59C0-943E-BB18B6C4A2FE}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:468]: Executing op:
ComponentUnregister(ComponentId={8CEE3DD1-5386-5066-AB07-2749A4E67E38}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:468]: Executing op:
ComponentUnregister(ComponentId={0B60CB93-F4BB-51BF-9EE7-006FC7F3B9E2}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:468]: Executing op:
ComponentUnregister(ComponentId={E02CAD35-E281-4AA2-A19D-DBD21CF6AB4E}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:468]: Executing op:
ComponentUnregister(ComponentId={48319B54-36AC-4146-A7FA-34AE47B686CF}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:468]: Executing op:
ComponentUnregister(ComponentId={C7C664F8-6C99-4444-8672-8F5B3663B922}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:468]: Executing op:
ComponentUnregister(ComponentId={3F5D2C12-5CC4-4A3C-8845-F9129BC8C8CF}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:468]: Executing op:
ComponentUnregister(ComponentId={CF51FC0D-2E5B-4C8B-912B-A5441F53F23D}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:468]: Executing op:
ComponentUnregister(ComponentId={A7204439-97ED-40F1-8D31-4825C2BD9CC3}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:468]: Executing op:
ComponentUnregister(ComponentId={81F45F15-4E52-4562-ACF9-9C369A9720A7}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:468]: Executing op:
ComponentUnregister(ComponentId={85FC1AFA-DB57-4F52-9706-C5D7FD5855D3}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:468]: Executing op:
ComponentUnregister(ComponentId={1C7BE6B3-FB2C-4419-9B4C-D0909AE881E2}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:468]: Executing op:
ComponentUnregister(ComponentId={9A405693-E438-46E7-8394-762611B8457D}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)

SEP_INST.log

MSI (s) (40:68) [20:17:19:468]: Executing op:
ComponentUnregister(ComponentId={F409DD7F-04C3-4EE1-88EF-4C2695E84F76}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:468]: Executing op:
ComponentUnregister(ComponentId={1DDCE181-9DDF-464B-92BD-70CB6ED830D6}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:468]: Executing op:
ComponentUnregister(ComponentId={6D6B48DC-731F-42A7-8972-8F67AA9A3737}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:468]: Executing op:
ComponentUnregister(ComponentId={7FE12CB2-BD62-42D3-99CA-335E73BAAFA1}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:468]: Executing op:
ComponentUnregister(ComponentId={63A6C8CC-762A-4353-BAD9-59D80B83201F}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:468]: Executing op:
ComponentUnregister(ComponentId={3944E255-1C5F-4982-BBF4-4CA0BE5FD5C8}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:468]: Executing op:
ComponentUnregister(ComponentId={1C44B5A0-E4A1-4FC1-843D-10E0C31BAC54}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:468]: Executing op:
ComponentUnregister(ComponentId={D26F8F27-14D2-4DB0-A414-9E2F07F4AB8B}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:468]: Executing op:
ComponentUnregister(ComponentId={7E92A6D0-4C51-5575-A29E-C9848AAD7FD2}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:468]: Executing op:
ComponentUnregister(ComponentId={EB02F53F-F2DF-48AD-BFC4-E3602732F3DA}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:468]: Executing op:
ComponentUnregister(ComponentId={2DF489F3-5893-4071-AD7B-57980A2A0DD9}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:468]: Executing op:
ComponentUnregister(ComponentId={79DA02D9-FBCF-507F-8F09-7E88237338E5}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:468]: Executing op:
ComponentUnregister(ComponentId={845BAD90-01F2-5CC2-B177-38F78D8CDD55}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:468]: Executing op:
ComponentUnregister(ComponentId={2FE8836C-8875-5A1F-BF08-82FCFDC3D2F0}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:468]: Executing op:
ComponentUnregister(ComponentId={9353397B-AF2B-528B-B8C4-667A51C2AEF8}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:468]: Executing op:
ComponentUnregister(ComponentId={9478DFE9-AFAE-5CCC-BF82-F7FA2266E69B}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:468]: Executing op:
ComponentUnregister(ComponentId={1CD92D30-B2EA-512A-A2A5-C9BDC1B74701}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:468]: Executing op:
ComponentUnregister(ComponentId={BDB1A8C8-056B-5D0E-851E-6684E52E17E8}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:468]: Executing op:
ComponentUnregister(ComponentId={C9CC0ABC-8AD8-5BFB-BE57-BCF52AC2B7C8}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:468]: Executing op:
ComponentUnregister(ComponentId={239A89DC-3A3F-55BF-8717-8C17C5E49168}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:468]: Executing op:
ComponentUnregister(ComponentId={081AE48A-F35B-5821-B94E-902375118FB8}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:468]: Executing op:
ComponentUnregister(ComponentId={2F8E8A0A-ECCE-5C9B-A1C7-EC9EB1BD62DE}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:468]: Executing op:
ComponentUnregister(ComponentId={D1FB6FCC-5C80-47B4-92D5-99A1BFB3460E}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)

SEP_INST.log

y={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:468]: Executing op:
ComponentUnregister(ComponentId={2CD32118-4FC8-4550-AC7E-D884340AFF79}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:468]: Executing op:
ComponentUnregister(ComponentId={7418A9E0-79F8-48AE-B090-49F8A9242B6D}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:468]: Executing op:
ComponentUnregister(ComponentId={8C46610D-F42C-4C88-B364-91C8667BF203}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:468]: Executing op:
ComponentUnregister(ComponentId={912B5EBB-C55C-4FDA-8C09-C89DF1F31553}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:468]: Executing op:
ComponentUnregister(ComponentId={A5009477-1C93-5C58-9376-B7767261EA24}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:468]: Executing op:
ComponentUnregister(ComponentId={CF12AD3B-F07D-5454-B6FF-541D179CC4DD}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:468]: Executing op:
ComponentUnregister(ComponentId={BD4E8009-FED8-5BBF-A533-00FA0D7A9AB2}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:468]: Executing op:
ComponentUnregister(ComponentId={429E287B-E02A-55DA-B12C-9CB77DFB8BEC}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:468]: Executing op:
ComponentUnregister(ComponentId={08AB2910-0F5A-5C07-9B96-4049D55D127B}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:468]: Executing op:
ComponentUnregister(ComponentId={948B5A80-1F0E-5333-813E-BB9BBB1DF421}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:468]: Executing op:
ComponentUnregister(ComponentId={A2F0EF2D-AE6D-5069-9895-A53C1DC2AF9B}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:468]: Executing op:
ComponentUnregister(ComponentId={436AB407-2756-597B-8896-CD216B23A31A}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:468]: Executing op:
ComponentUnregister(ComponentId={5FA2E69D-49A6-5C4E-B92A-C45296951278}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:468]: Executing op:
ComponentUnregister(ComponentId={BC6AB824-2EF5-53EA-81AC-821296E0F7BE}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:468]: Executing op:
ComponentUnregister(ComponentId={D8E725AF-866C-57EB-8F96-96F1D67480FA}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:468]: Executing op:
ComponentUnregister(ComponentId={524BA337-A21A-56C7-85B6-B2224BAED1BF}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:468]: Executing op:
ComponentUnregister(ComponentId={49116EE3-4A36-4A66-BC6F-5920926A4CB3}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:468]: Executing op:
ComponentUnregister(ComponentId={45B39C77-4DE7-4083-82C2-DC974BFF21E0}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:468]: Executing op:
ComponentUnregister(ComponentId={A9D4B66A-CFB0-48A4-BDFF-3DC2D04D4A05}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:468]: Executing op:
ComponentUnregister(ComponentId={CBB13529-EDDC-4927-87B8-B0344FE2F124}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:468]: Executing op:
ComponentUnregister(ComponentId={295D516A-9C3E-4A67-9874-0AB6E718BA24}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:468]: Executing op:
ComponentUnregister(ComponentId={736670A6-5F07-4891-8E03-AAA3D77DD42C}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:468]: Executing op:

SEP_INST.log

ComponentUnregister(ComponentId={04E3BE01-5654-4DC1-978D-3DB8E3C3730A}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:468]: Executing op:
ComponentUnregister(ComponentId={03CFB77B-CC42-43AE-AB23-06DB8F50180B}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:468]: Executing op:
ComponentUnregister(ComponentId={CAE4567E-2350-5006-AC90-16E1312F431A}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:468]: Executing op:
ComponentUnregister(ComponentId={20693421-501F-5A2C-87A6-65CAD41C8BBA}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:468]: Executing op:
ComponentUnregister(ComponentId={3C5187F6-DF3A-5544-816F-2AF5662E04C4}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:468]: Executing op:
ComponentUnregister(ComponentId={C5E106C5-D395-57A1-8149-EBF7590F3481}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:468]: Executing op:
ComponentUnregister(ComponentId={AABDFF48-C64A-538F-B633-E05A0F1DCBA6}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:468]: Executing op:
ComponentUnregister(ComponentId={3338C210-7C33-501B-8D0A-9E0DA8874DE6}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:468]: Executing op:
ComponentUnregister(ComponentId={9D7DB460-9B04-55F8-BA93-8643F7B0511D}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:468]: Executing op:
ComponentUnregister(ComponentId={EE53E65A-AABE-5BBB-8EE8-D29BB5016AF0}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:468]: Executing op:
ComponentUnregister(ComponentId={473C0AA2-9BBC-5863-B82C-00E591AE1093}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:468]: Executing op:
ComponentUnregister(ComponentId={FE091DCA-D244-50C7-B3A1-0D4DBBEF36D4}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:468]: Executing op:
ComponentUnregister(ComponentId={1661415F-337F-5240-A89D-D0DE8626FD86}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:468]: Executing op:
ComponentUnregister(ComponentId={F05973D1-3198-571B-9F6D-CEE0473D2467}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:468]: Executing op:
ComponentUnregister(ComponentId={9454805C-2E58-563F-A818-0C5D7EAEBA45}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:468]: Executing op:
ComponentUnregister(ComponentId={AEDA2737-9591-5D87-B001-DDD886FA9966}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:468]: Executing op:
ComponentUnregister(ComponentId={7937E410-8FAA-58FC-AAD0-16E611691E55}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:484]: Executing op:
ComponentUnregister(ComponentId={C6718D34-AD8C-5E92-BE3D-65C33670D875}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:484]: Executing op:
ComponentUnregister(ComponentId={73603EED-F9F7-5151-B5F4-4F51903BF74C}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:484]: Executing op:
ComponentUnregister(ComponentId={0FC64722-E851-5458-A4BE-28C07E15A464}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:484]: Executing op:
ComponentUnregister(ComponentId={DB79B0DE-2786-5D91-BBF1-92F41F5317E5}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:484]: Executing op:
ComponentUnregister(ComponentId={0EA44837-B123-56BD-92D4-7420B44C4AA8}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:484]: Executing op:
ComponentUnregister(ComponentId={05A391B6-C28E-5CBD-92C6-0E6741989948}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)

SEP_INST.log

MSI (s) (40:68) [20:17:19:484]: Executing op:
ComponentUnregister(ComponentId={53F27F6C-F6BB-5956-8A3F-05B18FA77B19}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:484]: Executing op:
ComponentUnregister(ComponentId={1BA0AC10-20E4-5733-9307-B6A2D6A71B5A}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:484]: Executing op:
ComponentUnregister(ComponentId={0C3F3B71-0072-503E-853F-1826E6BD0DBF}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:484]: Executing op:
ComponentUnregister(ComponentId={17D2C7F9-4EC9-51DD-820E-A612FBBF42A0}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:484]: Executing op:
ComponentUnregister(ComponentId={FCF6813F-9BBE-5859-8C9A-ACFE8D466A19}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:484]: Executing op:
ComponentUnregister(ComponentId={CE9FF82B-9D6A-5D6F-A89A-6190C3AE767B}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:484]: Executing op:
ComponentUnregister(ComponentId={4A7FD85E-3C3A-580D-9C44-76D4E764C375}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:484]: Executing op:
ComponentUnregister(ComponentId={240EB72B-E8FC-5425-8D6C-E25B8C68B874}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:484]: Executing op:
ComponentUnregister(ComponentId={661D76CC-3083-53DB-AA5D-925E195A097B}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:484]: Executing op:
ComponentUnregister(ComponentId={F8B92D50-0E3A-5BAC-91A2-1844241D28F6}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:484]: Executing op:
ComponentUnregister(ComponentId={531772E4-22A0-5C7A-8AE5-2B0BDE0E69C5}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:484]: Executing op:
ComponentUnregister(ComponentId={1F7D971B-44D0-530C-B31B-70BCB0316353}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:484]: Executing op:
ComponentUnregister(ComponentId={C9ECE724-0C06-5ED0-94C8-C014E4E7256B}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:484]: Executing op:
ComponentUnregister(ComponentId={1E39B0EB-307A-5387-BA30-AE35E92166C2}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:484]: Executing op:
ComponentUnregister(ComponentId={9F831FBD-970F-5DF9-9C9A-ADE59678F6B6}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:484]: Executing op:
ComponentUnregister(ComponentId={B84FFA8D-0623-5DD6-B79D-42B1B73218A1}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:484]: Executing op:
ComponentUnregister(ComponentId={CD34CAD5-D4BB-5503-AD30-2BD2452AC392}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:484]: Executing op:
ComponentUnregister(ComponentId={1528C476-DCCB-51C5-9684-FDF59F8C47F8}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:484]: Executing op:
ComponentUnregister(ComponentId={BAE9AD89-04AB-4095-ABAA-19AA922DF451}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:484]: Executing op:
ComponentUnregister(ComponentId={16D81D20-034D-4623-9F03-B43DFB308C10}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:484]: Executing op:
ComponentUnregister(ComponentId={7092D2CA-2928-4ADB-8069-1C76DF3F4964}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:484]: Executing op:
ComponentUnregister(ComponentId={1B480C33-F7E5-52E4-AAD0-94FAC7EBA8DF}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:484]: Executing op:
ComponentUnregister(ComponentId={26B6CC5C-7933-422B-AB3F-80212D1497EA}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)

SEP_INST.log

y={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:484]: Executing op:
ComponentUnregister(ComponentId={9AB6F35E-90F5-4251-ABA4-8DCBF88CA89D}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:484]: Executing op:
ComponentUnregister(ComponentId={F55C93F3-1537-4E7D-92B4-CAB6FBADB3FF}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:484]: Executing op:
ComponentUnregister(ComponentId={0EE3E5F2-2E8D-5C9A-B095-B38C46B9E4EF}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:484]: Executing op:
ComponentUnregister(ComponentId={F640B5B9-6CEE-56A3-B430-7FC3C986A39E}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:484]: Executing op:
ComponentUnregister(ComponentId={D5E0DF58-2AC4-4513-B71D-C55EABBE9DC3}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:484]: Executing op:
ComponentUnregister(ComponentId={999536F5-94AA-4100-87A1-910D508D1FF1}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:484]: Executing op:
ComponentUnregister(ComponentId={256845F8-4269-4308-9706-2428C39F95C4}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:484]: Executing op:
ComponentUnregister(ComponentId={92987A9F-C570-4F72-A2CD-0E0E5AA95954}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:484]: Executing op:
ComponentUnregister(ComponentId={B94D5D5C-7C8C-4150-A901-02EBA9A8151B}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:484]: Executing op:
ComponentUnregister(ComponentId={C4759ED5-B783-4B79-9760-A004999041DA}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:484]: Executing op:
ComponentUnregister(ComponentId={BFE007A7-81ED-4D84-8C4A-1AF2C858F274}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:484]: Executing op:
ComponentUnregister(ComponentId={19F8D2BE-761F-559D-8B1E-597266636EB4}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:484]: Executing op:
ComponentUnregister(ComponentId={57E0C2BD-8643-5683-A031-F7A72DD07465}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:484]: Executing op:
ComponentUnregister(ComponentId={3845DA81-1578-5D17-B06C-17CCAA7519BD}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:484]: Executing op:
ComponentUnregister(ComponentId={A5043C9E-D31A-5F21-8C1D-E03842D411F9}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:484]: Executing op:
ComponentUnregister(ComponentId={F71379C9-1E84-5582-90F5-82406BD74479}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:484]: Executing op:
ComponentUnregister(ComponentId={50728127-26F4-5C20-80D7-196623574B35}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:484]: Executing op:
ComponentUnregister(ComponentId={876479E5-DC48-5BF7-9E74-338C76C0CBD4}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:484]: Executing op:
ComponentUnregister(ComponentId={5CD85948-BD23-5E22-8E53-370DC1EB3144}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:484]: Executing op:
ComponentUnregister(ComponentId={BCF31EFC-FE09-517E-A38A-1A92A5E79B33}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:484]: Executing op:
ComponentUnregister(ComponentId={465146B9-371A-5BD9-8CAE-54AE28321D63}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:484]: Executing op:
ComponentUnregister(ComponentId={04F0C237-B482-596C-AECA-1CE6FF44EA20}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:484]: Executing op:

SEP_INST.log

ComponentUnregister(ComponentId={77239209-B2FF-5C79-9D70-D79C2639C502}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:484]: Executing op:
ComponentUnregister(ComponentId={E0913D36-3761-5D96-A410-311A08830B4C}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:484]: Executing op:
ComponentUnregister(ComponentId={46BF3BCF-AD12-5F4D-854C-2BE9F4E32F26}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:484]: Executing op:
ComponentUnregister(ComponentId={FB9300B2-9CBC-5ECA-85EA-22F3F3C8194E}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:484]: Executing op:
ComponentUnregister(ComponentId={8931FE00-82C7-40E7-A1D9-BE580A91EB01}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:484]: Executing op:
ComponentUnregister(ComponentId={880E77D2-356F-43B5-84BA-491C68E616A8}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:484]: Executing op:
ComponentUnregister(ComponentId={8DBEBBF8-0AB6-465A-8AE7-699A89C36738}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:484]: Executing op:
ComponentUnregister(ComponentId={AC61DB88-047B-4E9E-A864-CCE4D6A27188}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:484]: Executing op:
ComponentUnregister(ComponentId={735433E1-0B49-545E-ACDC-B15983724CCD}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:484]: Executing op:
ComponentUnregister(ComponentId={A3FF8530-6D15-59F4-9AE0-D76BD642D87F}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:484]: Executing op:
ComponentUnregister(ComponentId={FC720AB2-3242-4516-BD9F-953C36BAD43F}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:484]: Executing op:
ComponentUnregister(ComponentId={A1C62EF2-A1B2-4093-BC97-2071943B29EB}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:484]: Executing op:
ComponentUnregister(ComponentId={169F8999-24D9-46D4-99B1-B0D9C6505DAB}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:484]: Executing op:
ComponentUnregister(ComponentId={DD1AE543-76DB-4DC1-AF2F-EA966158D5B8}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:484]: Executing op:
ComponentUnregister(ComponentId={B0CD3F7A-B7AE-4796-BA8B-7DADF6FFA615}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:484]: Executing op:
ComponentUnregister(ComponentId={8831786D-D279-4EB3-B692-B13009077592}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:484]: Executing op:
ComponentUnregister(ComponentId={37F00418-CD93-4674-837B-EFA3FC6BE771}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:484]: Executing op:
ComponentUnregister(ComponentId={F01B7914-87B5-4D1A-929E-A993C17872A3}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:484]: Executing op:
ComponentUnregister(ComponentId={B71E2E12-CD09-4FCE-923B-C178F7114963}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:484]: Executing op:
ComponentUnregister(ComponentId={A2921712-2BBF-47E7-A4F8-FC4F27A6B5BE}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:484]: Executing op:
ComponentUnregister(ComponentId={6E32F405-4036-4DAA-81A8-C9041C958202}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:484]: Executing op:
ComponentUnregister(ComponentId={89E3A980-C992-43EA-8337-EDEA3B7AC0C3}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:484]: Executing op:
ComponentUnregister(ComponentId={611AC0C9-76F2-42D2-BFB4-E5C2F2A5A132}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)

SEP_INST.log

MSI (s) (40:68) [20:17:19:484]: Executing op:
ComponentUnregister(ComponentId={06315854-B291-4AB2-81B8-9E1B2F7CE1CF}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:484]: Executing op:
ComponentUnregister(ComponentId={23658C56-19D4-4DB6-8530-2E74D9161A09}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:484]: Executing op:
ComponentUnregister(ComponentId={84EE41FC-370A-4758-8BAC-10FE94C5AB1F}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:484]: Executing op:
ComponentUnregister(ComponentId={AF55EE6F-1560-49D1-963D-B9CA467FFAC4}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:484]: Executing op:
ComponentUnregister(ComponentId={62B9A8D3-1500-47D6-8AB0-439C2A7F3309}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:484]: Executing op:
ComponentUnregister(ComponentId={4812E7D1-2941-49B1-98E3-0EB8F1E92368}, ProductKey={00000000-0000-0000-0000-000000000000}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:484]: Executing op:
ComponentUnregister(ComponentId={4812E7D1-2941-49B1-98E3-0EB8F1E92368}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:484]: Executing op:
ComponentUnregister(ComponentId={67A963C5-6B39-4355-BDAC-630DD0E851FA}, ProductKey={00000000-0000-0000-0000-000000000000}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:484]: Executing op:
ComponentUnregister(ComponentId={67A963C5-6B39-4355-BDAC-630DD0E851FA}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:484]: Executing op:
ComponentUnregister(ComponentId={1BF43700-1F42-41A3-A020-156FB23357A3}, ProductKey={00000000-0000-0000-0000-000000000000}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:484]: Executing op:
ComponentUnregister(ComponentId={1BF43700-1F42-41A3-A020-156FB23357A3}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:484]: Executing op:
ComponentUnregister(ComponentId={2BEA73A3-5112-49A8-B317-A0DB12A7EF29}, ProductKey={00000000-0000-0000-0000-000000000000}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:484]: Executing op:
ComponentUnregister(ComponentId={2BEA73A3-5112-49A8-B317-A0DB12A7EF29}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:484]: Executing op:
ComponentUnregister(ComponentId={4CDAC785-A397-47E2-8B77-3D28A05DC8B9}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:484]: Executing op:
ComponentUnregister(ComponentId={1CC9D583-3A9D-40F7-8717-A89DD4BB5D56}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:484]: Executing op:
ComponentUnregister(ComponentId={D2772241-9EDA-41FA-BF1E-53A2A1B4D019}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:484]: Executing op:
ComponentUnregister(ComponentId={C7D6E009-6859-42CA-880F-094635167AB4}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:484]: Executing op:
ComponentUnregister(ComponentId={52570EBE-F29F-49E6-9FD8-ABEB168F818F}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:484]: Executing op:
ComponentUnregister(ComponentId={1D732208-710D-48A4-83AA-E7319D4FDCAF}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:484]: Executing op:
ComponentUnregister(ComponentId={CD653C74-2923-40E6-BDF4-35AE8B3E413E}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:484]: Executing op:
ComponentUnregister(ComponentId={1CABBD31-C29B-4912-AFA8-3796808326EC}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:484]: Executing op:
ComponentUnregister(ComponentId={F5112C7A-34C7-4E2E-96CF-4288A4E13558}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:500]: Executing op:
ComponentUnregister(ComponentId={53F1C101-D4B2-483A-9F8F-5C0F5A5B08C5}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)

SEP_INST.log

y={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:500]: Executing op:
ComponentUnregister(ComponentId={BB8930D7-3963-4ACC-9DDD-71232DE5DE21}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:500]: Executing op:
ComponentUnregister(ComponentId={F7AA046F-765E-44DA-8C54-FF8172D6B6E0}, ProductKey={00000000-0000-0000-0000-000000000000}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:500]: Executing op:
ComponentUnregister(ComponentId={F7AA046F-765E-44DA-8C54-FF8172D6B6E0}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:500]: Executing op:
ComponentUnregister(ComponentId={0EF386D8-9977-462C-A4F3-01EEB0811A0E}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:500]: Executing op:
ComponentUnregister(ComponentId={BFAFD174-B6E4-4F96-87FA-2AF531642F03}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:500]: Executing op:
ComponentUnregister(ComponentId={68CCED1A-5611-4951-BA7C-433DDDB0D9C6}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:500]: Executing op:
ComponentUnregister(ComponentId={5828A8C4-4558-43F4-BF4B-B384D29D0295}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:500]: Executing op:
ComponentUnregister(ComponentId={6AE5F246-19A3-47C8-BF0C-21DE507CD75B}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:500]: Executing op:
ComponentUnregister(ComponentId={39E880DF-C1A8-4B3B-9D62-AD22C383A24A}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:500]: Executing op:
ComponentUnregister(ComponentId={029C3F2F-10ED-48DF-8130-213847433494}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:500]: Executing op:
ComponentUnregister(ComponentId={B9E1E67A-0A0E-4EDC-A8E2-79CECA428ED2}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:500]: Executing op:
ComponentUnregister(ComponentId={32985803-BAA4-4F57-85C6-C2DC2527AB89}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:500]: Executing op:
ComponentUnregister(ComponentId={D02EA6A5-C729-4ABC-ADC7-5B090FC0FA06}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:500]: Executing op:
ComponentUnregister(ComponentId={DA73868D-B969-44C4-8726-F7931777A066}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:500]: Executing op:
ComponentUnregister(ComponentId={BA24A7DB-4635-45EE-8BDA-EF26434FFB03}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:500]: Executing op:
ComponentUnregister(ComponentId={DE301980-C8FF-4902-9692-C3677157CFBA}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:500]: Executing op:
ComponentUnregister(ComponentId={F4F25E33-A3A4-4A0A-9BB8-BDDCBD5A7749}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:500]: Executing op:
ComponentUnregister(ComponentId={E088D0EE-8293-4670-A91B-861E5D60D49C}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:500]: Executing op:
ComponentUnregister(ComponentId={582B8C78-AE34-46D1-A42E-51EE82803D47}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:500]: Executing op:
ComponentUnregister(ComponentId={7E6673CF-982E-46A1-8251-C71A147D48FA}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:500]: Executing op:
ComponentUnregister(ComponentId={0D7A68C9-2A77-4AEB-AD38-DE2A02401C80}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:500]: Executing op:
ComponentUnregister(ComponentId={8782439F-535D-4BBF-B942-9AC2EA6B3D1F}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:500]: Executing op:

SEP_INST.log

ComponentUnregister(ComponentId={AD18E94D-1232-4712-A833-F90031D48058}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:500]: Executing op:
ComponentUnregister(ComponentId={0F407460-C6CF-456C-9932-A544BBEBC535}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:500]: Executing op:
ComponentUnregister(ComponentId={145DAC35-6E11-40BB-98FB-A789A7BBB85B}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:500]: Executing op:
ComponentUnregister(ComponentId={2E54F05A-4A2D-43E5-89C0-2749A5A9759B}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:500]: Executing op:
ComponentUnregister(ComponentId={90D2DC94-C5AE-4257-AA16-9F9B530D2C83}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:500]: Executing op:
ComponentUnregister(ComponentId={21AD80F2-A15A-499A-901B-81418E5A5830}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:500]: Executing op:
ComponentUnregister(ComponentId={A35546A8-6BFF-423F-8277-CB1562399BF7}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:500]: Executing op:
ComponentUnregister(ComponentId={50AA1C4A-910C-4490-A496-9CA26FD83074}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:500]: Executing op:
ComponentUnregister(ComponentId={B332E0DD-2926-4742-B584-1C7A883B7E55}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:500]: Executing op:
ComponentUnregister(ComponentId={3475E047-0EE5-4F04-A6CC-38DE38D73789}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:500]: Executing op:
ComponentUnregister(ComponentId={5C416F03-1DC0-43FB-BC54-98C468CFBBAD}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:500]: Executing op:
ComponentUnregister(ComponentId={BD440A47-2711-4C20-8CE8-62465957CA7D}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:500]: Executing op:
ComponentUnregister(ComponentId={B40FBCEF-EA99-44F7-932D-D7A02765508B}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:500]: Executing op:
ComponentUnregister(ComponentId={8B918C67-F588-4376-B642-7307FAB59231}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:500]: Executing op:
ComponentUnregister(ComponentId={F29D379A-2BEB-4A62-9730-613CE4886C7E}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:500]: Executing op:
ComponentUnregister(ComponentId={287F9E71-C5AA-4159-BE2E-B38F91AC7A63}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:500]: Executing op:
ComponentUnregister(ComponentId={2F33587F-2078-4E4D-8712-79AA17E6309F}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:500]: Executing op:
ComponentUnregister(ComponentId={2CE33BEE-5009-41A0-8204-2CFB288DDC8F}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:500]: Executing op:
ComponentUnregister(ComponentId={36078FBA-890F-48C4-B0BD-3E8ABA785EDA}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:500]: Executing op:
ComponentUnregister(ComponentId={54C9C7FA-5825-4AD7-B8D5-0A0FE4224EF3}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:500]: Executing op:
ComponentUnregister(ComponentId={3781F577-9878-4CB2-AB6D-36EB477E714E}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:500]: Executing op:
ComponentUnregister(ComponentId={EADC6B24-74F1-4B9F-8D7B-1F8BED7EA5A8}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:500]: Executing op:
ComponentUnregister(ComponentId={97967063-4A13-4EBA-9FC2-801993751D46}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)

SEP_INST.log

MSI (s) (40:68) [20:17:19:500]: Executing op:
ComponentUnregister(ComponentId={EE39FFBF-D769-4332-96B1-86A94AAC0B14}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:500]: Executing op:
ComponentUnregister(ComponentId={D43FCF95-A5EE-4038-8942-40B39248488E}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:500]: Executing op:
ComponentUnregister(ComponentId={D4821E17-B39B-496C-B102-40CEECCBBD42}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:500]: Executing op:
ComponentUnregister(ComponentId={56375C27-9066-4C02-8F35-0A7F1B2EF4A4}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:500]: Executing op:
ComponentUnregister(ComponentId={43FC3A90-A914-4A9E-A33F-36AC7C786B35}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:500]: Executing op:
ComponentUnregister(ComponentId={D9A23ECC-F3AA-4586-B344-622A8B1B7EF4}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:500]: Executing op:
ComponentUnregister(ComponentId={4CDAF46A-9050-44FC-A164-9BF678877F84}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:500]: Executing op:
ComponentUnregister(ComponentId={1C75E465-905B-4C7B-87E5-527AB13BE115}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:500]: Executing op:
ComponentUnregister(ComponentId={5FE5DC26-3C6B-4FE4-A46F-D8AE13D5483A}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:500]: Executing op:
ComponentUnregister(ComponentId={FE9609CC-899D-41EF-93B0-13B28DE135AF}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:500]: Executing op:
ComponentUnregister(ComponentId={A6DA9C96-AEF4-45BE-B6EF-0CFF404465C2}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:500]: Executing op:
ComponentUnregister(ComponentId={52A544EC-7630-423E-8472-2C61ACDE36C7}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:500]: Executing op:
ComponentUnregister(ComponentId={94AB25A1-56E0-4B60-9D49-DF1366D08FDB}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:500]: Executing op:
ComponentUnregister(ComponentId={3810364A-96DD-4355-9027-9271E418CEC8}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:500]: Executing op:
ComponentUnregister(ComponentId={44FFA698-CD48-4337-85E5-FAFFC70BF244}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:500]: Executing op:
ComponentUnregister(ComponentId={7BC693B0-35B9-48F0-8726-3EF1F4426B99}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:500]: Executing op:
ComponentUnregister(ComponentId={697AA60D-D8A3-4846-A013-BE0C243C655B}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:500]: Executing op:
ComponentUnregister(ComponentId={D88B513D-8EB5-439C-8058-D922D7EFC794}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:500]: Executing op:
ComponentUnregister(ComponentId={E50E15EE-5ECB-4B8C-AEC7-5A8F8A412FE1}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:500]: Executing op:
ComponentUnregister(ComponentId={24887825-BA64-440D-A371-CDFE86B152E4}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:500]: Executing op:
ComponentUnregister(ComponentId={B3DE178A-2E3E-436D-8C26-587E567457CF}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:500]: Executing op:
ComponentUnregister(ComponentId={336A7940-F8B2-4CCE-B9BB-E379E8D7F4F6}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:500]: Executing op:
ComponentUnregister(ComponentId={A843FF22-9175-43F2-B2EA-48EDA3ADAB05}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)

SEP_INST.log

y={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:500]: Executing op:
ComponentUnregister(ComponentId={1497B44F-FF51-4B19-9039-F506B1E4AAB9}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:500]: Executing op:
ComponentUnregister(ComponentId={2D8C0AA6-A72A-4848-BF4B-40F182E8D626}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:500]: Executing op:
ComponentUnregister(ComponentId={8BB36FB5-A2C5-46DA-9133-60FDE0290A0C}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:500]: Executing op:
ComponentUnregister(ComponentId={9FE08C00-31CB-4004-8394-DB126055634E}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:500]: Executing op:
ComponentUnregister(ComponentId={C6A5EFC2-4CB9-4788-98A1-201F62247AE5}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:500]: Executing op:
ComponentUnregister(ComponentId={C678E30E-A833-4DC3-B6AE-14D1CB184043}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:500]: Executing op:
ComponentUnregister(ComponentId={620D64F4-8535-46A3-B52E-12322A4F2108}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:500]: Executing op:
ComponentUnregister(ComponentId={F391493A-9B4E-4662-BE75-F15E931D9221}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:500]: Executing op:
ComponentUnregister(ComponentId={0CBA84E2-408E-42C5-B747-3D9FA68EA5CC}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:500]: Executing op:
ComponentUnregister(ComponentId={F48CC214-70E7-4DD4-B02F-A51411B9A423}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:500]: Executing op:
ComponentUnregister(ComponentId={85E8B264-B1D0-43D6-A6F9-EE00AEC6E2CC}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:500]: Executing op:
ComponentUnregister(ComponentId={8656575E-49AF-442D-B37F-A64853D2B919}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:500]: Executing op:
ComponentUnregister(ComponentId={08A0CA18-7B78-4771-B8CB-A880E49162FD}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:500]: Executing op:
ComponentUnregister(ComponentId={64FB9147-227E-4E8E-92E9-B39212CD2BBA}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:500]: Executing op:
ComponentUnregister(ComponentId={6FE8CB1A-9246-43CE-8179-1A0F0E617359}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:500]: Executing op:
ComponentUnregister(ComponentId={4B82872F-1676-44C3-884D-3B9C06EB09EB}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:500]: Executing op:
ComponentUnregister(ComponentId={18BE817E-1170-49B6-8F13-050D5A7399C0}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:500]: Executing op:
ComponentUnregister(ComponentId={E3C2D593-2209-46E6-8BF6-7A3DAC384C07}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:500]: Executing op:
ComponentUnregister(ComponentId={0BADFBDE-0FCC-48B0-81A8-608789C288F1}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:500]: Executing op:
ComponentUnregister(ComponentId={FEA870BC-1FA3-4459-BDBA-D44050F676DF}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:500]: Executing op:
ComponentUnregister(ComponentId={A657B390-54D5-4D66-BE15-09694EF7D8E6}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:500]: Executing op:
ComponentUnregister(ComponentId={2B397E08-5A2C-42E9-A8F3-FC819E526EE6}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:500]: Executing op:

SEP_INST.log

ComponentUnregister(ComponentId={FF82AF26-0540-4908-979F-925F646E50A5}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:500]: Executing op:
ComponentUnregister(ComponentId={5EB206DC-25AC-477A-9923-6F1D433BD51F}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:500]: Executing op:
ComponentUnregister(ComponentId={9D8A64DB-A066-4BF1-9AF4-EAA18822FC77}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:500]: Executing op:
ComponentUnregister(ComponentId={0A84A2C2-31D8-4BE4-8C01-B357A1A61500}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:500]: Executing op:
ComponentUnregister(ComponentId={21ABFB0A-19C8-43DF-8882-F6AD1C9CC64E}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:515]: Executing op:
ComponentUnregister(ComponentId={65DD3027-1A55-4AD2-B800-34E605D8176C}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:515]: Executing op:
ComponentUnregister(ComponentId={5442C1A3-B7D5-46D3-8B4A-267DBCC01023}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:515]: Executing op:
ComponentUnregister(ComponentId={90EAD40-2811-4586-9296-ACCF A56D01DB}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:515]: Executing op:
ComponentUnregister(ComponentId={85988C2D-58D7-417C-AD1B-52A19F1D035F}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:515]: Executing op:
ComponentUnregister(ComponentId={B54C84C3-9FB6-493B-A664-854755EB0CF6}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:515]: Executing op:
ComponentUnregister(ComponentId={36EF7C28-D578-43AE-B391-B29B7FCF25AC}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:515]: Executing op:
ComponentUnregister(ComponentId={45B62B9C-0949-4E18-9662-05E030F5D653}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:515]: Executing op:
ComponentUnregister(ComponentId={921984F2-AF31-5D7F-8B9D-BBEC0FDA0EA3}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:515]: Executing op:
ComponentUnregister(ComponentId={E27C127D-C851-598F-80D8-4E758BEDB372}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:515]: Executing op:
ComponentUnregister(ComponentId={67B96DFB-71A9-5E0A-BF6E-5EB26102C46F}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:515]: Executing op:
ComponentUnregister(ComponentId={F9182513-F586-5763-B10F-58CBE6BCC0F9}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:515]: Executing op:
ComponentUnregister(ComponentId={B0C0063A-6A1F-59E0-ABBB-AC9263284726}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:515]: Executing op:
ComponentUnregister(ComponentId={81416C6C-975F-5FA7-AD1F-67F72CAA69D1}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:515]: Executing op:
ComponentUnregister(ComponentId={AD345B6F-DF4D-54B4-9546-E8DCB04346CD}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:515]: Executing op:
ComponentUnregister(ComponentId={DEC104C4-10BB-50E9-853F-C0B449E523D8}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:515]: Executing op:
ComponentUnregister(ComponentId={1B35D6C8-8B57-5209-9AF1-9FBCD9798D9C}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:515]: Executing op:
ComponentUnregister(ComponentId={8A7E2A7F-2003-5F25-BB6D-BBAC8056B535}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:515]: Executing op:
ComponentUnregister(ComponentId={534E5FB5-A08A-5DD6-8B05-4CD71842B11D}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)

SEP_INST.log

MSI (s) (40:68) [20:17:19:515]: Executing op:
ComponentUnregister(ComponentId={F7534C3F-E413-5F73-960A-292836B67BBC}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:515]: Executing op:
ComponentUnregister(ComponentId={5262D3C6-9BCF-5D88-AFFB-56FC813B8B6B}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:515]: Executing op:
ComponentUnregister(ComponentId={8CDC3DF8-5E75-5704-A9EE-E2116A548581}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:515]: Executing op:
ComponentUnregister(ComponentId={8B3DEE7F-A165-5402-9909-66CA0ED16CB3}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:515]: Executing op:
ComponentUnregister(ComponentId={6392FCC5-FEF1-5599-9D50-1B463190F040}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:515]: Executing op:
ComponentUnregister(ComponentId={CA41095B-18E7-45D2-BAD7-AB815306494C}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:515]: Executing op:
ComponentUnregister(ComponentId={FBF2B7D1-C82A-4D4E-8AE8-5141703407AA}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:515]: Executing op:
ComponentUnregister(ComponentId={EF6E9A19-90B8-46E1-AB74-B88B3D1F87B4}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:515]: Executing op:
ComponentUnregister(ComponentId={7D9F179C-B6BD-5C2F-AC83-2BDAC4915D79}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:515]: Executing op:
ComponentUnregister(ComponentId={C96FC360-1071-570C-A678-ECBC24892E69}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:515]: Executing op:
ComponentUnregister(ComponentId={B00A171B-D8B6-59A4-AD9D-16C5C9284F63}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:515]: Executing op:
ComponentUnregister(ComponentId={98936188-372A-5DC5-B09C-E00D6D1DC9F6}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:515]: Executing op:
ComponentUnregister(ComponentId={885F5F5F-A909-5341-BDC8-2794D0C1603D}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:515]: Executing op:
ComponentUnregister(ComponentId={9041C93B-70F2-496E-B50C-49FD331B547E}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:515]: Executing op:
ComponentUnregister(ComponentId={2179601B-3272-56B9-ADB2-914DAA1F6FA9}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:515]: Executing op:
ComponentUnregister(ComponentId={1605EED8-0B3C-5B9B-A899-EE880E30D0C8}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:515]: Executing op:
ComponentUnregister(ComponentId={D3A7484C-4105-56AD-9D7C-A27233071473}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:515]: Executing op:
ComponentUnregister(ComponentId={C1CC4125-F736-5BF3-B0EF-7DA168FE0B7A}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:515]: Executing op:
ComponentUnregister(ComponentId={387754D9-373C-42E6-9B1C-7E9A656F1BE7}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:515]: Executing op:
ComponentUnregister(ComponentId={1CFE60E0-BF9C-5133-A4FA-96B3CE38ABD3}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:515]: Executing op:
ComponentUnregister(ComponentId={33F597C9-AF47-5D32-804C-834C989CCEB1}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:515]: Executing op:
ComponentUnregister(ComponentId={D13F9A8B-420D-517C-AE05-C4707B74CCA8}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:515]: Executing op:
ComponentUnregister(ComponentId={FE377BD5-547B-4B49-A055-B9ADF12514DF}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)

SEP_INST.log

y={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:515]: Executing op:
ComponentUnregister(ComponentId={F211A0B4-5682-4B44-AF79-A74480371BE3}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:515]: Executing op:
ComponentUnregister(ComponentId={2C304096-1FCB-4293-80FE-B740398B7795}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:515]: Executing op:
ComponentUnregister(ComponentId={70D0244C-9388-41FA-9B60-19C386F188D5}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:515]: Executing op:
ComponentUnregister(ComponentId={9C01AC8E-61A0-4512-A80A-781FF815C931}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:515]: Executing op:
ComponentUnregister(ComponentId={0F9250EF-BDD8-43F3-8D6A-8102755D9E92}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:515]: Executing op:
ComponentUnregister(ComponentId={DB172CA5-DCD6-4730-87C3-EF38FB9CB351}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:515]: Executing op:
ComponentUnregister(ComponentId={CB3CD250-13DD-58C4-9401-A4200CA97678}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:515]: Executing op:
ComponentUnregister(ComponentId={178FDC48-7E12-5556-A42E-4A2159CE2B13}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:515]: Executing op:
ComponentUnregister(ComponentId={709DD4A0-8427-425C-B03D-524FF4A5FE28}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:515]: Executing op:
ComponentUnregister(ComponentId={E5F15435-3C23-4942-BDC7-2093029D0FAF}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:515]: Executing op:
ComponentUnregister(ComponentId={067BDF08-8FFB-5107-882A-F769C6C53524}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:515]: Executing op:
ComponentUnregister(ComponentId={F4A7E530-E88E-54DE-A841-AF4964A222FA}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:515]: Executing op:
ComponentUnregister(ComponentId={48E0FFDE-E5AD-53D4-8455-392271FDD39A}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:515]: Executing op:
ComponentUnregister(ComponentId={A5EE5D42-BAE7-4E9D-9292-45DC70F3DD80}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:515]: Executing op:
ComponentUnregister(ComponentId={13053DF8-3F15-5FF8-B632-A1194B6F2AF1}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:515]: Executing op:
ComponentUnregister(ComponentId={1D32CF82-72D3-57C7-8F74-CE731CF7A49E}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:515]: Executing op:
ComponentUnregister(ComponentId={F51FBDC6-31B5-585F-BB0F-59D84C6DF33D}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:515]: Executing op:
ComponentUnregister(ComponentId={018F835A-DECE-4802-B644-CE451DBFFE81}, ProductKey={00000000-0000-0000-0000-000000000000}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:515]: Executing op:
ComponentUnregister(ComponentId={018F835A-DECE-4802-B644-CE451DBFFE81}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:515]: Executing op:
ComponentUnregister(ComponentId={077BC9B6-8AB3-512A-B573-1A2ABB164254}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:515]: Executing op:
ComponentUnregister(ComponentId={23DD9526-52BD-4995-BD02-E9583416CD7D}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:515]: Executing op:
ComponentUnregister(ComponentId={1FBF5EA4-FB5B-4A24-B200-1668DECFF8B0}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:515]: Executing op:

SEP_INST.log

ComponentUnregister(ComponentId={51D57E7C-2BDD-41E6-B481-F5B800C11727}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:515]: Executing op:
ComponentUnregister(ComponentId={68FB5A2A-18F8-4847-82D9-95C2DF74A566}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:515]: Executing op:
ComponentUnregister(ComponentId={EA2A78C2-5234-5004-91C2-4D26F96AB492}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:515]: Executing op:
ComponentUnregister(ComponentId={54F4611A-C20C-5044-8562-7C4BD2A48F87}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:515]: Executing op:
ComponentUnregister(ComponentId={0A513448-8188-596A-BED4-8F681C725F88}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:515]: Executing op:
ComponentUnregister(ComponentId={EF40EF9C-5A27-5C35-BDCB-715502D9072B}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:515]: Executing op:
ComponentUnregister(ComponentId={11503B24-2C24-504C-BF5A-DC60D89DECE0}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:515]: Executing op:
ComponentUnregister(ComponentId={57371B8D-4E54-5291-823A-6ACDDAC97715}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:515]: Executing op:
ComponentUnregister(ComponentId={ADB8D32A-F0FF-5F4B-A89F-8CB0D8AB8B7C}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:515]: Executing op:
ComponentUnregister(ComponentId={80D678D9-29D9-5B05-AA15-D0B7FEA0533C}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:515]: Executing op:
ComponentUnregister(ComponentId={4DEF0C27-9A5B-5E53-A2B8-8CE91E0C30C2}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:515]: Executing op:
ComponentUnregister(ComponentId={2BC084F7-3E2B-4F45-A7B2-0D4B03DEBDAC}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:515]: Executing op:
ComponentUnregister(ComponentId={7FF59738-96DA-4A69-8769-92585F94FB5C}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:515]: Executing op:
ComponentUnregister(ComponentId={12AE6DF4-1B41-4322-A800-9E140685AC65}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:515]: Executing op:
ComponentUnregister(ComponentId={CC335CB3-2250-5C4A-BD45-519214482099}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:515]: Executing op:
ComponentUnregister(ComponentId={3CBF72E1-0F0E-5BDC-8C69-E9766564047E}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:515]: Executing op:
ComponentUnregister(ComponentId={ECB6CA21-F558-53F4-9F0A-CB07024B1826}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:515]: Executing op:
ComponentUnregister(ComponentId={228DA0DF-B936-524E-AF24-3B6CDF0F1694}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:515]: Executing op:
ComponentUnregister(ComponentId={E8B94DBD-2F86-5ADC-B1DA-6D7791BD6498}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:515]: Executing op:
ComponentUnregister(ComponentId={7B3FC58A-1E8D-5810-B6F8-C61852C17952}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:515]: Executing op:
ComponentUnregister(ComponentId={CC4F16B6-C270-5C2F-B223-614B91B23DE8}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:515]: Executing op:
ComponentUnregister(ComponentId={C2CCF2B8-D0E7-5AE5-A663-4D23735352AF}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:515]: Executing op:
ComponentUnregister(ComponentId={25539A01-6C75-54C3-8FD4-B8BB39722E2C}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)

SEP_INST.log

MSI (s) (40:68) [20:17:19:515]: Executing op:
ComponentUnregister(ComponentId={0EE7047D-CFF6-56DF-BC44-1307879580E7}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:515]: Executing op:
ComponentUnregister(ComponentId={B4D0841B-3564-5E5D-870D-73679DE4162B}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:515]: Executing op:
ComponentUnregister(ComponentId={5C59337A-7D7A-5DF9-8EC7-7BD5D5E4A7B1}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:515]: Executing op:
ComponentUnregister(ComponentId={1A739718-E99A-5340-A774-243BAD970E00}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:515]: Executing op:
ComponentUnregister(ComponentId={0804C558-D44F-5479-98C8-745D28130D73}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:515]: Executing op:
ComponentUnregister(ComponentId={7AA3F2F0-48C3-5ECD-9B40-742E137CB28A}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:515]: Executing op:
ComponentUnregister(ComponentId={2D13673C-0382-5957-80E4-4C56364D9B01}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:515]: Executing op:
ComponentUnregister(ComponentId={D254351D-FCEF-5C20-8EE0-E91108138F4C}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:515]: Executing op:
ComponentUnregister(ComponentId={7F4E65B3-686D-584B-B212-922F153DBE38}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:515]: Executing op:
ComponentUnregister(ComponentId={3614DB93-8B4C-5E3F-AF79-16B958E52A9D}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:515]: Executing op:
ComponentUnregister(ComponentId={A399359D-D178-51F6-8835-4C746114A92E}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:515]: Executing op:
ComponentUnregister(ComponentId={50F73367-5458-56EF-B9F5-020933CE8378}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:531]: Executing op:
ComponentUnregister(ComponentId={DAC1D33F-D0C2-5B90-9273-608FD1C2ABAD}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:531]: Executing op:
ComponentUnregister(ComponentId={ED045AC1-0BAC-57E9-8F4B-FA37C4B3D0E2}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:531]: Executing op:
ComponentUnregister(ComponentId={48D8A715-22B9-5B82-A378-BC8D7DC755CF}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:531]: Executing op:
ComponentUnregister(ComponentId={4469C486-D9F3-5FF6-834D-56F232285029}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:531]: Executing op:
ComponentUnregister(ComponentId={C45A7592-1A15-555B-B397-70744AB66287}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:531]: Executing op:
ComponentUnregister(ComponentId={5DAFF7B0-8DB0-53B2-82AC-AF8BDA3B3DAB}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:531]: Executing op:
ComponentUnregister(ComponentId={98B42298-3D43-59CB-9E3A-884831297AC2}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:531]: Executing op:
ComponentUnregister(ComponentId={38271B3D-72FE-5A14-B8B6-C69D12E24711}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:531]: Executing op:
ComponentUnregister(ComponentId={D541BAC2-EEEE-5F31-A8D4-CD76191C6BE3}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:531]: Executing op:
ComponentUnregister(ComponentId={C5314E9A-53B7-5C2D-A737-7018E621F374}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)
MSI (s) (40:68) [20:17:19:531]: Executing op:
ComponentUnregister(ComponentId={F2995D1F-CB72-58AB-91B1-6D891110E125}, ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B}, BinaryType=0,)

SEP_INST.log

```

y={816230FE-84A1-47CC-BF64-C113014BD15B},BinaryType=0,)
MSI (s) (40:68) [20:17:19:531]: Executing op:
ComponentUnregister(ComponentId={BE710B96-8721-5324-9D25-A11BC9298B5F},ProductKey
y={816230FE-84A1-47CC-BF64-C113014BD15B},BinaryType=0,)
MSI (s) (40:68) [20:17:19:531]: Executing op:
ComponentUnregister(ComponentId={34F6FE1C-B6AD-4A7D-9C0E-7B6CBAD57EC0},ProductKey
y={816230FE-84A1-47CC-BF64-C113014BD15B},BinaryType=0,)
MSI (s) (40:68) [20:17:19:531]: Executing op:
ComponentUnregister(ComponentId={F6F921A7-A352-4F07-9DCC-A64EF0699206},ProductKey
y={816230FE-84A1-47CC-BF64-C113014BD15B},BinaryType=0,)
MSI (s) (40:68) [20:17:19:531]: Executing op:
ComponentUnregister(ComponentId={91FE35C6-D419-5110-AB7B-DFCA564FEC35},ProductKey
y={816230FE-84A1-47CC-BF64-C113014BD15B},BinaryType=0,)
MSI (s) (40:68) [20:17:19:531]: Executing op:
ComponentUnregister(ComponentId={DC67801E-9733-53D1-9B95-6E755EFB6EE5},ProductKey
y={816230FE-84A1-47CC-BF64-C113014BD15B},BinaryType=0,)
MSI (s) (40:68) [20:17:19:531]: Executing op:
ComponentUnregister(ComponentId={A2DEADBE-3F2E-501A-92B2-2A7AA317163A},ProductKey
y={816230FE-84A1-47CC-BF64-C113014BD15B},BinaryType=0,)
MSI (s) (40:68) [20:17:19:531]: Executing op:
ComponentUnregister(ComponentId={5AD0C876-1ACD-5E83-B703-CCCDABDF61B2},ProductKey
y={816230FE-84A1-47CC-BF64-C113014BD15B},BinaryType=0,)
MSI (s) (40:68) [20:17:19:531]: Executing op:
ComponentUnregister(ComponentId={A1B37710-0D15-4696-B821-19AC3379ABBE},ProductKey
y={816230FE-84A1-47CC-BF64-C113014BD15B},BinaryType=0,)
MSI (s) (40:68) [20:17:19:531]: Executing op:
ComponentUnregister(ComponentId={AFF3864-BB47-404C-B367-7331046C247F},ProductKey
y={816230FE-84A1-47CC-BF64-C113014BD15B},BinaryType=0,)
MSI (s) (40:68) [20:17:19:531]: Executing op:
ComponentUnregister(ComponentId={6B0BC747-4D7F-41F3-ADE4-8FBFD3B0B241},ProductKey
y={816230FE-84A1-47CC-BF64-C113014BD15B},BinaryType=0,)
MSI (s) (40:68) [20:17:19:531]: Executing op:
ComponentUnregister(ComponentId={52DB0A2C-F1F1-47C5-851F-D30E2D043035},ProductKey
y={816230FE-84A1-47CC-BF64-C113014BD15B},BinaryType=0,)
MSI (s) (40:68) [20:17:19:531]: Executing op:
ComponentUnregister(ComponentId={87197354-FAEA-4BAC-8B0A-0B50F0028339},ProductKey
y={816230FE-84A1-47CC-BF64-C113014BD15B},BinaryType=0,)
MSI (s) (40:68) [20:17:19:531]: Executing op:
ComponentUnregister(ComponentId={AE1EA529-A1D3-4FF5-8A49-EB34BBD00286},ProductKey
y={816230FE-84A1-47CC-BF64-C113014BD15B},BinaryType=0,)
MSI (s) (40:68) [20:17:19:531]: Executing op:
ComponentUnregister(ComponentId={B4666154-21D4-4339-8066-F494BD788A5D},ProductKey
y={816230FE-84A1-47CC-BF64-C113014BD15B},BinaryType=0,)
MSI (s) (40:68) [20:17:19:531]: Executing op:
ComponentUnregister(ComponentId={1A86A22D-5968-4B2A-AC2A-A53602758144},ProductKey
y={816230FE-84A1-47CC-BF64-C113014BD15B},BinaryType=0,)
MSI (s) (40:68) [20:17:19:531]: Executing op:
ComponentUnregister(ComponentId={7ADE53AD-D4F3-4082-AA35-E390A0C77151},ProductKey
y={816230FE-84A1-47CC-BF64-C113014BD15B},BinaryType=0,)
MSI (s) (40:68) [20:17:19:531]: Executing op:
ComponentUnregister(ComponentId={C1E12AF1-A8B5-4C9E-9480-738C9C5D6DBB},ProductKey
y={816230FE-84A1-47CC-BF64-C113014BD15B},BinaryType=0,)
MSI (s) (40:68) [20:17:19:531]: Executing op:
ComponentUnregister(ComponentId={C0608EED-7979-47FC-AA2C-C1A2BF92B30E},ProductKey
y={816230FE-84A1-47CC-BF64-C113014BD15B},BinaryType=0,)
MSI (s) (40:68) [20:17:19:531]: Executing op:
ComponentUnregister(ComponentId={05FBDC5F-EEB8-45D0-BF4C-06F84A94F950},ProductKey
y={816230FE-84A1-47CC-BF64-C113014BD15B},BinaryType=0,)
MSI (s) (40:68) [20:17:19:531]: Executing op:
ComponentUnregister(ComponentId={BDD65678-F320-4E01-B23E-31A4DF9BC499},ProductKey
y={816230FE-84A1-47CC-BF64-C113014BD15B},BinaryType=0,)
MSI (s) (40:68) [20:17:19:531]: Executing op:
ComponentUnregister(ComponentId={9AEB731-058F-418F-B7D9-80AD2DFE6E86},ProductKey
y={816230FE-84A1-47CC-BF64-C113014BD15B},BinaryType=0,)
MSI (s) (40:68) [20:17:19:531]: Executing op:
ComponentUnregister(ComponentId={C585EA92-0D9F-4336-8C5E-C52112949B8F},ProductKey
y={816230FE-84A1-47CC-BF64-C113014BD15B},BinaryType=0,)
MSI (s) (40:68) [20:17:19:531]: Executing op:

```

SEP_INST.log

ComponentUnregister(ComponentId={EBFC7408-CE02-44E6-BD1F-4E6AFF42A72F},ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B},BinaryType=0,)

MSI (s) (40:68) [20:17:19:531]: Executing op: ComponentUnregister(ComponentId={BAE3590F-C9BB-421E-9F87-2D76D4573D77},ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B},BinaryType=0,)

MSI (s) (40:68) [20:17:19:531]: Executing op: ComponentUnregister(ComponentId={7B1C11D0-1E89-4CFC-8009-022714E46912},ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B},BinaryType=0,)

MSI (s) (40:68) [20:17:19:531]: Executing op: ComponentUnregister(ComponentId={489485AD-7BDE-4A3A-9579-DF1F013A1175},ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B},BinaryType=0,)

MSI (s) (40:68) [20:17:19:531]: Executing op: ComponentUnregister(ComponentId={619086CA-A216-46F1-BD39-8B64630B1F2C},ProductKey={816230FE-84A1-47CC-BF64-C113014BD15B},BinaryType=0,)

ShowServiceProgress_RB: decrementing tick

MSI (s) (40:68) [20:17:19:531]: Executing op: ActionStart(Name=CommunicateRollback,,)

MSI (s) (40:68) [20:17:19:531]: Executing op: CustomActionRollback(Action=CommunicateRollback,ActionType=1345,Source=BinaryData,Target=CommunicateRollback,CustomActionData=12.1.671.4971;E:\SEP\;;105)

MSI (s) (40:D4) [20:17:19:531]: Invoking remote custom action. DLL: C:\WINDOWS\Installer\MSIF9.tmp, Entrypoint: CommunicateRollback

Communicate RB: calling communicate state with the following arguments:

Communicate RB: Prodversion = 12.1.671.4971

Communicate RB: PathToSylink = E:\SEP\

Communicate RB: Oldversion =

Communicate RB: ReasonStr =

Communicate RB: StatusCode = 302469120

Communicate RB: Communicator failed to communicate.

ShowServiceProgress_RB: decrementing tick

MSI (s) (40:68) [20:17:20:328]: Executing op: ActionStart(Name=installFailure.87654321_4321_4321_4321_210987654321,Description=Запись сбоя установки в журнал,Template=[1])

MSI (s) (40:68) [20:17:20:328]: Executing op: CustomActionRollback(Action=installFailure.87654321_4321_4321_4321_210987654321,ActionType=1281,Source=BinaryData,Target=installFailure,)

MSI (s) (40:7C) [20:17:20:343]: Invoking remote custom action. DLL: C:\WINDOWS\Installer\MSIFA.tmp, Entrypoint: installFailure

IDCCA: Failed to set property IdcXmlPath to C:\DOCUME~1\ADMINI~1\LOCALS~1\Temp\idc.xml (6)

IDCCA: Machine ID: 8fcc7e1e95ea9aa37d20d9a661d539cef55c7b20

IDCCA: HttpQueryInfo: 0 Error: 12007

IDCCA: Logout failure:0 12007

MSI (s) (40:68) [20:17:20:828]: Executing op: End(Checksum=0,ProgressTotalHDword=0,ProgressTotalLDword=0)

MSI (s) (40:68) [20:17:20:828]: Error in rollback skipped. Return: 5

MSI (s) (40:68) [20:17:20:828]: Calling SRSetRestorePoint API. dwRestorePtType: 13, dwEventType: 103, llSequenceNumber: 4, szDescription: "".

MSI (s) (40:68) [20:17:20:828]: The call to SRSetRestorePoint API succeeded. Returned status: 0.

MSI (s) (40:68) [20:17:20:828]: Unlocking Server

MSI (s) (40:68) [20:17:20:828]: PROPERTY CHANGE: Deleting UpdateStarted property. Its current value is '1'.

Завершение действия 20:17:20: INSTALL. Возвращенное значение 3.

Property(S): UpgradeCode = {24BF7A02-B60A-494B-843A-793BBC77DED4}

Property(S): CreateSepMasterService = SepMasterService;Symantec Endpoint Protection;Обеспечивает защиту от вредоносного программного обеспечения и угроз для Symantec Endpoint Protection;C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\;C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\sms.dll

Property(S): CreateInstallDataXML = 422da26385d21a1193f356433fbc6ad6fc7916d28119fb7a69f16291894e78e1;C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Scripts\startup.sis;C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Scripts\startrollback.sis;C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Scripts\failure.sis;C:\DOCUME~1\ADMINI~1\LOCALS~1\T


```

SEP_INST.log
emp\e99351f6-674a-46fe-bbd5-06c95a5a546d\installscript.sis;C:\Program
Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Scripts\installscript.sis;C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\;C:\Documents
and Settings\All Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Install\Logs\1;;;
Property(S): RunSymCustomActions =
C:\DOCUME~1\ADMINI~1\LOCALS~1\Temp\e99351f6-674a-46fe-bbd5-06c95a5a546d\customac
tions.xml
Property(S): SymRemoveFiles =
C:\DOCUME~1\ADMINI~1\LOCALS~1\Temp\e99351f6-674a-46fe-bbd5-06c95a5a546d\removefi
les.xml
Property(S): ShowServiceProgress =
{472D8985-7554-4137-AC02-1CD4D7F06876};SOFTWARE\Symantec\Symantec Endpoint
Protection;Выполнение сценария установки с помощью службы;
Property(S): ShowServiceProgress_RB =
{472D8985-7554-4137-AC02-1CD4D7F06876};SOFTWARE\Symantec\Symantec Endpoint
Protection;Выполнение сценария отката с помощью службы;
Property(S): CompressFolders = C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\;0;C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\;0;
Property(S): CreateInstallCacheFin =
12.1.671.4971;C:\DOCUME~1\ADMINI~1\LOCALS~1\Temp\e99351f6-674a-46fe-bbd5-06c95a5
a546d\2698f8e2-3bfd-4ac1-b8ca-d36cd1349b17\;C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Cached Installs\
Property(S): OS_SUPPORTS_UI = C:\WINDOWS\explorer.exe
Property(S): IE6FOUND = C:\WINDOWS\system32\shdocvw.dll
Property(S): SPMXMLFOUND = E:\SEP\SyLink.xml
Property(S): SYMRASMAN_REG13_PATH = C:\WINDOWS\System32\rastls.dll
Property(S): SYMRASMAN_REG13_INTERACTIVEUIPATH = C:\WINDOWS\System32\rastls.dll
Property(S): SYMRASMAN_REG13_CONFIGUIPATH = C:\WINDOWS\System32\rastls.dll
Property(S): SYMRASMAN_REG13_IDENTITYPATH = C:\WINDOWS\System32\rastls.dll
Property(S): SYMRASMAN_REG25_PATH = C:\WINDOWS\System32\rastls.dll
Property(S): SYMRASMAN_REG25_INTERACTIVEUIPATH = C:\WINDOWS\System32\rastls.dll
Property(S): SYMRASMAN_REG25_CONFIGUIPATH = C:\WINDOWS\System32\rastls.dll
Property(S): SYMRASMAN_REG25_IDENTITYPATH = C:\WINDOWS\System32\rastls.dll
Property(S): FOUNDSEPSLF = E:\SEP\sep_NE.slf\
Property(S): SHDOCWV = C:\WINDOWS\system32\shdocvw.dll
Property(S): LANG1049 = C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Res\1049\
Property(S): ProductName = Symantec Endpoint Protection
Property(S): ProductDisplayName = Symantec Endpoint Protection
Property(S): ProductVersion = 12.1.671.4971
Property(S): OPTOUTREPSUBMISSION = 0
Property(S): ENABLEAUTOPROTECT = 1
Property(S): DISABLEDEFENDER = 1
Property(S): RUNLIVEUPDATE = 1
Property(S): IDCENABLE = 1
Property(S): CONFIGDIR = C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Config\
Property(S): Basedir = C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\
Property(S): Appdata = C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\
Property(S): TARGETDIR = D:\
Property(S): SYMSTARTMENUUDIR = C:\Documents and Settings\All Users\Start
Menu\Programs\Symantec Endpoint Protection\
Property(S): Inbox = C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\inbox\
Property(S): Spman_installdir = C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\SPManifests\
Property(S): Installdir = C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\
Property(S): HELP = C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\Help\
Property(S): PERSISTEDDATA = C:\Documents and Settings\All Users\Application

```

SEP_INST.log

Data\Symantec\Symantec Endpoint Protection\PersistedData\
Property(S): DefinitionsFolder = C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Definitions\
Property(S): INSTALLSCRIPTS = C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Scripts\
Property(S): APPDATAINSTALLSCRIPTS = C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Install\Scripts\
Property(S): RES = C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Res\
Property(S): Symdrivers = C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\
Property(S): Snd_data = C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\symnetdrv\
Property(S): Bash_datadir = C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\BASH\
Property(S): Iron_data = C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\IRON\
Property(S): Appdatasrtsp = C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\SRTSP\
Property(S): TEEFERVISTA = C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\TeeferVista\
Property(S): TEEFERXP = C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\TeeferXP\
Property(S): APPLLOGS = C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Logs\
Property(S): Ids_bho_dir = C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\IPS\
Property(S): Ids_data_dir = C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\IPS\
Property(S): Ccdata = C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\CmnCInt\
Property(S): Muidir0901 = C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Res\19\01\
Property(S): Managed_Client_Type = Unmanaged
Property(S): SetupType = Typical
Property(S): _IsSetupTypeMin = Typical
Property(S): SBE_Feature_Set = Typical
Property(S): AgreeToLicense = No
Property(S): _IsMaintenance = Change
Property(S): RestartManagerOption = CloseRestart
Property(S): PRODUCTINSTALLDIR = C:\Program Files\Symantec\Symantec Endpoint
Protection\
Property(S): Tempbasedir = C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Temp\
Property(S): CACHED_INSTALLS = C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\
Property(S): CONTENTCACHE = C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\ContentCache\
Property(S): STATEDIR = C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\State\
Property(S): FEATURESTATEDIR = C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\FeatureState\
Property(S): SMCLU = C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Smclu\
Property(S): STATICDATA = C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Config\
Property(S): Appdata_spmanifests = C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\SPManifests\
Property(S): APPDATAINSTALL = C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Install\
Property(S): APPDATAINSTALLLOGS = C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Install\Logs\
Property(S): Ccinstallldir = C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\CmnCInt\
Property(S): Lckdatadir = C:\Documents and Settings\All Users\Application

SEP_INST.log

Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\CmnCInt_lck\
Property(S): Ccsetmaindatabasefolder = C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\CmnCInt\ccSetMgr\
Property(S): Ccgevtdatafolder = C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\CmnCInt\ccGEvt\
Property(S): Ccgevtdataglobalfolder = C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\CmnCInt\ccGEvt\Global\
Property(S): Ccgevtdatainstalllocation = C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\CmnCInt\ccGEvt\
Property(S): Ccgevtglobaldatafolder = C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\CmnCInt\ccGEvt\Global\
Property(S): Ccglogdatadir = C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\CmnCInt\ccGLog\
Property(S): Ccglogdatainstalllocation = C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\CmnCInt\ccGLog\
Property(S): Ccglogdefaultlogdir = C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Logs\
Property(S): Jobscheduleinstalllocation = C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\CmnCInt\ccJobSch\
Property(S): Ccjobmgrconfigfolder = C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\CmnCInt\ccJobMgr\
Property(S): Ccsubsdktatadir = C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\CmnCInt\ccSubSDK\
Property(S): Subsdkinstallldir = C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\CmnCInt\ccSubSDK\
Property(S): Lueappdata = C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Lue\
Property(S): Luepackagepath = C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\LUReg\
Property(S): Symds_base = C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\SymDS\
Property(S): Symds_temp = C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\SymDS\Temp\
Property(S): Appdatabasesrtsp = C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\SRTPSP\
Property(S): Appdatabasesrtspquar = C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\SRTPSP\Quarantine\
Property(S): Appdatabasesrtstmp = C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\SRTPSP\SrtETmp\
Property(S): AVLOGS = C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Logs\AV\
Property(S): APTMP = C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\APTemp\
Property(S): BADPATTS = C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\BadPatts\
Property(S): DB = C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\DB\
Property(S): DECTEMP = C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\DecTemp\
Property(S): I2_LDVP.VDB = C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\I2_LDVP.VDB\
Property(S): QUARANTINE = C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Quarantine\
Property(S): XFER = C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\xfer\
Property(S): XFER_TMP = C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\xfer_tmp\
Property(S): ARPINSTALLLOCATION = C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\

SEP_INST.log

Property(S): REBOOT = ReallySuppress
Property(S): CreateMetadataFile = C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Definitions\;VirusDefs;0;101208036;ccSubSDK_SC
D_Defs;0;0;BASHDefs;1;110501001;IronSettingsDefs;0;0;IronRevocationDefs;0;0;Iron
WhitelistDefs;0;0;IPSDefs;1;100507001;IPSDefs;1;100507001;IPSDefs;1;100507001
Property(S): CreateMetadataFile_RB = C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Definitions\
Property(S): CreateSepMasterService_RB = SepMasterService
Property(S): CreateInstallDataXML_RB = C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\;C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Scripts\installscript.sis
Property(S): SymRemoveEmptyFolders = C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\;C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\;C:\Program Files\Symantec\Symantec Endpoint
Protection\;C:\Program Files\Symantec\
Property(S): RunSymCustomActions_RB =
C:\DOCUME~1\ADMINI~1\LOCALS~1\Temp\e99351f6-674a-46fe-bbd5-06c95a5a546d\customac
tions_rb.xml
Property(S): SMSName = SepMasterService
Property(S): SMSDescription = Symantec Endpoint Protection
Property(S): CleanInstallStopSMS_RB = SepMasterService
Property(S): CleanInstallDeleteSMS_RB = SepMasterService
Property(S): SymRemoveRollbackFiles =
C:\DOCUME~1\ADMINI~1\LOCALS~1\Temp\e99351f6-674a-46fe-bbd5-06c95a5a546d\rollback
files.xml
Property(S): SymRemoveFiles_RB =
C:\DOCUME~1\ADMINI~1\LOCALS~1\Temp\e99351f6-674a-46fe-bbd5-06c95a5a546d\removefi
les.xml
Property(S): SetFolderPermissions = C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Quarantine\;C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\APTempt\;C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\I2_LDVP.VDB\;
Property(S): CreateInstallCache =
12.1.671.4971;E:\SEP\;C:\DOCUME~1\ADMINI~1\LOCALS~1\Temp\e99351f6-674a-46fe-bbd5
-06c95a5a546d\
Property(S): DestroyInstallCache = C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Cached Installs\
Property(S): SYMSRCDIR = E:\SEP\
Property(S): SYLINKSRCDIR = E:\SEP\
Property(S): LinkAllExecutables = C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Cached Installs\;C:\Program
Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\;C:\Documents
and Settings\All Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Cached Installs\Program
Files\Symantec\Name\Version\Bin\
Property(S): CommunicateRollback = 12.1.671.4971;E:\SEP\;;105
Property(S): AddCacheAsInstallSource =
{816230FE-84A1-47CC-BF64-C113014BD15B};C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Cached Installs\
Property(S): InUISequence = 0
Property(S): OnOff = 1
Property(S): Muidir = C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Res\
Property(S): SymantecProgramFiles = C:\Program Files\Symantec\
Property(S): ProgramFilesFolder = C:\Program Files\
Property(S): Symdriversbase = C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\
Property(S): MajorMinorRevSymDriversDir =
C:\WINDOWS\system32\Drivers\SEP\0C01029F\
Property(S): ProductSymDriversDir = C:\WINDOWS\system32\Drivers\SEP\
Property(S): Drivers = C:\WINDOWS\system32\Drivers\

SEP_INST.log

Property(S): SystemFolder = C:\WINDOWS\system32\
Property(S): Symantecshared = C:\Program Files\Common Files\Symantec Shared\
Property(S): CommonFilesFolder = C:\Program Files\Common Files\
Property(S): SourceDir = E:\SEP\
Property(S): Appdatabase = C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\
Property(S): Appdatalegacy = C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\
Property(S): SymantecAppData = C:\Documents and Settings\All Users\Application
Data\Symantec\
Property(S): CommonAppDataFolder = C:\Documents and Settings\All
Users\Application Data\
Property(S): ProgramMenuFolder = C:\Documents and Settings\All Users\Start
Menu\Programs\
Property(S): DesktopFolder = C:\Documents and Settings\All Users\Desktop\
Property(S): SymTempFolder =
C:\DOCUME~1\ADMINI~1\LOCALS~1\Temp\e99351f6-674a-46fe-bbd5-06c95a5a546d\
Property(S): Muidir09 = C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Res\19\
Property(S): Manufacturer = Symantec Corporation
Property(S): ProductCode = {816230FE-84A1-47CC-BF64-C113014BD15B}
Property(S): ProductLanguage = 1049
Property(S): ALLUSERS = 1
Property(S): APPTYPE = 105
Property(S): LUMoniker = {20209388-19DA-443e-ABC2-A706D2AAF9E9}
Property(S): ARPSYSTEMCOMPONENT = 1
Property(S): INSTALLLEVEL = 100
Property(S): MSIENFORCEUPGRADECOMPONENTRULES = 1
Property(S): ValidInstallDir = 1
Property(S): CACHEINSTALL = 1
Property(S): MIGRATESETTINGS = 1
Property(S): CMC_PRODUCT_BUILD = #4971
Property(S): CMC_PRODUCT_VERSION = 12.1
Property(S): CACHE_INSTALLER = 1
Property(S): ADDSTARTMENUICON = 1
Property(S): SISUSETRANSACTIONS = 1
Property(S): MAXMIGRATIONDELAY = 60
Property(S): MIGRATIONDELAY = 30
Property(S): MsiLogging = voicewarmupx
Property(S): MSIRESTARTMANAGERCONTROL = Disable
Property(S): SMSLongDescription = Обеспечивает защиту от вредоносного
программного обеспечения и угроз для Symantec Endpoint Protection
Property(S): SymMigrationRebootMessage = Чтобы обеспечить полную защиту,
Symantec Endpoint Protection требует перезапустить этот компьютер.
Property(S): SymRebootAtEndMessage = Чтобы обеспечить полную защиту, Symantec
Endpoint Protection требует перезапустить этот компьютер.
Property(S): InstallCompleteMessage = Удаление успешно завершено
Property(S): ShowServiceProgressMessage = Выполнение сценария установки с
помощью службы
Property(S): ShowServiceProgress_RBMessage = Выполнение сценария отката с
помощью службы
Property(S): SiloGUID = {472D8985-7554-4137-AC02-1CD4D7F06876}
Property(S): SILO_REGHIVE = SOFTWARE\Symantec\Symantec Endpoint Protection
Property(S): HIGHCONTRAST = 0
Property(S): SYM_MAJOR_UPGRADE = 0
Property(S): SEPLicprop = SB
Property(S): SEPLicpropReg = sepsb
Property(S): SYMLICENSETYPE = 1
Property(S): MIGLICENSETYPE = 0
Property(S): LOADEDDRIVERSFOUND = 0
Property(S): RESOLVEFEATURES = 0
Property(S): InstallingToReparse = 0
Property(S): SYMCOMPRESSFOLDERS = 1
Property(S): ErrorDialog = SetupError
Property(S): ApplicationUsers = AllUsers
Property(S): DefaultUIFont = Tahoma8
Property(S): ProgressType0 = install
Property(S): ProgressType1 = Installing

SEP_INST.log

```

Property(S): ProgressType2 = installed
Property(S): ProgressType3 = installs
Property(S): LibSep86 = 1
Property(S): SysPlantStartType = disabled
Property(S): LibSepCommon = 1
Property(S): HITYPE = 0
Property(S): LOCATIONSENSOR = 0
Property(S): REVERSEDNS = 0
Property(S): WSCAVALERT = 1
Property(S): WSCAVUPTODATE = 30
Property(S): WSCCONTROL = 0
Property(S): LibSnac86 = 1
Property(S): Lang = 1049
Property(S): LiveUpdateVars = 1
Property(S): SecureCustomProperties =
ADDLOCAL;ADDSTARTMENUICON;AMBERPLUSFOUND;AMBERSNACPLUSFOUND;APPDATAINSTALL;APPDA
TAINSTALLLOGS;APPDATAINSTALLSCRIPTS;APPLGGS;APTEMP;AVLOGS;BADPATTs;CACHE_INSTALL
ER;CACHED_INSTALLS;CACHEINSTALL;CMC_PRODUCT_BUILD;CMC_PRODUCT_VERSION;COMPANYNAM
E;CONFIGDIR;CONTENTCACHE;DB;DECTEMP;DEFENDERFOUND;DISABLEDEFENDER;ENABLEAUTOPROT
ECT;EXCHANGEFOUND;FEATURESTATEDIR;FOREFRONTTMGFOUND;FOUNDBROWSERPROTECTIONLITE;F
OUNDLIVEUPDTHST;FOUNDSEPSLF;FOUNDSETTINGSHOSTSLIVEUPDATE;FOUNDSNACSLF;HELP;HITYP
E;I2_LDVP.VDB;IE6FOUND;INSTALLEDPRODUCTTYPE;INSTALLSCRIPTS;LANG1049;LEGACYCOHCLI
ENTFOUND;LEGACYCOHFOUND;LEGACYNCO2FOUND;LEGACYNCOFOUND;LEGACYSEA_NM;LEGACYSEA_NM
1;LEGACYSEA_NM2;LOADEDDEDRIVERSFOUND;LOCATIONSENSOR;MAXMIGRATIONDELAY;MIGLICENSETY
PE;MIGRATESETTINGS;MIGRATIONDELAY;MIGRATIONPENDINGREBOOT;MSIRESTARTMANAGERCONTRO
L;NAV2003FOUND;NAVCORP8X;NAVSERVER8X;NEWERFOUND;NEWERSNACFOUND;NIS2003FOUND;NIS2
004FOUND;NORTON360FOUND;NORTON360V2FOUND;NORTONAV;NORTONAVPRO;NORTONFOUND;NOTESF
OUND;NSW2007_2008FOUND;OLDAPPDATADIR;OLDERFOUND;OLDPRODUCTVERSION;OLDSILOFOUND;O
PTOUTREPSUBMISSION;OS_SUPPORTS_UI;OUTLOOKFOUND;PENDINGMODULEREMOVAL;PERSISTEDDAT
A;PREAMBERFOUND;PREAMBERSNACFOUND;PREHAMLETFOUND;PRODUCTINSTALLDIR;PRODUCTINSTA
LDIRINSETAID;QUARANTINE;REINSTALL;REMOVE;RES;RESOLVEFEATURES;REVERSEDNS;ROOTDRIV
E;RUNLIVEUPDATE;SAVCLIENT8XFOUND;SAVCORP7XFOUND;SAVFOUND;SAVMIGINSTDIR;SAVSMIGFO
LDER;SCFFFOUND;SCS2FOUND;SCSFOUND;SCSMIGINSTDIR;SDIDATFOUND;SEPMIGINSTDIR;SERDEFD
ATFOUND;SHDOCVW;SILO_REGHIVE;SISFAILED;SISUSETTRANSACTIONS;SMCLU;SNACFOUND;SNACMI
GINSTDIR;SOURCEDIR;SPA51BLOCK;SPAFOUND;SPMXMLFOUND;SRCLICFILE;SSCOLDFOUND;STATED
IR;STATICDATA;SYLINKSRCIDIR;SYM_MAJOR_UPGRADE;SYMCOMPRESSFOLDERS;SYMFORCEFAIL;SYM
FORCEFAILPHASE;SYMLICENSETYPE;SYMRASMAN_REG13_CONFIGUIPATH;SYMRASMAN_REG13_IDENT
ITYPATH;SYMRASMAN_REG13_INTERACTIVEUIPATH;SYMRASMAN_REG13_PATH;SYMRASMAN_REG25_C
ONFIGUIPATH;SYMRASMAN_REG25_IDENTITYPATH;SYMRASMAN_REG25_INTERACTIVEUIPATH;SYMRA
SMAN_REG25_PATH;SYMREBOOT;SYMSRCDIR;SYMSTARTMENUDIR;SYSFERFOUND32;SYSFERTHUNKFOU
ND32;TARGETDIR;TEEFERVISTA;TEEFERXP;UNINSTALLREBOOTREQUIRED;USEDCUSTOMINSTALL;US
ERNAME;WINDOWSFIREFWALLSTATE;WSCAVALERT;WSCAVUPTODATE;WSCCONTROL;XFER;XFER_TMP
Property(S): RestoreServiceStartTypes =
SymIRON,1,8;SysPlant,1,8;SymDS,0,8;SymEFA,0,8;SYMTDI,1,8;BHDrvx86,1,8;SRTSPX,1,8
;SRTSP,1,8
Property(S): VirusDefs_DefsDate = 20110516.040
Property(S): IDCdataserver = tses.symantec.com
Property(S): IDCdataLOC = /incoming
Property(S): IDCDEPLOYMENT = Local
Property(S): IDCextraINFO = 0
Property(S): PackageCode = {F3BE37D6-027B-4947-AD83-637FF28381E4}
Property(S): ProductState = -1
Property(S): PackageCodeChanging = 1
Property(S): SRCLICFILE = EE
Property(S): CURRENTDIRECTORY = E:\SEP
Property(S): CLIENTUILEVEL = 0
Property(S): CLIENTPROCESSID = 260
Property(S): CURRENTMEDIAVOLUME LABEL = SEP_12.1
Property(S): USERNAME = cor
Property(S): COMPANYNAME = cor
Property(S): VersionDatabase = 200
Property(S): ACTION = INSTALL
Property(S): EXECUTEACTION = INSTALL
Property(S): ROOTDRIVE = D:\
Property(S): SECONDSEQUENCE = 1
Property(S): ADDLOCAL =
Core,SAVMain,Download,Pop3SmtP,PTPMain,TruScan,DCMain,NTPMain,ITPMain,Firewall,L
ANG1049

```

SEP_INST.log

Property(S): VersionMsi = 3.01
Property(S): VersionNT = 501
Property(S): WindowsBuild = 2600
Property(S): ServicePackLevel = 3
Property(S): ServicePackLevelMinor = 0
Property(S): MsiNTProductType = 1
Property(S): WindowsFolder = C:\WINDOWS\
Property(S): WindowsVolume = C:\
Property(S): System16Folder = C:\WINDOWS\system\
Property(S): RemoteAdminTS = 1
Property(S): TempFolder = C:\DOCUME~1\ADMINI~1\LOCALS~1\Temp\
Property(S): AppDataFolder = C:\Documents and Settings\Administrator\Application
Data\
Property(S): FavoritesFolder = C:\Documents and
Settings\Administrator\Favorites\
Property(S): NetHoodFolder = C:\Documents and Settings\Administrator\NetHood\
Property(S): PersonalFolder = C:\Documents and Settings\Administrator\My
Documents\
Property(S): PrintHoodFolder = C:\Documents and
Settings\Administrator\PrintHood\
Property(S): RecentFolder = C:\Documents and Settings\Administrator\Recent\
Property(S): SendToFolder = C:\Documents and Settings\Administrator\SendTo\
Property(S): TemplateFolder = C:\Documents and Settings\All Users\Templates\
Property(S): LocalAppDataFolder = C:\Documents and Settings\Administrator\Local
Settings\Application Data\
Property(S): MyPicturesFolder = C:\Documents and Settings\Administrator\My
Documents\My Pictures\
Property(S): AdminToolsFolder = C:\Documents and Settings\All Users\Start
Menu\Programs\Administrative Tools\
Property(S): StartupFolder = C:\Documents and Settings\All Users\Start
Menu\Programs\Startup\
Property(S): StartMenuFolder = C:\Documents and Settings\All Users\Start Menu\
Property(S): FontsFolder = C:\WINDOWS\Fonts\
Property(S): GPTSupport = 1
Property(S): OLEAdvtSupport = 1
Property(S): ShellAdvtSupport = 1
Property(S): Intel = 6
Property(S): PhysicalMemory = 3316
Property(S): VirtualMemory = 5042
Property(S): AdminUser = 1
Property(S): LogonUser = Administrator
Property(S): UserID = S-1-5-21-1614895754-362288127-1801674531-500
Property(S): UserLanguageID = 1049
Property(S): ComputerName = DST223
Property(S): SystemLanguageID = 1049
Property(S): ScreenX = 1920
Property(S): ScreenY = 1200
Property(S): CaptionHeight = 26
Property(S): BorderTop = 1
Property(S): BorderSide = 1
Property(S): TextHeight = 16
Property(S): ColorBits = 32
Property(S): TTCSupport = 1
Property(S): Time = 20:17:20
Property(S): Date = 7/29/2013
Property(S): Msiwin32AssemblySupport = 5.1.2600.5512
Property(S): RedirectedDllSupport = 2
Property(S): Privileged = 1
Property(S): DATABASE = C:\WINDOWS\Installer\bf48.msi
Property(S): OriginalDatabase = E:\SEP\Sep.msi
Property(S): UILevel = 5
Property(S): Preselected = 1
Property(S): IdcXmlPath = C:\DOCUME~1\ADMINI~1\LOCALS~1\Temp\idc.xml
Property(S): CostingComplete = 1
Property(S): SOURCEDIR = E:\SEP\
Property(S): SourcedirProduct = {816230FE-84A1-47CC-BF64-C113014BD15B}
Property(S): SymlinkSrcProperty = E:\SEP\
Property(S): TEMPINSTALLCACHE =

SEP_INST.log

C:\DOCUME~1\ADMINI~1\LOCALS~1\Temp\e99351f6-674a-46fe-bbd5-06c95a5a546d\2698f8e2-3bfd-4ac1-b8ca-d36cd1349b17\

Property(S): OutOfDiskSpace = 0
Property(S): OutOfNoRbDiskSpace = 0
Property(S): PrimaryVolumeSpaceAvailable = 0
Property(S): PrimaryVolumeSpaceRequired = 0
Property(S): PrimaryVolumeSpaceRemaining = 0
Property(S): SEPCore_Installing = 1
Property(S): SNAC_Installing = 1
Property(S): Core_Installing = 1
Property(S): sis_Installing = 1
Property(S): CommonHardLinks_Installing = 1
Property(S): ccAlert_Installing = 1
Property(S): ccEnv_Installing = 1
Property(S): ccServiceHost_Installing = 1
Property(S): ccSettings_Installing = 1
Property(S): ccSettingsGlobalStream_Installing = 1
Property(S): ccVerifyTrust_Installing = 1
Property(S): ccErrorHandler_Installing = 1
Property(S): ccGenericEvent_Installing = 1
Property(S): ccGenericEventData_Installing = 1
Property(S): ccGenericLog_Installing = 1
Property(S): ccGenericLogData_Installing = 1
Property(S): ccIPC_Installing = 1
Property(S): ccJobMgr_Installing = 1
Property(S): ccJobMgrScheduleData_Installing = 1
Property(S): ccJobMgrConfigDataStream_Installing = 1
Property(S): ccLib_Installing = 1
Property(S): ccSubEng_Installing = 1
Property(S): ccSubEngGlobalDataStream_Installing = 1
Property(S): ccSubEngConfigurationDataStream_Installing = 1
Property(S): ccSubEngLuReg_Installing = 1
Property(S): Lue_ent_Installing = 1
Property(S): DefUtilsD_Installing = 1
Property(S): DuLuCbk_Installing = 1
Property(S): MicroDefsD_Installing = 1
Property(S): SymProtect_Installing = 1
Property(S): SNAC_ccSVCHst_EimLoader_Installing = 1
Property(S): SNAC_ccSVCHst_RunOncePerSession_Installing = 1
Property(S): SNAC_ccSVCHst_SEPSessionPlugin_Installing = 1
Property(S): ccJobMgr_CentralizedProxyJob_Installing = 1
Property(S): D2MService_Installing = 1
Property(S): SEP_Product_LUReg_Installing = 1
Property(S): ecml32_Installing = 1
Property(S): MSL32_Installing = 1
Property(S): ccSPManifest_Installing = 1
Property(S): SymDS_Installing = 1
Property(S): SymEFA_Installing = 1
Property(S): SymEvent_Installing = 1
Property(S): SymNetDrv_Installing = 1
Property(S): ccScanW_Installing = 1
Property(S): SAVMain_Installing = 1
Property(S): DecABI_Installing = 1
Property(S): VirusDefs_Installing = 1
Property(S): Bash_Installing = 1
Property(S): BASHDefs_Installing = 1
Property(S): Iron_Installing = 1
Property(S): IronServer_SEPRelease_Installing = 1
Property(S): SRTSP_Installing = 1
Property(S): SepHardLinks_Installing = 1
Property(S): ccJobMgr_AtpiBOHDriver_Installing = 1
Property(S): ccJobMgr_AtpiDBPurge_Installing = 1
Property(S): ccJobMgr_AtpiDllSnapShot_Installing = 1
Property(S): ccJobMgr_AtpiFOIScan_Installing = 1
Property(S): ccJobMgr_AtpiMrCleanRptSub_Installing = 1
Property(S): ccJobMgr_AtpiProcessDataCollection_Installing = 1
Property(S): ccJobMgr_AtpiRepSeed_Installing = 1
Property(S): ccJobMgr_AtpiRunProcUpdateJob_Installing = 1

SEP_INST.log

```

Property(S): ccJobMgr_GEDataStoreFileHashUpdateJob_Installing = 1
Property(S): ccJobMgr_UserScansCleanupJob_Installing = 1
Property(S): ccJobMgr_WSCInitialUpdateJob_Installing = 1
Property(S): ccSubSDK_SEPJobs_Installing = 1
Property(S): ccSvcHstPlugins_SEP_Installing = 1
Property(S): SEP_ccGarbageCollector_Installing = 1
Property(S): SEP_AV_LUReg_Installing = 1
Property(S): Download_Installing = 1
Property(S): ITPMain_Installing = 1
Property(S): ITPMain.Shared_Installing = 1
Property(S): ClientIDS_Installing = 1
Property(S): IPSDefs_Installing = 1
Property(S): OutlookSnapin_Installing = 0
Property(S): NotesSnapin_Installing = 0
Property(S): Pop3Smtplib_Installing = 1
Property(S): ccEmailProxy_Installing = 1
Property(S): ccOEHEmail_Installing = 1
Property(S): SEP_ccSvcHst_EmailPlugin_Installing = 1
Property(S): ccEmailProxyFilterReg_Installing = 1
Property(S): PTPMain_Installing = 1
Property(S): TruScan_Installing = 1
Property(S): DCMMain_Installing = 1
Property(S): DCMMain.Common_Installing = 1
Property(S): NTPMain_Installing = 1
Property(S): ITPMain.Only_Installing = 1
Property(S): NTPMain.Shared_Installing = 1
Property(S): Firewall_Installing = 1
Property(S): LANG_Installing = 1
Property(S): ccMUI_Installing = 1
Property(S): REMOVEALL = 0
Property(S): VirusDefs_DefsInstalling = 1
Property(S): ccSubSDK_SCD_Defs_DefsInstalling = 0
Property(S): BASHDefs_DefsInstalling = 1
Property(S): IronSettingsDefs_DefsInstalling = 0
Property(S): IronRevocationDefs_DefsInstalling = 0
Property(S): IronWhitelistDefs_DefsInstalling = 0
Property(S): IPSDefs_DefsInstalling = 1
Property(S): BASHDefs_DefsDate = 20110514.001
Property(S): IPSDefs_DefsDate = 20110514.005
Property(S): InstallScriptHash =
422da26385d21a1193f356433fbc6ad6fc7916d28119fb7a69f16291894e78e1
Property(S): InstallScriptPath = C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Scripts\installscript.sis
Property(S): TempInstallScriptPath =
C:\DOCUME~1\ADMINI~1\LOCALS~1\Temp\e99351f6-674a-46fe-bbd5-06c95a5a546d\installsc
ript.sis
Property(S): ProductToBeRegistered = 1
MSI (s) (40:68) [20:17:20:875]: MainEngineThread is returning 1603
MSI (s) (40:98) [20:17:20:984]: Destroying RemoteAPI object.
MSI (s) (40:78) [20:17:20:984]: Custom Action Manager thread ending.
MSI (c) (04:10) [20:17:20:984]: Back from server. Return value: 1603
MSI (c) (04:10) [20:17:20:984]: Decrementing counter to disable shutdown. If
counter >= 0, shutdown will be denied. Counter after decrement: -1
MSI (c) (04:10) [20:17:20:984]: PROPERTY CHANGE: Deleting SECONDSEQUENCE
property. Its current value is '1'.
Завершение действия 20:17:20: ExecuteAction. Возвращенное значение 3.
MSI (c) (04:10) [20:17:20:984]: Doing action: SetupCompleteError
Действие 20:17:20: SetupCompleteError.
Начало действия 20:17:20: SetupCompleteError.
Действие 20:17:20: SetupCompleteError. Dialog created
Завершение действия 20:17:52: SetupCompleteError. Возвращенное значение 2.
Завершение действия 20:17:52: INSTALL. Возвращенное значение 3.
MSI (c) (04:10) [20:17:52:421]: Destroying RemoteAPI object.
MSI (c) (04:84) [20:17:52:437]: Custom Action Manager thread ending.
Property(C): UpgradeCode = {24BF7A02-B60A-494B-843A-793BBC77DED4}
Property(C): OS_SUPPORTS_UI = C:\WINDOWS\explorer.exe
Property(C): IE6FOUND = C:\WINDOWS\system32\shdocvw.dll
Property(C): SPMXMLFOUND = E:\SEP\SyLink.xml

```

SEP_INST.log

Property(C): SYMRASMAN_REG13_PATH = C:\WINDOWS\System32\rastls.dll
Property(C): SYMRASMAN_REG13_INTERACTIVEUIPATH = C:\WINDOWS\System32\rastls.dll
Property(C): SYMRASMAN_REG13_CONFIGUIPATH = C:\WINDOWS\System32\rastls.dll
Property(C): SYMRASMAN_REG13_IDENTITYPATH = C:\WINDOWS\System32\rastls.dll
Property(C): SYMRASMAN_REG25_PATH = C:\WINDOWS\System32\rastls.dll
Property(C): SYMRASMAN_REG25_INTERACTIVEUIPATH = C:\WINDOWS\System32\rastls.dll
Property(C): SYMRASMAN_REG25_CONFIGUIPATH = C:\WINDOWS\System32\rastls.dll
Property(C): SYMRASMAN_REG25_IDENTITYPATH = C:\WINDOWS\System32\rastls.dll
Property(C): FOUNDSEPSLF = E:\SEP\sep_NE.slf\
Property(C): SHDOCVW = C:\WINDOWS\system32\shdocvw.dll
Property(C): LANG1049 = C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Res\1049\
Property(C): ProductName = Клиент Symantec Endpoint Protection
Property(C): ProductDisplayName = Symantec Endpoint Protection
Property(C): ProductVersion = 12.1.671.4971
Property(C): OPTOUTREPSUBMISSION = 0
Property(C): ENABLEAUTOPROTECT = 1
Property(C): DISABLEDEFENDER = 1
Property(C): RUNLIVEUPDATE = 1
Property(C): IDCENABLE = 1
Property(C): CONFIGDIR = C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Config\
Property(C): Basedir = C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\
Property(C): Appdata = C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\
Property(C): TARGETDIR = D:\
Property(C): SYMSTARTMENUDIR = C:\Documents and Settings\All Users\Start
Menu\Programs\Symantec Endpoint Protection\
Property(C): Inbox = C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\inbox\
Property(C): Sman_installdir = C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\SPManifests\
Property(C): Installdir = C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\
Property(C): HELP = C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\Help\
Property(C): PERSISTEDDATA = C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\PersistedData\
Property(C): Definitionsfolder = C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Definitions\
Property(C): INSTALLSCRIPTS = C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Scripts\
Property(C): APPDATAINSTALLSCRIPTS = C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Install\Scripts\
Property(C): RES = C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Res\
Property(C): Symdrivers = C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\x86\
Property(C): Snd_data = C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\symnetdrv\
Property(C): Bash_datadir = C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\BASH\
Property(C): Iron_data = C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\IRON\
Property(C): Appdatasrtsp = C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\SRTSP\
Property(C): TEEFERVISTA = C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\TeeferVista\
Property(C): TEEFERXP = C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\TeeferXP\
Property(C): APPLLOGS = C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Logs\
Property(C): Ids_bho_dir = C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\IPS\
Property(C): Ids_data_dir = C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\IPS\
Property(C): Ccdata = C:\Documents and Settings\All Users\Application

SEP_INST.log

Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\CmnCInt\
Property(C): Muidir0901 = C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Res\19\01\
Property(C): Managed_Client_Type = Unmanaged
Property(C): SetupType = Typical
Property(C): _IsSetupTypeMin = Typical
Property(C): SBE_Feature_Set = Typical
Property(C): AgreeToLicense = Yes
Property(C): _IsMaintenance = Change
Property(C): RestartManagerOption = CloseRestart
Property(C): PRODUCTINSTALLDIR = C:\Program Files\Symantec\Symantec Endpoint
Protection\
Property(C): Tempbasedir = C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Temp\
Property(C): CACHED_INSTALLS = C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Cached
Installs\
Property(C): CONTENTCACHE = C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\ContentCache\
Property(C): STATEDIR = C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\State\
Property(C): FEATURESTATEDIR = C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\FeatureState\
Property(C): SMCLU = C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Smclu\
Property(C): STATICDATA = C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Config\
Property(C): Appdata_spmanifests = C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\SPManifests\
Property(C): APPDATAINSTALL = C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Install\
Property(C): APPDATAINSTALLLOGS = C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Install\Logs\
Property(C): Ccinstalldir = C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Bin\CmnCInt\
Property(C): Lckdatadir = C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\CmnCInt_lck\
Property(C): Ccsetmaindatabasefolder = C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\CmnCInt\ccSetMgr\
Property(C): Ccgevtdatafolder = C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\CmnCInt\ccGEvt\
Property(C): Ccgevtdataglobalfolder = C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\CmnCInt\ccGEvt\Global\
Property(C): Ccgevtdatainstalllocation = C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\CmnCInt\ccGEvt\
Property(C): Ccgevtglobaldatafolder = C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\CmnCInt\ccGEvt\Global\
Property(C): Ccglogdatadir = C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\CmnCInt\ccGLog\
Property(C): Ccglogdatainstalllocation = C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\CmnCInt\ccGLog\
Property(C): Ccglogdefaultlogdir = C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\Logs\
Property(C): Jobscheduleinstalllocation = C:\Program Files\Symantec\Symantec
Endpoint Protection\12.1.671.4971.105\Bin\CmnCInt\ccJobSch\
Property(C): Ccjobmgrconfigfolder = C:\Documents and Settings\All
Users\Application Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\CmnCInt\ccJobMgr\
Property(C): Ccsubsdkdatadir = C:\Documents and Settings\All Users\Application
Data\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Data\CmnCInt\ccSubSDK\

SEP_INST.log

Property(C): Subsdinstallldir = C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\CmnCInt\ccSubSDK\
Property(C): Lueappdata = C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Lue\
Property(C): Luepackagepath = C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Bin\LUReg\
Property(C): Symds_base = C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\SymDS\
Property(C): Symds_temp = C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\SymDS\Temp\
Property(C): Appdatabasesrtsp = C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\SRTPSP\
Property(C): Appdatabasesrtspquar = C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\SRTPSP\Quarantine\
Property(C): Appdatabasesrtsptmp = C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\SRTPSP\SrtETmp\
Property(C): AVLOGS = C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Logs\AV\
Property(C): APTEMP = C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\APTemp\
Property(C): BADPATTS = C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\BadPatts\
Property(C): DB = C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\DB\
Property(C): DECTEMP = C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\DecTemp\
Property(C): I2_LDVP.VDB = C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\I2_LDVP.VDB\
Property(C): QUARANTINE = C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Quarantine\
Property(C): XFER = C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\xfer\
Property(C): XFER_TMP = C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\xfer_tmp\
Property(C): REBOOT = ReallySuppress
Property(C): SMSName = SepMasterService
Property(C): SMSDescription = Symantec Endpoint Protection
Property(C): SYMSRCDIR = C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Config\SymSourceDir\
Property(C): SYLINKSRCDIR = C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Data\Config\SymlinkSourceDir\
Property(C): InUISequence = 1
Property(C): Muidir = C:\Program Files\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\Res\
Property(C): SymantecProgramFiles = C:\Program Files\Symantec\
Property(C): ProgramFilesFolder = C:\Program Files\
Property(C): Symdriversbase = C:\WINDOWS\system32\Drivers\SEP\0C01029F\136B.105\
Property(C): MajorMinorRevSymDriversDir = C:\WINDOWS\system32\Drivers\SEP\0C01029F\
Property(C): ProductSymDriversDir = C:\WINDOWS\system32\Drivers\SEP\
Property(C): Drivers = C:\WINDOWS\system32\Drivers\
Property(C): SystemFolder = C:\WINDOWS\system32\
Property(C): Symantecshared = C:\Program Files\Common Files\Symantec Shared\
Property(C): CommonFilesFolder = C:\Program Files\Common Files\
Property(C): SourceDir = E:\SEP\
Property(C): Appdatabase = C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\12.1.671.4971.105\
Property(C): Appdatalegacy = C:\Documents and Settings\All Users\Application Data\Symantec\Symantec Endpoint Protection\
Property(C): SymantecAppData = C:\Documents and Settings\All Users\Application Data\Symantec\
Property(C): CommonAppDataFolder = C:\Documents and Settings\All Users\Application Data\
Property(C): ProgramMenuFolder = C:\Documents and Settings\All Users\Start

SEP_INST.log

```
Menu\Programs\
Property(C): DesktopFolder = C:\Documents and Settings\All Users\Desktop\
Property(C): SymTempFolder = D:\
Property(C): Muidir09 = C:\Program Files\Symantec\Symantec Endpoint
Protection\12.1.671.4971.105\Res\19\
Property(C): Manufacturer = Symantec Corporation
Property(C): ProductCode = {816230FE-84A1-47CC-BF64-C113014BD15B}
Property(C): ProductLanguage = 1049
Property(C): ALLUSERS = 1
Property(C): APPTYPE = 105
Property(C): LUMoniker = {20209388-19DA-443e-ABC2-A706D2AAF9E9}
Property(C): ARPSYSTEMCOMPONENT = 1
Property(C): INSTALLLEVEL = 100
Property(C): MSIENFORCEUPGRADECOMPONENTRULES = 1
Property(C): ValidInstallDir = 0
Property(C): CACHEINSTALL = 1
Property(C): MIGRATESETTINGS = 1
Property(C): CMC_PRODUCT_BUILD = #4971
Property(C): CMC_PRODUCT_VERSION = 12.1
Property(C): CACHE_INSTALLER = 1
Property(C): ADDSTARTMENUICON = 1
Property(C): SISUSETRANSACTIONS = 1
Property(C): MAXMIGRATIONDELAY = 60
Property(C): MIGRATIONDELAY = 30
Property(C): MsiLogging = voicewarmupx
Property(C): MSIRESTARTMANAGERCONTROL = Disable
Property(C): SMSLongDescription = Обеспечивает защиту от вредоносного
программного обеспечения и угроз для Symantec Endpoint Protection
Property(C): SymMigrationRebootMessage = Чтобы обеспечить полную защиту,
Symantec Endpoint Protection требует перезапустить этот компьютер.
Property(C): SymRebootAtEndMessage = Чтобы обеспечить полную защиту, Symantec
Endpoint Protection требует перезапустить этот компьютер.
Property(C): InstallCompleteMessage = Удаление успешно завершено
Property(C): ShowServiceProgressMessage = Выполнение сценария установки с
помощью службы
Property(C): ShowServiceProgress_RBMessage = Выполнение сценария отката с
помощью службы
Property(C): SiloGUID = {472D8985-7554-4137-AC02-1CD4D7F06876}
Property(C): SILO_REGHIVE = SOFTWARE\Symantec\Symantec Endpoint Protection
Property(C): HIGHCONTRAST = 0
Property(C): SYM_MAJOR_UPGRADE = 0
Property(C): SEPLicprop = SB
Property(C): SEPLicpropReg = sepsb
Property(C): SYMLICENSETYPE = 1
Property(C): MIGLICENSETYPE = 0
Property(C): LOADEDDRIVERSFOUND = 0
Property(C): RESOLVEFEATURES = 0
Property(C): InstallingToReparse = 0
Property(C): SYMCOMPRESSFOLDERS = 1
Property(C): ErrorDialog = SetupError
Property(C): ApplicationUsers = AllUsers
Property(C): DefaultUIFont = Tahoma8
Property(C): ProgressType0 = install
Property(C): ProgressType1 = Installing
Property(C): ProgressType2 = installed
Property(C): ProgressType3 = installs
Property(C): LibSep86 = 1
Property(C): SysPlantStartType = disabled
Property(C): LibSepCommon = 1
Property(C): HITYPE = 0
Property(C): LOCATIONSENSOR = 0
Property(C): REVERSEDNS = 0
Property(C): WSCAVALERT = 1
Property(C): WSCAVUPTODATE = 30
Property(C): WSCCONTROL = 0
Property(C): LibSnac86 = 1
Property(C): Lang = 1049
Property(C): LiveUpdateVars = 1
```

SEP_INST.log

```

Property(C): SecureCustomProperties =
ADDLOCAL;ADDSTARTMENUICON;AMBERPLUSFOUND;AMBERSNACPLUSFOUND;APPDATAINSTALL;APPDA
TAINSTALLLOGS;APPDATAINSTALLSCRIPTS;APPLGGS;APTEMP;AVLOGS;BADPATTS;CACHE_INSTALL
ER;CACHED_INSTALLS;CACHEINSTALL;CMC_PRODUCT_BUILD;CMC_PRODUCT_VERSION;COMPANYNAM
E;CONFIGDIR;CONTENTCACHE;DB;DECTEMP;DEFENDERFOUND;DISABLEDEFENDER;ENABLEAUTOPROT
ECT;EXCHANGEFOUND;FEATURESTATEDIR;FOREFRONTTMGFOUND;FOUNDBROWSERPROTECTIONLITE;F
OUNDLIVEUPDTHST;FOUNDSEPSLF;FOUNDSETTINGSHOSTSLIVEUPDATE;FOUNDSNACSLF;HELP;HITYP
E;I2_LDVP.VDB;IE6FOUND;INSTALLEDPRODUCTTYPE;INSTALLSCRIPTS;LANG1049;LEGACYCOHCLI
ENTFOUND;LEGACYCOHFOUND;LEGACYNCO2FOUND;LEGACYNCOFOUND;LEGACYSEA_NM;LEGACYSEA_NM
1;LEGACYSEA_NM2;LOADEDDRIVERSFOUND;LOCATIONSENSOR;MAXMIGRATIONDELAY;MIGLICENSETY
PE;MIGRATESETTINGS;MIGRATIONDELAY;MIGRATIONPENDINGREBOOT;MSIRESTARTMANAGERCONTRO
L;NAV2003FOUND;NAVCORP8X;NAVSERVER8X;NEWERFOUND;NEWERSNACFOUND;NIS2003FOUND;NIS2
004FOUND;NORTON360FOUND;NORTON360V2FOUND;NORTONAV;NORTONAVPRO;NORTONFOUND;NOTESF
OUND;NSW2007_2008FOUND;OLDAPPDATAADIR;OLDERFOUND;OLDPRODUCTVERSION;OLDSILOFOUND;O
PTOUTREPSUBMISSION;OS_SUPPORTS_UI;OUTLOOKFOUND;PENDINGMODULEREMOVAL;PERSISTEDDAT
A;PREAMBERFOUND;PREAMBERSNACFOUND;PREHAMLETFOUND;PRODUCTINSTALLDIR;PRODUCTINSTAL
LDIRINSETAID;QUARANTINE;REINSTALL;REMOVE;RES;RESOLVEFEATURES;REVERSEDNS;ROOTDRIV
E;RUNLIVEUPDATE;SAVCLIENT8XFOUND;SAVCORP7XFOUND;SAVFOUND;SAVMIGINSTDIR;SAVSMIGFO
LDER;SCFFOUND;SCS2FOUND;SCSFOUND;SCSMIGINSTDIR;SDIDATFOUND;SEPMIGINSTDIR;SERDEFD
ATFOUND;SHDOCVW;SILO_REGHIVE;SISFAILED;SISUSETRANSACTIONS;SMCLU;SNACFOUND;SNACMI
GINSTDIR;SOURCEDIR;SPA51BLOCK;SPAFOUND;SPMXMLFOUND;SRCLICFILE;SSCOLDFOUND;STATED
IR;STATICDATA;SYLINKSRCDIR;SYM_MAJOR_UPGRADE;SYMCOMPRESSFOLDERS;SYMFORCEFAIL;SYM
FORCEFAILPHASE;SYMLICENSETYPE;SYMNASMAN_REG13_CONFIGUIPATH;SYMNASMAN_REG13_IDENT
ITYPATH;SYMNASMAN_REG13_INTERACTIVEUIPATH;SYMNASMAN_REG13_PATH;SYMNASMAN_REG25_C
ONFIGUIPATH;SYMNASMAN_REG25_IDENTITYPATH;SYMNASMAN_REG25_INTERACTIVEUIPATH;SYMNA
SMAN_REG25_PATH;SYMREBOOT;SYMSRCDIR;SYMSTARTMENUDIR;SYSFERFOUND32;SYSFERTHUNKFOU
ND32;TARGETDIR;TEEFERVISTA;TEEFERXP;UNINSTALLREBOOTREQUIRED;USEDCUSTOMINSTALL;US
ERNAME;WINDOWSFIREFWALLSTATE;WSCAVALERT;WSCAUVPTODATE;WSCCONTROL;XFER;XFER_TMP
Property(C): IDCDATASERVER = tses.symantec.com
Property(C): IDCATALOC = /incoming
Property(C): IDCDEPLOYMENT = Local
Property(C): IDCXTRAINFO = 0
Property(C): PackageCode = {F3BE37D6-027B-4947-AD83-637FF28381E4}
Property(C): ProductState = -1
Property(C): PackagecodeChanging = 1
Property(C): SRCLICFILE = EE
Property(C): CURRENTDIRECTORY = E:\SEP
Property(C): CLIENTUILEVEL = 0
Property(C): CLIENTPROCESSID = 260
Property(C): CURRENTMEDIAVOLUMELABEL = SEP_12.1
Property(C): VersionDatabase = 200
Property(C): VersionMsi = 3.01
Property(C): VersionNT = 501
Property(C): WindowsBuild = 2600
Property(C): ServicePackLevel = 3
Property(C): ServicePackLevelMinor = 0
Property(C): MsINTProductType = 1
Property(C): WindowsFolder = C:\WINDOWS\
Property(C): windowsVolume = C:\
Property(C): System16Folder = C:\WINDOWS\system\
Property(C): RemoteAdminTS = 1
Property(C): TempFolder = C:\DOCUME~1\ADMINI~1\LOCALS~1\Temp\
Property(C): AppDataFolder = C:\Documents and Settings\Administrator\Application
Data\
Property(C): FavoritesFolder = C:\Documents and
Settings\Administrator\Favorites\
Property(C): NetHoodFolder = C:\Documents and Settings\Administrator\NetHood\
Property(C): PersonalFolder = C:\Documents and Settings\Administrator\My
Documents\
Property(C): PrinHoodFolder = C:\Documents and
Settings\Administrator\PrinHood\
Property(C): RecentFolder = C:\Documents and Settings\Administrator\Recent\
Property(C): SendToFolder = C:\Documents and Settings\Administrator\SendTo\
Property(C): TemplateFolder = C:\Documents and Settings\All Users\Templates\
Property(C): LocalAppDataFolder = C:\Documents and Settings\Administrator\Local
Settings\Application Data\
Property(C): MyPicturesFolder = C:\Documents and Settings\Administrator\My
Documents\My Pictures\

```

SEP_INST.log

Property(C): AdminToolsFolder = C:\Documents and Settings\All Users\Start Menu\Programs\Administrative Tools\
Property(C): StartupFolder = C:\Documents and Settings\All Users\Start Menu\Programs\Startup\
Property(C): StartMenuFolder = C:\Documents and Settings\All Users\Start Menu\
Property(C): FontsFolder = C:\WINDOWS\Fonts\
Property(C): GPTSupport = 1
Property(C): OLEAdvtsupport = 1
Property(C): ShellAdvtsupport = 1
Property(C): Intel = 6
Property(C): PhysicalMemory = 3316
Property(C): VirtualMemory = 5052
Property(C): AdminUser = 1
Property(C): LogonUser = Administrator
Property(C): UserID = S-1-5-21-1614895754-362288127-1801674531-500
Property(C): UserLanguageID = 1049
Property(C): ComputerName = DST223
Property(C): SystemLanguageID = 1049
Property(C): ScreenX = 1920
Property(C): ScreenY = 1200
Property(C): CaptionHeight = 26
Property(C): BorderTop = 1
Property(C): BorderSide = 1
Property(C): TextHeight = 16
Property(C): ColorBits = 32
Property(C): TTCSupport = 1
Property(C): Time = 20:17:52
Property(C): Date = 29.07.2013
Property(C): Msiwin32AssemblySupport = 5.1.2600.5512
Property(C): RedirectedDllSupport = 2
Property(C): Privileged = 1
Property(C): USERNAME = cor
Property(C): COMPANYNAME = cor
Property(C): DATABASE = C:\DOCUME~1\ADMINI~1\LOCALS~1\Temp\9d97.msi
Property(C): OriginalDatabase = E:\SEP\Sep.msi
Property(C): SOURCEDIR = E:\SEP\
Property(C): MediaSourceDir = 1
Property(C): VersionHandler = 3.01
Property(C): UILevel = 5
Property(C): ACTION = INSTALL
Property(C): EXECUTEACTION = INSTALL
Property(C): IdcXmlPath = C:\DOCUME~1\ADMINI~1\LOCALS~1\Temp\idc.xml
Property(C): ROOTDRIVE = D:\
Property(C): CostingComplete = 1
Property(C): SourcedirProduct = {816230FE-84A1-47CC-BF64-C113014BD15B}
Property(C): SyLinkAlwaysConnect = 0
Property(C): OutOfDiskSpace = 0
Property(C): OutOfNoRbDiskSpace = 0
Property(C): PrimaryVolumeSpaceAvailable = 0
Property(C): PrimaryVolumeSpaceRequired = 0
Property(C): PrimaryVolumeSpaceRemaining = 0
=== Завершение записи журнала: 29.07.2013 20:17:52 ===
MSI (c) (04:10) [20:17:52:437]: Note: 1: 1708
MSI (c) (04:10) [20:17:52:437]: Продукт: Клиент Symantec Endpoint Protection --
Операция установки не выполнена.

MSI (c) (04:10) [20:17:52:453]: Grabbed execution mutex.
MSI (c) (04:10) [20:17:52:453]: Cleaning up uninstalled install packages, if any
exist
MSI (c) (04:10) [20:17:52:453]: MainEngineThread is returning 1603
=== Verbose logging stopped: 29.07.2013 20:17:52 ===