



*Rule Object ID 10000000: Demo1 menu

type filter text

- 1 - Demo1 menu
 - 1 - get remote records

Show inactive values

General

ID: 10000001 Rule Type: Script Event:

Name:
get remote records

Description:

*Rule Object ID 10000001: Script

```

var conn = new Packages.purescm.vegas.plugins.sd.CASdmChangeOrderConnector();
var list = conn.getObjects("status.sym='RFC'", null, "User=ServiceDesk;Password=Synergy00");
VegasClient.createLogEntry("MenuMacro", "get remote records","Before looping the objects:"+list.size(), "", "");
for(var i = 0; i<list.size();i++)
{
    var obj = list.get(i);
    var flds = obj.getDisplayNames();
    var vals = obj.getValues();
    var status = "N/A";
    for (var x = 0; x < flds.size(); x++) {
        if (flds.get(x).equals("Status")) {
            status = vals.get(x);
        }
    }
}

```

*Rule Object ID 10000001: Script

```

var conn = new Packages.purescm.vegas.plugins.sd.CASdmChangeOrderConnector();
var list = conn.getObjects("status.sym='RFC'", null, "User=ServiceDesk;Password=Synergy00");
VegasClient.createLogEntry("MenuMacro", "get remote records","Before looping the objects:"+list.size(), "", "");
for(var i = 0; i<list.size();i++)
{
    var obj = list.get(i);
    var flds = obj.getDisplayNames();
    var vals = obj.getValues();
    var status = "N/A";
    for (var x = 0; x < flds.size(); x++) {
        if (flds.get(x).equals("Status")) {
            status = vals.get(x);
        }
    }
    VegasClient.createLogEntry("MenuMacro", "get remote records",obj.getId()+":"+obj.getObjectName()+":"+status, "", "");
}
VegasClient.createLogEntry("MenuMacro", "get remote records","After looping the objects:"+list.size(), "", "");

```

