



# DX UIM for Full Stack Infrastructure Observability and Key Cornerstone for AlOps by Broadcom

Presenter Name
Title

Date



# Today's Agenda

AIOPS BY BROADCOM

DX UIM OVERVIEW

MARQUEE FEATURES

KEY TECHNOLOGY MONITORING CAPABILITIES

LICENSING GUIDELINES

WHAT QUESTIONS DO YOU HAVE?



#### **Disclaimer**

Certain information in this presentation may outline Broadcom's general product direction. This presentation shall not serve to (i) affect the rights and/or obligations of Broadcom or its licensees under any existing or future license agreement or services agreement relating to any Broadcom software product; or (ii) amend any product documentation or specifications for any Broadcom software product. This presentation is based on current information and resource allocations as of January 2024 and is subject to change or withdrawal by Broadcom at any time without notice. The development, release and timing of any features or functionality described in this presentation remain at Broadcom's sole discretion.

Notwithstanding anything in this presentation to the contrary, upon the general availability of any future Broadcom product release referenced in this presentation, Broadcom may make such release available to new licensees in the form of a regularly scheduled major product release. Such release may be made available to licensees of the product who are active subscribers to Broadcom maintenance and support, on a when and if-available basis. The information in this presentation is not deemed to be incorporated into any contract.

Copyright © 2024 Broadcom. All rights reserved. All trademarks, trade names, service marks and logos referenced herein belong to their respective companies.

THIS PRESENTATION IS FOR YOUR INFORMATIONAL PURPOSES ONLY. Broadcom assumes no responsibility for the accuracy or completeness of the information. TO THE EXTENT PERMITTED BY APPLICABLE LAW, BROADCOM PROVIDES THIS DOCUMENT "AS IS" WITHOUT WARRANTY OF ANY KIND, INCLUDING, WITHOUT LIMITATION, ANY IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NONINFRINGEMENT. In no event will Broadcom be liable for any loss or damage, direct or indirect, in connection with this presentation, including, without limitation, lost profits, lost investment, business interruption, goodwill, or lost data, even if Broadcom is expressly advised in advance of the possibility of such damages.



# AlOps by Broadcom



# **Use Cases for AlOps by Broadcom**





Gain insights into end-to-end digital experience



Address tool sprawl with hybrid cloud





**Deliver operational** efficiencies with actionable intelligence



Diagnose issues across domains using comprehensive datasets




Organizational awareness for digital service agility and resilience



#### AlOps by Broadcom

# AlOps by Broadcom for DEM-App-Infra-Network Observability








# **DX UIM Overview**



#### **DX UIM 23.4**


#### Fueling AlOps for Observability

 Enable enterprises, government agencies and managed service providers with web-scale security and quality





### **True Hybrid Monitoring – Across the Infrastructure Estate**



- Bring everything together from disparate sources to a common data dictionary
- Build up correlated view to get quick and complete visibility across infra estate
- Blur the lines between traditional data centers and public/private cloud environments
- Reduce MTTR and meet SLAs with ease



## Our Solution: DX Unified Infrastructure Management (DX UIM)



# Scalability for IT Complexity

Implement reliable, secure and scalable solution that's natively multi-tenant for the world's largest and most complex enterprises, government agencies and MSPs



# **Unified Infrastructure Observability**

Cover traditional, virtual and modern hybrid cloud technologies providing a single-pane-of-glass for full stack infrastructure observability



#### **Intelligent Operations**

Automate inventory management, smart incident correlation and service-level insight for efficiency, faster MTTR and improved end-user experience



#### **AlOps & Observability**

Ingest granular, full stack infrastructure data to enable highly accurate analytics with complementary AlOps solutions

#### PARTNERING WITH IT OPS FOR DIGITAL TRANSFORMATION



### **Scalability for IT Complexity**



# Scalability for IT Complexity

Implement reliable, secure and scalable solution that's natively multi-tenant for the world's largest and most complex enterprises, government agencies and MSPs

#### **Multi-Tenancy**

"Our company has multiple business units with differing needs, reporting requirements, and vastly different infrastructure models. We found that DX UIM could handle the complexity without deploying multiple instances."

— Head of IT operations, large international financial services firm

IT Infrastructure Management to support scale and complexity



## **What Our Customers Say**

#### **Scalability for IT Complexity**

"We monitor the health of thousands of devices for our SME and enterprise clients from our own cloud. We oversee the devices that make up our client's virtual and storage environments – their VMware machines, SQL databases, NetApp storage and HPE SimpliVity hyperconverged infrastructure. At the same time, we provide detailed insights into the state of their cloud and hybrid network infrastructures, including Azure and related SaaS technologies like Office 365."

Monitoring unit manager, European managed services provider







## **Unified Hybrid Infrastructure Observability**



# **Unified Infrastructure Observability**

Cover traditional, virtual and modern hybrid cloud technologies providing a single-pane-of-glass for full stack infrastructure observability

#### **Reduce Tool Sprawl Across Diverse Infrastructure Types**

"Before DX UIM, we had six point solutions in place. With DX UIM, we were able to collapse everything into a single interface confidently. This not only made my team's life easier, but for the first time we had one view of our entire infrastructure, which made optimizing the digital experience much more straightforward."

— VP of IT operations, large international financial services firm

#### Unified view across the tech stack on a single platform




## **What Our Customers Say**

#### **Unified Hybrid Cloud Observability**

"Supporting a modern enterprise means that an infrastructure monitoring platform will likely have to support federated organizations with multiple business units and complex hybrid environments. That is why we selected DX UIM—because we needed a platform that monitors highly dynamic cloud environments...what I tell my peers is that the more complex an infrastructure is, the better DX UIM will perform because it is **built to manage complexity.**"

— IT director, U.S. healthcare services provider







### **Intelligent Operations**



#### **Intelligent Operations**

Automate inventory management, smart incident correlation and service-level insight for efficiency, faster MTTR and improved end-user experience

#### **Automated Inventory & Alarm Management**

"We have 25,000 devices under management, so managing the monitoring configurations for this would be massively time-consuming. With DX UIM, you can leverage MCS to create configuration profiles that can be applied appropriately across device groups — literally hundreds at a time. You can also use MCS to set alarm configurations for those same groups at scale. Therefore, we can apply a specific set of alarm baselines and thresholds and custom alarm messages in bulk. It saves us countless hours when we want to change a setting or alarm configuration."

— Head of infrastructure management, Fortune 500 financial services organization

#### Efficient triage and service level optimization




## **What Our Customers Say**

#### **Intelligent Operations**

"DX UIM's newer SLA wizard leverages the DX UIM grouping model to automatically include all the devices in a given group for an SLO. Before, we struggled to define SLOs for certain infrastructure items and ultimately would just turn them off. However, the new capability allows us to bulk assign and edit SLA configurations within minutes."

Head of infrastructure monitoring, large
 US energy provider







# **AlOps & Observability**





Ingest granular, full stack infrastructure data to enable highly accurate analytics with complementary AlOps solutions

#### **Single Pane of Glass Across Diverse Domains**

"AWS and Azure probes monitor our cloud environments, and our database administrators can easily create new monitors as needed. That done, the alarms from DX UIM flow into DX SaaS for Operational Intelligence, our single pane of glass for IT monitoring and business service management."

Observability and enterprise management architect, consumer goods provider

#### Unified view across the tech stack on a single platform



#### Alops by Broadcom


## **What Our Customers Say**

#### **AlOps & Observability**

"Our clients are able to gather and correlate alarms from multiple domains and use time, topology, text and technology to intelligently map and cluster multiple issues to a single probable root cause. In addition to central alarm management, DX Operational Intelligence offers our clients a single pane of glass for dashboarding and reporting and service observability."

 Sr. Engagement Manager, sales, services and support provider for AIOps by Broadcom








### DX UIM Strategy – 12-Month Look Ahead

Our vision and mission is to deliver the most effective Unified Hybrid Cloud Observability solution to help our customers manage Scalability for Complex IT, simplify IT by providing Intelligent Operations and enable AlOps & Observability capabilities to enable IT to drive digital transformations



WE ARE FOCUSED ON DELIVERING A SET OF CAPABILITIES USING **ACTIVE MEASUREMENT TECHNIQUES** TO IMPROVE DX UIM WORKFLOWS **AND** ACHIEVE THE FOLLOWING OUTCOMES:

#### **Provide Faster Time-to-Value with Zero-Touch Configuration**

- Onboard inventory dynamically
- Automate monitoring configuration at scale

#### **Enhance IT Infrastructure Awareness with Contextual Visibility**

- Provide consistent and accurate data source for hybrid, multi-cloud monitoring
- Improve performance, availability and responsiveness visualizations

#### **Improve Security for Managing IT Complexity**

- Deploy monitoring with less-privileged user credentials option
- Secure development, delivery and deployment (DevSecOps)

#### **Deliver Reliable Monitoring Governance and Compliance**

- Provide metric and threshold definition reports
- Offer choice of deployment options with On-premises and/or PaaS hosting




# **Key Features Review**



#### **Zero-Touch Monitoring**

#### Scale and Resilience for Monitoring Configuration Service (MCS)

- Consistent (template-based) monitoring
- Ease of configuration management at scale
- Quicker TTV with zero-touch inventory onboarding
- Enabling monitoring governance



#### 3. Autonomous operations

- Alarm notification and incident management
- Dashboards and reports
- Performance & health management

#### 1. Dynamic discovery

- Device discovery
- App discovery
- Inventory grouping



#### 2. Auto configuration


 Push Monitoring profile and alarm policies



### **Observability View Designer**

Rich Home Screens as Per Role and Technology

- Design integrated views to create unified views across infrastructure stack
- Easy correlation to understand performance insights across hybrid multi cloud data center
  - Inventory to fault correlation
  - Fault to performance correlation
- Persona-based content
- Enables self service






## **Personalize Operator Console**

#### Ease of Use for Efficient Operations

Personalize Operator Console as per role and responsibility

- Customizable navigation menu bar
  - On Operator Console, remove used menu items
- Set default home screen
  - Choose default landing page
- White labelling enabled





DX Unified Infrastructure Management **Operator Console** 

■ Dashboard Viewer

User Personalization


Community My Dashboards

Always show menu

### **List Designer and List Viewer**

#### Faster Full-Stack Triage – Performance and Health Management

- List Viewer displays information in a table format; the information can be in the form of text, numbers, gauges, alarms or line graphs
- Create two kinds of lists: detail or group
  - In detail lists, each row displays information for a single host or target
  - In group lists, each row displays aggregated information for a group of systems
- Publish URLs for sharing and easy access
- Role-based, tenant-aware visualization





### **Performance Insights**


#### Faster Full-Stack Triage – Performance and Device Health Management

#### Performance Report Designer

- Compare QoS parameters across devices
- Schedule reports to share with all stakeholders
- Multiple chart options for accurate representation

#### **Metric Viewer**


- View metrics across devices, groups and technologies
- View performance anomalies based on historical data
- Role-based metric views






## **Centralized Alarm Management**

Alarm Policies, Dynamic Baselining, Automated Alarm Routing & In-Context Filtering





### ALARM DEFINITION

Centralized alarm policies based on dynamic baselining across the technologies

Forward device alerts for single-pane-of-glass view

#### ALARM NOISE REDUCTION

Algorithmic mechanisms like Time to Threshold & Time over Threshold

#### SCALED UP ALARM SERVICE

Enabling alarm enrichment, correlation, and suppression using scripts

### INCIDENT MANAGEMENT

Bidirectional ITSM integration enabling quick triage

#### ALARM VIEWER


Tenant aware, advance filtering for quicker triage



## **Service Level Management**

#### Faster Full-Stack Triage with Service Level Management

- Manage service availability across tech stack based on QoS parameters for defined service objectives
- Share service availability trend reports with stakeholders
- SLA alerts for proactive service degradation management
- Group-level SLO definition





### **Extensive Container and Cloud Monitoring**

Unified Hybrid Multi-Cloud Monitoring

#### **Public Cloud Service Providers**







Services spanning multiple categories across accounts, geographies and workflows

#### **Containers and Orchestrators**









Foundational infrastructure elements, distributed containers, deployment plane elements and control plane services

#### **Virtualization and Storage**

Monitor virtualization, converged infrastructure, clusters and OpenStack cloud deployments and infrastructures



















## **Extensive Platform and Database Support**

#### **Enabling Web-Scale Deployments**

- Recent platforms support updates
  - Microsoft Windows Server 2022
  - RHEL 9.x
  - Jaspersoft 8.2 for CA Business Intelligence
- Recent database support updates
  - MySQL 8.X
  - Microsoft SQL Server 2022















## Monitoring with Minimal Access Permission (Option)

Deployment and Monitoring with Non Root User

Root level access for monitoring and deployment is now optional to align with organizational security recommendations

- Less privilege user can deploy servers and robots
- Monitoring probes certified to work with less privilege user permission






### New Capability with DX UIM 23.4: In-Product Content Enrichment

#### Easy Access to Support and Enablement Resources

- Support and enablement articles can be viewed on the Operator Console
- View enablement content in the product context spread across
  - Technical documentation
  - Blogs
  - Product videos
  - KB articles
- Provide feedback, print or share the documentation at ease
- Opt-in feature (requires internet connection)
- Collects anonymous analytics to help us understand article usage details





# Key Technology Monitoring Capabilities



## **VMware Monitoring**

- One solution to monitor VMs, hosts, resource pools, datastores, clusters, virtual apps, etc.
- Data for the monitored components can be obtained through
  - vCenter
  - ESXi servers
- Support for the latest vSphere 8 and vCenter Server 8







## **AWS Monitoring**

- Remotely monitors the health and performance of available services over an AWS cloud through AWS CloudWatch
- Collects data for more than 15 popular AWS services across compute, storage, application integration, analytics, networking and content delivery, database, containers, etc.
- Recently added support for monitoring Amazon Elastic Kubernetes Service (EKS)





### **Kubernetes Monitoring**


 Wide and deep coverage across physical and logical planes of the deployment

 Segregate and apply specific policies to group members per your preferences

Kubernetes Monitoring

Monitor at-a-glance with

confidence





Worker Node(1)

Worker Node (2)

Worker Node (n)

### **PodMan Monitoring**


- Monitors the health and performance of your PodMan environment
- You can generate Quality of Service (QoS) and alarm messages for the following components:
  - Host (single host system)
  - Containers
  - Images
  - Volumes
- Monitor Podman container engines embedded in platforms like OpenShift





# **OpenShift Monitoring**


- Monitor your OpenShift clusters and retrieve all the service data (health, size and performance) at:
  - Cluster
  - Namespace
  - Node
  - Pod
  - Container
  - Replicaset
  - Deployment
  - StatefulSets
  - Control Planes
- Collect enhanced metrics for OpenShift from Prometheus





# IBM PowerVM Monitoring Using REST (ibmvm\_rest) Probe

- Monitors the managed IBM Power Systems connected to IBM Hardware Management Console (HMC) interfaces
- Communicates with the HMC using the HMC REST API
- Monitors key performance metrics for IBM virtualization enabled systems, including managed systems, VIOS and LPARs
- Support for new IBM HMC release (v9r2)





# Remote System Monitoring (RSP)

- Agentless retrieval of performance data of a system
- Remotely monitor the performance of the following system parameters:
  - CPU
  - Disk
  - Memory
  - Load
  - NTEvents
  - Processes
  - Services
  - WMI objects
- Periodically auto-discovers and resyncs entities to maintain coverage accuracy





## **SQL Server Monitoring and SNMP Gateway**

- Monitors the internal performance and space allocation of SQL Server databases
- Can run locally on the database server or it can be configured to run as a remote client
- Convert DX UIM alarms to SNMP trap messages
- Can be read by any SNMP-based event manager
- Support strong 256-bit encryption and hashing standards







# Monitoring for Widest Range of Infrastructure Observability

#### **SERVERS & APPS**

- Apache HTTP Server
- Active Directory Events
- Active Directory Server
- Cisco UCM
- Citrix Insight Server
- Citrix Provisioning Service
- Citrix XenApp
- Citrix XenDesktop
- Email Response
- IBM Domino Server
- IBM Notes Server Response
- IBM WebSphere
- IBM WebSphere MQ
- JBoss
- Java Management Extensions
- Java Virtual Machine
- Microsoft Exchange
- Microsoft Exchange Server Response
- Microsoft Office365
- Microsoft IIS
- Microsoft SharePoint
- Microsoft Windows Event Log
- Microsoft Windows Performance
- Microsoft Windows Services
- Salesforce
- SAP Basis
- Sybase EAServer
- Tomcat
- WebLogic
- Web URL Service

# SYSTEMS & SERVICE RESPONSE

- Active Directory Response
- CPU Disk Memory
- Cisco
- Cisco IPSLA (SAA)
- Cisco UCM
- Cisco UCS
- Citrix Insight Response
- Clustered Environments
- Command Execution
- DHCP Response
- DNS Response
- ecoMeter
- Email
- E2E Application Response
- File & Directory
- File Systems Mount
- I/O Stats
- ICMP
- KVM
- LDAP Response
- LogMon
- Network Time Protocol Response
- NIC Performance
- Printers
- Processes
- Reboot
- Remote System
- URL Endpoint Response

# CLOUDS, CONTAINERS & VIRTUALIZATION

- Apache CloudStack
- AWS
- Citrix XenServer
- Docker
- Google Cloud Platform
- IBM PowerVM
- Kubernetes
- Microsoft Azure
- Microsoft Hyper-V
- Nutanix
- OpenStack
- PodMan
- Red Hat
- Solaris Zones
- VMware ESX
- VMware vCenter
- VMware vCloud Director

#### IBM AS/400 iSERIES

- Data Service Pack
- Disks
- Fetch System Messages
- Jobs
- Jobs Queue
- Jobs Schedule
- Journal Message
- Output QueueOHST Data
- Message Service
- Network Monitoring

# NETWORKING INFRASTRUCTURE

- Cisco Meraki
- Cisco Tandberg C-Series
- Cisco Tandberg EX90
- Cisco Tandberg MXP Series
- Cisco UCM
- Cisco UCS
- ICMP
- Net Connect
- NQ Services
- SNMP Collector
- SNMP Get
- SNMP Trap Daemon

# EXTENSIBILITY & INTEGRATIONS

- Application Delivery Analysis Inventory
- CA APM Bridge
- CA App Experience Analytics Gateway
- CMDB Gateway
- DX Operational Intelligence Gateway
- Email Gateway
- Java Database Connectivity Gateway
- Message Gateway
- REST API Monitoring
- Short Message Service Gateway
- Service Desk Gateway
- SNMP Gateway
- Spectrum GatewaySystem Log Gateway
- Usage Reporting Web Gateway

# BIG DATA, DATBASES & STORAGE

- Apache Flume
- Apache Oozie
- Apache Solr
- Cassandra
- Cloudera Impala
- Ceph
- Cohesity
- Dell EMC Elastic Cloud Storage
- Dell EMC VMAX
- Dell EMC VPLEX
- Dell EMC VNXe
- Dell EMC XtremelO
- Hadoop
- Hitachi
- HP 3PAR
- IBM DB2
- IBM DS S8xxxxIBM DS S3xxxx, S4xxx, S5xxx
- IBM SAN Volume Controller
- IBM Total Storage 4000
- JDBC Response
- MongoDB
- MySQL
- NetApp
- NetApp ONTAP
- OraclePure Storage
- RedisSQL Response
- SQL Server



# Licensing Guidelines



### DX Infrastructure Manager (DX UIM) SKU Components

#### DXIMGR990

This encompasses all DX Unified Infrastructure Management core infrastructure along with all probe packs *except* those for zSystems and ecoMeter

#### One DXIMGR990 device license includes:

- Servers and Application Infrastructure
- Systems and Service Response
- Clouds, Containers and Virtualization
- Midrange (iSeries or AS/400) Servers
- Networking Infrastructure
- Extensibility and Integrations
- BigData, Database, Storage
- Infrastructure (Core) Components

SPD: Central Support location here



#### Specific Program Documentation

OX Infrastructure Manager

The CA software program(s) ("CA Software") listed below is provided under the following terms and conditions in addition to any terms and conditions referenced on the CA quote, order form, statement of work, or other mutually agreed ordering document (each a "Transaction Document") under the applicable end user agreement or governing contract (collectively, the "Agreement") entered into by Customer and the CA entity ("CA") through which Customer obtained a license for the CA Software. These terms shall be effective from the effective date of such Transaction Document. Capitalized terms have the meanings ascribed to them herein, or, otherwise, in the Agreement.

Program Name: DX Infrastructure Manager (DXIMGR990)

This encompasses all DX Unified Infrastructure Management core infrastructure along with all Probe Packs exceptorobe for ecoMeter.

#### 1. DEFINITIONS

"Device" means each physical or virtual electronic machine or other data source administered, managed, monitored or controlled by the CA Software as specified in the Documentation. Examples of these components include but are not limited to: individual virtual or physical servers, storage, network devices and any applications or services that run on them, inside or outside the Customer's premise; uniform resource locators, cloud services, and other data sources capable of being monitored or from which performance data is collected; and components that use an Internet Protocol ("IP") address, such as IP and hybrid telephony devices, routers, appliances, hubs, and single-flow interfaces.

"Terabyte" (TB) means a unit of computer memory or data storage capacity equal to 1,024 Gigabytes (GB)

#### 2. USE RIGHTS AND LIMITATIONS.

Customer may use the CA Software for the number of Devices set forth in the Transaction Document. A Device license (DXIMGR890) is a normalized unit of measurement for infrastructure monitoring needs using the CA Software in a hybrid. multi-cloud environment.

One Device license can be used to measure monitoring across any of the below infrastructure areas:

- Big Data, Databases, Storage
- Clouds, Containers and Virtualization
- Midrange (AS/400 iSeries)
- Networking Infrastructure
- Servers and Application Infrastructure
   Systems and Service Response

A Device license may be repurposed across monitoring in any of these mentioned areas if a Customer's monitoring needs evolve over time.

The calculation with respect to the number of Devices required within an environment is determined as follows:

- Each monitored operating system/server (physical or virtual) counts as 1 Device
- Each virtualization controlling entity, such as an ESXi host, counts as 1 Device
- Each node (master or otherwise) across all clusters of a containerized environment being monitored counts as 1 Device
- Each DX Unified Infrastructure Management station that response time tests are run FROM counts as 'Device
- 5 terabytes of monitored storage counts as 1 Device
- 10 IP-enabled ping-able devices count as 1 Device
- 10 IP-enabled network devices for advanced network monitoring via SNMP count as 1 Device
- Each server running any SAP technology counts as 1 Device



### DX Infrastructure Manager (DX UIM) Calculations

#### Device counts are determined as follows:

- Each monitored operating system/server (physical or virtual) counts as 1 Device
- Each virtualization controlling entity, such as an ESXi host, counts as 1 Device
- Each node (master or otherwise) across all clusters of a containerized environment being monitored counts as 1 Device
- Each DX UIM station that response time tests are run FROM counts as 1 Device
- 5 terabytes of monitored storage counts as 1 Device
- 10 IP-enabled pingable devices count as 1 Device
- 10 IP-enabled network devices for advanced network monitoring via SNMP count as 1 Device
- Each server running any SAP technology counts as 1 Device
- Each server running any big data technology counts as 1 Device
- Each resource in a cloud environment (public/private) counts as 1 Device
  - E.g., each Amazon EC2, Azure VM, Google Compute, Amazon RDS instance, irrespective of remote/local monitoring, counts as 1 Device



# What Questions Do You Have?





# **Thank You**



