

SiteMinder - CloudMinder integration use-case

Frédéric LALA – CA Services
24 jan 2013

agility
made possible™




Introduction


- Contexte
 - Client possédant une infrastructure SiteMinder
 - Authentifications par formulaires & X509
- Nouveau besoin
 - Authentifications renforcées, 2 facteurs, pour les accès depuis l'extérieur ou pour certaines applications
 - OTP envoyé par SMS
 - Soft token pour authentification forte logicielle
- Solution proposée
 - Authentification forte logicielle et double authentification par OTP
 - CA AuthMinder as a service : A-OK / CloudMinder
 - Intégration SAML

Strong Authentication process

1. The user attempts to access the « Web application URL »
2. SM WebAgent detect that A-OK is protecting the requested URL and will redirect the user to the SAML GW through the « Web application Federated URL »
3. SAML GW redirect the user to the A-OK authentication URL
4. A-OK validate the credentials and generate a SAML assertion then redirect the user to the SAML GW through the « Web application Federated URL »
5. SAML GW consume the SAML assertion and generate a SiteMinder session cookie (cookie FED) and redirects the user to « Web application URL »
6. SM WebAgent detects & accepts the session cookie generated by the Fed GW and forward to the Web Server
7. The user Access the « Web application URL »



Sequence Diagram






SiteMinder - SiteMinder R12.5 migration path

Frédéric LALA – CA Services
24 jan 2013


agility
made possible™



Migration path Mixed mode vs Parallel mode



Standard migration path



Standard migration path

